

Abbreviations	115
Activity vs Exposure Rate	31
Activity vs Particle Size	42
Acute Radiation Effects	5
Airborne Radioactivity	68
Characteristic X-Rays of the Elements	103
Comparative Risk of Radiation Exposure	143
Composition of Air	113
Contamination Limits	65
Conversions	116
Dosimetry	46
Elevation vs Air Pressure	109
Electromagnetic Spectrum	123
Emergency Response	1
Filter Media	72
Inhalation DAC Factors and ALIs	73
Instrument Selection	66
Public Radiation Doses	141
Radiation Biology	45
Radiation Interactions	52
Radiation Shielding	53
Radioactive Decay Modes	11
Radon	142
Rules of Thumb	124
SI & US Units	114
Statistics	107
Surface and Volume Calculations	122
Table of the Elements	7
Units and Terminology	140

Abbreviations	115
Activity vs Exposure Rate	31
Activity vs Particle Size	42
Acute Radiation Effects	5
Airborne Radioactivity	68
Characteristic X-Rays of the Elements	103
Comparative Risk of Radiation Exposure	143
Composition of Air	113
Contamination Limits	65
Conversions	116
Dosimetry	46
Elevation vs Air Pressure	109
Electromagnetic Spectrum	123
Emergency Response	1
Filter Media	72
Inhalation DAC Factors and ALIs	73
Instrument Selection	66
Public Radiation Doses	141
Radiation Biology	45
Radiation Interactions	52
Radiation Shielding	53
Radioactive Decay Modes	11
Radon	142
Rules of Thumb	124
SI & US Units	114
Statistics	107
Surface and Volume Calculations	122
Table of the Elements	7
Units and Terminology	140

Abbreviations	115
Activity vs Exposure Rate	31
Activity vs Particle Size	42
Acute Radiation Effects	5
Airborne Radioactivity	68
Characteristic X-Rays of the Elements	103
Comparative Risk of Radiation Exposure	143
Composition of Air	113
Contamination Limits	65
Conversions	116
Dosimetry	46
Elevation vs Air Pressure	109
Electromagnetic Spectrum	123
Emergency Response	1
Filter Media	72
Inhalation DAC Factors and ALIs	73
Instrument Selection	66
Public Radiation Doses	141
Radiation Biology	45
Radiation Interactions	52
Radiation Shielding	53
Radioactive Decay Modes	11
Radon	142
Rules of Thumb	124
SI & US Units	114
Statistics	107
Surface and Volume Calculations	122
Table of the Elements	7
Units and Terminology	140

Abbreviations	115
Activity vs Exposure Rate	31
Activity vs Particle Size	42
Acute Radiation Effects	5
Airborne Radioactivity	68
Characteristic X-Rays of the Elements	103
Comparative Risk of Radiation Exposure	143
Composition of Air	113
Contamination Limits	65
Conversions	116
Dosimetry	46
Elevation vs Air Pressure	109
Electromagnetic Spectrum	123
Emergency Response	1
Filter Media	72
Inhalation DAC Factors and ALIs	73
Instrument Selection	66
Public Radiation Doses	141
Radiation Biology	45
Radiation Interactions	52
Radiation Shielding	53
Radioactive Decay Modes	11
Radon	142
Rules of Thumb	124
SI & US Units	114
Statistics	107
Surface and Volume Calculations	122
Table of the Elements	7
Units and Terminology	140

Author's notes

Over my career in health physics starting with a US Army CBR unit at Dugway Proving Grounds in 1965 I have needed to quickly find that elusive data point that I just couldn't remember, even though I knew the information was in one of my several hundred reference books.

So, here it is today, the product of my work to assemble useful field information from a wide range of sources.

I must give credit to those individuals who put their efforts into creating the original data. Without their work, this document could not have been assembled.

My family has given me their unlimited support in my development of this reference book and in my projects all through my career. Sandy my wife of 30 some years and our two daughters Susan and Sarah and their excellent husbands, Bill Gilson and Rolfe Bergstrom, our son-in-laws, continue to provide me with a steady foundation that allows me to try out new concepts.

James T. (Tom) Voss, NRRPT, CHP  
Fellow of the Health Physics Society  
Northern New Mexico, 2011

Send your corrections, additions, deletions, and comments to:

JTVOSS@NEWMEXICO.COM VOSS-ASSOCIATES.COM

Author's notes

Over my career in health physics starting with a US Army CBR unit at Dugway Proving Grounds in 1965 I have needed to quickly find that elusive data point that I just couldn't remember, even though I knew the information was in one of my several hundred reference books.

So, here it is today, the product of my work to assemble useful field information from a wide range of sources.

I must give credit to those individuals who put their efforts into creating the original data. Without their work, this document could not have been assembled.

My family has given me their unlimited support in my development of this reference book and in my projects all through my career. Sandy my wife of 30 some years and our two daughters Susan and Sarah and their excellent husbands, Bill Gilson and Rolfe Bergstrom, our son-in-laws, continue to provide me with a steady foundation that allows me to try out new concepts.

James T. (Tom) Voss, NRRPT, CHP  
Fellow of the Health Physics Society  
Northern New Mexico, 2011

Send your corrections, additions, deletions, and comments to:

JTVOSS@NEWMEXICO.COM VOSS-ASSOCIATES.COM

Author's notes

Over my career in health physics starting with a US Army CBR unit at Dugway Proving Grounds in 1965 I have needed to quickly find that elusive data point that I just couldn't remember, even though I knew the information was in one of my several hundred reference books.

So, here it is today, the product of my work to assemble useful field information from a wide range of sources.

I must give credit to those individuals who put their efforts into creating the original data. Without their work, this document could not have been assembled.

My family has given me their unlimited support in my development of this reference book and in my projects all through my career. Sandy my wife of 30 some years and our two daughters Susan and Sarah and their excellent husbands, Bill Gilson and Rolfe Bergstrom, our son-in-laws, continue to provide me with a steady foundation that allows me to try out new concepts.

James T. (Tom) Voss, NRRPT, CHP  
Fellow of the Health Physics Society  
Northern New Mexico, 2011

Send your corrections, additions, deletions, and comments to:

JTVOSS@NEWMEXICO.COM VOSS-ASSOCIATES.COM

Author's notes

Over my career in health physics starting with a US Army CBR unit at Dugway Proving Grounds in 1965 I have needed to quickly find that elusive data point that I just couldn't remember, even though I knew the information was in one of my several hundred reference books.

So, here it is today, the product of my work to assemble useful field information from a wide range of sources.

I must give credit to those individuals who put their efforts into creating the original data. Without their work, this document could not have been assembled.

My family has given me their unlimited support in my development of this reference book and in my projects all through my career. Sandy my wife of 30 some years and our two daughters Susan and Sarah and their excellent husbands, Bill Gilson and Rolfe Bergstrom, our son-in-laws, continue to provide me with a steady foundation that allows me to try out new concepts.

James T. (Tom) Voss, NRRPT, CHP  
Fellow of the Health Physics Society  
Northern New Mexico, 2011

Send your corrections, additions, deletions, and comments to:

JTVOSS@NEWMEXICO.COM VOSS-ASSOCIATES.COM

**RADIOLOGICAL EMERGENCY RESPONSE**

Write in Your Emergency Phone Numbers

Supervisor:

Team Office:

Group Office:

Division Office:

Emergency Response Team:

Fire Department:

Hospital:

**Guidelines for Control of Emergency Exposures**

- Use a dose limit of: (EPA-400)
- 5 rem (50 mSv) for all emergency procedures
- 10 rem (100 mSv) only for protecting major property
- 25 rem (250 mSv) for lifesaving or protection of large populations
- > 25 rem (250 mSv) for lifesaving or protection of large populations only by volunteers and where the risks have been evaluated

**RADIOLOGICAL EMERGENCY RESPONSE**

Write in Your Emergency Phone Numbers

Supervisor:

Team Office:

Group Office:

Division Office:

Emergency Response Team:

Fire Department:

Hospital:

**Guidelines for Control of Emergency Exposures**

- Use a dose limit of: (EPA-400)
- 5 rem (50 mSv) for all emergency procedures
- 10 rem (100 mSv) only for protecting major property
- 25 rem (250 mSv) for lifesaving or protection of large populations
- > 25 rem (250 mSv) for lifesaving or protection of large populations only by volunteers and where the risks have been evaluated

**RADIOLOGICAL EMERGENCY RESPONSE**

Write in Your Emergency Phone Numbers

Supervisor:

Team Office:

Group Office:

Division Office:

Emergency Response Team:

Fire Department:

Hospital:

**Guidelines for Control of Emergency Exposures**

- Use a dose limit of: (EPA-400)
- 5 rem (50 mSv) for all emergency procedures
- 10 rem (100 mSv) only for protecting major property
- 25 rem (250 mSv) for lifesaving or protection of large populations
- > 25 rem (250 mSv) for lifesaving or protection of large populations only by volunteers and where the risks have been evaluated

**RADIOLOGICAL EMERGENCY RESPONSE**

Write in Your Emergency Phone Numbers

Supervisor:

Team Office:

Group Office:

Division Office:

Emergency Response Team:

Fire Department:

Hospital:

**Guidelines for Control of Emergency Exposures**

- Use a dose limit of: (EPA-400)
- 5 rem (50 mSv) for all emergency procedures
- 10 rem (100 mSv) only for protecting major property
- 25 rem (250 mSv) for lifesaving or protection of large populations
- > 25 rem (250 mSv) for lifesaving or protection of large populations only by volunteers and where the risks have been evaluated

## EMERGENCY RESPONSE

### **SWIMS** for Radiological and Other Emergencies

Only under extreme radiological conditions such as external radiation greater than 100 rem / hr or airborne radioactivity concentrations greater than 100,000 DAC would the radiological emergency take precedence over serious personnel injuries. Hazardous conditions such as atmospheres that are IDLH would require you to implement controls to protect the emergency responders. Therefore, you would not attempt to move a seriously injured person before medical personnel arrived unless the radiological or other hazardous condition presented a greater danger to that person and yourself.

**Stop or Secure** operations in the area. If applicable, secure the operation causing the emergency.

**Warn** others in the area as you are evacuating. Do not search for potentially missing personnel at this stage of the emergency.

**Isolate** the source of the radiation or radioactivity or other contaminant or hazard only if you understand the operation and are qualified to isolate the source.

**Minimize** individual exposure and contamination. Control the entry points to the area if possible.

**Secure** unfiltered ventilation. Evaluate the radiological or other hazardous condition and advise facility personnel on ventilation control.

2

## EMERGENCY RESPONSE

### **SWIMS** for Radiological and Other Emergencies

Only under extreme radiological conditions such as external radiation greater than 100 rem / hr or airborne radioactivity concentrations greater than 100,000 DAC would the radiological emergency take precedence over serious personnel injuries. Hazardous conditions such as atmospheres that are IDLH would require you to implement controls to protect the emergency responders. Therefore, you would not attempt to move a seriously injured person before medical personnel arrived unless the radiological or other hazardous condition presented a greater danger to that person and yourself.

**Stop or Secure** operations in the area. If applicable, secure the operation causing the emergency.

**Warn** others in the area as you are evacuating. Do not search for potentially missing personnel at this stage of the emergency.

**Isolate** the source of the radiation or radioactivity or other contaminant or hazard only if you understand the operation and are qualified to isolate the source.

**Minimize** individual exposure and contamination. Control the entry points to the area if possible.

**Secure** unfiltered ventilation. Evaluate the radiological or other hazardous condition and advise facility personnel on ventilation control.

2

## EMERGENCY RESPONSE

### **SWIMS** for Radiological and Other Emergencies

Only under extreme radiological conditions such as external radiation greater than 100 rem / hr or airborne radioactivity concentrations greater than 100,000 DAC would the radiological emergency take precedence over serious personnel injuries. Hazardous conditions such as atmospheres that are IDLH would require you to implement controls to protect the emergency responders. Therefore, you would not attempt to move a seriously injured person before medical personnel arrived unless the radiological or other hazardous condition presented a greater danger to that person and yourself.

**Stop or Secure** operations in the area. If applicable, secure the operation causing the emergency.

**Warn** others in the area as you are evacuating. Do not search for potentially missing personnel at this stage of the emergency.

**Isolate** the source of the radiation or radioactivity or other contaminant or hazard only if you understand the operation and are qualified to isolate the source.

**Minimize** individual exposure and contamination. Control the entry points to the area if possible.

**Secure** unfiltered ventilation. Evaluate the radiological or other hazardous condition and advise facility personnel on ventilation control.

2

## EMERGENCY RESPONSE

### **SWIMS** for Radiological and Other Emergencies

Only under extreme radiological conditions such as external radiation greater than 100 rem / hr or airborne radioactivity concentrations greater than 100,000 DAC would the radiological emergency take precedence over serious personnel injuries. Hazardous conditions such as atmospheres that are IDLH would require you to implement controls to protect the emergency responders. Therefore, you would not attempt to move a seriously injured person before medical personnel arrived unless the radiological or other hazardous condition presented a greater danger to that person and yourself.

**Stop or Secure** operations in the area. If applicable, secure the operation causing the emergency.

**Warn** others in the area as you are evacuating. Do not search for potentially missing personnel at this stage of the emergency.

**Isolate** the source of the radiation or radioactivity or other contaminant or hazard only if you understand the operation and are qualified to isolate the source.

**Minimize** individual exposure and contamination. Control the entry points to the area if possible.

**Secure** unfiltered ventilation. Evaluate the radiological or other hazardous condition and advise facility personnel on ventilation control.

2

## **HAZARD CONTROL PRIORITIES DURING MEDICAL EMERGENCIES**

Immediate treatment by trained medical personnel should be sought for any serious injuries such as those involving profuse bleeding or broken bones. The order of priority should be to protect lives, protect property, and then to control the spread of contamination.

### **Identifying a Major Injury**

Consider the following points in determining if the injury should be handled as a major injury.

- Any head injury (from base of neck to top of head)
- Any loss of consciousness
- Any disorientation
- Any convulsion
- Any loss of sensation
- Any loss of motor function
- Limbs at abnormal angles
- Amputations
- Any burn of the face, hands, feet, or genitals (chemical, thermal, or radiation)
- Any burn larger than the palm of your hand
- Any inhalation of any abnormal substance
- Profuse bleeding
- Abnormal breathing patterns

## **HAZARD CONTROL PRIORITIES DURING MEDICAL EMERGENCIES**

Immediate treatment by trained medical personnel should be sought for any serious injuries such as those involving profuse bleeding or broken bones. The order of priority should be to protect lives, protect property, and then to control the spread of contamination.

### **Identifying a Major Injury**

Consider the following points in determining if the injury should be handled as a major injury.

- Any head injury (from base of neck to top of head)
- Any loss of consciousness
- Any disorientation
- Any convulsion
- Any loss of sensation
- Any loss of motor function
- Limbs at abnormal angles
- Amputations
- Any burn of the face, hands, feet, or genitals (chemical, thermal, or radiation)
- Any burn larger than the palm of your hand
- Any inhalation of any abnormal substance
- Profuse bleeding
- Abnormal breathing patterns

## **HAZARD CONTROL PRIORITIES DURING MEDICAL EMERGENCIES**

Immediate treatment by trained medical personnel should be sought for any serious injuries such as those involving profuse bleeding or broken bones. The order of priority should be to protect lives, protect property, and then to control the spread of contamination.

### **Identifying a Major Injury**

Consider the following points in determining if the injury should be handled as a major injury.

- Any head injury (from base of neck to top of head)
- Any loss of consciousness
- Any disorientation
- Any convulsion
- Any loss of sensation
- Any loss of motor function
- Limbs at abnormal angles
- Amputations
- Any burn of the face, hands, feet, or genitals (chemical, thermal, or radiation)
- Any burn larger than the palm of your hand
- Any inhalation of any abnormal substance
- Profuse bleeding
- Abnormal breathing patterns

## **HAZARD CONTROL PRIORITIES DURING MEDICAL EMERGENCIES**

Immediate treatment by trained medical personnel should be sought for any serious injuries such as those involving profuse bleeding or broken bones. The order of priority should be to protect lives, protect property, and then to control the spread of contamination.

### **Identifying a Major Injury**

Consider the following points in determining if the injury should be handled as a major injury.

- Any head injury (from base of neck to top of head)
- Any loss of consciousness
- Any disorientation
- Any convulsion
- Any loss of sensation
- Any loss of motor function
- Limbs at abnormal angles
- Amputations
- Any burn of the face, hands, feet, or genitals (chemical, thermal, or radiation)
- Any burn larger than the palm of your hand
- Any inhalation of any abnormal substance
- Profuse bleeding
- Abnormal breathing patterns

## Major Injuries Occurring in Hazardous Areas

**Protect yourself** - consider the magnitude of any radiation field, airborne contamination, or other hazard.

**Stay** with the victim unless doing so puts you at immediate risk to life or health.

**Don't move** the victim unless there is a danger from some environmental emergency such as fire, explosion, hazardous material spill, or radiation field.

**If you must move** the victim, drag them by either the hands or the feet to a safe area.

**Apply First Aid Only** if you are trained to do so.

**Secure help** - yell or phone, but don't leave the victim unless necessary.

**Send someone to meet** the ambulance to guide the medical personnel to the victim.

**Prepare the area** for access by the medical team.

**Begin** a gross hazard evaluation of the immediate area near the victim, beginning with the victim.

**Be sure to survey** any object that caused the injury.

**Provide information** to medical personnel about the victim (what happened, how, when, location of phone and exits, indicate which areas on the victim are contaminated and include contamination values).

4

## Major Injuries Occurring in Hazardous Areas

**Protect yourself** - consider the magnitude of any radiation field, airborne contamination, or other hazard.

**Stay** with the victim unless doing so puts you at immediate risk to life or health.

**Don't move** the victim unless there is a danger from some environmental emergency such as fire, explosion, hazardous material spill, or radiation field.

**If you must move** the victim, drag them by either the hands or the feet to a safe area.

**Apply First Aid Only** if you are trained to do so.

**Secure help** - yell or phone, but don't leave the victim unless necessary.

**Send someone to meet** the ambulance to guide the medical personnel to the victim.

**Prepare the area** for access by the medical team.

**Begin** a gross hazard evaluation of the immediate area near the victim, beginning with the victim.

**Be sure to survey** any object that caused the injury.

**Provide information** to medical personnel about the victim (what happened, how, when, location of phone and exits, indicate which areas on the victim are contaminated and include contamination values).

4

## Major Injuries Occurring in Hazardous Areas

**Protect yourself** - consider the magnitude of any radiation field, airborne contamination, or other hazard.

**Stay** with the victim unless doing so puts you at immediate risk to life or health.

**Don't move** the victim unless there is a danger from some environmental emergency such as fire, explosion, hazardous material spill, or radiation field.

**If you must move** the victim, drag them by either the hands or the feet to a safe area.

**Apply First Aid Only** if you are trained to do so.

**Secure help** - yell or phone, but don't leave the victim unless necessary.

**Send someone to meet** the ambulance to guide the medical personnel to the victim.

**Prepare the area** for access by the medical team.

**Begin** a gross hazard evaluation of the immediate area near the victim, beginning with the victim.

**Be sure to survey** any object that caused the injury.

**Provide information** to medical personnel about the victim (what happened, how, when, location of phone and exits, indicate which areas on the victim are contaminated and include contamination values).

4

## Major Injuries Occurring in Hazardous Areas

**Protect yourself** - consider the magnitude of any radiation field, airborne contamination, or other hazard.

**Stay** with the victim unless doing so puts you at immediate risk to life or health.

**Don't move** the victim unless there is a danger from some environmental emergency such as fire, explosion, hazardous material spill, or radiation field.

**If you must move** the victim, drag them by either the hands or the feet to a safe area.

**Apply First Aid Only** if you are trained to do so.

**Secure help** - yell or phone, but don't leave the victim unless necessary.

**Send someone to meet** the ambulance to guide the medical personnel to the victim.

**Prepare the area** for access by the medical team.

**Begin** a gross hazard evaluation of the immediate area near the victim, beginning with the victim.

**Be sure to survey** any object that caused the injury.

**Provide information** to medical personnel about the victim (what happened, how, when, location of phone and exits, indicate which areas on the victim are contaminated and include contamination values).

4

## ACUTE RADIATION EFFECTS

### 0 – 25 REM

minimal decrease in white blood cell count for ~ 2weeks  
increase in risk of dying from cancer from US average risk of ~ 14 persons per 100 population to ~ 17 persons per 100 population (3 additional persons per 100 population will experience the onset of terminal cancer ~25 years after the acute exposure)

### > 25 REM - ≤ 100 REM

small decrease in white blood cell count for > 2 weeks  
increase in risk of dying from cancer to ~ 26 in 100

### > 100 REM - ≤ 200 REM

moderate decrease in white blood cell count  
25% of those exposed will experience nausea within a few hours  
less than 5% of those exposed require hospitalization  
increase in risk of dying from cancer to ~ 38 in 100

### > 200 REM - ≤ 600 REM

major decrease in white blood cell count  
~ 100% of those exposed will experience nausea within a few hours  
appearance of bruises on skin (purpura)  
pneumonia symptoms  
hair loss  
90% of those exposed require hospitalization  
decrease in thinking ability for ~ 2 weeks  
increase in risk of dying from cancer to ~ 74 in 100

5

## ACUTE RADIATION EFFECTS

### 0 – 25 REM

minimal decrease in white blood cell count for ~ 2weeks  
increase in risk of dying from cancer from US average risk of ~ 14 persons per 100 population to ~ 17 persons per 100 population (3 additional persons per 100 population will experience the onset of terminal cancer ~25 years after the acute exposure)

### > 25 REM - ≤ 100 REM

small decrease in white blood cell count for > 2 weeks  
increase in risk of dying from cancer to ~ 26 in 100

### > 100 REM - ≤ 200 REM

moderate decrease in white blood cell count  
25% of those exposed will experience nausea within a few hours  
less than 5% of those exposed require hospitalization  
increase in risk of dying from cancer to ~ 38 in 100

### > 200 REM - ≤ 600 REM

major decrease in white blood cell count  
~ 100% of those exposed will experience nausea within a few hours  
appearance of bruises on skin (purpura)  
pneumonia symptoms  
hair loss  
90% of those exposed require hospitalization  
decrease in thinking ability for ~ 2 weeks  
increase in risk of dying from cancer to ~ 74 in 100

5

## ACUTE RADIATION EFFECTS

### 0 – 25 REM

minimal decrease in white blood cell count for ~ 2weeks  
increase in risk of dying from cancer from US average risk of ~ 14 persons per 100 population to ~ 17 persons per 100 population (3 additional persons per 100 population will experience the onset of terminal cancer ~25 years after the acute exposure)

### > 25 REM - ≤ 100 REM

small decrease in white blood cell count for > 2 weeks  
increase in risk of dying from cancer to ~ 26 in 100

### > 100 REM - ≤ 200 REM

moderate decrease in white blood cell count  
25% of those exposed will experience nausea within a few hours  
less than 5% of those exposed require hospitalization  
increase in risk of dying from cancer to ~ 38 in 100

### > 200 REM - ≤ 600 REM

major decrease in white blood cell count  
~ 100% of those exposed will experience nausea within a few hours  
appearance of bruises on skin (purpura)  
pneumonia symptoms  
hair loss  
90% of those exposed require hospitalization  
decrease in thinking ability for ~ 2 weeks  
increase in risk of dying from cancer to ~ 74 in 100

5

## ACUTE RADIATION EFFECTS

### 0 – 25 REM

minimal decrease in white blood cell count for ~ 2weeks  
increase in risk of dying from cancer from US average risk of ~ 14 persons per 100 population to ~ 17 persons per 100 population (3 additional persons per 100 population will experience the onset of terminal cancer ~25 years after the acute exposure)

### > 25 REM - ≤ 100 REM

small decrease in white blood cell count for > 2 weeks  
increase in risk of dying from cancer to ~ 26 in 100

### > 100 REM - ≤ 200 REM

moderate decrease in white blood cell count  
25% of those exposed will experience nausea within a few hours  
less than 5% of those exposed require hospitalization  
increase in risk of dying from cancer to ~ 38 in 100

### > 200 REM - ≤ 600 REM

major decrease in white blood cell count  
~ 100% of those exposed will experience nausea within a few hours  
appearance of bruises on skin (purpura)  
pneumonia symptoms  
hair loss  
90% of those exposed require hospitalization  
decrease in thinking ability for ~ 2 weeks  
increase in risk of dying from cancer to ~ 74 in 100

5

**600 REM - ≤ 800 REM**

all of the above symptoms will be present  
 100% of those exposed require hospitalization  
 ~ 100% of those exposed will die within a few weeks  
 without medical treatment  
 increase in risk of dying from cancer to ~ 98 in 100

**800 REM - ≤ 2000 REM**

all of the above symptoms will be present  
 diarrhea, fever, electrolytes imbalance, GI tract and  
 respiratory system failure  
 100% of those exposed will be incapacitated within hours  
 very few of those exposed will survive

**> 2000 REM**

100% mortality within a few days

Lymphocyte - white blood cells  
 Leukopenia - abnormally low white blood cell count  
 Purpura - purple discoloration of skin caused by blood  
 bleeding into the skin tissue  
 Pneumonia - inflammation of lung tissue, accompanied by  
 fever, chills, cough, and difficulty in breathing  
 Hematopoietic – decrease in the formation of blood cells  
 Ataxia - inability to coordinate voluntary muscular  
 movements  
 BEIR V 1990 800 excess deaths per 100,000 persons at 10  
 rem  
 4,000 Hiroshima survivors in excess of 50 rem dose had an  
 extra 300 incidences of cancer  
 ( ~ 7500 excess deaths per 100,000 at 50 rem)  
 ( ~ 1500 excess deaths per 100,000 at 10 rem)

**600 REM - ≤ 800 REM**

all of the above symptoms will be present  
 100% of those exposed require hospitalization  
 ~ 100% of those exposed will die within a few weeks  
 without medical treatment  
 increase in risk of dying from cancer to ~ 98 in 100

**800 REM - ≤ 2000 REM**

all of the above symptoms will be present  
 diarrhea, fever, electrolytes imbalance, GI tract and  
 respiratory system failure  
 100% of those exposed will be incapacitated within hours  
 very few of those exposed will survive

**> 2000 REM**

100% mortality within a few days

Lymphocyte - white blood cells  
 Leukopenia - abnormally low white blood cell count  
 Purpura - purple discoloration of skin caused by blood  
 bleeding into the skin tissue  
 Pneumonia - inflammation of lung tissue, accompanied by  
 fever, chills, cough, and difficulty in breathing  
 Hematopoietic – decrease in the formation of blood cells  
 Ataxia - inability to coordinate voluntary muscular  
 movements  
 BEIR V 1990 800 excess deaths per 100,000 persons at 10  
 rem  
 4,000 Hiroshima survivors in excess of 50 rem dose had an  
 extra 300 incidences of cancer  
 ( ~ 7500 excess deaths per 100,000 at 50 rem)  
 ( ~ 1500 excess deaths per 100,000 at 10 rem)

**600 REM - ≤ 800 REM**

all of the above symptoms will be present  
 100% of those exposed require hospitalization  
 ~ 100% of those exposed will die within a few weeks  
 without medical treatment  
 increase in risk of dying from cancer to ~ 98 in 100

**800 REM - ≤ 2000 REM**

all of the above symptoms will be present  
 diarrhea, fever, electrolytes imbalance, GI tract and  
 respiratory system failure  
 100% of those exposed will be incapacitated within hours  
 very few of those exposed will survive

**> 2000 REM**

100% mortality within a few days

Lymphocyte - white blood cells  
 Leukopenia - abnormally low white blood cell count  
 Purpura - purple discoloration of skin caused by blood  
 bleeding into the skin tissue  
 Pneumonia - inflammation of lung tissue, accompanied by  
 fever, chills, cough, and difficulty in breathing  
 Hematopoietic – decrease in the formation of blood cells  
 Ataxia - inability to coordinate voluntary muscular  
 movements  
 BEIR V 1990 800 excess deaths per 100,000 persons at 10  
 rem  
 4,000 Hiroshima survivors in excess of 50 rem dose had an  
 extra 300 incidences of cancer  
 ( ~ 7500 excess deaths per 100,000 at 50 rem)  
 ( ~ 1500 excess deaths per 100,000 at 10 rem)

**600 REM - ≤ 800 REM**

all of the above symptoms will be present  
 100% of those exposed require hospitalization  
 ~ 100% of those exposed will die within a few weeks  
 without medical treatment  
 increase in risk of dying from cancer to ~ 98 in 100

**800 REM - ≤ 2000 REM**

all of the above symptoms will be present  
 diarrhea, fever, electrolytes imbalance, GI tract and  
 respiratory system failure  
 100% of those exposed will be incapacitated within hours  
 very few of those exposed will survive

**> 2000 REM**

100% mortality within a few days

Lymphocyte - white blood cells  
 Leukopenia - abnormally low white blood cell count  
 Purpura - purple discoloration of skin caused by blood  
 bleeding into the skin tissue  
 Pneumonia - inflammation of lung tissue, accompanied by  
 fever, chills, cough, and difficulty in breathing  
 Hematopoietic – decrease in the formation of blood cells  
 Ataxia - inability to coordinate voluntary muscular  
 movements  
 BEIR V 1990 800 excess deaths per 100,000 persons at 10  
 rem  
 4,000 Hiroshima survivors in excess of 50 rem dose had an  
 extra 300 incidences of cancer  
 ( ~ 7500 excess deaths per 100,000 at 50 rem)  
 ( ~ 1500 excess deaths per 100,000 at 10 rem)

**TABLE OF THE ELEMENTS**

Z		Density	Z		Density
89	Actinium	Ac 10.07	64	Gadolinium	Gd 7.90
13	Aluminum	Al 2.6989	31	Gallium	Ga 5.9
95	Americium	Am 13.67	32	Germanium	Ge 5.32
51	Antimony	Sb 6.618	79	Gold	Au 19.32
18	Argon	Ar 0.0018	72	Hafnium	Hf 13.31
33	Arsenic	As 5.727	105	Hahnium	Ha ~ 18
85	Astatine	At ~ 15	2	Helium	He 1.8E-3
56	Barium	Ba 3.51	67	Holmium	Ho 8.795
97	Berkelium	Bk 14	1	Hydrogen	H 9E-5
4	Beryllium	Be 1.848	49	Indium	In 7.31
83	Bismuth	Bi 9.747	53	Iodine	I 4.93
5	Boron	B 2.37	77	Iridium	Ir 22.42
35	Bromine	Br 3.12	26	Iron	Fe 7.87
48	Cadmium	Cd 8.65	36	Krypton	Kr 0.0037
20	Calcium	Ca 1.55	57	Lanthanum	La 6.15
98	Californium	Cf ~ 18	103	Lawrencium	Lr ~ 18
6	Carbon	C 2.05	82	Lead	Pb 11.35
58	Cerium	Ce 6.67	3	Lithium	Li 0.534
55	Cesium	Cs 1.873	71	Lutetium	Lu 9.84
17	Chlorine	Cl 0.0031	12	Magnesium	Mg 1.738
24	Chromium	Cr 7.19	25	Manganese	Mn 7.43
27	Cobalt	Co 8.9	101	Mendelevium	Mv ~ 18
29	Copper	Cu 8.96	80	Mercury	Hg 13.546
96	Curium	Cm 13.51	42	Molybdenum	Mo 10.22
66	Dysprosium	Dy 8.54	60	Neodymium	Nd 7.008
99	Einsteinium	Es ~ 18	10	Neon	Ne 0.0009
68	Erbium	Er 9.066	93	Neptunium	Np 20.25
63	Europium	Eu 5.244	28	Nickel	Ni 8.9
100	Fermium	Fm ~ 18	41	Niobium	Nb 8.57
9	Fluorine	F 0.0017	7	Nitrogen	N 0.00125
87	Francium	Fr ~ 15	102	Nobelium	No ~ 18

**TABLE OF THE ELEMENTS**

Z		Density	Z		Density
89	Actinium	Ac 10.07	64	Gadolinium	Gd 7.90
13	Aluminum	Al 2.6989	31	Gallium	Ga 5.9
95	Americium	Am 13.67	32	Germanium	Ge 5.32
51	Antimony	Sb 6.618	79	Gold	Au 19.32
18	Argon	Ar 0.0018	72	Hafnium	Hf 13.31
33	Arsenic	As 5.727	105	Hahnium	Ha ~ 18
85	Astatine	At ~ 15	2	Helium	He 1.8E-3
56	Barium	Ba 3.51	67	Holmium	Ho 8.795
97	Berkelium	Bk 14	1	Hydrogen	H 9E-5
4	Beryllium	Be 1.848	49	Indium	In 7.31
83	Bismuth	Bi 9.747	53	Iodine	I 4.93
5	Boron	B 2.37	77	Iridium	Ir 22.42
35	Bromine	Br 3.12	26	Iron	Fe 7.87
48	Cadmium	Cd 8.65	36	Krypton	Kr 0.0037
20	Calcium	Ca 1.55	57	Lanthanum	La 6.15
98	Californium	Cf ~ 18	103	Lawrencium	Lr ~ 18
6	Carbon	C 2.05	82	Lead	Pb 11.35
58	Cerium	Ce 6.67	3	Lithium	Li 0.534
55	Cesium	Cs 1.873	71	Lutetium	Lu 9.84
17	Chlorine	Cl 0.0031	12	Magnesium	Mg 1.738
24	Chromium	Cr 7.19	25	Manganese	Mn 7.43
27	Cobalt	Co 8.9	101	Mendelevium	Mv ~ 18
29	Copper	Cu 8.96	80	Mercury	Hg 13.546
96	Curium	Cm 13.51	42	Molybdenum	Mo 10.22
66	Dysprosium	Dy 8.54	60	Neodymium	Nd 7.008
99	Einsteinium	Es ~ 18	10	Neon	Ne 0.0009
68	Erbium	Er 9.066	93	Neptunium	Np 20.25
63	Europium	Eu 5.244	28	Nickel	Ni 8.9
100	Fermium	Fm ~ 18	41	Niobium	Nb 8.57
9	Fluorine	F 0.0017	7	Nitrogen	N 0.00125
87	Francium	Fr ~ 15	102	Nobelium	No ~ 18

**TABLE OF THE ELEMENTS**

Z		Density	Z		Density
89	Actinium	Ac 10.07	64	Gadolinium	Gd 7.90
13	Aluminum	Al 2.6989	31	Gallium	Ga 5.9
95	Americium	Am 13.67	32	Germanium	Ge 5.32
51	Antimony	Sb 6.618	79	Gold	Au 19.32
18	Argon	Ar 0.0018	72	Hafnium	Hf 13.31
33	Arsenic	As 5.727	105	Hahnium	Ha ~ 18
85	Astatine	At ~ 15	2	Helium	He 1.8E-3
56	Barium	Ba 3.51	67	Holmium	Ho 8.795
97	Berkelium	Bk 14	1	Hydrogen	H 9E-5
4	Beryllium	Be 1.848	49	Indium	In 7.31
83	Bismuth	Bi 9.747	53	Iodine	I 4.93
5	Boron	B 2.37	77	Iridium	Ir 22.42
35	Bromine	Br 3.12	26	Iron	Fe 7.87
48	Cadmium	Cd 8.65	36	Krypton	Kr 0.0037
20	Calcium	Ca 1.55	57	Lanthanum	La 6.15
98	Californium	Cf ~ 18	103	Lawrencium	Lr ~ 18
6	Carbon	C 2.05	82	Lead	Pb 11.35
58	Cerium	Ce 6.67	3	Lithium	Li 0.534
55	Cesium	Cs 1.873	71	Lutetium	Lu 9.84
17	Chlorine	Cl 0.0031	12	Magnesium	Mg 1.738
24	Chromium	Cr 7.19	25	Manganese	Mn 7.43
27	Cobalt	Co 8.9	101	Mendelevium	Mv ~ 18
29	Copper	Cu 8.96	80	Mercury	Hg 13.546
96	Curium	Cm 13.51	42	Molybdenum	Mo 10.22
66	Dysprosium	Dy 8.54	60	Neodymium	Nd 7.008
99	Einsteinium	Es ~ 18	10	Neon	Ne 0.0009
68	Erbium	Er 9.066	93	Neptunium	Np 20.25
63	Europium	Eu 5.244	28	Nickel	Ni 8.9
100	Fermium	Fm ~ 18	41	Niobium	Nb 8.57
9	Fluorine	F 0.0017	7	Nitrogen	N 0.00125
87	Francium	Fr ~ 15	102	Nobelium	No ~ 18

**TABLE OF THE ELEMENTS**

Z		Density	Z		Density
89	Actinium	Ac 10.07	64	Gadolinium	Gd 7.90
13	Aluminum	Al 2.6989	31	Gallium	Ga 5.9
95	Americium	Am 13.67	32	Germanium	Ge 5.32
51	Antimony	Sb 6.618	79	Gold	Au 19.32
18	Argon	Ar 0.0018	72	Hafnium	Hf 13.31
33	Arsenic	As 5.727	105	Hahnium	Ha ~ 18
85	Astatine	At ~ 15	2	Helium	He 1.8E-3
56	Barium	Ba 3.51	67	Holmium	Ho 8.795
97	Berkelium	Bk 14	1	Hydrogen	H 9E-5
4	Beryllium	Be 1.848	49	Indium	In 7.31
83	Bismuth	Bi 9.747	53	Iodine	I 4.93
5	Boron	B 2.37	77	Iridium	Ir 22.42
35	Bromine	Br 3.12	26	Iron	Fe 7.87
48	Cadmium	Cd 8.65	36	Krypton	Kr 0.0037
20	Calcium	Ca 1.55	57	Lanthanum	La 6.15
98	Californium	Cf ~ 18	103	Lawrencium	Lr ~ 18
6	Carbon	C 2.05	82	Lead	Pb 11.35
58	Cerium	Ce 6.67	3	Lithium	Li 0.534
55	Cesium	Cs 1.873	71	Lutetium	Lu 9.84
17	Chlorine	Cl 0.0031	12	Magnesium	Mg 1.738
24	Chromium	Cr 7.19	25	Manganese	Mn 7.43
27	Cobalt	Co 8.9	101	Mendelevium	Mv ~ 18
29	Copper	Cu 8.96	80	Mercury	Hg 13.546
96	Curium	Cm 13.51	42	Molybdenum	Mo 10.22
66	Dysprosium	Dy 8.54	60	Neodymium	Nd 7.008
99	Einsteinium	Es ~ 18	10	Neon	Ne 0.0009
68	Erbium	Er 9.066	93	Neptunium	Np 20.25
63	Europium	Eu 5.244	28	Nickel	Ni 8.9
100	Fermium	Fm ~ 18	41	Niobium	Nb 8.57
9	Fluorine	F 0.0017	7	Nitrogen	N 0.00125
87	Francium	Fr ~ 15	102	Nobelium	No ~ 18

Z	Density	Z	Density
76 Osmium	Os 22.57	14 Silicon	Si 2.33
8 Oxygen	O 0.00143	47 Silver	Ag 10.5
46 Palladium	Pd 12.02	11 Sodium	Na 0.97
15 Phosphorus	P 2.2	38 Strontium	Sr 2.54
78 Platinum	Pt 21.45	16 Sulfur	S 2.0
94 Plutonium	Pu 19.84	73 Tantalum	Ta 16.6
84 Polonium	Po 9.32	43 Technetium	Tc 11.5
19 Potassium	K 0.862	52 Tellurium	Te 6.24
59 Praseodymium	Pr 6.773	65 Terbium	Tb 8.27
61 Promethium	Pm 7.264	81 Thallium	Tl 11.85
91 Protactinium	Pa 15.37	90 Thorium	Th 11.70
88 Radium	Ra 5.5	69 Thulium	Tm 9.321
86 Radon	Rn 0.0097	50 Tin	Sn 6.5
75 Rhenium	Re 21.02	22 Titanium	Ti 4.54
45 Rhodium	Rh 12.41	74 Tungsten	W 19.3
37 Rubidium	Rb 1.532	92 Uranium	U 16.95
44 Ruthenium	Ru 12.41	23 Vanadium	V 6.11
104 Rutherfordium	Rf ~18	54 Xenon	Xe 0.0059
62 Samarium	Sm 7.54	70 Ytterbium	Yb 6.98
21 Scandium	Sc 2.989	39 Yttrium	Y 4.47
106 Seaborgium	Sg ~18	30 Zinc	Zn 7.13
34 Selenium	Se 4.5	40 Zirconium	Zr 6.06

### RADIOACTIVITY

${}_Z^AX$  Z = atomic # (number of protons)  
X = element  
A = mass # (number of protons and neutrons)

**Decay Modes**

Alpha	${}_Z^AX \rightarrow {}_{Z-2}^{A-4}X + \alpha$
Beta Minus	${}_Z^AX \rightarrow {}_{Z+1}^AX + \beta^-$
Beta Plus (Positron)	${}_Z^AX \rightarrow {}_{Z-1}^AX + \beta^+$
Electron Capture	${}_Z^AX \rightarrow {}_{Z-1}^AX$

8

Z	Density	Z	Density
76 Osmium	Os 22.57	14 Silicon	Si 2.33
8 Oxygen	O 0.00143	47 Silver	Ag 10.5
46 Palladium	Pd 12.02	11 Sodium	Na 0.97
15 Phosphorus	P 2.2	38 Strontium	Sr 2.54
78 Platinum	Pt 21.45	16 Sulfur	S 2.0
94 Plutonium	Pu 19.84	73 Tantalum	Ta 16.6
84 Polonium	Po 9.32	43 Technetium	Tc 11.5
19 Potassium	K 0.862	52 Tellurium	Te 6.24
59 Praseodymium	Pr 6.773	65 Terbium	Tb 8.27
61 Promethium	Pm 7.264	81 Thallium	Tl 11.85
91 Protactinium	Pa 15.37	90 Thorium	Th 11.70
88 Radium	Ra 5.5	69 Thulium	Tm 9.321
86 Radon	Rn 0.0097	50 Tin	Sn 6.5
75 Rhenium	Re 21.02	22 Titanium	Ti 4.54
45 Rhodium	Rh 12.41	74 Tungsten	W 19.3
37 Rubidium	Rb 1.532	92 Uranium	U 16.95
44 Ruthenium	Ru 12.41	23 Vanadium	V 6.11
104 Rutherfordium	Rf ~18	54 Xenon	Xe 0.0059
62 Samarium	Sm 7.54	70 Ytterbium	Yb 6.98
21 Scandium	Sc 2.989	39 Yttrium	Y 4.47
106 Seaborgium	Sg ~18	30 Zinc	Zn 7.13
34 Selenium	Se 4.5	40 Zirconium	Zr 6.06

### RADIOACTIVITY

${}_Z^AX$  Z = atomic # (number of protons)  
X = element  
A = mass # (number of protons and neutrons)

**Decay Modes**

Alpha	${}_Z^AX \rightarrow {}_{Z-2}^{A-4}X + \alpha$
Beta Minus	${}_Z^AX \rightarrow {}_{Z+1}^AX + \beta^-$
Beta Plus (Positron)	${}_Z^AX \rightarrow {}_{Z-1}^AX + \beta^+$
Electron Capture	${}_Z^AX \rightarrow {}_{Z-1}^AX$

8

Z	Density	Z	Density
76 Osmium	Os 22.57	14 Silicon	Si 2.33
8 Oxygen	O 0.00143	47 Silver	Ag 10.5
46 Palladium	Pd 12.02	11 Sodium	Na 0.97
15 Phosphorus	P 2.2	38 Strontium	Sr 2.54
78 Platinum	Pt 21.45	16 Sulfur	S 2.0
94 Plutonium	Pu 19.84	73 Tantalum	Ta 16.6
84 Polonium	Po 9.32	43 Technetium	Tc 11.5
19 Potassium	K 0.862	52 Tellurium	Te 6.24
59 Praseodymium	Pr 6.773	65 Terbium	Tb 8.27
61 Promethium	Pm 7.264	81 Thallium	Tl 11.85
91 Protactinium	Pa 15.37	90 Thorium	Th 11.70
88 Radium	Ra 5.5	69 Thulium	Tm 9.321
86 Radon	Rn 0.0097	50 Tin	Sn 6.5
75 Rhenium	Re 21.02	22 Titanium	Ti 4.54
45 Rhodium	Rh 12.41	74 Tungsten	W 19.3
37 Rubidium	Rb 1.532	92 Uranium	U 16.95
44 Ruthenium	Ru 12.41	23 Vanadium	V 6.11
104 Rutherfordium	Rf ~18	54 Xenon	Xe 0.0059
62 Samarium	Sm 7.54	70 Ytterbium	Yb 6.98
21 Scandium	Sc 2.989	39 Yttrium	Y 4.47
106 Seaborgium	Sg ~18	30 Zinc	Zn 7.13
34 Selenium	Se 4.5	40 Zirconium	Zr 6.06

### RADIOACTIVITY

${}_Z^AX$  Z = atomic # (number of protons)  
X = element  
A = mass # (number of protons and neutrons)

**Decay Modes**

Alpha	${}_Z^AX \rightarrow {}_{Z-2}^{A-4}X + \alpha$
Beta Minus	${}_Z^AX \rightarrow {}_{Z+1}^AX + \beta^-$
Beta Plus (Positron)	${}_Z^AX \rightarrow {}_{Z-1}^AX + \beta^+$
Electron Capture	${}_Z^AX \rightarrow {}_{Z-1}^AX$

8

Z	Density	Z	Density
76 Osmium	Os 22.57	14 Silicon	Si 2.33
8 Oxygen	O 0.00143	47 Silver	Ag 10.5
46 Palladium	Pd 12.02	11 Sodium	Na 0.97
15 Phosphorus	P 2.2	38 Strontium	Sr 2.54
78 Platinum	Pt 21.45	16 Sulfur	S 2.0
94 Plutonium	Pu 19.84	73 Tantalum	Ta 16.6
84 Polonium	Po 9.32	43 Technetium	Tc 11.5
19 Potassium	K 0.862	52 Tellurium	Te 6.24
59 Praseodymium	Pr 6.773	65 Terbium	Tb 8.27
61 Promethium	Pm 7.264	81 Thallium	Tl 11.85
91 Protactinium	Pa 15.37	90 Thorium	Th 11.70
88 Radium	Ra 5.5	69 Thulium	Tm 9.321
86 Radon	Rn 0.0097	50 Tin	Sn 6.5
75 Rhenium	Re 21.02	22 Titanium	Ti 4.54
45 Rhodium	Rh 12.41	74 Tungsten	W 19.3
37 Rubidium	Rb 1.532	92 Uranium	U 16.95
44 Ruthenium	Ru 12.41	23 Vanadium	V 6.11
104 Rutherfordium	Rf ~18	54 Xenon	Xe 0.0059
62 Samarium	Sm 7.54	70 Ytterbium	Yb 6.98
21 Scandium	Sc 2.989	39 Yttrium	Y 4.47
106 Seaborgium	Sg ~18	30 Zinc	Zn 7.13
34 Selenium	Se 4.5	40 Zirconium	Zr 6.06

### RADIOACTIVITY

${}_Z^AX$  Z = atomic # (number of protons)  
X = element  
A = mass # (number of protons and neutrons)

**Decay Modes**

Alpha	${}_Z^AX \rightarrow {}_{Z-2}^{A-4}X + \alpha$
Beta Minus	${}_Z^AX \rightarrow {}_{Z+1}^AX + \beta^-$
Beta Plus (Positron)	${}_Z^AX \rightarrow {}_{Z-1}^AX + \beta^+$
Electron Capture	${}_Z^AX \rightarrow {}_{Z-1}^AX$

8

**Relative Locations of Products of Nuclear Processes**

			He <sup>3</sup> in	α in
	β <sup>-</sup> out	p in	d in	t in
	η out	Original Nucleus	η in	
t out	d out	p out	β <sup>+</sup> out ε	
α out	He <sup>3</sup> out	η neutron t triton (H <sup>3</sup> ) β <sup>+</sup> positron	p proton α alpha e electron capture	d deuteron β beta

Use this chart along with the Table of the Elements to determine the progeny (and ancestor) of an isotope.

For example; we know <sup>238</sup>Pu is an alpha emitter. The alpha decay mode tells us the mass # decreases by 4 (238 goes to 234) and the Z # decreases by two (94 goes to 92). The element with a Z # of 92 is Uranium. <sup>238</sup>Pu decays to <sup>234</sup>U. As another example; we know <sup>36</sup>Cl is a beta emitter. The beta decay mode tells us the mass # stays the same and the Z # increases by one (17 goes to 18). The element with a Z # of 18 is Argon. <sup>36</sup>Cl decays to <sup>36</sup>Ar.

**Relative Locations of Products of Nuclear Processes**

			He <sup>3</sup> in	α in
	β <sup>-</sup> out	p in	d in	t in
	η out	Original Nucleus	η in	
t out	d out	p out	β <sup>+</sup> out ε	
α out	He <sup>3</sup> out	η neutron t triton (H <sup>3</sup> ) β <sup>+</sup> positron	p proton α alpha e electron capture	d deuteron β beta

Use this chart along with the Table of the Elements to determine the progeny (and ancestor) of an isotope.

For example; we know <sup>238</sup>Pu is an alpha emitter. The alpha decay mode tells us the mass # decreases by 4 (238 goes to 234) and the Z # decreases by two (94 goes to 92). The element with a Z # of 92 is Uranium. <sup>238</sup>Pu decays to <sup>234</sup>U. As another example; we know <sup>36</sup>Cl is a beta emitter. The beta decay mode tells us the mass # stays the same and the Z # increases by one (17 goes to 18). The element with a Z # of 18 is Argon. <sup>36</sup>Cl decays to <sup>36</sup>Ar.

**Relative Locations of Products of Nuclear Processes**

			He <sup>3</sup> in	α in
	β <sup>-</sup> out	p in	d in	t in
	η out	Original Nucleus	η in	
t out	d out	p out	β <sup>+</sup> out ε	
α out	He <sup>3</sup> out	η neutron t triton (H <sup>3</sup> ) β <sup>+</sup> positron	p proton α alpha e electron capture	d deuteron β beta

Use this chart along with the Table of the Elements to determine the progeny (and ancestor) of an isotope.

For example; we know <sup>238</sup>Pu is an alpha emitter. The alpha decay mode tells us the mass # decreases by 4 (238 goes to 234) and the Z # decreases by two (94 goes to 92). The element with a Z # of 92 is Uranium. <sup>238</sup>Pu decays to <sup>234</sup>U. As another example; we know <sup>36</sup>Cl is a beta emitter. The beta decay mode tells us the mass # stays the same and the Z # increases by one (17 goes to 18). The element with a Z # of 18 is Argon. <sup>36</sup>Cl decays to <sup>36</sup>Ar.

**Relative Locations of Products of Nuclear Processes**

			He <sup>3</sup> in	α in
	β <sup>-</sup> out	p in	d in	t in
	η out	Original Nucleus	η in	
t out	d out	p out	β <sup>+</sup> out ε	
α out	He <sup>3</sup> out	η neutron t triton (H <sup>3</sup> ) β <sup>+</sup> positron	p proton α alpha e electron capture	d deuteron β beta

Use this chart along with the Table of the Elements to determine the progeny (and ancestor) of an isotope.

For example; we know <sup>238</sup>Pu is an alpha emitter. The alpha decay mode tells us the mass # decreases by 4 (238 goes to 234) and the Z # decreases by two (94 goes to 92). The element with a Z # of 92 is Uranium. <sup>238</sup>Pu decays to <sup>234</sup>U. As another example; we know <sup>36</sup>Cl is a beta emitter. The beta decay mode tells us the mass # stays the same and the Z # increases by one (17 goes to 18). The element with a Z # of 18 is Argon. <sup>36</sup>Cl decays to <sup>36</sup>Ar.

## Radioactive Decay Calculation

$$A_t = A_0 e^{-\lambda t} \quad A_0 = A_t / e^{-\lambda t}$$
$$t = \ln(A_t / A_0) / -\lambda \quad \text{half-life} = -t \times 0.693 / \ln(A_t / A_0)$$

Where;  $A_t$  is the activity at the end of time 't'  
 $A_0$  is the activity at the beginning  
 $\lambda$  is 0.693 divided by the half-life  
 $t$  is the decay time

example 1:

What is the activity of Co-60 remaining 12 years after the Co-60 was produced ?

$$A_t = A_0 e^{-\lambda t}$$

$\lambda$  is 0.693 divided by the half-life of Co-60 (5.271 y)  
 $t$  is the decay time (12 years)  
 $\lambda$  times  $t$  is  $0.693/5.271 \times 12 = 1.578$   
 $e^{-\lambda t} = e^{-1.578} = 0.206$   
 $A_t = A_0 \times 0.206$   
20.6% of the Co-60 activity remains after 12 years

example 2:

What is the half-life of a radionuclide that decayed to 32% in 28 days?

$$\text{half-life} = -t \times 0.693 / \ln(A_t / A_0)$$
$$\text{half-life} = -28 \text{ days} \times 0.693 / \ln(32/100)$$
$$\text{half-life} = -19.404 \text{ days} / -1.139 = 17.04 \text{ days}$$

10

## Radioactive Decay Calculation

$$A_t = A_0 e^{-\lambda t} \quad A_0 = A_t / e^{-\lambda t}$$
$$t = \ln(A_t / A_0) / -\lambda \quad \text{half-life} = -t \times 0.693 / \ln(A_t / A_0)$$

Where;  $A_t$  is the activity at the end of time 't'  
 $A_0$  is the activity at the beginning  
 $\lambda$  is 0.693 divided by the half-life  
 $t$  is the decay time

example 1:

What is the activity of Co-60 remaining 12 years after the Co-60 was produced ?

$$A_t = A_0 e^{-\lambda t}$$

$\lambda$  is 0.693 divided by the half-life of Co-60 (5.271 y)  
 $t$  is the decay time (12 years)  
 $\lambda$  times  $t$  is  $0.693/5.271 \times 12 = 1.578$   
 $e^{-\lambda t} = e^{-1.578} = 0.206$   
 $A_t = A_0 \times 0.206$   
20.6% of the Co-60 activity remains after 12 years

example 2:

What is the half-life of a radionuclide that decayed to 32% in 28 days?

$$\text{half-life} = -t \times 0.693 / \ln(A_t / A_0)$$
$$\text{half-life} = -28 \text{ days} \times 0.693 / \ln(32/100)$$
$$\text{half-life} = -19.404 \text{ days} / -1.139 = 17.04 \text{ days}$$

10

## Radioactive Decay Calculation

$$A_t = A_0 e^{-\lambda t} \quad A_0 = A_t / e^{-\lambda t}$$
$$t = \ln(A_t / A_0) / -\lambda \quad \text{half-life} = -t \times 0.693 / \ln(A_t / A_0)$$

Where;  $A_t$  is the activity at the end of time 't'  
 $A_0$  is the activity at the beginning  
 $\lambda$  is 0.693 divided by the half-life  
 $t$  is the decay time

example 1:

What is the activity of Co-60 remaining 12 years after the Co-60 was produced ?

$$A_t = A_0 e^{-\lambda t}$$

$\lambda$  is 0.693 divided by the half-life of Co-60 (5.271 y)  
 $t$  is the decay time (12 years)  
 $\lambda$  times  $t$  is  $0.693/5.271 \times 12 = 1.578$   
 $e^{-\lambda t} = e^{-1.578} = 0.206$   
 $A_t = A_0 \times 0.206$   
20.6% of the Co-60 activity remains after 12 years

example 2:

What is the half-life of a radionuclide that decayed to 32% in 28 days?

$$\text{half-life} = -t \times 0.693 / \ln(A_t / A_0)$$
$$\text{half-life} = -28 \text{ days} \times 0.693 / \ln(32/100)$$
$$\text{half-life} = -19.404 \text{ days} / -1.139 = 17.04 \text{ days}$$

10

## Radioactive Decay Calculation

$$A_t = A_0 e^{-\lambda t} \quad A_0 = A_t / e^{-\lambda t}$$
$$t = \ln(A_t / A_0) / -\lambda \quad \text{half-life} = -t \times 0.693 / \ln(A_t / A_0)$$

Where;  $A_t$  is the activity at the end of time 't'  
 $A_0$  is the activity at the beginning  
 $\lambda$  is 0.693 divided by the half-life  
 $t$  is the decay time

example 1:

What is the activity of Co-60 remaining 12 years after the Co-60 was produced ?

$$A_t = A_0 e^{-\lambda t}$$

$\lambda$  is 0.693 divided by the half-life of Co-60 (5.271 y)  
 $t$  is the decay time (12 years)  
 $\lambda$  times  $t$  is  $0.693/5.271 \times 12 = 1.578$   
 $e^{-\lambda t} = e^{-1.578} = 0.206$   
 $A_t = A_0 \times 0.206$   
20.6% of the Co-60 activity remains after 12 years

example 2:

What is the half-life of a radionuclide that decayed to 32% in 28 days?

$$\text{half-life} = -t \times 0.693 / \ln(A_t / A_0)$$
$$\text{half-life} = -28 \text{ days} \times 0.693 / \ln(32/100)$$
$$\text{half-life} = -19.404 \text{ days} / -1.139 = 17.04 \text{ days}$$

10

**RADIOACTIVE DECAY MODES OF  
COMMONLY ENCOUNTERED RADIONUCLIDES**

These tables show the type of radiation, its energy in keV, and the % abundance of that energy for the parent. Only the most abundant energies are listed.

1 <sup>st</sup> Progeny		Radiation type	kev and % abundance
H <sup>3</sup>	He <sup>3</sup>	β <sup>-</sup>	18.6 (100)
Be <sup>7</sup>	Li <sup>7</sup>	EC	
		γ	478 (10.42)
C <sup>14</sup>	N <sup>14</sup>	β <sup>-</sup>	157 (100)
O <sup>15</sup>	N <sup>15</sup>	β <sup>+</sup>	1732 (99.9)
		γ	511 (200)
N <sup>16</sup>	O <sup>16</sup>	β <sup>-</sup>	3302 (4.9), 4288 (68), 10418 (26)
		γ	6129 (69), 7115 (5)
F <sup>18</sup>	O <sup>18</sup>	β <sup>+</sup>	634 (96.73)
		γ	511 (194)
Na <sup>22</sup>	Ne <sup>22</sup>	β <sup>+</sup>	546 (89.84)
		γ	1275 (99.94)
		Ne x-rays 1	0.12
Na <sup>24</sup>	Mg <sup>24</sup>	β <sup>-</sup>	1390 (99.935)
		γ	1369 (99.9991), 2754 (99.862)
Al <sup>26</sup>	Mg <sup>26</sup>	β <sup>+</sup>	1174 ((81.81)
		γ	130 (2.5), 1809 (99.96), 2938 (0.24)
		Mg x-rays 1	0.44
P <sup>32</sup>	S <sup>32</sup>	β <sup>-</sup>	1710 (100)
Ci <sup>36</sup>	Ar <sup>36</sup>	β <sup>-</sup>	710 (99.0)
K <sup>40</sup>	Ca <sup>40</sup>	β <sup>-</sup>	1312 (89.33)
		EC	
		γ	1461 (10.67)
		Ar x-rays 3	0.94

**RADIOACTIVE DECAY MODES OF  
COMMONLY ENCOUNTERED RADIONUCLIDES**

These tables show the type of radiation, its energy in keV, and the % abundance of that energy for the parent. Only the most abundant energies are listed.

1 <sup>st</sup> Progeny		Radiation type	kev and % abundance
H <sup>3</sup>	He <sup>3</sup>	β <sup>-</sup>	18.6 (100)
Be <sup>7</sup>	Li <sup>7</sup>	EC	
		γ	478 (10.42)
C <sup>14</sup>	N <sup>14</sup>	β <sup>-</sup>	157 (100)
O <sup>15</sup>	N <sup>15</sup>	β <sup>+</sup>	1732 (99.9)
		γ	511 (200)
N <sup>16</sup>	O <sup>16</sup>	β <sup>-</sup>	3302 (4.9), 4288 (68), 10418 (26)
		γ	6129 (69), 7115 (5)
F <sup>18</sup>	O <sup>18</sup>	β <sup>+</sup>	634 (96.73)
		γ	511 (194)
Na <sup>22</sup>	Ne <sup>22</sup>	β <sup>+</sup>	546 (89.84)
		γ	1275 (99.94)
		Ne x-rays 1	0.12
Na <sup>24</sup>	Mg <sup>24</sup>	β <sup>-</sup>	1390 (99.935)
		γ	1369 (99.9991), 2754 (99.862)
Al <sup>26</sup>	Mg <sup>26</sup>	β <sup>+</sup>	1174 ((81.81)
		γ	130 (2.5), 1809 (99.96), 2938 (0.24)
		Mg x-rays 1	0.44
P <sup>32</sup>	S <sup>32</sup>	β <sup>-</sup>	1710 (100)
Ci <sup>36</sup>	Ar <sup>36</sup>	β <sup>-</sup>	710 (99.0)
K <sup>40</sup>	Ca <sup>40</sup>	β <sup>-</sup>	1312 (89.33)
		EC	
		γ	1461 (10.67)
		Ar x-rays 3	0.94

**RADIOACTIVE DECAY MODES OF  
COMMONLY ENCOUNTERED RADIONUCLIDES**

These tables show the type of radiation, its energy in keV, and the % abundance of that energy for the parent. Only the most abundant energies are listed.

1 <sup>st</sup> Progeny		Radiation type	kev and % abundance
H <sup>3</sup>	He <sup>3</sup>	β <sup>-</sup>	18.6 (100)
Be <sup>7</sup>	Li <sup>7</sup>	EC	
		γ	478 (10.42)
C <sup>14</sup>	N <sup>14</sup>	β <sup>-</sup>	157 (100)
O <sup>15</sup>	N <sup>15</sup>	β <sup>+</sup>	1732 (99.9)
		γ	511 (200)
N <sup>16</sup>	O <sup>16</sup>	β <sup>-</sup>	3302 (4.9), 4288 (68), 10418 (26)
		γ	6129 (69), 7115 (5)
F <sup>18</sup>	O <sup>18</sup>	β <sup>+</sup>	634 (96.73)
		γ	511 (194)
Na <sup>22</sup>	Ne <sup>22</sup>	β <sup>+</sup>	546 (89.84)
		γ	1275 (99.94)
		Ne x-rays 1	0.12
Na <sup>24</sup>	Mg <sup>24</sup>	β <sup>-</sup>	1390 (99.935)
		γ	1369 (99.9991), 2754 (99.862)
Al <sup>26</sup>	Mg <sup>26</sup>	β <sup>+</sup>	1174 ((81.81)
		γ	130 (2.5), 1809 (99.96), 2938 (0.24)
		Mg x-rays 1	0.44
P <sup>32</sup>	S <sup>32</sup>	β <sup>-</sup>	1710 (100)
Ci <sup>36</sup>	Ar <sup>36</sup>	β <sup>-</sup>	710 (99.0)
K <sup>40</sup>	Ca <sup>40</sup>	β <sup>-</sup>	1312 (89.33)
		EC	
		γ	1461 (10.67)
		Ar x-rays 3	0.94

**RADIOACTIVE DECAY MODES OF  
COMMONLY ENCOUNTERED RADIONUCLIDES**

These tables show the type of radiation, its energy in keV, and the % abundance of that energy for the parent. Only the most abundant energies are listed.

1 <sup>st</sup> Progeny		Radiation type	kev and % abundance
H <sup>3</sup>	He <sup>3</sup>	β <sup>-</sup>	18.6 (100)
Be <sup>7</sup>	Li <sup>7</sup>	EC	
		γ	478 (10.42)
C <sup>14</sup>	N <sup>14</sup>	β <sup>-</sup>	157 (100)
O <sup>15</sup>	N <sup>15</sup>	β <sup>+</sup>	1732 (99.9)
		γ	511 (200)
N <sup>16</sup>	O <sup>16</sup>	β <sup>-</sup>	3302 (4.9), 4288 (68), 10418 (26)
		γ	6129 (69), 7115 (5)
F <sup>18</sup>	O <sup>18</sup>	β <sup>+</sup>	634 (96.73)
		γ	511 (194)
Na <sup>22</sup>	Ne <sup>22</sup>	β <sup>+</sup>	546 (89.84)
		γ	1275 (99.94)
		Ne x-rays 1	0.12
Na <sup>24</sup>	Mg <sup>24</sup>	β <sup>-</sup>	1390 (99.935)
		γ	1369 (99.9991), 2754 (99.862)
Al <sup>26</sup>	Mg <sup>26</sup>	β <sup>+</sup>	1174 ((81.81)
		γ	130 (2.5), 1809 (99.96), 2938 (0.24)
		Mg x-rays 1	0.44
P <sup>32</sup>	S <sup>32</sup>	β <sup>-</sup>	1710 (100)
Ci <sup>36</sup>	Ar <sup>36</sup>	β <sup>-</sup>	710 (99.0)
K <sup>40</sup>	Ca <sup>40</sup>	β <sup>-</sup>	1312 (89.33)
		EC	
		γ	1461 (10.67)
		Ar x-rays 3	0.94

Progeny		kev and % abundance	
Ar <sup>41</sup>	K <sup>41</sup>	β <sup>-</sup>	1198 (99.17), 2492 (0.78)
		γ	1294 (99.16)
K <sup>42</sup>	Ca <sup>42</sup>	β <sup>-</sup>	1684 (0.32), 1996 (17.5), 3521 (82.1)
		γ	313 (0.319), 1525 (17.9)
K <sup>43</sup>	Ca <sup>43</sup>	β <sup>-</sup>	422 (2.24), 827 (92.2), 1224 (3.6)
		γ	373 (87.3), 397 (11.43), 593 (11.0), 617 (80.5)
Sc <sup>46</sup>	Ti <sup>46</sup>	β <sup>-</sup>	357 (99.996)
		γ	889 (99.983), 1121 (99.987)
		IT	γ 143 (62.7)
Sc x-rays 0.4 (0.11), 4 (6.26)			
Sc <sup>47</sup>	Ti <sup>47</sup>	β <sup>-</sup>	441 (68), 601 (32)
		γ	159 (68)
Sc <sup>48</sup>	Ti <sup>48</sup>	β <sup>-</sup>	482 (10.01), 657 (89.99)
		γ	984 (100), 1037 (97.5), 1312 (100)
V <sup>48</sup>	Ti <sup>48</sup>	β <sup>+</sup>	697 (50.1)
		γ	944 (7.76), 984 (100), 1312 (97.5)
Ti x-rays 0.45 (0.15), 5 (9.74)			
Cr <sup>51</sup>	V <sup>51</sup>	EC	
		γ	320 (9.83)
V x-rays 1 (0.33), 5 (22.31)			
Mn <sup>52</sup>	Cr <sup>52</sup>	β <sup>+</sup>	575 (29.4)
		γ	511 (67), 744 (82), 935 (84), 1434 (100)
Cr x-rays 1 (0.26), 5 (15.5), 6 (2.06)			
Mn <sup>54</sup>	Cr <sup>54</sup>	EC	
		γ	835 (99.975)
Cr x-rays 1 (0.37), 5 (22.13), 6 (2.94)			

12

Progeny		kev and % abundance	
Ar <sup>41</sup>	K <sup>41</sup>	β <sup>-</sup>	1198 (99.17), 2492 (0.78)
		γ	1294 (99.16)
K <sup>42</sup>	Ca <sup>42</sup>	β <sup>-</sup>	1684 (0.32), 1996 (17.5), 3521 (82.1)
		γ	313 (0.319), 1525 (17.9)
K <sup>43</sup>	Ca <sup>43</sup>	β <sup>-</sup>	422 (2.24), 827 (92.2), 1224 (3.6)
		γ	373 (87.3), 397 (11.43), 593 (11.0), 617 (80.5)
Sc <sup>46</sup>	Ti <sup>46</sup>	β <sup>-</sup>	357 (99.996)
		γ	889 (99.983), 1121 (99.987)
		IT	γ 143 (62.7)
Sc x-rays 0.4 (0.11), 4 (6.26)			
Sc <sup>47</sup>	Ti <sup>47</sup>	β <sup>-</sup>	441 (68), 601 (32)
		γ	159 (68)
Sc <sup>48</sup>	Ti <sup>48</sup>	β <sup>-</sup>	482 (10.01), 657 (89.99)
		γ	984 (100), 1037 (97.5), 1312 (100)
V <sup>48</sup>	Ti <sup>48</sup>	β <sup>+</sup>	697 (50.1)
		γ	944 (7.76), 984 (100), 1312 (97.5)
Ti x-rays 0.45 (0.15), 5 (9.74)			
Cr <sup>51</sup>	V <sup>51</sup>	EC	
		γ	320 (9.83)
V x-rays 1 (0.33), 5 (22.31)			
Mn <sup>52</sup>	Cr <sup>52</sup>	β <sup>+</sup>	575 (29.4)
		γ	511 (67), 744 (82), 935 (84), 1434 (100)
Cr x-rays 1 (0.26), 5 (15.5), 6 (2.06)			
Mn <sup>54</sup>	Cr <sup>54</sup>	EC	
		γ	835 (99.975)
Cr x-rays 1 (0.37), 5 (22.13), 6 (2.94)			

12

Progeny		kev and % abundance	
Ar <sup>41</sup>	K <sup>41</sup>	β <sup>-</sup>	1198 (99.17), 2492 (0.78)
		γ	1294 (99.16)
K <sup>42</sup>	Ca <sup>42</sup>	β <sup>-</sup>	1684 (0.32), 1996 (17.5), 3521 (82.1)
		γ	313 (0.319), 1525 (17.9)
K <sup>43</sup>	Ca <sup>43</sup>	β <sup>-</sup>	422 (2.24), 827 (92.2), 1224 (3.6)
		γ	373 (87.3), 397 (11.43), 593 (11.0), 617 (80.5)
Sc <sup>46</sup>	Ti <sup>46</sup>	β <sup>-</sup>	357 (99.996)
		γ	889 (99.983), 1121 (99.987)
		IT	γ 143 (62.7)
Sc x-rays 0.4 (0.11), 4 (6.26)			
Sc <sup>47</sup>	Ti <sup>47</sup>	β <sup>-</sup>	441 (68), 601 (32)
		γ	159 (68)
Sc <sup>48</sup>	Ti <sup>48</sup>	β <sup>-</sup>	482 (10.01), 657 (89.99)
		γ	984 (100), 1037 (97.5), 1312 (100)
V <sup>48</sup>	Ti <sup>48</sup>	β <sup>+</sup>	697 (50.1)
		γ	944 (7.76), 984 (100), 1312 (97.5)
Ti x-rays 0.45 (0.15), 5 (9.74)			
Cr <sup>51</sup>	V <sup>51</sup>	EC	
		γ	320 (9.83)
V x-rays 1 (0.33), 5 (22.31)			
Mn <sup>52</sup>	Cr <sup>52</sup>	β <sup>+</sup>	575 (29.4)
		γ	511 (67), 744 (82), 935 (84), 1434 (100)
Cr x-rays 1 (0.26), 5 (15.5), 6 (2.06)			
Mn <sup>54</sup>	Cr <sup>54</sup>	EC	
		γ	835 (99.975)
Cr x-rays 1 (0.37), 5 (22.13), 6 (2.94)			

12

Progeny		kev and % abundance	
Ar <sup>41</sup>	K <sup>41</sup>	β <sup>-</sup>	1198 (99.17), 2492 (0.78)
		γ	1294 (99.16)
K <sup>42</sup>	Ca <sup>42</sup>	β <sup>-</sup>	1684 (0.32), 1996 (17.5), 3521 (82.1)
		γ	313 (0.319), 1525 (17.9)
K <sup>43</sup>	Ca <sup>43</sup>	β <sup>-</sup>	422 (2.24), 827 (92.2), 1224 (3.6)
		γ	373 (87.3), 397 (11.43), 593 (11.0), 617 (80.5)
Sc <sup>46</sup>	Ti <sup>46</sup>	β <sup>-</sup>	357 (99.996)
		γ	889 (99.983), 1121 (99.987)
		IT	γ 143 (62.7)
Sc x-rays 0.4 (0.11), 4 (6.26)			
Sc <sup>47</sup>	Ti <sup>47</sup>	β <sup>-</sup>	441 (68), 601 (32)
		γ	159 (68)
Sc <sup>48</sup>	Ti <sup>48</sup>	β <sup>-</sup>	482 (10.01), 657 (89.99)
		γ	984 (100), 1037 (97.5), 1312 (100)
V <sup>48</sup>	Ti <sup>48</sup>	β <sup>+</sup>	697 (50.1)
		γ	944 (7.76), 984 (100), 1312 (97.5)
Ti x-rays 0.45 (0.15), 5 (9.74)			
Cr <sup>51</sup>	V <sup>51</sup>	EC	
		γ	320 (9.83)
V x-rays 1 (0.33), 5 (22.31)			
Mn <sup>52</sup>	Cr <sup>52</sup>	β <sup>+</sup>	575 (29.4)
		γ	511 (67), 744 (82), 935 (84), 1434 (100)
Cr x-rays 1 (0.26), 5 (15.5), 6 (2.06)			
Mn <sup>54</sup>	Cr <sup>54</sup>	EC	
		γ	835 (99.975)
Cr x-rays 1 (0.37), 5 (22.13), 6 (2.94)			

12

Progeny		kev and % abundance	
Fe <sup>55</sup>	Mn <sup>55</sup>	EC	
		Mn x-rays	1 (0.42), 6 (24.5), 6 (3.29)
Mn <sup>56</sup>	Fe <sup>56</sup>	β <sup>-</sup>	736 (14.6), 1038 (27.8), 2849 (56.2)
		γ	847 (98.9), 1811 (27.2), 2113 (14.3)
Co <sup>56</sup>	Fe <sup>56</sup>	β <sup>+</sup>	423 (1.05), 1461 (18.7)
		γ	847 (99.958), 1038 (14.03), 1238 (67.0), 1771 (15.5), 2598 (16.9)
		Fe x-rays	1 (0.34), 6 (21.83), 7 (2.92)
Co <sup>57</sup>	Fe <sup>57</sup>	EC	
		γ	14 (9.54), 122 (85.51), 136 (10.6)
		Fe x-rays	1 (0.8), 6 (49.4), 7 (6.62)
Ni <sup>57</sup>	Co <sup>57</sup>	β <sup>+</sup>	463 (0.87), 716 (5.7), 843 (33.1)
		γ	127 (12.9), 1378 (77.9), 1919(14.7)
		Co x-rays	1 (0.29), 7 (18.1), 8 (2.46)
Co <sup>58</sup>	Fe <sup>58</sup>	β <sup>+</sup>	475 (14.93)
		γ	811 (99.4), 864 (0.74), 1675 (0.54)
		Fe x-rays	0.7 (0.36), 6 (23.18), 7 (3.1)
Ni <sup>59</sup>	Co <sup>59</sup>	EC	
		Co x-rays	1 (0.47), 7 (29.8)
Fe <sup>59</sup>	Co <sup>59</sup>	β <sup>-</sup>	131 (1.37), 273 (45.2), 466 (53.1)
		γ	192 (3.11), 1099 (56.5), 1292 (43.2)
Co <sup>60</sup>	Ni <sup>60</sup>	β <sup>-</sup>	318 (100)
		γ	1173 (100), 1332 (100)
Cu <sup>62</sup>	Ni <sup>62</sup>	β <sup>+</sup>	1754 (0.132), 2927 (97.59)
		γ	876 (0.148), 1173 (0.336)
		Ni x-rays	7 (0.7)
Zn <sup>65</sup>	Cu <sup>65</sup>	EC	
		β <sup>+</sup>	330 (1.415)
		γ	1116 (50.75)
		Cu x-rays	1 (0.57), 8 (34.1), 9 (4.61)

13

Progeny		kev and % abundance	
Fe <sup>55</sup>	Mn <sup>55</sup>	EC	
		Mn x-rays	1 (0.42), 6 (24.5), 6 (3.29)
Mn <sup>56</sup>	Fe <sup>56</sup>	β <sup>-</sup>	736 (14.6), 1038 (27.8), 2849 (56.2)
		γ	847 (98.9), 1811 (27.2), 2113 (14.3)
Co <sup>56</sup>	Fe <sup>56</sup>	β <sup>+</sup>	423 (1.05), 1461 (18.7)
		γ	847 (99.958), 1038 (14.03), 1238 (67.0), 1771 (15.5), 2598 (16.9)
		Fe x-rays	1 (0.34), 6 (21.83), 7 (2.92)
Co <sup>57</sup>	Fe <sup>57</sup>	EC	
		γ	14 (9.54), 122 (85.51), 136 (10.6)
		Fe x-rays	1 (0.8), 6 (49.4), 7 (6.62)
Ni <sup>57</sup>	Co <sup>57</sup>	β <sup>+</sup>	463 (0.87), 716 (5.7), 843 (33.1)
		γ	127 (12.9), 1378 (77.9), 1919(14.7)
		Co x-rays	1 (0.29), 7 (18.1), 8 (2.46)
Co <sup>58</sup>	Fe <sup>58</sup>	β <sup>+</sup>	475 (14.93)
		γ	811 (99.4), 864 (0.74), 1675 (0.54)
		Fe x-rays	0.7 (0.36), 6 (23.18), 7 (3.1)
Ni <sup>59</sup>	Co <sup>59</sup>	EC	
		Co x-rays	1 (0.47), 7 (29.8)
Fe <sup>59</sup>	Co <sup>59</sup>	β <sup>-</sup>	131 (1.37), 273 (45.2), 466 (53.1)
		γ	192 (3.11), 1099 (56.5), 1292 (43.2)
Co <sup>60</sup>	Ni <sup>60</sup>	β <sup>-</sup>	318 (100)
		γ	1173 (100), 1332 (100)
Cu <sup>62</sup>	Ni <sup>62</sup>	β <sup>+</sup>	1754 (0.132), 2927 (97.59)
		γ	876 (0.148), 1173 (0.336)
		Ni x-rays	7 (0.7)
Zn <sup>65</sup>	Cu <sup>65</sup>	EC	
		β <sup>+</sup>	330 (1.415)
		γ	1116 (50.75)
		Cu x-rays	1 (0.57), 8 (34.1), 9 (4.61)

13

Progeny		kev and % abundance	
Fe <sup>55</sup>	Mn <sup>55</sup>	EC	
		Mn x-rays	1 (0.42), 6 (24.5), 6 (3.29)
Mn <sup>56</sup>	Fe <sup>56</sup>	β <sup>-</sup>	736 (14.6), 1038 (27.8), 2849 (56.2)
		γ	847 (98.9), 1811 (27.2), 2113 (14.3)
Co <sup>56</sup>	Fe <sup>56</sup>	β <sup>+</sup>	423 (1.05), 1461 (18.7)
		γ	847 (99.958), 1038 (14.03), 1238 (67.0), 1771 (15.5), 2598 (16.9)
		Fe x-rays	1 (0.34), 6 (21.83), 7 (2.92)
Co <sup>57</sup>	Fe <sup>57</sup>	EC	
		γ	14 (9.54), 122 (85.51), 136 (10.6)
		Fe x-rays	1 (0.8), 6 (49.4), 7 (6.62)
Ni <sup>57</sup>	Co <sup>57</sup>	β <sup>+</sup>	463 (0.87), 716 (5.7), 843 (33.1)
		γ	127 (12.9), 1378 (77.9), 1919(14.7)
		Co x-rays	1 (0.29), 7 (18.1), 8 (2.46)
Co <sup>58</sup>	Fe <sup>58</sup>	β <sup>+</sup>	475 (14.93)
		γ	811 (99.4), 864 (0.74), 1675 (0.54)
		Fe x-rays	0.7 (0.36), 6 (23.18), 7 (3.1)
Ni <sup>59</sup>	Co <sup>59</sup>	EC	
		Co x-rays	1 (0.47), 7 (29.8)
Fe <sup>59</sup>	Co <sup>59</sup>	β <sup>-</sup>	131 (1.37), 273 (45.2), 466 (53.1)
		γ	192 (3.11), 1099 (56.5), 1292 (43.2)
Co <sup>60</sup>	Ni <sup>60</sup>	β <sup>-</sup>	318 (100)
		γ	1173 (100), 1332 (100)
Cu <sup>62</sup>	Ni <sup>62</sup>	β <sup>+</sup>	1754 (0.132), 2927 (97.59)
		γ	876 (0.148), 1173 (0.336)
		Ni x-rays	7 (0.7)
Zn <sup>65</sup>	Cu <sup>65</sup>	EC	
		β <sup>+</sup>	330 (1.415)
		γ	1116 (50.75)
		Cu x-rays	1 (0.57), 8 (34.1), 9 (4.61)

13

Progeny		kev and % abundance	
Fe <sup>55</sup>	Mn <sup>55</sup>	EC	
		Mn x-rays	1 (0.42), 6 (24.5), 6 (3.29)
Mn <sup>56</sup>	Fe <sup>56</sup>	β <sup>-</sup>	736 (14.6), 1038 (27.8), 2849 (56.2)
		γ	847 (98.9), 1811 (27.2), 2113 (14.3)
Co <sup>56</sup>	Fe <sup>56</sup>	β <sup>+</sup>	423 (1.05), 1461 (18.7)
		γ	847 (99.958), 1038 (14.03), 1238 (67.0), 1771 (15.5), 2598 (16.9)
		Fe x-rays	1 (0.34), 6 (21.83), 7 (2.92)
Co <sup>57</sup>	Fe <sup>57</sup>	EC	
		γ	14 (9.54), 122 (85.51), 136 (10.6)
		Fe x-rays	1 (0.8), 6 (49.4), 7 (6.62)
Ni <sup>57</sup>	Co <sup>57</sup>	β <sup>+</sup>	463 (0.87), 716 (5.7), 843 (33.1)
		γ	127 (12.9), 1378 (77.9), 1919(14.7)
		Co x-rays	1 (0.29), 7 (18.1), 8 (2.46)
Co <sup>58</sup>	Fe <sup>58</sup>	β <sup>+</sup>	475 (14.93)
		γ	811 (99.4), 864 (0.74), 1675 (0.54)
		Fe x-rays	0.7 (0.36), 6 (23.18), 7 (3.1)
Ni <sup>59</sup>	Co <sup>59</sup>	EC	
		Co x-rays	1 (0.47), 7 (29.8)
Fe <sup>59</sup>	Co <sup>59</sup>	β <sup>-</sup>	131 (1.37), 273 (45.2), 466 (53.1)
		γ	192 (3.11), 1099 (56.5), 1292 (43.2)
Co <sup>60</sup>	Ni <sup>60</sup>	β <sup>-</sup>	318 (100)
		γ	1173 (100), 1332 (100)
Cu <sup>62</sup>	Ni <sup>62</sup>	β <sup>+</sup>	1754 (0.132), 2927 (97.59)
		γ	876 (0.148), 1173 (0.336)
		Ni x-rays	7 (0.7)
Zn <sup>65</sup>	Cu <sup>65</sup>	EC	
		β <sup>+</sup>	330 (1.415)
		γ	1116 (50.75)
		Cu x-rays	1 (0.57), 8 (34.1), 9 (4.61)

13

Progeny			kev and % abundance
Ni <sup>65</sup>	Cu <sup>65</sup>	β <sup>-</sup>	2130 (100)
		γ	368 (4.5), 1115 (16), 1481 (25)
Ge <sup>68</sup>	Ga <sup>68</sup>	EC	
			Ga x-rays 1 (0.67), 9 (38.7), 10 (5.46)
Ga <sup>68</sup>	Zn <sup>68</sup>	β <sup>+</sup>	1899 (89)
		γ	1077 (3.22)
As <sup>74</sup>	Se <sup>74</sup>	β <sup>-</sup>	718 (15.5), 1353 (18.8)
		γ	634 (15.4)
	Ge <sup>74</sup>	EC	
		β <sup>+</sup>	945 (26.6), 1540 (3.0)
		γ	596 (59.9), 608 (0.55), 1204 (0.287)
			Ge x-rays 1 (0.26), 10 (15), 11 (2.22)
Se <sup>75</sup>	As <sup>75</sup>	EC	
		γ	136 (59.2), 265 (59.8), 280 (25.2)
			As x-rays 1 (0.9), 11 (47.5), 12 (7.3)
Kr <sup>85</sup>	Rb <sup>85</sup>	β <sup>-</sup>	73 (0.437), 687 (99.563)
		γ	514 (0.434)
Rb <sup>88</sup>	Sr <sup>88</sup>	β <sup>-</sup>	2581 (13.3), 3479 (4.1), 5315 (78)
			898 (14), 1836 (21.4), 2678 (1.96)
Rb <sup>89</sup>	Sr <sup>89</sup>	β <sup>-</sup>	1275 (33), 2223 (34), 4503 (25)
		γ	1031 (58), 1248 (42), 2196 (13.3)
Sr <sup>89</sup>	Y <sup>89</sup>	β <sup>-</sup>	1491 (99.985)
		γ	av. 909 (0.02)
Sr <sup>90</sup>	Y <sup>90</sup>	β <sup>-</sup>	546 (100)
Y <sup>90</sup>	Zr <sup>90</sup>	β <sup>-</sup>	2284 (99.988)9090-
Nb <sup>94</sup>	Mo <sup>94</sup>	β <sup>-</sup>	471 (100)
		γ	703 (100), 871 (100)
Nb <sup>95</sup>	Mo <sup>95</sup>	β <sup>-</sup>	160 (100)
		γ	765 (100)
Zr <sup>95</sup>	Nb <sup>95</sup>	β <sup>-</sup>	366 (55.4), 399 (43.7), 887 (0.78)
		γ	724 (43.7), 757 (55.3)
Tc <sup>99</sup>	Ru <sup>99</sup>	β <sup>-</sup>	294 (99.998)

Progeny			kev and % abundance
Ni <sup>65</sup>	Cu <sup>65</sup>	β <sup>-</sup>	2130 (100)
		γ	368 (4.5), 1115 (16), 1481 (25)
Ge <sup>68</sup>	Ga <sup>68</sup>	EC	
			Ga x-rays 1 (0.67), 9 (38.7), 10 (5.46)
Ga <sup>68</sup>	Zn <sup>68</sup>	β <sup>+</sup>	1899 (89)
		γ	1077 (3.22)
As <sup>74</sup>	Se <sup>74</sup>	β <sup>-</sup>	718 (15.5), 1353 (18.8)
		γ	634 (15.4)
	Ge <sup>74</sup>	EC	
		β <sup>+</sup>	945 (26.6), 1540 (3.0)
		γ	596 (59.9), 608 (0.55), 1204 (0.287)
			Ge x-rays 1 (0.26), 10 (15), 11 (2.22)
Se <sup>75</sup>	As <sup>75</sup>	EC	
		γ	136 (59.2), 265 (59.8), 280 (25.2)
			As x-rays 1 (0.9), 11 (47.5), 12 (7.3)
Kr <sup>85</sup>	Rb <sup>85</sup>	β <sup>-</sup>	73 (0.437), 687 (99.563)
		γ	514 (0.434)
Rb <sup>88</sup>	Sr <sup>88</sup>	β <sup>-</sup>	2581 (13.3), 3479 (4.1), 5315 (78)
			898 (14), 1836 (21.4), 2678 (1.96)
Rb <sup>89</sup>	Sr <sup>89</sup>	β <sup>-</sup>	1275 (33), 2223 (34), 4503 (25)
		γ	1031 (58), 1248 (42), 2196 (13.3)
Sr <sup>89</sup>	Y <sup>89</sup>	β <sup>-</sup>	1491 (99.985)
		γ	av. 909 (0.02)
Sr <sup>90</sup>	Y <sup>90</sup>	β <sup>-</sup>	546 (100)
Y <sup>90</sup>	Zr <sup>90</sup>	β <sup>-</sup>	2284 (99.988)9090-
Nb <sup>94</sup>	Mo <sup>94</sup>	β <sup>-</sup>	471 (100)
		γ	703 (100), 871 (100)
Nb <sup>95</sup>	Mo <sup>95</sup>	β <sup>-</sup>	160 (100)
		γ	765 (100)
Zr <sup>95</sup>	Nb <sup>95</sup>	β <sup>-</sup>	366 (55.4), 399 (43.7), 887 (0.78)
		γ	724 (43.7), 757 (55.3)
Tc <sup>99</sup>	Ru <sup>99</sup>	β <sup>-</sup>	294 (99.998)

Progeny			kev and % abundance
Ni <sup>65</sup>	Cu <sup>65</sup>	β <sup>-</sup>	2130 (100)
		γ	368 (4.5), 1115 (16), 1481 (25)
Ge <sup>68</sup>	Ga <sup>68</sup>	EC	
			Ga x-rays 1 (0.67), 9 (38.7), 10 (5.46)
Ga <sup>68</sup>	Zn <sup>68</sup>	β <sup>+</sup>	1899 (89)
		γ	1077 (3.22)
As <sup>74</sup>	Se <sup>74</sup>	β <sup>-</sup>	718 (15.5), 1353 (18.8)
		γ	634 (15.4)
	Ge <sup>74</sup>	EC	
		β <sup>+</sup>	945 (26.6), 1540 (3.0)
		γ	596 (59.9), 608 (0.55), 1204 (0.287)
			Ge x-rays 1 (0.26), 10 (15), 11 (2.22)
Se <sup>75</sup>	As <sup>75</sup>	EC	
		γ	136 (59.2), 265 (59.8), 280 (25.2)
			As x-rays 1 (0.9), 11 (47.5), 12 (7.3)
Kr <sup>85</sup>	Rb <sup>85</sup>	β <sup>-</sup>	73 (0.437), 687 (99.563)
		γ	514 (0.434)
Rb <sup>88</sup>	Sr <sup>88</sup>	β <sup>-</sup>	2581 (13.3), 3479 (4.1), 5315 (78)
			898 (14), 1836 (21.4), 2678 (1.96)
Rb <sup>89</sup>	Sr <sup>89</sup>	β <sup>-</sup>	1275 (33), 2223 (34), 4503 (25)
		γ	1031 (58), 1248 (42), 2196 (13.3)
Sr <sup>89</sup>	Y <sup>89</sup>	β <sup>-</sup>	1491 (99.985)
		γ	av. 909 (0.02)
Sr <sup>90</sup>	Y <sup>90</sup>	β <sup>-</sup>	546 (100)
Y <sup>90</sup>	Zr <sup>90</sup>	β <sup>-</sup>	2284 (99.988)9090-
Nb <sup>94</sup>	Mo <sup>94</sup>	β <sup>-</sup>	471 (100)
		γ	703 (100), 871 (100)
Nb <sup>95</sup>	Mo <sup>95</sup>	β <sup>-</sup>	160 (100)
		γ	765 (100)
Zr <sup>95</sup>	Nb <sup>95</sup>	β <sup>-</sup>	366 (55.4), 399 (43.7), 887 (0.78)
		γ	724 (43.7), 757 (55.3)
Tc <sup>99</sup>	Ru <sup>99</sup>	β <sup>-</sup>	294 (99.998)

Progeny			kev and % abundance
Ni <sup>65</sup>	Cu <sup>65</sup>	β <sup>-</sup>	2130 (100)
		γ	368 (4.5), 1115 (16), 1481 (25)
Ge <sup>68</sup>	Ga <sup>68</sup>	EC	
			Ga x-rays 1 (0.67), 9 (38.7), 10 (5.46)
Ga <sup>68</sup>	Zn <sup>68</sup>	β <sup>+</sup>	1899 (89)
		γ	1077 (3.22)
As <sup>74</sup>	Se <sup>74</sup>	β <sup>-</sup>	718 (15.5), 1353 (18.8)
		γ	634 (15.4)
	Ge <sup>74</sup>	EC	
		β <sup>+</sup>	945 (26.6), 1540 (3.0)
		γ	596 (59.9), 608 (0.55), 1204 (0.287)
			Ge x-rays 1 (0.26), 10 (15), 11 (2.22)
Se <sup>75</sup>	As <sup>75</sup>	EC	
		γ	136 (59.2), 265 (59.8), 280 (25.2)
			As x-rays 1 (0.9), 11 (47.5), 12 (7.3)
Kr <sup>85</sup>	Rb <sup>85</sup>	β <sup>-</sup>	73 (0.437), 687 (99.563)
		γ	514 (0.434)
Rb <sup>88</sup>	Sr <sup>88</sup>	β <sup>-</sup>	2581 (13.3), 3479 (4.1), 5315 (78)
			898 (14), 1836 (21.4), 2678 (1.96)
Rb <sup>89</sup>	Sr <sup>89</sup>	β <sup>-</sup>	1275 (33), 2223 (34), 4503 (25)
		γ	1031 (58), 1248 (42), 2196 (13.3)
Sr <sup>89</sup>	Y <sup>89</sup>	β <sup>-</sup>	1491 (99.985)
		γ	av. 909 (0.02)
Sr <sup>90</sup>	Y <sup>90</sup>	β <sup>-</sup>	546 (100)
Y <sup>90</sup>	Zr <sup>90</sup>	β <sup>-</sup>	2284 (99.988)9090-
Nb <sup>94</sup>	Mo <sup>94</sup>	β <sup>-</sup>	471 (100)
		γ	703 (100), 871 (100)
Nb <sup>95</sup>	Mo <sup>95</sup>	β <sup>-</sup>	160 (100)
		γ	765 (100)
Zr <sup>95</sup>	Nb <sup>95</sup>	β <sup>-</sup>	366 (55.4), 399 (43.7), 887 (0.78)
		γ	724 (43.7), 757 (55.3)
Tc <sup>99</sup>	Ru <sup>99</sup>	β <sup>-</sup>	294 (99.998)

<b>Progeny</b>		<b>key and % abundance</b>	
Mo <sup>99</sup>	Tc <sup>99</sup>	β <sup>-</sup>	436 (17.3), 848 (1.36), 1214 (82.7)
		γ	181 (6.2), 740 (12.8), 778 (4.5)
		Tc x-rays	2 (0.2), 18 (2.63), 21 (0.52)
Tc <sup>99m</sup>	Tc <sup>99</sup>	IT	
		γ	141 (89.07)
		Tc x-rays	2 (0.48), 18 (6.1), 21 (1.2)
Ru <sup>106</sup>	Rh <sup>106</sup>	β <sup>-</sup>	39 (100)
I <sup>125</sup>	Te <sup>125</sup>	EC	
		γ	35 (6.49)
		Te x-rays	4 (15), 27 (112.2), 31 (25.4)
I <sup>126</sup>	Xe <sup>126</sup>	β <sup>-</sup>	371 (3.1), 862 (27.2), 1251 (9)
		γ	389 (29.1), 491 (2.43), 880 (0.64)
		Xe x-rays	29 (0.115), 30 (0.213)
	Te <sup>126</sup>	EC	
		β <sup>+</sup>	468 (0.244), 1134 (0.83)
		γ	666 (40.2), 754 (5.1), 1420 (0.358)
		Te x-rays	4 (4.8), 27 (36.4), 31 (8.2)
I <sup>129</sup>	Xe <sup>129</sup>	β <sup>-</sup>	152 (100)
		γ	40 (7.52)
		Xe x-rays	4 (12), 29 (29.7), 30 (55), 34 (19.6)
I <sup>131</sup>	Xe <sup>131</sup>	β <sup>-</sup>	247 (2.12), 334 (7.36), 606 (89.3)
		γ	284 (6.05), 364 (81.2), 637 (7.26)
		Xe x-rays	4 (0.6), 29 (1.3), 30 (2.5), 34 (0.9)
I <sup>133</sup>	Xe <sup>133</sup>	β <sup>-</sup>	460 (3.75), 520 (3.13), 880 (4.16), 1230 (83.5)
		γ	530 (86.3), 875 (4.47), 1298 (2.33)
		Xe x-rays	29 (0.151), 30 (0.281)
Ba <sup>133</sup>	Cs <sup>133</sup>	γ	276 (7), 302 (14), 356 (69), 382 (8)
		Cs x-rays	80 (36)

15

<b>Progeny</b>		<b>key and % abundance</b>	
Mo <sup>99</sup>	Tc <sup>99</sup>	β <sup>-</sup>	436 (17.3), 848 (1.36), 1214 (82.7)
		γ	181 (6.2), 740 (12.8), 778 (4.5)
		Tc x-rays	2 (0.2), 18 (2.63), 21 (0.52)
Tc <sup>99m</sup>	Tc <sup>99</sup>	IT	
		γ	141 (89.07)
		Tc x-rays	2 (0.48), 18 (6.1), 21 (1.2)
Ru <sup>106</sup>	Rh <sup>106</sup>	β <sup>-</sup>	39 (100)
I <sup>125</sup>	Te <sup>125</sup>	EC	
		γ	35 (6.49)
		Te x-rays	4 (15), 27 (112.2), 31 (25.4)
I <sup>126</sup>	Xe <sup>126</sup>	β <sup>-</sup>	371 (3.1), 862 (27.2), 1251 (9)
		γ	389 (29.1), 491 (2.43), 880 (0.64)
		Xe x-rays	29 (0.115), 30 (0.213)
	Te <sup>126</sup>	EC	
		β <sup>+</sup>	468 (0.244), 1134 (0.83)
		γ	666 (40.2), 754 (5.1), 1420 (0.358)
		Te x-rays	4 (4.8), 27 (36.4), 31 (8.2)
I <sup>129</sup>	Xe <sup>129</sup>	β <sup>-</sup>	152 (100)
		γ	40 (7.52)
		Xe x-rays	4 (12), 29 (29.7), 30 (55), 34 (19.6)
I <sup>131</sup>	Xe <sup>131</sup>	β <sup>-</sup>	247 (2.12), 334 (7.36), 606 (89.3)
		γ	284 (6.05), 364 (81.2), 637 (7.26)
		Xe x-rays	4 (0.6), 29 (1.3), 30 (2.5), 34 (0.9)
I <sup>133</sup>	Xe <sup>133</sup>	β <sup>-</sup>	460 (3.75), 520 (3.13), 880 (4.16), 1230 (83.5)
		γ	530 (86.3), 875 (4.47), 1298 (2.33)
		Xe x-rays	29 (0.151), 30 (0.281)
Ba <sup>133</sup>	Cs <sup>133</sup>	γ	276 (7), 302 (14), 356 (69), 382 (8)
		Cs x-rays	80 (36)

15

<b>Progeny</b>		<b>key and % abundance</b>	
Mo <sup>99</sup>	Tc <sup>99</sup>	β <sup>-</sup>	436 (17.3), 848 (1.36), 1214 (82.7)
		γ	181 (6.2), 740 (12.8), 778 (4.5)
		Tc x-rays	2 (0.2), 18 (2.63), 21 (0.52)
Tc <sup>99m</sup>	Tc <sup>99</sup>	IT	
		γ	141 (89.07)
		Tc x-rays	2 (0.48), 18 (6.1), 21 (1.2)
Ru <sup>106</sup>	Rh <sup>106</sup>	β <sup>-</sup>	39 (100)
I <sup>125</sup>	Te <sup>125</sup>	EC	
		γ	35 (6.49)
		Te x-rays	4 (15), 27 (112.2), 31 (25.4)
I <sup>126</sup>	Xe <sup>126</sup>	β <sup>-</sup>	371 (3.1), 862 (27.2), 1251 (9)
		γ	389 (29.1), 491 (2.43), 880 (0.64)
		Xe x-rays	29 (0.115), 30 (0.213)
	Te <sup>126</sup>	EC	
		β <sup>+</sup>	468 (0.244), 1134 (0.83)
		γ	666 (40.2), 754 (5.1), 1420 (0.358)
		Te x-rays	4 (4.8), 27 (36.4), 31 (8.2)
I <sup>129</sup>	Xe <sup>129</sup>	β <sup>-</sup>	152 (100)
		γ	40 (7.52)
		Xe x-rays	4 (12), 29 (29.7), 30 (55), 34 (19.6)
I <sup>131</sup>	Xe <sup>131</sup>	β <sup>-</sup>	247 (2.12), 334 (7.36), 606 (89.3)
		γ	284 (6.05), 364 (81.2), 637 (7.26)
		Xe x-rays	4 (0.6), 29 (1.3), 30 (2.5), 34 (0.9)
I <sup>133</sup>	Xe <sup>133</sup>	β <sup>-</sup>	460 (3.75), 520 (3.13), 880 (4.16), 1230 (83.5)
		γ	530 (86.3), 875 (4.47), 1298 (2.33)
		Xe x-rays	29 (0.151), 30 (0.281)
Ba <sup>133</sup>	Cs <sup>133</sup>	γ	276 (7), 302 (14), 356 (69), 382 (8)
		Cs x-rays	80 (36)

15

<b>Progeny</b>		<b>key and % abundance</b>	
Mo <sup>99</sup>	Tc <sup>99</sup>	β <sup>-</sup>	436 (17.3), 848 (1.36), 1214 (82.7)
		γ	181 (6.2), 740 (12.8), 778 (4.5)
		Tc x-rays	2 (0.2), 18 (2.63), 21 (0.52)
Tc <sup>99m</sup>	Tc <sup>99</sup>	IT	
		γ	141 (89.07)
		Tc x-rays	2 (0.48), 18 (6.1), 21 (1.2)
Ru <sup>106</sup>	Rh <sup>106</sup>	β <sup>-</sup>	39 (100)
I <sup>125</sup>	Te <sup>125</sup>	EC	
		γ	35 (6.49)
		Te x-rays	4 (15), 27 (112.2), 31 (25.4)
I <sup>126</sup>	Xe <sup>126</sup>	β <sup>-</sup>	371 (3.1), 862 (27.2), 1251 (9)
		γ	389 (29.1), 491 (2.43), 880 (0.64)
		Xe x-rays	29 (0.115), 30 (0.213)
	Te <sup>126</sup>	EC	
		β <sup>+</sup>	468 (0.244), 1134 (0.83)
		γ	666 (40.2), 754 (5.1), 1420 (0.358)
		Te x-rays	4 (4.8), 27 (36.4), 31 (8.2)
I <sup>129</sup>	Xe <sup>129</sup>	β <sup>-</sup>	152 (100)
		γ	40 (7.52)
		Xe x-rays	4 (12), 29 (29.7), 30 (55), 34 (19.6)
I <sup>131</sup>	Xe <sup>131</sup>	β <sup>-</sup>	247 (2.12), 334 (7.36), 606 (89.3)
		γ	284 (6.05), 364 (81.2), 637 (7.26)
		Xe x-rays	4 (0.6), 29 (1.3), 30 (2.5), 34 (0.9)
I <sup>133</sup>	Xe <sup>133</sup>	β <sup>-</sup>	460 (3.75), 520 (3.13), 880 (4.16), 1230 (83.5)
		γ	530 (86.3), 875 (4.47), 1298 (2.33)
		Xe x-rays	29 (0.151), 30 (0.281)
Ba <sup>133</sup>	Cs <sup>133</sup>	γ	276 (7), 302 (14), 356 (69), 382 (8)
		Cs x-rays	80 (36)

15

<b>Progeny</b>		<b>kev and % abundance</b>
I <sup>134</sup>	Xe <sup>134</sup>	β <sup>-</sup> 1280 (32.5), 1560 (16.3), 1800 (11.2), 2420 (11.5) γ 847 (95.41), 884 (65.3), 1073 (15.3) Xe x-rays 4 (0.17), 29 (0.43), 30 (0.8), 34 (0.3)
I <sup>135</sup>	Xe <sup>135</sup>	β <sup>-</sup> 920 (8.7), 1030 (21.8), 1450 (23.6) γ 1132 (22.5), 1260 (28.6), 1678 (9.5) Xe x-rays 30 (0.127)
Cs <sup>137</sup> Ba <sup>137m</sup>	Ba <sup>137m</sup> Ba <sup>137</sup>	β <sup>-</sup> 512 (94.6), 1173 (5.4) IT
		γ 662 (89.98) Ba x-rays 5 (1), 32 (5.89), 36 (1.39)
Ba <sup>140</sup>	La <sup>140</sup>	β <sup>-</sup> 454 (26), 991 (37.4), 1005 (22) γ 30 (14), 163 (6.7), 537 (25) La x-rays 5 (15), 33 (1.51), 38 (0.36)
La <sup>140</sup>	Ce <sup>140</sup>	β <sup>-</sup> 1239 (11.11), 1348 (44.5), 1677 (20.7) γ 329 (20.5), 487 (45.5), 816 (23.5) Ce x-rays 5 (0.25), 34 (0.47), 35 (0.9), 39 (0.9)
Gd <sup>148</sup> Ir <sup>192</sup>	Sm <sup>144</sup> Pt <sup>192</sup>	α 3180 (100) β <sup>-</sup> 256 (5.65), 536 (41.4), 672 (48.3) γ 296 (29.02), 308 (29.68), 317 (82.85), 468 (48.1) Pt x-rays 9 (4.1), 65 (2.6), 67 (4.5), 76 (1.97)
	Os <sup>192</sup>	EC (4.69%) γ 206 (3.29), 374 (0.73), 485 (3.16) Os x-rays 9 (1.46), 61 (1.1), 63 (1.96), 71 (0.8)
Tl <sup>204</sup>	Pb <sup>204</sup> Hg <sup>204</sup>	β <sup>-</sup> 763 (97.42) EC (2.58) Hg x-rays 10 (0.8), 69 (0.4), 71 (0.7), 80 (0.3)
Tl <sup>206</sup>	Pb <sup>206</sup>	β <sup>-</sup> 1520 (100)

16

<b>Progeny</b>		<b>kev and % abundance</b>
I <sup>134</sup>	Xe <sup>134</sup>	β <sup>-</sup> 1280 (32.5), 1560 (16.3), 1800 (11.2), 2420 (11.5) γ 847 (95.41), 884 (65.3), 1073 (15.3) Xe x-rays 4 (0.17), 29 (0.43), 30 (0.8), 34 (0.3)
I <sup>135</sup>	Xe <sup>135</sup>	β <sup>-</sup> 920 (8.7), 1030 (21.8), 1450 (23.6) γ 1132 (22.5), 1260 (28.6), 1678 (9.5) Xe x-rays 30 (0.127)
Cs <sup>137</sup> Ba <sup>137m</sup>	Ba <sup>137m</sup> Ba <sup>137</sup>	β <sup>-</sup> 512 (94.6), 1173 (5.4) IT
		γ 662 (89.98) Ba x-rays 5 (1), 32 (5.89), 36 (1.39)
Ba <sup>140</sup>	La <sup>140</sup>	β <sup>-</sup> 454 (26), 991 (37.4), 1005 (22) γ 30 (14), 163 (6.7), 537 (25) La x-rays 5 (15), 33 (1.51), 38 (0.36)
La <sup>140</sup>	Ce <sup>140</sup>	β <sup>-</sup> 1239 (11.11), 1348 (44.5), 1677 (20.7) γ 329 (20.5), 487 (45.5), 816 (23.5) Ce x-rays 5 (0.25), 34 (0.47), 35 (0.9), 39 (0.9)
Gd <sup>148</sup> Ir <sup>192</sup>	Sm <sup>144</sup> Pt <sup>192</sup>	α 3180 (100) β <sup>-</sup> 256 (5.65), 536 (41.4), 672 (48.3) γ 296 (29.02), 308 (29.68), 317 (82.85), 468 (48.1) Pt x-rays 9 (4.1), 65 (2.6), 67 (4.5), 76 (1.97)
	Os <sup>192</sup>	EC (4.69%) γ 206 (3.29), 374 (0.73), 485 (3.16) Os x-rays 9 (1.46), 61 (1.1), 63 (1.96), 71 (0.8)
Tl <sup>204</sup>	Pb <sup>204</sup> Hg <sup>204</sup>	β <sup>-</sup> 763 (97.42) EC (2.58) Hg x-rays 10 (0.8), 69 (0.4), 71 (0.7), 80 (0.3)
Tl <sup>206</sup>	Pb <sup>206</sup>	β <sup>-</sup> 1520 (100)

16

<b>Progeny</b>		<b>kev and % abundance</b>
I <sup>134</sup>	Xe <sup>134</sup>	β <sup>-</sup> 1280 (32.5), 1560 (16.3), 1800 (11.2), 2420 (11.5) γ 847 (95.41), 884 (65.3), 1073 (15.3) Xe x-rays 4 (0.17), 29 (0.43), 30 (0.8), 34 (0.3)
I <sup>135</sup>	Xe <sup>135</sup>	β <sup>-</sup> 920 (8.7), 1030 (21.8), 1450 (23.6) γ 1132 (22.5), 1260 (28.6), 1678 (9.5) Xe x-rays 30 (0.127)
Cs <sup>137</sup> Ba <sup>137m</sup>	Ba <sup>137m</sup> Ba <sup>137</sup>	β <sup>-</sup> 512 (94.6), 1173 (5.4) IT
		γ 662 (89.98) Ba x-rays 5 (1), 32 (5.89), 36 (1.39)
Ba <sup>140</sup>	La <sup>140</sup>	β <sup>-</sup> 454 (26), 991 (37.4), 1005 (22) γ 30 (14), 163 (6.7), 537 (25) La x-rays 5 (15), 33 (1.51), 38 (0.36)
La <sup>140</sup>	Ce <sup>140</sup>	β <sup>-</sup> 1239 (11.11), 1348 (44.5), 1677 (20.7) γ 329 (20.5), 487 (45.5), 816 (23.5) Ce x-rays 5 (0.25), 34 (0.47), 35 (0.9), 39 (0.9)
Gd <sup>148</sup> Ir <sup>192</sup>	Sm <sup>144</sup> Pt <sup>192</sup>	α 3180 (100) β <sup>-</sup> 256 (5.65), 536 (41.4), 672 (48.3) γ 296 (29.02), 308 (29.68), 317 (82.85), 468 (48.1) Pt x-rays 9 (4.1), 65 (2.6), 67 (4.5), 76 (1.97)
	Os <sup>192</sup>	EC (4.69%) γ 206 (3.29), 374 (0.73), 485 (3.16) Os x-rays 9 (1.46), 61 (1.1), 63 (1.96), 71 (0.8)
Tl <sup>204</sup>	Pb <sup>204</sup> Hg <sup>204</sup>	β <sup>-</sup> 763 (97.42) EC (2.58) Hg x-rays 10 (0.8), 69 (0.4), 71 (0.7), 80 (0.3)
Tl <sup>206</sup>	Pb <sup>206</sup>	β <sup>-</sup> 1520 (100)

16

<b>Progeny</b>		<b>kev and % abundance</b>
I <sup>134</sup>	Xe <sup>134</sup>	β <sup>-</sup> 1280 (32.5), 1560 (16.3), 1800 (11.2), 2420 (11.5) γ 847 (95.41), 884 (65.3), 1073 (15.3) Xe x-rays 4 (0.17), 29 (0.43), 30 (0.8), 34 (0.3)
I <sup>135</sup>	Xe <sup>135</sup>	β <sup>-</sup> 920 (8.7), 1030 (21.8), 1450 (23.6) γ 1132 (22.5), 1260 (28.6), 1678 (9.5) Xe x-rays 30 (0.127)
Cs <sup>137</sup> Ba <sup>137m</sup>	Ba <sup>137m</sup> Ba <sup>137</sup>	β <sup>-</sup> 512 (94.6), 1173 (5.4) IT
		γ 662 (89.98) Ba x-rays 5 (1), 32 (5.89), 36 (1.39)
Ba <sup>140</sup>	La <sup>140</sup>	β <sup>-</sup> 454 (26), 991 (37.4), 1005 (22) γ 30 (14), 163 (6.7), 537 (25) La x-rays 5 (15), 33 (1.51), 38 (0.36)
La <sup>140</sup>	Ce <sup>140</sup>	β <sup>-</sup> 1239 (11.11), 1348 (44.5), 1677 (20.7) γ 329 (20.5), 487 (45.5), 816 (23.5) Ce x-rays 5 (0.25), 34 (0.47), 35 (0.9), 39 (0.9)
Gd <sup>148</sup> Ir <sup>192</sup>	Sm <sup>144</sup> Pt <sup>192</sup>	α 3180 (100) β <sup>-</sup> 256 (5.65), 536 (41.4), 672 (48.3) γ 296 (29.02), 308 (29.68), 317 (82.85), 468 (48.1) Pt x-rays 9 (4.1), 65 (2.6), 67 (4.5), 76 (1.97)
	Os <sup>192</sup>	EC (4.69%) γ 206 (3.29), 374 (0.73), 485 (3.16) Os x-rays 9 (1.46), 61 (1.1), 63 (1.96), 71 (0.8)
Tl <sup>204</sup>	Pb <sup>204</sup> Hg <sup>204</sup>	β <sup>-</sup> 763 (97.42) EC (2.58) Hg x-rays 10 (0.8), 69 (0.4), 71 (0.7), 80 (0.3)
Tl <sup>206</sup>	Pb <sup>206</sup>	β <sup>-</sup> 1520 (100)

16

Progeny		kev and % abundance	
Tl <sup>208</sup>	Pb <sup>208</sup>	β <sup>-</sup>	1283 (23.2), 1517 (22.7), 1794 (49.3)
		γ	511 (21.6), 583 (84.2), 860 (12.46), 2614 (99.8)
		Pb x-rays	11 (2.9), 73 (2.0), 75 (3.4), 85 (1.5)
Pb <sup>210</sup>	Bi <sup>210</sup>	β <sup>-</sup>	17 (80.2), 63 (19.8)
		γ	47 (4.05)
		Bi x-rays	11 (24.3)
Po <sup>210</sup>	Pb <sup>206</sup>	α	5305 (99.9989)
Bi <sup>210</sup>	Po <sup>210</sup>	β <sup>-</sup>	1161 (99.9998)
Tl <sup>210</sup>	Pb <sup>210</sup>	β <sup>-</sup>	1320 (25), 1870 (56), 2340 (19)
		γ	298 (79), 800 (99), 1310 (21)
		Pb x-rays	11 (13), 73 (2.5), 75 (4.3), 85 (1.9)
Po <sup>212</sup>	Pb <sup>208</sup>	α	8785 (100)
Bi <sup>212</sup>	Tl <sup>208</sup>	α	5767 (0.6), 6050 (25.2), 6090 (9.6)
		β <sup>-</sup>	625 (3.4), 1519 (8), 2246 (48.4)
		γ	727 (11.8), 785 (1.97), 1621 (2.75)
		Tl x-rays	10 (7.7)
Pb <sup>212</sup>	Bi <sup>212</sup>	β <sup>-</sup>	158 (5.22), 334 (85.1), 573 (9.9)
		γ	115 (0.6), 239 (44.6), 300 (3.4)
		Bi x-rays	11 (15.5), 75 (10.7), 77 (18), 87 (8)
Po <sup>214</sup>	Pb <sup>210</sup>	α	7687 (99.989), 6892 (0.01)
		γ	av. 797 (0.013)
Bi <sup>214</sup>	Po <sup>214</sup>	β <sup>-</sup>	1505 (17.7), 1540 (17.9), 3270 (17.2)
		γ	609 (46.3), 1120 (15.1), 1764 (15.8)
		Po x-rays	11 (0.5), 77 (0.36), 79 (0.6), 90 (0.3)
Pb <sup>214</sup>	Bi <sup>214</sup>	β <sup>-</sup>	672 (48), 729 (42.5), 1024 (6.3)
		γ	242 (7.49), 295 (19.2), 352 (37.2)
		Bi x-rays	11 (13.5), 75 (6.2), 77 (10.5), 87 (4.7)
Po <sup>216</sup>	Pb <sup>212</sup>	α	6779 (99.998)
At <sup>218</sup>	Bi <sup>214</sup>	α	6650 (6), 6700 (94)
Po <sup>218</sup>	Pb <sup>214</sup>	α	6003 (99.978)

17

Progeny		kev and % abundance	
Tl <sup>208</sup>	Pb <sup>208</sup>	β <sup>-</sup>	1283 (23.2), 1517 (22.7), 1794 (49.3)
		γ	511 (21.6), 583 (84.2), 860 (12.46), 2614 (99.8)
		Pb x-rays	11 (2.9), 73 (2.0), 75 (3.4), 85 (1.5)
Pb <sup>210</sup>	Bi <sup>210</sup>	β <sup>-</sup>	17 (80.2), 63 (19.8)
		γ	47 (4.05)
		Bi x-rays	11 (24.3)
Po <sup>210</sup>	Pb <sup>206</sup>	α	5305 (99.9989)
Bi <sup>210</sup>	Po <sup>210</sup>	β <sup>-</sup>	1161 (99.9998)
Tl <sup>210</sup>	Pb <sup>210</sup>	β <sup>-</sup>	1320 (25), 1870 (56), 2340 (19)
		γ	298 (79), 800 (99), 1310 (21)
		Pb x-rays	11 (13), 73 (2.5), 75 (4.3), 85 (1.9)
Po <sup>212</sup>	Pb <sup>208</sup>	α	8785 (100)
Bi <sup>212</sup>	Tl <sup>208</sup>	α	5767 (0.6), 6050 (25.2), 6090 (9.6)
		β <sup>-</sup>	625 (3.4), 1519 (8), 2246 (48.4)
		γ	727 (11.8), 785 (1.97), 1621 (2.75)
		Tl x-rays	10 (7.7)
Pb <sup>212</sup>	Bi <sup>212</sup>	β <sup>-</sup>	158 (5.22), 334 (85.1), 573 (9.9)
		γ	115 (0.6), 239 (44.6), 300 (3.4)
		Bi x-rays	11 (15.5), 75 (10.7), 77 (18), 87 (8)
Po <sup>214</sup>	Pb <sup>210</sup>	α	7687 (99.989), 6892 (0.01)
		γ	av. 797 (0.013)
Bi <sup>214</sup>	Po <sup>214</sup>	β <sup>-</sup>	1505 (17.7), 1540 (17.9), 3270 (17.2)
		γ	609 (46.3), 1120 (15.1), 1764 (15.8)
		Po x-rays	11 (0.5), 77 (0.36), 79 (0.6), 90 (0.3)
Pb <sup>214</sup>	Bi <sup>214</sup>	β <sup>-</sup>	672 (48), 729 (42.5), 1024 (6.3)
		γ	242 (7.49), 295 (19.2), 352 (37.2)
		Bi x-rays	11 (13.5), 75 (6.2), 77 (10.5), 87 (4.7)
Po <sup>216</sup>	Pb <sup>212</sup>	α	6779 (99.998)
At <sup>218</sup>	Bi <sup>214</sup>	α	6650 (6), 6700 (94)
Po <sup>218</sup>	Pb <sup>214</sup>	α	6003 (99.978)

17

Progeny		kev and % abundance	
Tl <sup>208</sup>	Pb <sup>208</sup>	β <sup>-</sup>	1283 (23.2), 1517 (22.7), 1794 (49.3)
		γ	511 (21.6), 583 (84.2), 860 (12.46), 2614 (99.8)
		Pb x-rays	11 (2.9), 73 (2.0), 75 (3.4), 85 (1.5)
Pb <sup>210</sup>	Bi <sup>210</sup>	β <sup>-</sup>	17 (80.2), 63 (19.8)
		γ	47 (4.05)
		Bi x-rays	11 (24.3)
Po <sup>210</sup>	Pb <sup>206</sup>	α	5305 (99.9989)
Bi <sup>210</sup>	Po <sup>210</sup>	β <sup>-</sup>	1161 (99.9998)
Tl <sup>210</sup>	Pb <sup>210</sup>	β <sup>-</sup>	1320 (25), 1870 (56), 2340 (19)
		γ	298 (79), 800 (99), 1310 (21)
		Pb x-rays	11 (13), 73 (2.5), 75 (4.3), 85 (1.9)
Po <sup>212</sup>	Pb <sup>208</sup>	α	8785 (100)
Bi <sup>212</sup>	Tl <sup>208</sup>	α	5767 (0.6), 6050 (25.2), 6090 (9.6)
		β <sup>-</sup>	625 (3.4), 1519 (8), 2246 (48.4)
		γ	727 (11.8), 785 (1.97), 1621 (2.75)
		Tl x-rays	10 (7.7)
Pb <sup>212</sup>	Bi <sup>212</sup>	β <sup>-</sup>	158 (5.22), 334 (85.1), 573 (9.9)
		γ	115 (0.6), 239 (44.6), 300 (3.4)
		Bi x-rays	11 (15.5), 75 (10.7), 77 (18), 87 (8)
Po <sup>214</sup>	Pb <sup>210</sup>	α	7687 (99.989), 6892 (0.01)
		γ	av. 797 (0.013)
Bi <sup>214</sup>	Po <sup>214</sup>	β <sup>-</sup>	1505 (17.7), 1540 (17.9), 3270 (17.2)
		γ	609 (46.3), 1120 (15.1), 1764 (15.8)
		Po x-rays	11 (0.5), 77 (0.36), 79 (0.6), 90 (0.3)
Pb <sup>214</sup>	Bi <sup>214</sup>	β <sup>-</sup>	672 (48), 729 (42.5), 1024 (6.3)
		γ	242 (7.49), 295 (19.2), 352 (37.2)
		Bi x-rays	11 (13.5), 75 (6.2), 77 (10.5), 87 (4.7)
Po <sup>216</sup>	Pb <sup>212</sup>	α	6779 (99.998)
At <sup>218</sup>	Bi <sup>214</sup>	α	6650 (6), 6700 (94)
Po <sup>218</sup>	Pb <sup>214</sup>	α	6003 (99.978)

17

Progeny		kev and % abundance	
Tl <sup>208</sup>	Pb <sup>208</sup>	β <sup>-</sup>	1283 (23.2), 1517 (22.7), 1794 (49.3)
		γ	511 (21.6), 583 (84.2), 860 (12.46), 2614 (99.8)
		Pb x-rays	11 (2.9), 73 (2.0), 75 (3.4), 85 (1.5)
Pb <sup>210</sup>	Bi <sup>210</sup>	β <sup>-</sup>	17 (80.2), 63 (19.8)
		γ	47 (4.05)
		Bi x-rays	11 (24.3)
Po <sup>210</sup>	Pb <sup>206</sup>	α	5305 (99.9989)
Bi <sup>210</sup>	Po <sup>210</sup>	β <sup>-</sup>	1161 (99.9998)
Tl <sup>210</sup>	Pb <sup>210</sup>	β <sup>-</sup>	1320 (25), 1870 (56), 2340 (19)
		γ	298 (79), 800 (99), 1310 (21)
		Pb x-rays	11 (13), 73 (2.5), 75 (4.3), 85 (1.9)
Po <sup>212</sup>	Pb <sup>208</sup>	α	8785 (100)
Bi <sup>212</sup>	Tl <sup>208</sup>	α	5767 (0.6), 6050 (25.2), 6090 (9.6)
		β <sup>-</sup>	625 (3.4), 1519 (8), 2246 (48.4)
		γ	727 (11.8), 785 (1.97), 1621 (2.75)
		Tl x-rays	10 (7.7)
Pb <sup>212</sup>	Bi <sup>212</sup>	β <sup>-</sup>	158 (5.22), 334 (85.1), 573 (9.9)
		γ	115 (0.6), 239 (44.6), 300 (3.4)
		Bi x-rays	11 (15.5), 75 (10.7), 77 (18), 87 (8)
Po <sup>214</sup>	Pb <sup>210</sup>	α	7687 (99.989), 6892 (0.01)
		γ	av. 797 (0.013)
Bi <sup>214</sup>	Po <sup>214</sup>	β <sup>-</sup>	1505 (17.7), 1540 (17.9), 3270 (17.2)
		γ	609 (46.3), 1120 (15.1), 1764 (15.8)
		Po x-rays	11 (0.5), 77 (0.36), 79 (0.6), 90 (0.3)
Pb <sup>214</sup>	Bi <sup>214</sup>	β <sup>-</sup>	672 (48), 729 (42.5), 1024 (6.3)
		γ	242 (7.49), 295 (19.2), 352 (37.2)
		Bi x-rays	11 (13.5), 75 (6.2), 77 (10.5), 87 (4.7)
Po <sup>216</sup>	Pb <sup>212</sup>	α	6779 (99.998)
At <sup>218</sup>	Bi <sup>214</sup>	α	6650 (6), 6700 (94)
Po <sup>218</sup>	Pb <sup>214</sup>	α	6003 (99.978)

17

	<b>Progeny</b>	<b>kev and % abundance</b>
Rn <sup>220</sup>	Po <sup>216</sup>	α 6288 (99.9), 5747 (0.1) γ av. 550 (0.1)
Rn <sup>222</sup>	Po <sup>218</sup>	α 5490 (99.92), 4986 (0.08) γ av. 512 (0.08)
Ra <sup>223</sup>	Rn <sup>219</sup>	α 5606 (24.2), 5715 (52.5), 5745 (9.5) γ 154 (5.58), 269 (13.6), 324 (3.88)
Ra <sup>224</sup>	Rn <sup>220</sup>	Rn x-rays 12 (25), 81 (14.9), 84 (24.7), 95 (11.2) α 5449 (4.9), 5686 (95.1) γ 241 (3.95)
Ra <sup>225</sup>	Ac <sup>225</sup>	Rn x-rays 12 (0.4), 81 (0.126), 84 (0.209) β <sup>-</sup> 322 (72), 362 (28) γ 40 (31) Ac x-rays 13 (15.8)
Ra <sup>226</sup>	Rn <sup>222</sup>	α 4602 (5.6), 4785 (94.4) γ 186 (3.28) Rn x-rays 12 (0.8), 81 (0.18), 84 (0.3), 95 (0.14)
Ac <sup>227</sup>	Th <sup>227</sup>	β <sup>-</sup> 19 (10), 34 (35), 44 (54) α 4938 (0.5), 4951 (0.68) γ av. 17 (0.04), av. 115 (0.1) Th x-rays 13 (1.15)
Th <sup>227</sup>	Ra <sup>223</sup>	α 5757 (20.3), 5978 (23.4), 6038 (24.5) γ 50 (8.4), 236 (11.5), 256 (6.3) Ra x-rays 12 (42), 85 (1.4), 88 (2.3), 100 (1.1)
Ac <sup>228</sup>	Th <sup>228</sup>	β <sup>-</sup> 606 (8), 1168 (32), 1741 (12) γ 338 (11.4), 911 (27.7), 969 (16.6) Th x-rays 13 (39), 90 (2.1), 93 (3.5), 105 (1.6)
Ra <sup>228</sup>	Ac <sup>228</sup>	β <sup>-</sup> 39 (100)
Th <sup>228</sup>	Ra <sup>224</sup>	α 5212 (0.4), 5341 (26.7), 5423 (72.7) γ 84 (1.2), 132 (0.12), 216 (0.24) Ra x-rays 12 (9.6)

18

	<b>Progeny</b>	<b>kev and % abundance</b>
Rn <sup>220</sup>	Po <sup>216</sup>	α 6288 (99.9), 5747 (0.1) γ av. 550 (0.1)
Rn <sup>222</sup>	Po <sup>218</sup>	α 5490 (99.92), 4986 (0.08) γ av. 512 (0.08)
Ra <sup>223</sup>	Rn <sup>219</sup>	α 5606 (24.2), 5715 (52.5), 5745 (9.5) γ 154 (5.58), 269 (13.6), 324 (3.88)
Ra <sup>224</sup>	Rn <sup>220</sup>	Rn x-rays 12 (25), 81 (14.9), 84 (24.7), 95 (11.2) α 5449 (4.9), 5686 (95.1) γ 241 (3.95)
Ra <sup>225</sup>	Ac <sup>225</sup>	Rn x-rays 12 (0.4), 81 (0.126), 84 (0.209) β <sup>-</sup> 322 (72), 362 (28) γ 40 (31) Ac x-rays 13 (15.8)
Ra <sup>226</sup>	Rn <sup>222</sup>	α 4602 (5.6), 4785 (94.4) γ 186 (3.28) Rn x-rays 12 (0.8), 81 (0.18), 84 (0.3), 95 (0.14)
Ac <sup>227</sup>	Th <sup>227</sup>	β <sup>-</sup> 19 (10), 34 (35), 44 (54) α 4938 (0.5), 4951 (0.68) γ av. 17 (0.04), av. 115 (0.1) Th x-rays 13 (1.15)
Th <sup>227</sup>	Ra <sup>223</sup>	α 5757 (20.3), 5978 (23.4), 6038 (24.5) γ 50 (8.4), 236 (11.5), 256 (6.3) Ra x-rays 12 (42), 85 (1.4), 88 (2.3), 100 (1.1)
Ac <sup>228</sup>	Th <sup>228</sup>	β <sup>-</sup> 606 (8), 1168 (32), 1741 (12) γ 338 (11.4), 911 (27.7), 969 (16.6) Th x-rays 13 (39), 90 (2.1), 93 (3.5), 105 (1.6)
Ra <sup>228</sup>	Ac <sup>228</sup>	β <sup>-</sup> 39 (100)
Th <sup>228</sup>	Ra <sup>224</sup>	α 5212 (0.4), 5341 (26.7), 5423 (72.7) γ 84 (1.2), 132 (0.12), 216 (0.24) Ra x-rays 12 (9.6)

18

	<b>Progeny</b>	<b>kev and % abundance</b>
Rn <sup>220</sup>	Po <sup>216</sup>	α 6288 (99.9), 5747 (0.1) γ av. 550 (0.1)
Rn <sup>222</sup>	Po <sup>218</sup>	α 5490 (99.92), 4986 (0.08) γ av. 512 (0.08)
Ra <sup>223</sup>	Rn <sup>219</sup>	α 5606 (24.2), 5715 (52.5), 5745 (9.5) γ 154 (5.58), 269 (13.6), 324 (3.88)
Ra <sup>224</sup>	Rn <sup>220</sup>	Rn x-rays 12 (25), 81 (14.9), 84 (24.7), 95 (11.2) α 5449 (4.9), 5686 (95.1) γ 241 (3.95)
Ra <sup>225</sup>	Ac <sup>225</sup>	Rn x-rays 12 (0.4), 81 (0.126), 84 (0.209) β <sup>-</sup> 322 (72), 362 (28) γ 40 (31) Ac x-rays 13 (15.8)
Ra <sup>226</sup>	Rn <sup>222</sup>	α 4602 (5.6), 4785 (94.4) γ 186 (3.28) Rn x-rays 12 (0.8), 81 (0.18), 84 (0.3), 95 (0.14)
Ac <sup>227</sup>	Th <sup>227</sup>	β <sup>-</sup> 19 (10), 34 (35), 44 (54) α 4938 (0.5), 4951 (0.68) γ av. 17 (0.04), av. 115 (0.1) Th x-rays 13 (1.15)
Th <sup>227</sup>	Ra <sup>223</sup>	α 5757 (20.3), 5978 (23.4), 6038 (24.5) γ 50 (8.4), 236 (11.5), 256 (6.3) Ra x-rays 12 (42), 85 (1.4), 88 (2.3), 100 (1.1)
Ac <sup>228</sup>	Th <sup>228</sup>	β <sup>-</sup> 606 (8), 1168 (32), 1741 (12) γ 338 (11.4), 911 (27.7), 969 (16.6) Th x-rays 13 (39), 90 (2.1), 93 (3.5), 105 (1.6)
Ra <sup>228</sup>	Ac <sup>228</sup>	β <sup>-</sup> 39 (100)
Th <sup>228</sup>	Ra <sup>224</sup>	α 5212 (0.4), 5341 (26.7), 5423 (72.7) γ 84 (1.2), 132 (0.12), 216 (0.24) Ra x-rays 12 (9.6)

18

	<b>Progeny</b>	<b>kev and % abundance</b>
Rn <sup>220</sup>	Po <sup>216</sup>	α 6288 (99.9), 5747 (0.1) γ av. 550 (0.1)
Rn <sup>222</sup>	Po <sup>218</sup>	α 5490 (99.92), 4986 (0.08) γ av. 512 (0.08)
Ra <sup>223</sup>	Rn <sup>219</sup>	α 5606 (24.2), 5715 (52.5), 5745 (9.5) γ 154 (5.58), 269 (13.6), 324 (3.88)
Ra <sup>224</sup>	Rn <sup>220</sup>	Rn x-rays 12 (25), 81 (14.9), 84 (24.7), 95 (11.2) α 5449 (4.9), 5686 (95.1) γ 241 (3.95)
Ra <sup>225</sup>	Ac <sup>225</sup>	Rn x-rays 12 (0.4), 81 (0.126), 84 (0.209) β <sup>-</sup> 322 (72), 362 (28) γ 40 (31) Ac x-rays 13 (15.8)
Ra <sup>226</sup>	Rn <sup>222</sup>	α 4602 (5.6), 4785 (94.4) γ 186 (3.28) Rn x-rays 12 (0.8), 81 (0.18), 84 (0.3), 95 (0.14)
Ac <sup>227</sup>	Th <sup>227</sup>	β <sup>-</sup> 19 (10), 34 (35), 44 (54) α 4938 (0.5), 4951 (0.68) γ av. 17 (0.04), av. 115 (0.1) Th x-rays 13 (1.15)
Th <sup>227</sup>	Ra <sup>223</sup>	α 5757 (20.3), 5978 (23.4), 6038 (24.5) γ 50 (8.4), 236 (11.5), 256 (6.3) Ra x-rays 12 (42), 85 (1.4), 88 (2.3), 100 (1.1)
Ac <sup>228</sup>	Th <sup>228</sup>	β <sup>-</sup> 606 (8), 1168 (32), 1741 (12) γ 338 (11.4), 911 (27.7), 969 (16.6) Th x-rays 13 (39), 90 (2.1), 93 (3.5), 105 (1.6)
Ra <sup>228</sup>	Ac <sup>228</sup>	β <sup>-</sup> 39 (100)
Th <sup>228</sup>	Ra <sup>224</sup>	α 5212 (0.4), 5341 (26.7), 5423 (72.7) γ 84 (1.2), 132 (0.12), 216 (0.24) Ra x-rays 12 (9.6)

18

Progeny		kev and % abundance	
Th <sup>229</sup>	Ra <sup>225</sup>	α	4815 (9.3), 4845 (56.2), 4901 (10.2)
		γ	31 (4), 194 (4.6), 211 (3.3)
		Ra x-rays	12 (81), 85 (16.5), 88 (27), 100 (12.4)
Th <sup>230</sup>	Ra <sup>226</sup>	α	4476 (0.12), 4621 (23.4), 4688 (76.3)
		γ	68 (0.4), 168 (0.07)
		Ra x-rays	12 (8.4)
U <sup>230</sup>	Th <sup>226</sup>	α	5667 (0.4), 5818 (32), 5889 (67.4)
		γ	72 (0.6), 154 (0.13), 230 (0.12)
		Th x-rays	13 (12.2)
Pa <sup>231</sup>	Ac <sup>227</sup>	α	4950 (22.8), 5011 (25.4), 5028 (20)
		γ	27 (9.3), 300 (2.3), 303 (2.3)
		Ac x-rays	13 (43), 88 (0.62), 91 (1.02), 102 (0.47)
Th <sup>232</sup>	Ra <sup>228</sup>	α	3830 (0.2), 3953 (23), 4010 (77)
		γ	59 (0.19), 125 (0.04)
		Ra x-rays	12 (8.4)
U <sup>232</sup>	Th <sup>228</sup>	α	5139 (0.3), 5264 (31.2), 5320 (68.6)
		γ	58 (0.2), 129 (0.082), 270 (0.0038), 328 (0.0034)
		Th x-rays	13 (12)
U <sup>233</sup>	Th <sup>229</sup>	α	4729 (1.6), 4784 (13.2), 4824 (84.4)
		γ	115 (0.18)
		Th x-rays	13 (3.9)
U <sup>234</sup>	Th <sup>230</sup>	α	4605 (0.2), 4724 (27.4), 4776 (72.4)
		γ	53 (0.118), 121 (0.04)
		Th x-rays	13 (10.5)
Pa <sup>234</sup>	U <sup>234</sup>	β <sup>-</sup>	484 (35), 654 (16), 1183 (10)
		γ	131 (20.4), 882 (24), 946 (12)
		U x-rays	14 (114), 95 (15.7), 98 (25.4), 111(11.8)
Pa <sup>234m</sup>	U <sup>234</sup>	β <sup>-</sup>	1236 (0.7), 1471 (0.6), 2281 (98.6)
		γ	766 (0.2), 926 (0.4), 1001 (0.6)
		U x-rays	14 (0.44), 95 (0.115), 98 (0.187)

19

Progeny		kev and % abundance	
Th <sup>229</sup>	Ra <sup>225</sup>	α	4815 (9.3), 4845 (56.2), 4901 (10.2)
		γ	31 (4), 194 (4.6), 211 (3.3)
		Ra x-rays	12 (81), 85 (16.5), 88 (27), 100 (12.4)
Th <sup>230</sup>	Ra <sup>226</sup>	α	4476 (0.12), 4621 (23.4), 4688 (76.3)
		γ	68 (0.4), 168 (0.07)
		Ra x-rays	12 (8.4)
U <sup>230</sup>	Th <sup>226</sup>	α	5667 (0.4), 5818 (32), 5889 (67.4)
		γ	72 (0.6), 154 (0.13), 230 (0.12)
		Th x-rays	13 (12.2)
Pa <sup>231</sup>	Ac <sup>227</sup>	α	4950 (22.8), 5011 (25.4), 5028 (20)
		γ	27 (9.3), 300 (2.3), 303 (2.3)
		Ac x-rays	13 (43), 88 (0.62), 91 (1.02), 102 (0.47)
Th <sup>232</sup>	Ra <sup>228</sup>	α	3830 (0.2), 3953 (23), 4010 (77)
		γ	59 (0.19), 125 (0.04)
		Ra x-rays	12 (8.4)
U <sup>232</sup>	Th <sup>228</sup>	α	5139 (0.3), 5264 (31.2), 5320 (68.6)
		γ	58 (0.2), 129 (0.082), 270 (0.0038), 328 (0.0034)
		Th x-rays	13 (12)
U <sup>233</sup>	Th <sup>229</sup>	α	4729 (1.6), 4784 (13.2), 4824 (84.4)
		γ	115 (0.18)
		Th x-rays	13 (3.9)
U <sup>234</sup>	Th <sup>230</sup>	α	4605 (0.2), 4724 (27.4), 4776 (72.4)
		γ	53 (0.118), 121 (0.04)
		Th x-rays	13 (10.5)
Pa <sup>234</sup>	U <sup>234</sup>	β <sup>-</sup>	484 (35), 654 (16), 1183 (10)
		γ	131 (20.4), 882 (24), 946 (12)
		U x-rays	14 (114), 95 (15.7), 98 (25.4), 111(11.8)
Pa <sup>234m</sup>	U <sup>234</sup>	β <sup>-</sup>	1236 (0.7), 1471 (0.6), 2281 (98.6)
		γ	766 (0.2), 926 (0.4), 1001 (0.6)
		U x-rays	14 (0.44), 95 (0.115), 98 (0.187)

19

Progeny		kev and % abundance	
Th <sup>229</sup>	Ra <sup>225</sup>	α	4815 (9.3), 4845 (56.2), 4901 (10.2)
		γ	31 (4), 194 (4.6), 211 (3.3)
		Ra x-rays	12 (81), 85 (16.5), 88 (27), 100 (12.4)
Th <sup>230</sup>	Ra <sup>226</sup>	α	4476 (0.12), 4621 (23.4), 4688 (76.3)
		γ	68 (0.4), 168 (0.07)
		Ra x-rays	12 (8.4)
U <sup>230</sup>	Th <sup>226</sup>	α	5667 (0.4), 5818 (32), 5889 (67.4)
		γ	72 (0.6), 154 (0.13), 230 (0.12)
		Th x-rays	13 (12.2)
Pa <sup>231</sup>	Ac <sup>227</sup>	α	4950 (22.8), 5011 (25.4), 5028 (20)
		γ	27 (9.3), 300 (2.3), 303 (2.3)
		Ac x-rays	13 (43), 88 (0.62), 91 (1.02), 102 (0.47)
Th <sup>232</sup>	Ra <sup>228</sup>	α	3830 (0.2), 3953 (23), 4010 (77)
		γ	59 (0.19), 125 (0.04)
		Ra x-rays	12 (8.4)
U <sup>232</sup>	Th <sup>228</sup>	α	5139 (0.3), 5264 (31.2), 5320 (68.6)
		γ	58 (0.2), 129 (0.082), 270 (0.0038), 328 (0.0034)
		Th x-rays	13 (12)
U <sup>233</sup>	Th <sup>229</sup>	α	4729 (1.6), 4784 (13.2), 4824 (84.4)
		γ	115 (0.18)
		Th x-rays	13 (3.9)
U <sup>234</sup>	Th <sup>230</sup>	α	4605 (0.2), 4724 (27.4), 4776 (72.4)
		γ	53 (0.118), 121 (0.04)
		Th x-rays	13 (10.5)
Pa <sup>234</sup>	U <sup>234</sup>	β <sup>-</sup>	484 (35), 654 (16), 1183 (10)
		γ	131 (20.4), 882 (24), 946 (12)
		U x-rays	14 (114), 95 (15.7), 98 (25.4), 111(11.8)
Pa <sup>234m</sup>	U <sup>234</sup>	β <sup>-</sup>	1236 (0.7), 1471 (0.6), 2281 (98.6)
		γ	766 (0.2), 926 (0.4), 1001 (0.6)
		U x-rays	14 (0.44), 95 (0.115), 98 (0.187)

19

Progeny		kev and % abundance	
Th <sup>229</sup>	Ra <sup>225</sup>	α	4815 (9.3), 4845 (56.2), 4901 (10.2)
		γ	31 (4), 194 (4.6), 211 (3.3)
		Ra x-rays	12 (81), 85 (16.5), 88 (27), 100 (12.4)
Th <sup>230</sup>	Ra <sup>226</sup>	α	4476 (0.12), 4621 (23.4), 4688 (76.3)
		γ	68 (0.4), 168 (0.07)
		Ra x-rays	12 (8.4)
U <sup>230</sup>	Th <sup>226</sup>	α	5667 (0.4), 5818 (32), 5889 (67.4)
		γ	72 (0.6), 154 (0.13), 230 (0.12)
		Th x-rays	13 (12.2)
Pa <sup>231</sup>	Ac <sup>227</sup>	α	4950 (22.8), 5011 (25.4), 5028 (20)
		γ	27 (9.3), 300 (2.3), 303 (2.3)
		Ac x-rays	13 (43), 88 (0.62), 91 (1.02), 102 (0.47)
Th <sup>232</sup>	Ra <sup>228</sup>	α	3830 (0.2), 3953 (23), 4010 (77)
		γ	59 (0.19), 125 (0.04)
		Ra x-rays	12 (8.4)
U <sup>232</sup>	Th <sup>228</sup>	α	5139 (0.3), 5264 (31.2), 5320 (68.6)
		γ	58 (0.2), 129 (0.082), 270 (0.0038), 328 (0.0034)
		Th x-rays	13 (12)
U <sup>233</sup>	Th <sup>229</sup>	α	4729 (1.6), 4784 (13.2), 4824 (84.4)
		γ	115 (0.18)
		Th x-rays	13 (3.9)
U <sup>234</sup>	Th <sup>230</sup>	α	4605 (0.2), 4724 (27.4), 4776 (72.4)
		γ	53 (0.118), 121 (0.04)
		Th x-rays	13 (10.5)
Pa <sup>234</sup>	U <sup>234</sup>	β <sup>-</sup>	484 (35), 654 (16), 1183 (10)
		γ	131 (20.4), 882 (24), 946 (12)
		U x-rays	14 (114), 95 (15.7), 98 (25.4), 111(11.8)
Pa <sup>234m</sup>	U <sup>234</sup>	β <sup>-</sup>	1236 (0.7), 1471 (0.6), 2281 (98.6)
		γ	766 (0.2), 926 (0.4), 1001 (0.6)
		U x-rays	14 (0.44), 95 (0.115), 98 (0.187)

19

	<b>Progeny</b>	<b>kev and % abundance</b>
Th <sup>234</sup>	Pa <sup>234</sup>	β <sup>-</sup> 76 (2), 96 (25.3), 189 (72.5) γ 63 (3.8), 92 (2.7), 93 (2.7) Pa x-rays 13 (9.6)
U <sup>235</sup>	Th <sup>231</sup>	α 4364 (11), 4370 (6), 4396 (55) γ 144 (10.5), 163 (4.7), 186 (54) Th x-rays 13 (31), 90 (2.7), 93 (4.5), 105 (2.1)
Pu <sup>236</sup>	U <sup>232</sup>	α 5614 (0.2), 5722 (31.8), 5770 (68.1) γ av. 61 (0.08) U x-rays 14 (13)
Np <sup>237</sup>	Pa <sup>233</sup>	α 4766 (8), 4771 (25), 4788 (47) γ 29 (14), 87 (12.6), 95 (0.8) Pa x-rays 13 (59), 92 (1.6), 96 (2.6), 108 (1.6)
U <sup>238</sup>	Th <sup>234</sup>	α 4039 (0.2), 4147 (23.4), 4196 (77.4) γ av. 66 (0.1) Th x-rays 13 (8.8)
Pu <sup>238</sup>	U <sup>234</sup>	α 5358 (0.1), 5456 (28.3), 5499 (71.6) γ 44 (0.039), 100 (0.008), 153 (0.001) U x-rays 14 (11.6)
Pu <sup>239</sup>	U <sup>235</sup>	α 5105 (11.5), 5143 (15.1), 5155 (73.3) γ 52 (0.02), 129 (0.0062), 375 (0.0015), 414 (0.0015) U x-rays 14 (4.4)
Np <sup>239</sup>	Pu <sup>239</sup>	β <sup>-</sup> 330 (35.7), 391 (7.1), 436 (52) γ 106 (22.7), 228 (10.7), 278 (14.1) Pu x-rays 14 (62), 100 (14.7), 104 (23.7), 117 (11.1)
Pu <sup>240</sup>	U <sup>236</sup>	α 5123 (26.4), 5168 (73.5) γ av. 54 (0.05) U x-rays 14 (11)
Pu <sup>241</sup>	Am <sup>241</sup>	β <sup>-</sup> 21 (99.99755) α 4900 (0.00245)

20

	<b>Progeny</b>	<b>kev and % abundance</b>
Th <sup>234</sup>	Pa <sup>234</sup>	β <sup>-</sup> 76 (2), 96 (25.3), 189 (72.5) γ 63 (3.8), 92 (2.7), 93 (2.7) Pa x-rays 13 (9.6)
U <sup>235</sup>	Th <sup>231</sup>	α 4364 (11), 4370 (6), 4396 (55) γ 144 (10.5), 163 (4.7), 186 (54) Th x-rays 13 (31), 90 (2.7), 93 (4.5), 105 (2.1)
Pu <sup>236</sup>	U <sup>232</sup>	α 5614 (0.2), 5722 (31.8), 5770 (68.1) γ av. 61 (0.08) U x-rays 14 (13)
Np <sup>237</sup>	Pa <sup>233</sup>	α 4766 (8), 4771 (25), 4788 (47) γ 29 (14), 87 (12.6), 95 (0.8) Pa x-rays 13 (59), 92 (1.6), 96 (2.6), 108 (1.6)
U <sup>238</sup>	Th <sup>234</sup>	α 4039 (0.2), 4147 (23.4), 4196 (77.4) γ av. 66 (0.1) Th x-rays 13 (8.8)
Pu <sup>238</sup>	U <sup>234</sup>	α 5358 (0.1), 5456 (28.3), 5499 (71.6) γ 44 (0.039), 100 (0.008), 153 (0.001) U x-rays 14 (11.6)
Pu <sup>239</sup>	U <sup>235</sup>	α 5105 (11.5), 5143 (15.1), 5155 (73.3) γ 52 (0.02), 129 (0.0062), 375 (0.0015), 414 (0.0015) U x-rays 14 (4.4)
Np <sup>239</sup>	Pu <sup>239</sup>	β <sup>-</sup> 330 (35.7), 391 (7.1), 436 (52) γ 106 (22.7), 228 (10.7), 278 (14.1) Pu x-rays 14 (62), 100 (14.7), 104 (23.7), 117 (11.1)
Pu <sup>240</sup>	U <sup>236</sup>	α 5123 (26.4), 5168 (73.5) γ av. 54 (0.05) U x-rays 14 (11)
Pu <sup>241</sup>	Am <sup>241</sup>	β <sup>-</sup> 21 (99.99755) α 4900 (0.00245)

20

	<b>Progeny</b>	<b>kev and % abundance</b>
Th <sup>234</sup>	Pa <sup>234</sup>	β <sup>-</sup> 76 (2), 96 (25.3), 189 (72.5) γ 63 (3.8), 92 (2.7), 93 (2.7) Pa x-rays 13 (9.6)
U <sup>235</sup>	Th <sup>231</sup>	α 4364 (11), 4370 (6), 4396 (55) γ 144 (10.5), 163 (4.7), 186 (54) Th x-rays 13 (31), 90 (2.7), 93 (4.5), 105 (2.1)
Pu <sup>236</sup>	U <sup>232</sup>	α 5614 (0.2), 5722 (31.8), 5770 (68.1) γ av. 61 (0.08) U x-rays 14 (13)
Np <sup>237</sup>	Pa <sup>233</sup>	α 4766 (8), 4771 (25), 4788 (47) γ 29 (14), 87 (12.6), 95 (0.8) Pa x-rays 13 (59), 92 (1.6), 96 (2.6), 108 (1.6)
U <sup>238</sup>	Th <sup>234</sup>	α 4039 (0.2), 4147 (23.4), 4196 (77.4) γ av. 66 (0.1) Th x-rays 13 (8.8)
Pu <sup>238</sup>	U <sup>234</sup>	α 5358 (0.1), 5456 (28.3), 5499 (71.6) γ 44 (0.039), 100 (0.008), 153 (0.001) U x-rays 14 (11.6)
Pu <sup>239</sup>	U <sup>235</sup>	α 5105 (11.5), 5143 (15.1), 5155 (73.3) γ 52 (0.02), 129 (0.0062), 375 (0.0015), 414 (0.0015) U x-rays 14 (4.4)
Np <sup>239</sup>	Pu <sup>239</sup>	β <sup>-</sup> 330 (35.7), 391 (7.1), 436 (52) γ 106 (22.7), 228 (10.7), 278 (14.1) Pu x-rays 14 (62), 100 (14.7), 104 (23.7), 117 (11.1)
Pu <sup>240</sup>	U <sup>236</sup>	α 5123 (26.4), 5168 (73.5) γ av. 54 (0.05) U x-rays 14 (11)
Pu <sup>241</sup>	Am <sup>241</sup>	β <sup>-</sup> 21 (99.99755) α 4900 (0.00245)

20

	<b>Progeny</b>	<b>kev and % abundance</b>
Th <sup>234</sup>	Pa <sup>234</sup>	β <sup>-</sup> 76 (2), 96 (25.3), 189 (72.5) γ 63 (3.8), 92 (2.7), 93 (2.7) Pa x-rays 13 (9.6)
U <sup>235</sup>	Th <sup>231</sup>	α 4364 (11), 4370 (6), 4396 (55) γ 144 (10.5), 163 (4.7), 186 (54) Th x-rays 13 (31), 90 (2.7), 93 (4.5), 105 (2.1)
Pu <sup>236</sup>	U <sup>232</sup>	α 5614 (0.2), 5722 (31.8), 5770 (68.1) γ av. 61 (0.08) U x-rays 14 (13)
Np <sup>237</sup>	Pa <sup>233</sup>	α 4766 (8), 4771 (25), 4788 (47) γ 29 (14), 87 (12.6), 95 (0.8) Pa x-rays 13 (59), 92 (1.6), 96 (2.6), 108 (1.6)
U <sup>238</sup>	Th <sup>234</sup>	α 4039 (0.2), 4147 (23.4), 4196 (77.4) γ av. 66 (0.1) Th x-rays 13 (8.8)
Pu <sup>238</sup>	U <sup>234</sup>	α 5358 (0.1), 5456 (28.3), 5499 (71.6) γ 44 (0.039), 100 (0.008), 153 (0.001) U x-rays 14 (11.6)
Pu <sup>239</sup>	U <sup>235</sup>	α 5105 (11.5), 5143 (15.1), 5155 (73.3) γ 52 (0.02), 129 (0.0062), 375 (0.0015), 414 (0.0015) U x-rays 14 (4.4)
Np <sup>239</sup>	Pu <sup>239</sup>	β <sup>-</sup> 330 (35.7), 391 (7.1), 436 (52) γ 106 (22.7), 228 (10.7), 278 (14.1) Pu x-rays 14 (62), 100 (14.7), 104 (23.7), 117 (11.1)
Pu <sup>240</sup>	U <sup>236</sup>	α 5123 (26.4), 5168 (73.5) γ av. 54 (0.05) U x-rays 14 (11)
Pu <sup>241</sup>	Am <sup>241</sup>	β <sup>-</sup> 21 (99.99755) α 4900 (0.00245)

20

<b>Progeny</b>		<b>kev and % abundance</b>	
Am <sup>241</sup>	Np <sup>237</sup>	α	5388 (1.4), 5443 (12.8), 5486 (85.2)
		γ	26 (2.4), 33 (0.1), 60 (35.9)
		Np x-rays 14 (43)	
Pu <sup>242</sup>	U <sup>238</sup>	α	4856 (22.4), 4901 (78)
		γ	av. 4753 (0.1)
		U x-rays 14 (9.1)	
Cm <sup>242</sup>	Pu <sup>238</sup>	α	6070 (25.9), 6113 (74.1)
		γ	av. 59 (0.04)
		Pu x-rays 14 (11.5)	
Am <sup>243</sup>	Np <sup>239</sup>	α	5181 (1), 5234 (10.6), 5275 (87.9)
		γ	43 (5.5), 75 (66), 118 (0.55)
		Np x-rays 14 (39)	
Cm <sup>244</sup>	Pu <sup>240</sup>	α	5763 (23.6), 5805 (76.4)
		γ	av. 57 (0.03)
		Pu x-rays 14 (10.3)	
Cf <sup>249</sup>	Cm <sup>245</sup>	α	5760 (3.66), 5814 (84.4), 5946 (4)
		γ	253 (2.7), 333 (15.5), 388 (66)
		Cm x-rays 15(30), 105 (2.19), 109 (3.5), 123 (1.66)	
Bk <sup>249</sup>	Cf <sup>249</sup>	β <sup>-</sup>	26 (100)
Cf <sup>252</sup>	Cm <sup>248</sup>	α	5977 (0.2), 6076 (15.2), 6118 (81.6)
		γ	av. 68 (0.03)
		Cm x-rays 15 (7.3)	
		spontaneous fission (3)	
Es <sup>253</sup>	Bk <sup>249</sup>	α	6540 (0.9), 6592 (6.6), 6633 (89.8)
		γ	av. 203 (0.14)
		Bk x-rays 15 (4.6)	

21

<b>Progeny</b>		<b>kev and % abundance</b>	
Am <sup>241</sup>	Np <sup>237</sup>	α	5388 (1.4), 5443 (12.8), 5486 (85.2)
		γ	26 (2.4), 33 (0.1), 60 (35.9)
		Np x-rays 14 (43)	
Pu <sup>242</sup>	U <sup>238</sup>	α	4856 (22.4), 4901 (78)
		γ	av. 4753 (0.1)
		U x-rays 14 (9.1)	
Cm <sup>242</sup>	Pu <sup>238</sup>	α	6070 (25.9), 6113 (74.1)
		γ	av. 59 (0.04)
		Pu x-rays 14 (11.5)	
Am <sup>243</sup>	Np <sup>239</sup>	α	5181 (1), 5234 (10.6), 5275 (87.9)
		γ	43 (5.5), 75 (66), 118 (0.55)
		Np x-rays 14 (39)	
Cm <sup>244</sup>	Pu <sup>240</sup>	α	5763 (23.6), 5805 (76.4)
		γ	av. 57 (0.03)
		Pu x-rays 14 (10.3)	
Cf <sup>249</sup>	Cm <sup>245</sup>	α	5760 (3.66), 5814 (84.4), 5946 (4)
		γ	253 (2.7), 333 (15.5), 388 (66)
		Cm x-rays 15(30), 105 (2.19), 109 (3.5), 123 (1.66)	
Bk <sup>249</sup>	Cf <sup>249</sup>	β <sup>-</sup>	26 (100)
Cf <sup>252</sup>	Cm <sup>248</sup>	α	5977 (0.2), 6076 (15.2), 6118 (81.6)
		γ	av. 68 (0.03)
		Cm x-rays 15 (7.3)	
		spontaneous fission (3)	
Es <sup>253</sup>	Bk <sup>249</sup>	α	6540 (0.9), 6592 (6.6), 6633 (89.8)
		γ	av. 203 (0.14)
		Bk x-rays 15 (4.6)	

21

<b>Progeny</b>		<b>kev and % abundance</b>	
Am <sup>241</sup>	Np <sup>237</sup>	α	5388 (1.4), 5443 (12.8), 5486 (85.2)
		γ	26 (2.4), 33 (0.1), 60 (35.9)
		Np x-rays 14 (43)	
Pu <sup>242</sup>	U <sup>238</sup>	α	4856 (22.4), 4901 (78)
		γ	av. 4753 (0.1)
		U x-rays 14 (9.1)	
Cm <sup>242</sup>	Pu <sup>238</sup>	α	6070 (25.9), 6113 (74.1)
		γ	av. 59 (0.04)
		Pu x-rays 14 (11.5)	
Am <sup>243</sup>	Np <sup>239</sup>	α	5181 (1), 5234 (10.6), 5275 (87.9)
		γ	43 (5.5), 75 (66), 118 (0.55)
		Np x-rays 14 (39)	
Cm <sup>244</sup>	Pu <sup>240</sup>	α	5763 (23.6), 5805 (76.4)
		γ	av. 57 (0.03)
		Pu x-rays 14 (10.3)	
Cf <sup>249</sup>	Cm <sup>245</sup>	α	5760 (3.66), 5814 (84.4), 5946 (4)
		γ	253 (2.7), 333 (15.5), 388 (66)
		Cm x-rays 15(30), 105 (2.19), 109 (3.5), 123 (1.66)	
Bk <sup>249</sup>	Cf <sup>249</sup>	β <sup>-</sup>	26 (100)
Cf <sup>252</sup>	Cm <sup>248</sup>	α	5977 (0.2), 6076 (15.2), 6118 (81.6)
		γ	av. 68 (0.03)
		Cm x-rays 15 (7.3)	
		spontaneous fission (3)	
Es <sup>253</sup>	Bk <sup>249</sup>	α	6540 (0.9), 6592 (6.6), 6633 (89.8)
		γ	av. 203 (0.14)
		Bk x-rays 15 (4.6)	

21

<b>Progeny</b>		<b>kev and % abundance</b>	
Am <sup>241</sup>	Np <sup>237</sup>	α	5388 (1.4), 5443 (12.8), 5486 (85.2)
		γ	26 (2.4), 33 (0.1), 60 (35.9)
		Np x-rays 14 (43)	
Pu <sup>242</sup>	U <sup>238</sup>	α	4856 (22.4), 4901 (78)
		γ	av. 4753 (0.1)
		U x-rays 14 (9.1)	
Cm <sup>242</sup>	Pu <sup>238</sup>	α	6070 (25.9), 6113 (74.1)
		γ	av. 59 (0.04)
		Pu x-rays 14 (11.5)	
Am <sup>243</sup>	Np <sup>239</sup>	α	5181 (1), 5234 (10.6), 5275 (87.9)
		γ	43 (5.5), 75 (66), 118 (0.55)
		Np x-rays 14 (39)	
Cm <sup>244</sup>	Pu <sup>240</sup>	α	5763 (23.6), 5805 (76.4)
		γ	av. 57 (0.03)
		Pu x-rays 14 (10.3)	
Cf <sup>249</sup>	Cm <sup>245</sup>	α	5760 (3.66), 5814 (84.4), 5946 (4)
		γ	253 (2.7), 333 (15.5), 388 (66)
		Cm x-rays 15(30), 105 (2.19), 109 (3.5), 123 (1.66)	
Bk <sup>249</sup>	Cf <sup>249</sup>	β <sup>-</sup>	26 (100)
Cf <sup>252</sup>	Cm <sup>248</sup>	α	5977 (0.2), 6076 (15.2), 6118 (81.6)
		γ	av. 68 (0.03)
		Cm x-rays 15 (7.3)	
		spontaneous fission (3)	
Es <sup>253</sup>	Bk <sup>249</sup>	α	6540 (0.9), 6592 (6.6), 6633 (89.8)
		γ	av. 203 (0.14)
		Bk x-rays 15 (4.6)	

21

**Thorium-232 Decay Chain including thoron**  
1<sup>st</sup> Progeny      kev and % abundance

Th <sup>232</sup> 1.41E10y	Ra <sup>228</sup>	α	3830 (0.2), 3953 (23), 4010 (77)
		γ	59 (0.19), 125 (0.04)
		Ra x-rays	12 (8.4)
Ra <sup>228</sup> 5.75y	Ac <sup>228</sup>	β <sup>-</sup>	39 (100)
Ac <sup>228</sup> 6.13h	Th <sup>228</sup>	β <sup>-</sup>	606 (8), 1168 (32), 1741 (12)
		γ	338 (11.4), 911 (27.7), 969 (16.6)
		Th x-rays	13 (39), 90 (2.1), 93 (3.5), 105
(1.6)			
Th <sup>228</sup> 1.91y	Ra <sup>224</sup>	α	5212 (0.4), 5341 (26.7), 5423 (72.7)
		γ	84 (1.2), 132 (0.12), 216 (0.24)
		Ra x-rays	12 (9.6)
Ra <sup>224</sup> 3.62d	Rn <sup>220</sup>	α	5449 (4.9), 5686 (95.1)
		γ	241 (3.95)
		Rn x-rays	12 (0.4), 81 (0.126), 84 (0.209)

Rn<sup>220</sup> is "thoron" gas, usually included with "radon" gas

Rn <sup>220</sup> 56s	Po <sup>216</sup>	α	6288 (99.9), 5747 (0.1)
		γ	av. 550 (0.1)

22

**Thorium-232 Decay Chain including thoron**  
1<sup>st</sup> Progeny      kev and % abundance

Th <sup>232</sup> 1.41E10y	Ra <sup>228</sup>	α	3830 (0.2), 3953 (23), 4010 (77)
		γ	59 (0.19), 125 (0.04)
		Ra x-rays	12 (8.4)
Ra <sup>228</sup> 5.75y	Ac <sup>228</sup>	β <sup>-</sup>	39 (100)
Ac <sup>228</sup> 6.13h	Th <sup>228</sup>	β <sup>-</sup>	606 (8), 1168 (32), 1741 (12)
		γ	338 (11.4), 911 (27.7), 969 (16.6)
		Th x-rays	13 (39), 90 (2.1), 93 (3.5), 105
(1.6)			
Th <sup>228</sup> 1.91y	Ra <sup>224</sup>	α	5212 (0.4), 5341 (26.7), 5423 (72.7)
		γ	84 (1.2), 132 (0.12), 216 (0.24)
		Ra x-rays	12 (9.6)
Ra <sup>224</sup> 3.62d	Rn <sup>220</sup>	α	5449 (4.9), 5686 (95.1)
		γ	241 (3.95)
		Rn x-rays	12 (0.4), 81 (0.126), 84 (0.209)

Rn<sup>220</sup> is "thoron" gas, usually included with "radon" gas

Rn <sup>220</sup> 56s	Po <sup>216</sup>	α	6288 (99.9), 5747 (0.1)
		γ	av. 550 (0.1)

22

**Thorium-232 Decay Chain including thoron**  
1<sup>st</sup> Progeny      kev and % abundance

Th <sup>232</sup> 1.41E10y	Ra <sup>228</sup>	α	3830 (0.2), 3953 (23), 4010 (77)
		γ	59 (0.19), 125 (0.04)
		Ra x-rays	12 (8.4)
Ra <sup>228</sup> 5.75y	Ac <sup>228</sup>	β <sup>-</sup>	39 (100)
Ac <sup>228</sup> 6.13h	Th <sup>228</sup>	β <sup>-</sup>	606 (8), 1168 (32), 1741 (12)
		γ	338 (11.4), 911 (27.7), 969 (16.6)
		Th x-rays	13 (39), 90 (2.1), 93 (3.5), 105
(1.6)			
Th <sup>228</sup> 1.91y	Ra <sup>224</sup>	α	5212 (0.4), 5341 (26.7), 5423 (72.7)
		γ	84 (1.2), 132 (0.12), 216 (0.24)
		Ra x-rays	12 (9.6)
Ra <sup>224</sup> 3.62d	Rn <sup>220</sup>	α	5449 (4.9), 5686 (95.1)
		γ	241 (3.95)
		Rn x-rays	12 (0.4), 81 (0.126), 84 (0.209)

Rn<sup>220</sup> is "thoron" gas, usually included with "radon" gas

Rn <sup>220</sup> 56s	Po <sup>216</sup>	α	6288 (99.9), 5747 (0.1)
		γ	av. 550 (0.1)

22

**Thorium-232 Decay Chain including thoron**  
1<sup>st</sup> Progeny      kev and % abundance

Th <sup>232</sup> 1.41E10y	Ra <sup>228</sup>	α	3830 (0.2), 3953 (23), 4010 (77)
		γ	59 (0.19), 125 (0.04)
		Ra x-rays	12 (8.4)
Ra <sup>228</sup> 5.75y	Ac <sup>228</sup>	β <sup>-</sup>	39 (100)
Ac <sup>228</sup> 6.13h	Th <sup>228</sup>	β <sup>-</sup>	606 (8), 1168 (32), 1741 (12)
		γ	338 (11.4), 911 (27.7), 969 (16.6)
		Th x-rays	13 (39), 90 (2.1), 93 (3.5), 105
(1.6)			
Th <sup>228</sup> 1.91y	Ra <sup>224</sup>	α	5212 (0.4), 5341 (26.7), 5423 (72.7)
		γ	84 (1.2), 132 (0.12), 216 (0.24)
		Ra x-rays	12 (9.6)
Ra <sup>224</sup> 3.62d	Rn <sup>220</sup>	α	5449 (4.9), 5686 (95.1)
		γ	241 (3.95)
		Rn x-rays	12 (0.4), 81 (0.126), 84 (0.209)

Rn<sup>220</sup> is "thoron" gas, usually included with "radon" gas

Rn <sup>220</sup> 56s	Po <sup>216</sup>	α	6288 (99.9), 5747 (0.1)
		γ	av. 550 (0.1)

22

Progeny		kev and % abundance	
Po <sup>216</sup> 0.15s	Pb <sup>212</sup>	α	6779 (99.998)
Pb <sup>212</sup> 10.64h	Bi <sup>212</sup>	β <sup>-</sup>	158 (5.22), 334 (85.1), 573 (9.9)
		γ	115 (0.6), 239 (44.6), 300 (3.4)
		Bi x-rays	11 (15.5), 75 (10.7), 77 (18), 87 (8)

Bi<sup>212</sup> decays 64.07 % of the time by β<sup>-</sup> to Po<sup>212</sup> and 35.93 % of the time by α to Tl<sup>208</sup>

Bi <sup>212</sup> 60.6m	Tl <sup>208</sup> Po <sup>212</sup>	α	5767 (0.6), 6050 (25.2), 6090 (9.6)
		β <sup>-</sup>	625 (3.4), 1519 (8), 2246 (48.4)
		γ	727 (11.8), 785 (1.97), 1621 (2.75)
		Tl x-rays	10 (7.7)

Po <sup>212</sup> 304ns	Pb <sup>208</sup>	α	8785 (100)
----------------------------	-------------------	---	------------

Tl <sup>208</sup> 3.05m	Pb <sup>208</sup>	β <sup>-</sup>	1283 (23.2), 1517 (22.7), 1794 (49.3)
		γ	511 (21.6), 583 (84.2), 860 (12.46), 2614 (99.8)
		Pb x-rays	11 (2.9), 73 (2.0), 75 (3.4), 85 (1.5)

Pb<sup>208</sup> is stable

23

Progeny		kev and % abundance	
Po <sup>216</sup> 0.15s	Pb <sup>212</sup>	α	6779 (99.998)
Pb <sup>212</sup> 10.64h	Bi <sup>212</sup>	β <sup>-</sup>	158 (5.22), 334 (85.1), 573 (9.9)
		γ	115 (0.6), 239 (44.6), 300 (3.4)
		Bi x-rays	11 (15.5), 75 (10.7), 77 (18), 87 (8)

Bi<sup>212</sup> decays 64.07 % of the time by β<sup>-</sup> to Po<sup>212</sup> and 35.93 % of the time by α to Tl<sup>208</sup>

Bi <sup>212</sup> 60.6m	Tl <sup>208</sup> Po <sup>212</sup>	α	5767 (0.6), 6050 (25.2), 6090 (9.6)
		β <sup>-</sup>	625 (3.4), 1519 (8), 2246 (48.4)
		γ	727 (11.8), 785 (1.97), 1621 (2.75)
		Tl x-rays	10 (7.7)

Po <sup>212</sup> 304ns	Pb <sup>208</sup>	α	8785 (100)
----------------------------	-------------------	---	------------

Tl <sup>208</sup> 3.05m	Pb <sup>208</sup>	β <sup>-</sup>	1283 (23.2), 1517 (22.7), 1794 (49.3)
		γ	511 (21.6), 583 (84.2), 860 (12.46), 2614 (99.8)
		Pb x-rays	11 (2.9), 73 (2.0), 75 (3.4), 85 (1.5)

Pb<sup>208</sup> is stable

23

Progeny		kev and % abundance	
Po <sup>216</sup> 0.15s	Pb <sup>212</sup>	α	6779 (99.998)
Pb <sup>212</sup> 10.64h	Bi <sup>212</sup>	β <sup>-</sup>	158 (5.22), 334 (85.1), 573 (9.9)
		γ	115 (0.6), 239 (44.6), 300 (3.4)
		Bi x-rays	11 (15.5), 75 (10.7), 77 (18), 87 (8)

Bi<sup>212</sup> decays 64.07 % of the time by β<sup>-</sup> to Po<sup>212</sup> and 35.93 % of the time by α to Tl<sup>208</sup>

Bi <sup>212</sup> 60.6m	Tl <sup>208</sup> Po <sup>212</sup>	α	5767 (0.6), 6050 (25.2), 6090 (9.6)
		β <sup>-</sup>	625 (3.4), 1519 (8), 2246 (48.4)
		γ	727 (11.8), 785 (1.97), 1621 (2.75)
		Tl x-rays	10 (7.7)

Po <sup>212</sup> 304ns	Pb <sup>208</sup>	α	8785 (100)
----------------------------	-------------------	---	------------

Tl <sup>208</sup> 3.05m	Pb <sup>208</sup>	β <sup>-</sup>	1283 (23.2), 1517 (22.7), 1794 (49.3)
		γ	511 (21.6), 583 (84.2), 860 (12.46), 2614 (99.8)
		Pb x-rays	11 (2.9), 73 (2.0), 75 (3.4), 85 (1.5)

Pb<sup>208</sup> is stable

23

Progeny		kev and % abundance	
Po <sup>216</sup> 0.15s	Pb <sup>212</sup>	α	6779 (99.998)
Pb <sup>212</sup> 10.64h	Bi <sup>212</sup>	β <sup>-</sup>	158 (5.22), 334 (85.1), 573 (9.9)
		γ	115 (0.6), 239 (44.6), 300 (3.4)
		Bi x-rays	11 (15.5), 75 (10.7), 77 (18), 87 (8)

Bi<sup>212</sup> decays 64.07 % of the time by β<sup>-</sup> to Po<sup>212</sup> and 35.93 % of the time by α to Tl<sup>208</sup>

Bi <sup>212</sup> 60.6m	Tl <sup>208</sup> Po <sup>212</sup>	α	5767 (0.6), 6050 (25.2), 6090 (9.6)
		β <sup>-</sup>	625 (3.4), 1519 (8), 2246 (48.4)
		γ	727 (11.8), 785 (1.97), 1621 (2.75)
		Tl x-rays	10 (7.7)

Po <sup>212</sup> 304ns	Pb <sup>208</sup>	α	8785 (100)
----------------------------	-------------------	---	------------

Tl <sup>208</sup> 3.05m	Pb <sup>208</sup>	β <sup>-</sup>	1283 (23.2), 1517 (22.7), 1794 (49.3)
		γ	511 (21.6), 583 (84.2), 860 (12.46), 2614 (99.8)
		Pb x-rays	11 (2.9), 73 (2.0), 75 (3.4), 85 (1.5)

Pb<sup>208</sup> is stable

23

**Uranium-238 Decay (including Radon progeny)**

<b>1<sup>st</sup> Progeny</b>		<b>kev and % abundance</b>	
U <sup>238</sup>	Th <sup>234</sup>	α	4039 (0.2), 4147 (23.4), 4196 (77.4)
4.47E9y		γ	av. 66 (0.1)
		Th x-rays	13 (8.8)
Th <sup>234</sup>	Pa <sup>234m</sup>	β <sup>-</sup>	76 (2), 96 (25.3), 189 (72.5)
24.1d		γ	63 (3.8), 92 (2.7), 93 (2.7)
		Pa x-rays	13 (9.6)

Pa<sup>234m</sup> decays 99.87 % of the time by β<sup>-</sup> to U<sup>234</sup> & 0.13 % of the time by IT to Pa<sup>234</sup>

Pa <sup>234m</sup>	U <sup>234</sup>	β <sup>-</sup>	1236 (0.7), 1471 (0.6), 2281 (98.6)
1.17m		γ	766 (0.2), 926 (0.4), 1001 (0.6)
		U x-rays	14 (0.44), 95 (0.115), 98 (0.187)
	Pa <sup>234</sup>	IT	

Pa <sup>234</sup>	U <sup>234</sup>	β <sup>-</sup>	484 (35), 654 (16), 1183 (10)
6.70h		γ	131 (20.4), 882 (24), 946 (12)
		U x-rays	14 (114), 95 (15.7), 98 (25.4), 111(11.8)

U <sup>234</sup>	Th <sup>230</sup>	α	4605 (0.2), 4724 (27.4), 4776 (72.4)
2.45E5y		γ	53 (0.118), 121 (0.04)
		Th x-rays	13 (10.5)

Th <sup>230</sup>	Ra <sup>226</sup>	α	4476 (0.12), 4621 (23.4), 4688 (76.3)
7.7E4y		γ	68 (0.4), 168 (0.07)
		Ra x-rays	12 (8.4)

Ra <sup>226</sup>	Rn <sup>222</sup>	α	4602 (5.6), 4785 (94.4)
1600y		γ	186 (3.28)
		Rn x-rays	12 (0.8), 81 (0.18), 84 (0.3), 95 (0.14)

24

**Uranium-238 Decay (including Radon progeny)**

<b>1<sup>st</sup> Progeny</b>		<b>kev and % abundance</b>	
U <sup>238</sup>	Th <sup>234</sup>	α	4039 (0.2), 4147 (23.4), 4196 (77.4)
4.47E9y		γ	av. 66 (0.1)
		Th x-rays	13 (8.8)
Th <sup>234</sup>	Pa <sup>234m</sup>	β <sup>-</sup>	76 (2), 96 (25.3), 189 (72.5)
24.1d		γ	63 (3.8), 92 (2.7), 93 (2.7)
		Pa x-rays	13 (9.6)

Pa<sup>234m</sup> decays 99.87 % of the time by β<sup>-</sup> to U<sup>234</sup> & 0.13 % of the time by IT to Pa<sup>234</sup>

Pa <sup>234m</sup>	U <sup>234</sup>	β <sup>-</sup>	1236 (0.7), 1471 (0.6), 2281 (98.6)
1.17m		γ	766 (0.2), 926 (0.4), 1001 (0.6)
		U x-rays	14 (0.44), 95 (0.115), 98 (0.187)
	Pa <sup>234</sup>	IT	

Pa <sup>234</sup>	U <sup>234</sup>	β <sup>-</sup>	484 (35), 654 (16), 1183 (10)
6.70h		γ	131 (20.4), 882 (24), 946 (12)
		U x-rays	14 (114), 95 (15.7), 98 (25.4), 111(11.8)

U <sup>234</sup>	Th <sup>230</sup>	α	4605 (0.2), 4724 (27.4), 4776 (72.4)
2.45E5y		γ	53 (0.118), 121 (0.04)
		Th x-rays	13 (10.5)

Th <sup>230</sup>	Ra <sup>226</sup>	α	4476 (0.12), 4621 (23.4), 4688 (76.3)
7.7E4y		γ	68 (0.4), 168 (0.07)
		Ra x-rays	12 (8.4)

Ra <sup>226</sup>	Rn <sup>222</sup>	α	4602 (5.6), 4785 (94.4)
1600y		γ	186 (3.28)
		Rn x-rays	12 (0.8), 81 (0.18), 84 (0.3), 95 (0.14)

24

**Uranium-238 Decay (including Radon progeny)**

<b>1<sup>st</sup> Progeny</b>		<b>kev and % abundance</b>	
U <sup>238</sup>	Th <sup>234</sup>	α	4039 (0.2), 4147 (23.4), 4196 (77.4)
4.47E9y		γ	av. 66 (0.1)
		Th x-rays	13 (8.8)
Th <sup>234</sup>	Pa <sup>234m</sup>	β <sup>-</sup>	76 (2), 96 (25.3), 189 (72.5)
24.1d		γ	63 (3.8), 92 (2.7), 93 (2.7)
		Pa x-rays	13 (9.6)

Pa<sup>234m</sup> decays 99.87 % of the time by β<sup>-</sup> to U<sup>234</sup> & 0.13 % of the time by IT to Pa<sup>234</sup>

Pa <sup>234m</sup>	U <sup>234</sup>	β <sup>-</sup>	1236 (0.7), 1471 (0.6), 2281 (98.6)
1.17m		γ	766 (0.2), 926 (0.4), 1001 (0.6)
		U x-rays	14 (0.44), 95 (0.115), 98 (0.187)
	Pa <sup>234</sup>	IT	

Pa <sup>234</sup>	U <sup>234</sup>	β <sup>-</sup>	484 (35), 654 (16), 1183 (10)
6.70h		γ	131 (20.4), 882 (24), 946 (12)
		U x-rays	14 (114), 95 (15.7), 98 (25.4), 111(11.8)

U <sup>234</sup>	Th <sup>230</sup>	α	4605 (0.2), 4724 (27.4), 4776 (72.4)
2.45E5y		γ	53 (0.118), 121 (0.04)
		Th x-rays	13 (10.5)

Th <sup>230</sup>	Ra <sup>226</sup>	α	4476 (0.12), 4621 (23.4), 4688 (76.3)
7.7E4y		γ	68 (0.4), 168 (0.07)
		Ra x-rays	12 (8.4)

Ra <sup>226</sup>	Rn <sup>222</sup>	α	4602 (5.6), 4785 (94.4)
1600y		γ	186 (3.28)
		Rn x-rays	12 (0.8), 81 (0.18), 84 (0.3), 95 (0.14)

24

**Uranium-238 Decay (including Radon progeny)**

<b>1<sup>st</sup> Progeny</b>		<b>kev and % abundance</b>	
U <sup>238</sup>	Th <sup>234</sup>	α	4039 (0.2), 4147 (23.4), 4196 (77.4)
4.47E9y		γ	av. 66 (0.1)
		Th x-rays	13 (8.8)
Th <sup>234</sup>	Pa <sup>234m</sup>	β <sup>-</sup>	76 (2), 96 (25.3), 189 (72.5)
24.1d		γ	63 (3.8), 92 (2.7), 93 (2.7)
		Pa x-rays	13 (9.6)

Pa<sup>234m</sup> decays 99.87 % of the time by β<sup>-</sup> to U<sup>234</sup> & 0.13 % of the time by IT to Pa<sup>234</sup>

Pa <sup>234m</sup>	U <sup>234</sup>	β <sup>-</sup>	1236 (0.7), 1471 (0.6), 2281 (98.6)
1.17m		γ	766 (0.2), 926 (0.4), 1001 (0.6)
		U x-rays	14 (0.44), 95 (0.115), 98 (0.187)
	Pa <sup>234</sup>	IT	

Pa <sup>234</sup>	U <sup>234</sup>	β <sup>-</sup>	484 (35), 654 (16), 1183 (10)
6.70h		γ	131 (20.4), 882 (24), 946 (12)
		U x-rays	14 (114), 95 (15.7), 98 (25.4), 111(11.8)

U <sup>234</sup>	Th <sup>230</sup>	α	4605 (0.2), 4724 (27.4), 4776 (72.4)
2.45E5y		γ	53 (0.118), 121 (0.04)
		Th x-rays	13 (10.5)

Th <sup>230</sup>	Ra <sup>226</sup>	α	4476 (0.12), 4621 (23.4), 4688 (76.3)
7.7E4y		γ	68 (0.4), 168 (0.07)
		Ra x-rays	12 (8.4)

Ra <sup>226</sup>	Rn <sup>222</sup>	α	4602 (5.6), 4785 (94.4)
1600y		γ	186 (3.28)
		Rn x-rays	12 (0.8), 81 (0.18), 84 (0.3), 95 (0.14)

24

Progeny		kev and % abundance	
Rn <sup>222</sup> is "radon" gas			
Rn <sup>222</sup> 3.82d	Po <sup>218</sup>	α γ	5490 (99.92), 4986 (0.08) av. 512 (0.08)
Po <sup>218</sup> decays 99.98 % of the time by α to Pb <sup>214</sup> & 0.02 % of the time by β <sup>-</sup> to At <sup>218</sup>			
Po <sup>218</sup> 3.05m	Pb <sup>214</sup> At <sup>218</sup>	α β <sup>-</sup>	6003 (99.98) 330 (0.02)
At <sup>218</sup> 2s	Bi <sup>214</sup>	α <sup>-</sup>	6650 (6), 6700 (94)
Pb <sup>214</sup> 26.8m	Bi <sup>214</sup>	β <sup>-</sup> γ	672 (48), 729 (42.5), 1024 (6.3) 242 (7.49), 295 (19.2), 352 (37.2)
		Bi x-rays	11 (13.5), 75 (6.2), 77 (10.5), 87 (4.7)
Bi <sup>214</sup> decays 99.979 % of the time by β <sup>-</sup> to Po <sup>214</sup> & 0.021 % of the time by α to Tl <sup>210</sup>			
Bi <sup>214</sup> 19.9m	Po <sup>214</sup>	β <sup>-</sup> γ	1505 (17.7), 1540 (17.9), 3270 (17.2) 609 (46.3), 1120 (15.1), 1764 (15.8)
		Po x-rays	11 (0.5), 77 (0.36), 79 (0.6), 90 (0.3)
	Tl <sup>210</sup>	α	5450 (0.012), 5510 (0.008)

25

Progeny		kev and % abundance	
Rn <sup>222</sup> is "radon" gas			
Rn <sup>222</sup> 3.82d	Po <sup>218</sup>	α γ	5490 (99.92), 4986 (0.08) av. 512 (0.08)
Po <sup>218</sup> decays 99.98 % of the time by α to Pb <sup>214</sup> & 0.02 % of the time by β <sup>-</sup> to At <sup>218</sup>			
Po <sup>218</sup> 3.05m	Pb <sup>214</sup> At <sup>218</sup>	α β <sup>-</sup>	6003 (99.98) 330 (0.02)
At <sup>218</sup> 2s	Bi <sup>214</sup>	α <sup>-</sup>	6650 (6), 6700 (94)
Pb <sup>214</sup> 26.8m	Bi <sup>214</sup>	β <sup>-</sup> γ	672 (48), 729 (42.5), 1024 (6.3) 242 (7.49), 295 (19.2), 352 (37.2)
		Bi x-rays	11 (13.5), 75 (6.2), 77 (10.5), 87 (4.7)
Bi <sup>214</sup> decays 99.979 % of the time by β <sup>-</sup> to Po <sup>214</sup> & 0.021 % of the time by α to Tl <sup>210</sup>			
Bi <sup>214</sup> 19.9m	Po <sup>214</sup>	β <sup>-</sup> γ	1505 (17.7), 1540 (17.9), 3270 (17.2) 609 (46.3), 1120 (15.1), 1764 (15.8)
		Po x-rays	11 (0.5), 77 (0.36), 79 (0.6), 90 (0.3)
	Tl <sup>210</sup>	α	5450 (0.012), 5510 (0.008)

25

Progeny		kev and % abundance	
Rn <sup>222</sup> is "radon" gas			
Rn <sup>222</sup> 3.82d	Po <sup>218</sup>	α γ	5490 (99.92), 4986 (0.08) av. 512 (0.08)
Po <sup>218</sup> decays 99.98 % of the time by α to Pb <sup>214</sup> & 0.02 % of the time by β <sup>-</sup> to At <sup>218</sup>			
Po <sup>218</sup> 3.05m	Pb <sup>214</sup> At <sup>218</sup>	α β <sup>-</sup>	6003 (99.98) 330 (0.02)
At <sup>218</sup> 2s	Bi <sup>214</sup>	α <sup>-</sup>	6650 (6), 6700 (94)
Pb <sup>214</sup> 26.8m	Bi <sup>214</sup>	β <sup>-</sup> γ	672 (48), 729 (42.5), 1024 (6.3) 242 (7.49), 295 (19.2), 352 (37.2)
		Bi x-rays	11 (13.5), 75 (6.2), 77 (10.5), 87 (4.7)
Bi <sup>214</sup> decays 99.979 % of the time by β <sup>-</sup> to Po <sup>214</sup> & 0.021 % of the time by α to Tl <sup>210</sup>			
Bi <sup>214</sup> 19.9m	Po <sup>214</sup>	β <sup>-</sup> γ	1505 (17.7), 1540 (17.9), 3270 (17.2) 609 (46.3), 1120 (15.1), 1764 (15.8)
		Po x-rays	11 (0.5), 77 (0.36), 79 (0.6), 90 (0.3)
	Tl <sup>210</sup>	α	5450 (0.012), 5510 (0.008)

25

Progeny		kev and % abundance	
Rn <sup>222</sup> is "radon" gas			
Rn <sup>222</sup> 3.82d	Po <sup>218</sup>	α γ	5490 (99.92), 4986 (0.08) av. 512 (0.08)
Po <sup>218</sup> decays 99.98 % of the time by α to Pb <sup>214</sup> & 0.02 % of the time by β <sup>-</sup> to At <sup>218</sup>			
Po <sup>218</sup> 3.05m	Pb <sup>214</sup> At <sup>218</sup>	α β <sup>-</sup>	6003 (99.98) 330 (0.02)
At <sup>218</sup> 2s	Bi <sup>214</sup>	α <sup>-</sup>	6650 (6), 6700 (94)
Pb <sup>214</sup> 26.8m	Bi <sup>214</sup>	β <sup>-</sup> γ	672 (48), 729 (42.5), 1024 (6.3) 242 (7.49), 295 (19.2), 352 (37.2)
		Bi x-rays	11 (13.5), 75 (6.2), 77 (10.5), 87 (4.7)
Bi <sup>214</sup> decays 99.979 % of the time by β <sup>-</sup> to Po <sup>214</sup> & 0.021 % of the time by α to Tl <sup>210</sup>			
Bi <sup>214</sup> 19.9m	Po <sup>214</sup>	β <sup>-</sup> γ	1505 (17.7), 1540 (17.9), 3270 (17.2) 609 (46.3), 1120 (15.1), 1764 (15.8)
		Po x-rays	11 (0.5), 77 (0.36), 79 (0.6), 90 (0.3)
	Tl <sup>210</sup>	α	5450 (0.012), 5510 (0.008)

25

Progeny		kev and % abundance	
Po <sup>214</sup> 164 μs	Pb <sup>210</sup>	α	7687 (99.989), 6892 (0.01)
		γ	797 (0.013)
Tl <sup>210</sup> 1.30m	Pb <sup>210</sup>	β <sup>-</sup>	1320 (25), 1870 (56), 2340 (19)
		γ	298 (79), 800 (99), 1310 (21)
		Pb x-rays	11 (13), 73 (2.5), 75 (4.3), 85 (1.9)
Pb <sup>210</sup> 22.3 y	Bi <sup>210</sup>	β <sup>-</sup>	17 (80.2), 63 (19.8)
		γ	47 (4.05)
		Bi x-rays	11 (24.3)

Bi<sup>210</sup> decays ~100 % of the time by β<sup>-</sup> to Po<sup>210</sup> & 0.00013 % of the time by α to Tl<sup>206</sup>

Bi <sup>210</sup> 5.01d	Po <sup>210</sup> Tl <sup>206</sup>	β <sup>-</sup>	1161 (99.9998)
		α	4650 (0.00007), 4690 (0.00005)

Po <sup>210</sup> 138.4d	Pb <sup>206</sup>	α	5305 (99.9989)
-----------------------------	-------------------	---	----------------

Tl <sup>206</sup> 4.19m	Pb <sup>206</sup>	β <sup>-</sup>	1520 (100)
----------------------------	-------------------	----------------	------------

Pb<sup>206</sup> is stable

26

Progeny		kev and % abundance	
Po <sup>214</sup> 164 μs	Pb <sup>210</sup>	α	7687 (99.989), 6892 (0.01)
		γ	797 (0.013)
Tl <sup>210</sup> 1.30m	Pb <sup>210</sup>	β <sup>-</sup>	1320 (25), 1870 (56), 2340 (19)
		γ	298 (79), 800 (99), 1310 (21)
		Pb x-rays	11 (13), 73 (2.5), 75 (4.3), 85 (1.9)
Pb <sup>210</sup> 22.3 y	Bi <sup>210</sup>	β <sup>-</sup>	17 (80.2), 63 (19.8)
		γ	47 (4.05)
		Bi x-rays	11 (24.3)

Bi<sup>210</sup> decays ~100 % of the time by β<sup>-</sup> to Po<sup>210</sup> & 0.00013 % of the time by α to Tl<sup>206</sup>

Bi <sup>210</sup> 5.01d	Po <sup>210</sup> Tl <sup>206</sup>	β <sup>-</sup>	1161 (99.9998)
		α	4650 (0.00007), 4690 (0.00005)

Po <sup>210</sup> 138.4d	Pb <sup>206</sup>	α	5305 (99.9989)
-----------------------------	-------------------	---	----------------

Tl <sup>206</sup> 4.19m	Pb <sup>206</sup>	β <sup>-</sup>	1520 (100)
----------------------------	-------------------	----------------	------------

Pb<sup>206</sup> is stable

26

Progeny		kev and % abundance	
Po <sup>214</sup> 164 μs	Pb <sup>210</sup>	α	7687 (99.989), 6892 (0.01)
		γ	797 (0.013)
Tl <sup>210</sup> 1.30m	Pb <sup>210</sup>	β <sup>-</sup>	1320 (25), 1870 (56), 2340 (19)
		γ	298 (79), 800 (99), 1310 (21)
		Pb x-rays	11 (13), 73 (2.5), 75 (4.3), 85 (1.9)
Pb <sup>210</sup> 22.3 y	Bi <sup>210</sup>	β <sup>-</sup>	17 (80.2), 63 (19.8)
		γ	47 (4.05)
		Bi x-rays	11 (24.3)

Bi<sup>210</sup> decays ~100 % of the time by β<sup>-</sup> to Po<sup>210</sup> & 0.00013 % of the time by α to Tl<sup>206</sup>

Bi <sup>210</sup> 5.01d	Po <sup>210</sup> Tl <sup>206</sup>	β <sup>-</sup>	1161 (99.9998)
		α	4650 (0.00007), 4690 (0.00005)

Po <sup>210</sup> 138.4d	Pb <sup>206</sup>	α	5305 (99.9989)
-----------------------------	-------------------	---	----------------

Tl <sup>206</sup> 4.19m	Pb <sup>206</sup>	β <sup>-</sup>	1520 (100)
----------------------------	-------------------	----------------	------------

Pb<sup>206</sup> is stable

26

Progeny		kev and % abundance	
Po <sup>214</sup> 164 μs	Pb <sup>210</sup>	α	7687 (99.989), 6892 (0.01)
		γ	797 (0.013)
Tl <sup>210</sup> 1.30m	Pb <sup>210</sup>	β <sup>-</sup>	1320 (25), 1870 (56), 2340 (19)
		γ	298 (79), 800 (99), 1310 (21)
		Pb x-rays	11 (13), 73 (2.5), 75 (4.3), 85 (1.9)
Pb <sup>210</sup> 22.3 y	Bi <sup>210</sup>	β <sup>-</sup>	17 (80.2), 63 (19.8)
		γ	47 (4.05)
		Bi x-rays	11 (24.3)

Bi<sup>210</sup> decays ~100 % of the time by β<sup>-</sup> to Po<sup>210</sup> & 0.00013 % of the time by α to Tl<sup>206</sup>

Bi <sup>210</sup> 5.01d	Po <sup>210</sup> Tl <sup>206</sup>	β <sup>-</sup>	1161 (99.9998)
		α	4650 (0.00007), 4690 (0.00005)

Po <sup>210</sup> 138.4d	Pb <sup>206</sup>	α	5305 (99.9989)
-----------------------------	-------------------	---	----------------

Tl <sup>206</sup> 4.19m	Pb <sup>206</sup>	β <sup>-</sup>	1520 (100)
----------------------------	-------------------	----------------	------------

Pb<sup>206</sup> is stable

26

**Neptunium Decay Chain (4n + 1)**

1 <sup>st</sup> Progeny		kev and % abundance	
Pu <sup>241</sup> decays ~100 % of the time by β <sup>-</sup> to Am <sup>241</sup> & 0.0023 % of the time by α to U <sup>237</sup>			
Pu <sup>241</sup> 14.4y	Am <sup>241</sup> U <sup>237</sup>	β <sup>-</sup> α	21 (~100.0) 4850 (0.0003), 4900 (0.0019)
Am <sup>241</sup> 432.2y	Np <sup>237</sup>	α γ Np x-rays	5440 (13), 5490 (85) 26 (2.4), 33 (0.1), 59.5 (36) 14 (43)
U <sup>237</sup> 6.75d	Np <sup>237</sup>	β <sup>-</sup> γ Np x-rays	248 (96) 26 (2.3), 59.5 (34), 208 (22) 4 (71), 97 (16), 101 (26), 114 (12)
Np <sup>237</sup> 2.14E6y	Pa <sup>233</sup>	α γ Pa x-rays	4650 (12), 4780 (75) 30 (14), 86 (14), 145 (1) 13.3 (59), 92 (1.58), 96 (2.6), 108 (1.2)
Pa <sup>233</sup> 27.0d	U <sup>233</sup>	β <sup>-</sup> γ U x-rays	145 (37), 257 (58), 568 (5) 75 (1.2), 87 (1.9), 311 (49) 14 (49), 96 (28), 111 (8)
U <sup>233</sup> 1.592E5y	Th <sup>229</sup>	α Th x-rays	4780 (15), 4820 (83) 13 (3.9)
Th <sup>229</sup> 7.34E3y	Ra <sup>225</sup>	α γ Ra x-rays	4840 (58), 4900 (11), 5050 (7) 31 (4), 137 (2), 211 (3.3) 12 (81), 85 (16), 100 (12)

27

**Neptunium Decay Chain (4n + 1)**

1 <sup>st</sup> Progeny		kev and % abundance	
Pu <sup>241</sup> decays ~100 % of the time by β <sup>-</sup> to Am <sup>241</sup> & 0.0023 % of the time by α to U <sup>237</sup>			
Pu <sup>241</sup> 14.4y	Am <sup>241</sup> U <sup>237</sup>	β <sup>-</sup> α	21 (~100.0) 4850 (0.0003), 4900 (0.0019)
Am <sup>241</sup> 432.2y	Np <sup>237</sup>	α γ Np x-rays	5440 (13), 5490 (85) 26 (2.4), 33 (0.1), 59.5 (36) 14 (43)
U <sup>237</sup> 6.75d	Np <sup>237</sup>	β <sup>-</sup> γ Np x-rays	248 (96) 26 (2.3), 59.5 (34), 208 (22) 4 (71), 97 (16), 101 (26), 114 (12)
Np <sup>237</sup> 2.14E6y	Pa <sup>233</sup>	α γ Pa x-rays	4650 (12), 4780 (75) 30 (14), 86 (14), 145 (1) 13.3 (59), 92 (1.58), 96 (2.6), 108 (1.2)
Pa <sup>233</sup> 27.0d	U <sup>233</sup>	β <sup>-</sup> γ U x-rays	145 (37), 257 (58), 568 (5) 75 (1.2), 87 (1.9), 311 (49) 14 (49), 96 (28), 111 (8)
U <sup>233</sup> 1.592E5y	Th <sup>229</sup>	α Th x-rays	4780 (15), 4820 (83) 13 (3.9)
Th <sup>229</sup> 7.34E3y	Ra <sup>225</sup>	α γ Ra x-rays	4840 (58), 4900 (11), 5050 (7) 31 (4), 137 (2), 211 (3.3) 12 (81), 85 (16), 100 (12)

27

**Neptunium Decay Chain (4n + 1)**

1 <sup>st</sup> Progeny		kev and % abundance	
Pu <sup>241</sup> decays ~100 % of the time by β <sup>-</sup> to Am <sup>241</sup> & 0.0023 % of the time by α to U <sup>237</sup>			
Pu <sup>241</sup> 14.4y	Am <sup>241</sup> U <sup>237</sup>	β <sup>-</sup> α	21 (~100.0) 4850 (0.0003), 4900 (0.0019)
Am <sup>241</sup> 432.2y	Np <sup>237</sup>	α γ Np x-rays	5440 (13), 5490 (85) 26 (2.4), 33 (0.1), 59.5 (36) 14 (43)
U <sup>237</sup> 6.75d	Np <sup>237</sup>	β <sup>-</sup> γ Np x-rays	248 (96) 26 (2.3), 59.5 (34), 208 (22) 4 (71), 97 (16), 101 (26), 114 (12)
Np <sup>237</sup> 2.14E6y (1.2)	Pa <sup>233</sup>	α γ Pa x-rays	4650 (12), 4780 (75) 30 (14), 86 (14), 145 (1) 13.3 (59), 92 (1.58), 96 (2.6), 108 (1.2)
Pa <sup>233</sup> 27.0d	U <sup>233</sup>	β <sup>-</sup> γ U x-rays	145 (37), 257 (58), 568 (5) 75 (1.2), 87 (1.9), 311 (49) 14 (49), 96 (28), 111 (8)
U <sup>233</sup> 1.592E5y	Th <sup>229</sup>	α Th x-rays	4780 (15), 4820 (83) 13 (3.9)
Th <sup>229</sup> 7.34E3y	Ra <sup>225</sup>	α γ Ra x-rays	4840 (58), 4900 (11), 5050 (7) 31 (4), 137 (2), 211 (3.3) 12 (81), 85 (16), 100 (12)

27

**Neptunium Decay Chain (4n + 1)**

1 <sup>st</sup> Progeny		kev and % abundance	
Pu <sup>241</sup> decays ~100 % of the time by β <sup>-</sup> to Am <sup>241</sup> & 0.0023 % of the time by α to U <sup>237</sup>			
Pu <sup>241</sup> 14.4y	Am <sup>241</sup> U <sup>237</sup>	β <sup>-</sup> α	21 (~100.0) 4850 (0.0003), 4900 (0.0019)
Am <sup>241</sup> 432.2y	Np <sup>237</sup>	α γ Np x-rays	5440 (13), 5490 (85) 26 (2.4), 33 (0.1), 59.5 (36) 14 (43)
U <sup>237</sup> 6.75d	Np <sup>237</sup>	β <sup>-</sup> γ Np x-rays	248 (96) 26 (2.3), 59.5 (34), 208 (22) 4 (71), 97 (16), 101 (26), 114 (12)
Np <sup>237</sup> 2.14E6y (1.2)	Pa <sup>233</sup>	α γ Pa x-rays	4650 (12), 4780 (75) 30 (14), 86 (14), 145 (1) 13.3 (59), 92 (1.58), 96 (2.6), 108 (1.2)
Pa <sup>233</sup> 27.0d	U <sup>233</sup>	β <sup>-</sup> γ U x-rays	145 (37), 257 (58), 568 (5) 75 (1.2), 87 (1.9), 311 (49) 14 (49), 96 (28), 111 (8)
U <sup>233</sup> 1.592E5y	Th <sup>229</sup>	α Th x-rays	4780 (15), 4820 (83) 13 (3.9)
Th <sup>229</sup> 7.34E3y	Ra <sup>225</sup>	α γ Ra x-rays	4840 (58), 4900 (11), 5050 (7) 31 (4), 137 (2), 211 (3.3) 12 (81), 85 (16), 100 (12)

27

	Progeny		kev and % abundance
Ra <sup>225</sup> 14.8d	Ac <sup>225</sup>	β <sup>-</sup>	320 (100.0)
		γ	40 (31)
		Ac x-rays	13 (16)
Ac <sup>225</sup> 10.0d	Fr <sup>221</sup>	β <sup>-</sup>	21 (~100.0)
		γ	63 (0.6), 100 (3), 150 (1)
		Fr x-rays	12 (21), 85 (3), 98 (0.8)
Fr <sup>221</sup> 4.8m	At <sup>217</sup>	α	6126 (15), 6242 (1.4), 6340 (83.4)
		γ	100 (0.2), 218 (12.5), 412 (0.1)
		At x-rays	11 (2.3), 80 (2), 92 (0.6)
At <sup>217</sup> 0.0323s	Bj <sup>213</sup>	α	7066 (99.9)
		γ	595 (0.04)

Bi<sup>213</sup> decays 97.84 % of the time by β<sup>-</sup> to Po<sup>213</sup> & 2.16 % of the time by α to Tl<sup>209</sup>

Bi <sup>213</sup> 45.65m	Po <sup>213</sup>	β <sup>-</sup>	320 (1.06), 980 (32), 1420 (64)
		γ	293 (0.7), 440 (28), 1100 (0.5)
		Po x-rays	11 (1.8), 78 (3.4), 90 (1)
	Tl <sup>209</sup>	α	5549 (0.16), 5870 (2)
Po <sup>213</sup> 4.2E-6s	Pb <sup>209</sup>	α	8377 (~ 100.0)
Tl <sup>209</sup> 2.20m	Pb <sup>209</sup>	β <sup>-</sup>	1825 (100.0)
		γ	117 (77), 465 (96.6), 1567 (99.7)
		Pb x-rays	10.6 (8.7), 74 (16), 85 (4.4)
Pb <sup>209</sup> 3.253h	Bj <sup>209</sup>	β <sup>-</sup>	645 (100)
	Bj <sup>209</sup> is stable		

	Progeny		kev and % abundance
Ra <sup>225</sup> 14.8d	Ac <sup>225</sup>	β <sup>-</sup>	320 (100.0)
		γ	40 (31)
		Ac x-rays	13 (16)
Ac <sup>225</sup> 10.0d	Fr <sup>221</sup>	β <sup>-</sup>	21 (~100.0)
		γ	63 (0.6), 100 (3), 150 (1)
		Fr x-rays	12 (21), 85 (3), 98 (0.8)
Fr <sup>221</sup> 4.8m	At <sup>217</sup>	α	6126 (15), 6242 (1.4), 6340 (83.4)
		γ	100 (0.2), 218 (12.5), 412 (0.1)
		At x-rays	11 (2.3), 80 (2), 92 (0.6)
At <sup>217</sup> 0.0323s	Bj <sup>213</sup>	α	7066 (99.9)
		γ	595 (0.04)

Bi<sup>213</sup> decays 97.84 % of the time by β<sup>-</sup> to Po<sup>213</sup> & 2.16 % of the time by α to Tl<sup>209</sup>

Bi <sup>213</sup> 45.65m	Po <sup>213</sup>	β <sup>-</sup>	320 (1.06), 980 (32), 1420 (64)
		γ	293 (0.7), 440 (28), 1100 (0.5)
		Po x-rays	11 (1.8), 78 (3.4), 90 (1)
	Tl <sup>209</sup>	α	5549 (0.16), 5870 (2)
Po <sup>213</sup> 4.2E-6s	Pb <sup>209</sup>	α	8377 (~ 100.0)
Tl <sup>209</sup> 2.20m	Pb <sup>209</sup>	β <sup>-</sup>	1825 (100.0)
		γ	117 (77), 465 (96.6), 1567 (99.7)
		Pb x-rays	10.6 (8.7), 74 (16), 85 (4.4)
Pb <sup>209</sup> 3.253h	Bj <sup>209</sup>	β <sup>-</sup>	645 (100)
	Bj <sup>209</sup> is stable		

	Progeny		kev and % abundance
Ra <sup>225</sup> 14.8d	Ac <sup>225</sup>	β <sup>-</sup>	320 (100.0)
		γ	40 (31)
		Ac x-rays	13 (16)
Ac <sup>225</sup> 10.0d	Fr <sup>221</sup>	β <sup>-</sup>	21 (~100.0)
		γ	63 (0.6), 100 (3), 150 (1)
		Fr x-rays	12 (21), 85 (3), 98 (0.8)
Fr <sup>221</sup> 4.8m	At <sup>217</sup>	α	6126 (15), 6242 (1.4), 6340 (83.4)
		γ	100 (0.2), 218 (12.5), 412 (0.1)
		At x-rays	11 (2.3), 80 (2), 92 (0.6)
At <sup>217</sup> 0.0323s	Bj <sup>213</sup>	α	7066 (99.9)
		γ	595 (0.04)

Bi<sup>213</sup> decays 97.84 % of the time by β<sup>-</sup> to Po<sup>213</sup> & 2.16 % of the time by α to Tl<sup>209</sup>

Bi <sup>213</sup> 45.65m	Po <sup>213</sup>	β <sup>-</sup>	320 (1.06), 980 (32), 1420 (64)
		γ	293 (0.7), 440 (28), 1100 (0.5)
		Po x-rays	11 (1.8), 78 (3.4), 90 (1)
	Tl <sup>209</sup>	α	5549 (0.16), 5870 (2)
Po <sup>213</sup> 4.2E-6s	Pb <sup>209</sup>	α	8377 (~ 100.0)
Tl <sup>209</sup> 2.20m	Pb <sup>209</sup>	β <sup>-</sup>	1825 (100.0)
		γ	117 (77), 465 (96.6), 1567 (99.7)
		Pb x-rays	10.6 (8.7), 74 (16), 85 (4.4)
Pb <sup>209</sup> 3.253h	Bj <sup>209</sup>	β <sup>-</sup>	645 (100)
	Bj <sup>209</sup> is stable		

	Progeny		kev and % abundance
Ra <sup>225</sup> 14.8d	Ac <sup>225</sup>	β <sup>-</sup>	320 (100.0)
		γ	40 (31)
		Ac x-rays	13 (16)
Ac <sup>225</sup> 10.0d	Fr <sup>221</sup>	β <sup>-</sup>	21 (~100.0)
		γ	63 (0.6), 100 (3), 150 (1)
		Fr x-rays	12 (21), 85 (3), 98 (0.8)
Fr <sup>221</sup> 4.8m	At <sup>217</sup>	α	6126 (15), 6242 (1.4), 6340 (83.4)
		γ	100 (0.2), 218 (12.5), 412 (0.1)
		At x-rays	11 (2.3), 80 (2), 92 (0.6)
At <sup>217</sup> 0.0323s	Bj <sup>213</sup>	α	7066 (99.9)
		γ	595 (0.04)

Bi<sup>213</sup> decays 97.84 % of the time by β<sup>-</sup> to Po<sup>213</sup> & 2.16 % of the time by α to Tl<sup>209</sup>

Bi <sup>213</sup> 45.65m	Po <sup>213</sup>	β <sup>-</sup>	320 (1.06), 980 (32), 1420 (64)
		γ	293 (0.7), 440 (28), 1100 (0.5)
		Po x-rays	11 (1.8), 78 (3.4), 90 (1)
	Tl <sup>209</sup>	α	5549 (0.16), 5870 (2)
Po <sup>213</sup> 4.2E-6s	Pb <sup>209</sup>	α	8377 (~ 100.0)
Tl <sup>209</sup> 2.20m	Pb <sup>209</sup>	β <sup>-</sup>	1825 (100.0)
		γ	117 (77), 465 (96.6), 1567 (99.7)
		Pb x-rays	10.6 (8.7), 74 (16), 85 (4.4)
Pb <sup>209</sup> 3.253h	Bj <sup>209</sup>	β <sup>-</sup>	645 (100)
	Bj <sup>209</sup> is stable		

Actinium Decay Chain (4n + 3)			
1 <sup>st</sup> Progeny		kev and % abundance	
U <sup>235</sup> 7.08E8y	Th <sup>231</sup>	α γ	4370 (18), 4400 (57), 4580 (8) 143 (11), 185 (54), 204 (5)
Th <sup>231</sup> 25.55h	Pa <sup>231</sup>	β <sup>-</sup> γ	140 (45), 220 (15), 305 (40) 26 (2), 84 (10)
Pa <sup>231</sup> 3.48E4y	Ac <sup>227</sup>	α γ	4950 (22), 5010 (24), 5020 (23) 27 (6), 29 (6)
Ac <sup>227</sup> decays 98.62 % of the time by β <sup>-</sup> to Th <sup>227</sup> & 1.38 % of the time by α to Fr <sup>223</sup>			

Ac <sup>227</sup> 21.77y	Th <sup>227</sup>	β <sup>-</sup> γ	43 (98.6) 70 (0.08)
	Fr <sup>223</sup>	α	4860 (0.18), 4950 (1.2)
Th <sup>227</sup> 18.72d	Ra <sup>223</sup>	α γ	5760 (21), 5980 (24), 6040 (23) 50 (8), 237 (15), 31 (8)
Fr <sup>223</sup> 21.8m	Ra <sup>223</sup>	β <sup>-</sup> γ	1150 (~100) 50 (8), 80 (13), 234 (4)
Ra <sup>223</sup> 11.435d	Rn <sup>219</sup>	α γ	5610 (26), 5710 (54), 5750 (9) 33 (6), 149 (10), 270 (10)

29

Actinium Decay Chain (4n + 3)			
1 <sup>st</sup> Progeny		kev and % abundance	
U <sup>235</sup> 7.08E8y	Th <sup>231</sup>	α γ	4370 (18), 4400 (57), 4580 (8) 143 (11), 185 (54), 204 (5)
Th <sup>231</sup> 25.55h	Pa <sup>231</sup>	β <sup>-</sup> γ	140 (45), 220 (15), 305 (40) 26 (2), 84 (10)
Pa <sup>231</sup> 3.48E4y	Ac <sup>227</sup>	α γ	4950 (22), 5010 (24), 5020 (23) 27 (6), 29 (6)
Ac <sup>227</sup> decays 98.62 % of the time by β <sup>-</sup> to Th <sup>227</sup> & 1.38 % of the time by α to Fr <sup>223</sup>			

Ac <sup>227</sup> 21.77y	Th <sup>227</sup>	β <sup>-</sup> γ	43 (98.6) 70 (0.08)
	Fr <sup>223</sup>	α	4860 (0.18), 4950 (1.2)
Th <sup>227</sup> 18.72d	Ra <sup>223</sup>	α γ	5760 (21), 5980 (24), 6040 (23) 50 (8), 237 (15), 31 (8)
Fr <sup>223</sup> 21.8m	Ra <sup>223</sup>	β <sup>-</sup> γ	1150 (~100) 50 (8), 80 (13), 234 (4)
Ra <sup>223</sup> 11.435d	Rn <sup>219</sup>	α γ	5610 (26), 5710 (54), 5750 (9) 33 (6), 149 (10), 270 (10)

29

Actinium Decay Chain (4n + 3)			
1 <sup>st</sup> Progeny		kev and % abundance	
U <sup>235</sup> 7.08E8y	Th <sup>231</sup>	α γ	4370 (18), 4400 (57), 4580 (8) 143 (11), 185 (54), 204 (5)
Th <sup>231</sup> 25.55h	Pa <sup>231</sup>	β <sup>-</sup> γ	140 (45), 220 (15), 305 (40) 26 (2), 84 (10)
Pa <sup>231</sup> 3.48E4y	Ac <sup>227</sup>	α γ	4950 (22), 5010 (24), 5020 (23) 27 (6), 29 (6)
Ac <sup>227</sup> decays 98.62 % of the time by β <sup>-</sup> to Th <sup>227</sup> & 1.38 % of the time by α to Fr <sup>223</sup>			

Ac <sup>227</sup> 21.77y	Th <sup>227</sup>	β <sup>-</sup> γ	43 (98.6) 70 (0.08)
	Fr <sup>223</sup>	α	4860 (0.18), 4950 (1.2)
Th <sup>227</sup> 18.72d	Ra <sup>223</sup>	α γ	5760 (21), 5980 (24), 6040 (23) 50 (8), 237 (15), 31 (8)
Fr <sup>223</sup> 21.8m	Ra <sup>223</sup>	β <sup>-</sup> γ	1150 (~100) 50 (8), 80 (13), 234 (4)
Ra <sup>223</sup> 11.435d	Rn <sup>219</sup>	α γ	5610 (26), 5710 (54), 5750 (9) 33 (6), 149 (10), 270 (10)

29

Actinium Decay Chain (4n + 3)			
1 <sup>st</sup> Progeny		kev and % abundance	
U <sup>235</sup> 7.08E8y	Th <sup>231</sup>	α γ	4370 (18), 4400 (57), 4580 (8) 143 (11), 185 (54), 204 (5)
Th <sup>231</sup> 25.55h	Pa <sup>231</sup>	β <sup>-</sup> γ	140 (45), 220 (15), 305 (40) 26 (2), 84 (10)
Pa <sup>231</sup> 3.48E4y	Ac <sup>227</sup>	α γ	4950 (22), 5010 (24), 5020 (23) 27 (6), 29 (6)
Ac <sup>227</sup> decays 98.62 % of the time by β <sup>-</sup> to Th <sup>227</sup> & 1.38 % of the time by α to Fr <sup>223</sup>			

Ac <sup>227</sup> 21.77y	Th <sup>227</sup>	β <sup>-</sup> γ	43 (98.6) 70 (0.08)
	Fr <sup>223</sup>	α	4860 (0.18), 4950 (1.2)
Th <sup>227</sup> 18.72d	Ra <sup>223</sup>	α γ	5760 (21), 5980 (24), 6040 (23) 50 (8), 237 (15), 31 (8)
Fr <sup>223</sup> 21.8m	Ra <sup>223</sup>	β <sup>-</sup> γ	1150 (~100) 50 (8), 80 (13), 234 (4)
Ra <sup>223</sup> 11.435d	Rn <sup>219</sup>	α γ	5610 (26), 5710 (54), 5750 (9) 33 (6), 149 (10), 270 (10)

29

Progeny		kev and % abundance	
Rn <sup>219</sup> 3.96s	Po <sup>215</sup> α γ	α γ	6420 (8), 6550 (11), 6820 (81) 272 (9), 401 (5)
Po <sup>215</sup> decays ~100 % of the time by α to Pb <sup>211</sup> & 0.00023 % of the time by β <sup>-</sup> to At <sup>215</sup>			
Po <sup>215</sup> 1.778ms	Pb <sup>211</sup> α At <sup>215</sup> β <sup>-</sup>	α β <sup>-</sup>	7380 (~100) 740 (0.00023)
At <sup>215</sup> 0.1ms	Bi <sup>211</sup> α	α	8010 (100)
Pb <sup>211</sup> 36.1m	Bi <sup>211</sup> β <sup>-</sup> γ	β <sup>-</sup> γ	290 (1.4), 560 (9.4), 1390 (87.5) 405 (3.4), 427 (1.8), 832 (3.4)
Bi <sup>211</sup> decays 99.73 % of the time by α to Tl <sup>207</sup> & 0.273 % of the time by β <sup>-</sup> to Po <sup>211</sup>			
Bi <sup>211</sup> 2.13m	Tl <sup>207</sup> α γ Po <sup>211</sup> β <sup>-</sup>	α γ β <sup>-</sup>	6280 (16), 6620 (84) 351 (14) 600 (0.28)
Po <sup>211</sup> 0.516s	Pb <sup>207</sup> α γ	α γ	7450 (99) 570 (0.5), 900 (0.5)
Tl <sup>207</sup> 4.77m	Pb <sup>207</sup> β <sup>-</sup> γ	β <sup>-</sup> γ	1440 (99.8) 897 (0.16)
Pb <sup>207</sup> is stable			
		30	

Progeny		kev and % abundance	
Rn <sup>219</sup> 3.96s	Po <sup>215</sup> α γ	α γ	6420 (8), 6550 (11), 6820 (81) 272 (9), 401 (5)
Po <sup>215</sup> decays ~100 % of the time by α to Pb <sup>211</sup> & 0.00023 % of the time by β <sup>-</sup> to At <sup>215</sup>			
Po <sup>215</sup> 1.778ms	Pb <sup>211</sup> α At <sup>215</sup> β <sup>-</sup>	α β <sup>-</sup>	7380 (~100) 740 (0.00023)
At <sup>215</sup> 0.1ms	Bi <sup>211</sup> α	α	8010 (100)
Pb <sup>211</sup> 36.1m	Bi <sup>211</sup> β <sup>-</sup> γ	β <sup>-</sup> γ	290 (1.4), 560 (9.4), 1390 (87.5) 405 (3.4), 427 (1.8), 832 (3.4)
Bi <sup>211</sup> decays 99.73 % of the time by α to Tl <sup>207</sup> & 0.273 % of the time by β <sup>-</sup> to Po <sup>211</sup>			
Bi <sup>211</sup> 2.13m	Tl <sup>207</sup> α γ Po <sup>211</sup> β <sup>-</sup>	α γ β <sup>-</sup>	6280 (16), 6620 (84) 351 (14) 600 (0.28)
Po <sup>211</sup> 0.516s	Pb <sup>207</sup> α γ	α γ	7450 (99) 570 (0.5), 900 (0.5)
Tl <sup>207</sup> 4.77m	Pb <sup>207</sup> β <sup>-</sup> γ	β <sup>-</sup> γ	1440 (99.8) 897 (0.16)
Pb <sup>207</sup> is stable			
		30	

Progeny		kev and % abundance	
Rn <sup>219</sup> 3.96s	Po <sup>215</sup> α γ	α γ	6420 (8), 6550 (11), 6820 (81) 272 (9), 401 (5)
Po <sup>215</sup> decays ~100 % of the time by α to Pb <sup>211</sup> & 0.00023 % of the time by β <sup>-</sup> to At <sup>215</sup>			
Po <sup>215</sup> 1.778ms	Pb <sup>211</sup> α At <sup>215</sup> β <sup>-</sup>	α β <sup>-</sup>	7380 (~100) 740 (0.00023)
At <sup>215</sup> 0.1ms	Bi <sup>211</sup> α	α	8010 (100)
Pb <sup>211</sup> 36.1m	Bi <sup>211</sup> β <sup>-</sup> γ	β <sup>-</sup> γ	290 (1.4), 560 (9.4), 1390 (87.5) 405 (3.4), 427 (1.8), 832 (3.4)
Bi <sup>211</sup> decays 99.73 % of the time by α to Tl <sup>207</sup> & 0.273 % of the time by β <sup>-</sup> to Po <sup>211</sup>			
Bi <sup>211</sup> 2.13m	Tl <sup>207</sup> α γ Po <sup>211</sup> β <sup>-</sup>	α γ β <sup>-</sup>	6280 (16), 6620 (84) 351 (14) 600 (0.28)
Po <sup>211</sup> 0.516s	Pb <sup>207</sup> α γ	α γ	7450 (99) 570 (0.5), 900 (0.5)
Tl <sup>207</sup> 4.77m	Pb <sup>207</sup> β <sup>-</sup> γ	β <sup>-</sup> γ	1440 (99.8) 897 (0.16)
Pb <sup>207</sup> is stable			
		30	

Progeny		kev and % abundance	
Rn <sup>219</sup> 3.96s	Po <sup>215</sup> α γ	α γ	6420 (8), 6550 (11), 6820 (81) 272 (9), 401 (5)
Po <sup>215</sup> decays ~100 % of the time by α to Pb <sup>211</sup> & 0.00023 % of the time by β <sup>-</sup> to At <sup>215</sup>			
Po <sup>215</sup> 1.778ms	Pb <sup>211</sup> α At <sup>215</sup> β <sup>-</sup>	α β <sup>-</sup>	7380 (~100) 740 (0.00023)
At <sup>215</sup> 0.1ms	Bi <sup>211</sup> α	α	8010 (100)
Pb <sup>211</sup> 36.1m	Bi <sup>211</sup> β <sup>-</sup> γ	β <sup>-</sup> γ	290 (1.4), 560 (9.4), 1390 (87.5) 405 (3.4), 427 (1.8), 832 (3.4)
Bi <sup>211</sup> decays 99.73 % of the time by α to Tl <sup>207</sup> & 0.273 % of the time by β <sup>-</sup> to Po <sup>211</sup>			
Bi <sup>211</sup> 2.13m	Tl <sup>207</sup> α γ Po <sup>211</sup> β <sup>-</sup>	α γ β <sup>-</sup>	6280 (16), 6620 (84) 351 (14) 600 (0.28)
Po <sup>211</sup> 0.516s	Pb <sup>207</sup> α γ	α γ	7450 (99) 570 (0.5), 900 (0.5)
Tl <sup>207</sup> 4.77m	Pb <sup>207</sup> β <sup>-</sup> γ	β <sup>-</sup> γ	1440 (99.8) 897 (0.16)
Pb <sup>207</sup> is stable			
		30	

$$\text{Ci/g} = 3.578\text{E}5 / (T_{1/2} \text{ in years} \times \text{atomic mass})$$

$$\text{GBq/g} = 1.324\text{E}7 / (T_{1/2} \text{ in years} \times \text{atomic mass})$$

	Half-Life	Rem/hr / Ci		Sv/hr / GBq	
		Ci/g	@ 30 cm	GBq/g	@ 30cm
Ac <sup>227</sup>	21.77y	72.40	N/A	2.68E3	N/A
Ac <sup>228</sup>	6.15h	2.24E6	2.82	8.29E7	7.62E-4
Ag <sup>110</sup>	24.6s	4.17E9	0.18	1.54E11	4.79E-5
Ag <sup>110m</sup>	249.79d	13.03	14.66	482	3.97E-3
Ag <sup>111</sup>	7.45d	65.79	0.16	2.43E3	4.20E-5
Al <sup>26</sup>	7.3E5y	0.019	16.6	0.699	4.49E-3
Am <sup>241</sup>	432.7y	3.43	0.19	127	5.04E-5
Am <sup>242</sup>	16.02h	8.08E5	0.23	2.99E7	6.25E-5
Am <sup>243</sup>	7370y	0.20	0.23	7.40	6.22E-5
Ar <sup>37</sup>	35.04d	1.01E5	N/A	3.73E6	N/A
Ar <sup>39</sup>	269.0y	34.14	N/A	1.26E3	N/A
Ar <sup>41</sup>	1.82h	4.20E7	7.73	1.55E9	2.09E-3
Ar <sup>42</sup>	32.90y	259.20	N/A	9.59E3	N/A
As <sup>74</sup>	17.8d	9.91E4	0.586	3.67E6	1.58E-4
At <sup>215</sup>	0.100us	5.25E14	N/A	1.94E16	N/A
At <sup>216</sup>	300us	1.74E14	N/A	6.44E15	N/A
At <sup>218</sup>	1.6s	3.23E10	N/A	1.20E12	N/A
Au <sup>198</sup>	2.695d	2.12E10	0.279	7.84E11	7.55E-5
Ba <sup>131</sup>	11.5d	8.68E4	2.15	3.21E6	5.82E-4
Ba <sup>133</sup>	10.52y	255.90	2.22	9.47E3	6.01E-4
Ba <sup>137m</sup>	2.552m	5.37E8	4.44	1.99E10	1.20E-3
Ba <sup>139</sup>	83.06m	1.63E7	0.173	6.03E8	4.68E-5
Ba <sup>140</sup>	12.75d	7.32E4	0.871	2.71E6	2.36E-4
Ba <sup>141</sup>	18.27m	7.31E7	2.4	2.70E9	6.50E-4

31

$$\text{Ci/g} = 3.578\text{E}5 / (T_{1/2} \text{ in years} \times \text{atomic mass})$$

$$\text{GBq/g} = 1.324\text{E}7 / (T_{1/2} \text{ in years} \times \text{atomic mass})$$

	Half-Life	Rem/hr / Ci		Sv/hr / GBq	
		Ci/g	@ 30 cm	GBq/g	@ 30cm
Ac <sup>227</sup>	21.77y	72.40	N/A	2.68E3	N/A
Ac <sup>228</sup>	6.15h	2.24E6	2.82	8.29E7	7.62E-4
Ag <sup>110</sup>	24.6s	4.17E9	0.18	1.54E11	4.79E-5
Ag <sup>110m</sup>	249.79d	13.03	14.66	482	3.97E-3
Ag <sup>111</sup>	7.45d	65.79	0.16	2.43E3	4.20E-5
Al <sup>26</sup>	7.3E5y	0.019	16.6	0.699	4.49E-3
Am <sup>241</sup>	432.7y	3.43	0.19	127	5.04E-5
Am <sup>242</sup>	16.02h	8.08E5	0.23	2.99E7	6.25E-5
Am <sup>243</sup>	7370y	0.20	0.23	7.40	6.22E-5
Ar <sup>37</sup>	35.04d	1.01E5	N/A	3.73E6	N/A
Ar <sup>39</sup>	269.0y	34.14	N/A	1.26E3	N/A
Ar <sup>41</sup>	1.82h	4.20E7	7.73	1.55E9	2.09E-3
Ar <sup>42</sup>	32.90y	259.20	N/A	9.59E3	N/A
As <sup>74</sup>	17.8d	9.91E4	0.586	3.67E6	1.58E-4
At <sup>215</sup>	0.100us	5.25E14	N/A	1.94E16	N/A
At <sup>216</sup>	300us	1.74E14	N/A	6.44E15	N/A
At <sup>218</sup>	1.6s	3.23E10	N/A	1.20E12	N/A
Au <sup>198</sup>	2.695d	2.12E10	0.279	7.84E11	7.55E-5
Ba <sup>131</sup>	11.5d	8.68E4	2.15	3.21E6	5.82E-4
Ba <sup>133</sup>	10.52y	255.90	2.22	9.47E3	6.01E-4
Ba <sup>137m</sup>	2.552m	5.37E8	4.44	1.99E10	1.20E-3
Ba <sup>139</sup>	83.06m	1.63E7	0.173	6.03E8	4.68E-5
Ba <sup>140</sup>	12.75d	7.32E4	0.871	2.71E6	2.36E-4
Ba <sup>141</sup>	18.27m	7.31E7	2.4	2.70E9	6.50E-4

31

$$\text{Ci/g} = 3.578\text{E}5 / (T_{1/2} \text{ in years} \times \text{atomic mass})$$

$$\text{GBq/g} = 1.324\text{E}7 / (T_{1/2} \text{ in years} \times \text{atomic mass})$$

	Half-Life	Rem/hr / Ci		Sv/hr / GBq	
		Ci/g	@ 30 cm	GBq/g	@ 30cm
Ac <sup>227</sup>	21.77y	72.40	N/A	2.68E3	N/A
Ac <sup>228</sup>	6.15h	2.24E6	2.82	8.29E7	7.62E-4
Ag <sup>110</sup>	24.6s	4.17E9	0.18	1.54E11	4.79E-5
Ag <sup>110m</sup>	249.79d	13.03	14.66	482	3.97E-3
Ag <sup>111</sup>	7.45d	65.79	0.16	2.43E3	4.20E-5
Al <sup>26</sup>	7.3E5y	0.019	16.6	0.699	4.49E-3
Am <sup>241</sup>	432.7y	3.43	0.19	127	5.04E-5
Am <sup>242</sup>	16.02h	8.08E5	0.23	2.99E7	6.25E-5
Am <sup>243</sup>	7370y	0.20	0.23	7.40	6.22E-5
Ar <sup>37</sup>	35.04d	1.01E5	N/A	3.73E6	N/A
Ar <sup>39</sup>	269.0y	34.14	N/A	1.26E3	N/A
Ar <sup>41</sup>	1.82h	4.20E7	7.73	1.55E9	2.09E-3
Ar <sup>42</sup>	32.90y	259.20	N/A	9.59E3	N/A
As <sup>74</sup>	17.8d	9.91E4	0.586	3.67E6	1.58E-4
At <sup>215</sup>	0.100us	5.25E14	N/A	1.94E16	N/A
At <sup>216</sup>	300us	1.74E14	N/A	6.44E15	N/A
At <sup>218</sup>	1.6s	3.23E10	N/A	1.20E12	N/A
Au <sup>198</sup>	2.695d	2.12E10	0.279	7.84E11	7.55E-5
Ba <sup>131</sup>	11.5d	8.68E4	2.15	3.21E6	5.82E-4
Ba <sup>133</sup>	10.52y	255.90	2.22	9.47E3	6.01E-4
Ba <sup>137m</sup>	2.552m	5.37E8	4.44	1.99E10	1.20E-3
Ba <sup>139</sup>	83.06m	1.63E7	0.173	6.03E8	4.68E-5
Ba <sup>140</sup>	12.75d	7.32E4	0.871	2.71E6	2.36E-4
Ba <sup>141</sup>	18.27m	7.31E7	2.4	2.70E9	6.50E-4

31

$$\text{Ci/g} = 3.578\text{E}5 / (T_{1/2} \text{ in years} \times \text{atomic mass})$$

$$\text{GBq/g} = 1.324\text{E}7 / (T_{1/2} \text{ in years} \times \text{atomic mass})$$

	Half-Life	Rem/hr / Ci		Sv/hr / GBq	
		Ci/g	@ 30 cm	GBq/g	@ 30cm
Ac <sup>227</sup>	21.77y	72.40	N/A	2.68E3	N/A
Ac <sup>228</sup>	6.15h	2.24E6	2.82	8.29E7	7.62E-4
Ag <sup>110</sup>	24.6s	4.17E9	0.18	1.54E11	4.79E-5
Ag <sup>110m</sup>	249.79d	13.03	14.66	482	3.97E-3
Ag <sup>111</sup>	7.45d	65.79	0.16	2.43E3	4.20E-5
Al <sup>26</sup>	7.3E5y	0.019	16.6	0.699	4.49E-3
Am <sup>241</sup>	432.7y	3.43	0.19	127	5.04E-5
Am <sup>242</sup>	16.02h	8.08E5	0.23	2.99E7	6.25E-5
Am <sup>243</sup>	7370y	0.20	0.23	7.40	6.22E-5
Ar <sup>37</sup>	35.04d	1.01E5	N/A	3.73E6	N/A
Ar <sup>39</sup>	269.0y	34.14	N/A	1.26E3	N/A
Ar <sup>41</sup>	1.82h	4.20E7	7.73	1.55E9	2.09E-3
Ar <sup>42</sup>	32.90y	259.20	N/A	9.59E3	N/A
As <sup>74</sup>	17.8d	9.91E4	0.586	3.67E6	1.58E-4
At <sup>215</sup>	0.100us	5.25E14	N/A	1.94E16	N/A
At <sup>216</sup>	300us	1.74E14	N/A	6.44E15	N/A
At <sup>218</sup>	1.6s	3.23E10	N/A	1.20E12	N/A
Au <sup>198</sup>	2.695d	2.12E10	0.279	7.84E11	7.55E-5
Ba <sup>131</sup>	11.5d	8.68E4	2.15	3.21E6	5.82E-4
Ba <sup>133</sup>	10.52y	255.90	2.22	9.47E3	6.01E-4
Ba <sup>137m</sup>	2.552m	5.37E8	4.44	1.99E10	1.20E-3
Ba <sup>139</sup>	83.06m	1.63E7	0.173	6.03E8	4.68E-5
Ba <sup>140</sup>	12.75d	7.32E4	0.871	2.71E6	2.36E-4
Ba <sup>141</sup>	18.27m	7.31E7	2.4	2.70E9	6.50E-4

31

	Half-Life	Rem/hr / Ci		Sv/hr / GBq	
		Ci/g	@ 30 cm	GBq/g	@ 30cm
Ba <sup>142</sup>	10.6m	1.25E8	1.01	4.63E9	2.73E-4
Be <sup>7</sup>	53.28d	3.50E5	0.38	1.30E7	1.03E-4
Be <sup>10</sup>	1.51E6y	0.024	N/A	0.875	N/A
Bi <sup>210</sup>	5.01d	1.24E5	N/A	4.59E6	N/A
Bi <sup>210m</sup>	3.04E6y	5.61E-4	2.124	0.0207	5.75E-4
Bi <sup>211</sup>	2.14m	4.17E8	0.273	1.54E10	7.39E-5
Bi <sup>212</sup>	60.6m	1.47E7	N/A	5.44E8	N/A
Bi <sup>213</sup>	45.59m	1.94E7	0.739	7.17E8	2.00E-4
Bi <sup>214</sup>	19.9m	4.41E7	9.31	1.63E9	2.52E-3
Bk <sup>249</sup>	320d	1.64E3	N/A	6.07E4	N/A
Br <sup>82</sup>	17.68m	1.33E8	2.15	4.92E9	5.82E-4
Br <sup>84</sup>	31.8m	7.05E7	0.172	2.61E9	4.66E-5
C <sup>11</sup>	1223s	8.38E8	6.815	3.10E10	1.84E-3
C <sup>14</sup>	5730y	4.46	N/A	165	N/A
Ca <sup>41</sup>	1.03E5y	0.085	N/A	3.14	N/A
Ca <sup>47</sup>	4.536d	6.13E5	0.198	2.27E7	5.36E-5
Cd <sup>113</sup>	7.70E15y	4.12E-13	N/A	1.52E-11	N/A
Cd <sup>118</sup>	50.3m	3.17E7	N/A	1.17E9	N/A
Ce <sup>141</sup>	32.5d	2.85E4	0.422	1.06E6	1.14E-4
Ce <sup>143</sup>	33.1h	6.63E5	1.19	2.45E7	3.22E-4
Cf <sup>249</sup>	351y	4.09	1.98	151	5.35E-4
Cf <sup>252</sup>	2.638y	538	N/A	1.99E4	N/A
Cf <sup>255</sup>	85.0m	8.67E6	N/A	3.21E8	N/A
Cf <sup>256</sup>	12.3m	5.97E7	N/A	2.21E9	N/A
Cl <sup>36</sup>	3.01E5y	0.033	N/A	1.22	N/A
Cl <sup>38</sup>	37.24m	1.33E8	8.92	4.92E9	2.41E-3

32

	Half-Life	Rem/hr / Ci		Sv/hr / GBq	
		Ci/g	@ 30 cm	GBq/g	@ 30cm
Ba <sup>142</sup>	10.6m	1.25E8	1.01	4.63E9	2.73E-4
Be <sup>7</sup>	53.28d	3.50E5	0.38	1.30E7	1.03E-4
Be <sup>10</sup>	1.51E6y	0.024	N/A	0.875	N/A
Bi <sup>210</sup>	5.01d	1.24E5	N/A	4.59E6	N/A
Bi <sup>210m</sup>	3.04E6y	5.61E-4	2.124	0.0207	5.75E-4
Bi <sup>211</sup>	2.14m	4.17E8	0.273	1.54E10	7.39E-5
Bi <sup>212</sup>	60.6m	1.47E7	N/A	5.44E8	N/A
Bi <sup>213</sup>	45.59m	1.94E7	0.739	7.17E8	2.00E-4
Bi <sup>214</sup>	19.9m	4.41E7	9.31	1.63E9	2.52E-3
Bk <sup>249</sup>	320d	1.64E3	N/A	6.07E4	N/A
Br <sup>82</sup>	17.68m	1.33E8	2.15	4.92E9	5.82E-4
Br <sup>84</sup>	31.8m	7.05E7	0.172	2.61E9	4.66E-5
C <sup>11</sup>	1223s	8.38E8	6.815	3.10E10	1.84E-3
C <sup>14</sup>	5730y	4.46	N/A	165	N/A
Ca <sup>41</sup>	1.03E5y	0.085	N/A	3.14	N/A
Ca <sup>47</sup>	4.536d	6.13E5	0.198	2.27E7	5.36E-5
Cd <sup>113</sup>	7.70E15y	4.12E-13	N/A	1.52E-11	N/A
Cd <sup>118</sup>	50.3m	3.17E7	N/A	1.17E9	N/A
Ce <sup>141</sup>	32.5d	2.85E4	0.422	1.06E6	1.14E-4
Ce <sup>143</sup>	33.1h	6.63E5	1.19	2.45E7	3.22E-4
Cf <sup>249</sup>	351y	4.09	1.98	151	5.35E-4
Cf <sup>252</sup>	2.638y	538	N/A	1.99E4	N/A
Cf <sup>255</sup>	85.0m	8.67E6	N/A	3.21E8	N/A
Cf <sup>256</sup>	12.3m	5.97E7	N/A	2.21E9	N/A
Cl <sup>36</sup>	3.01E5y	0.033	N/A	1.22	N/A
Cl <sup>38</sup>	37.24m	1.33E8	8.92	4.92E9	2.41E-3

32

	Half-Life	Rem/hr / Ci		Sv/hr / GBq	
		Ci/g	@ 30 cm	GBq/g	@ 30cm
Ba <sup>142</sup>	10.6m	1.25E8	1.01	4.63E9	2.73E-4
Be <sup>7</sup>	53.28d	3.50E5	0.38	1.30E7	1.03E-4
Be <sup>10</sup>	1.51E6y	0.024	N/A	0.875	N/A
Bi <sup>210</sup>	5.01d	1.24E5	N/A	4.59E6	N/A
Bi <sup>210m</sup>	3.04E6y	5.61E-4	2.124	0.0207	5.75E-4
Bi <sup>211</sup>	2.14m	4.17E8	0.273	1.54E10	7.39E-5
Bi <sup>212</sup>	60.6m	1.47E7	N/A	5.44E8	N/A
Bi <sup>213</sup>	45.59m	1.94E7	0.739	7.17E8	2.00E-4
Bi <sup>214</sup>	19.9m	4.41E7	9.31	1.63E9	2.52E-3
Bk <sup>249</sup>	320d	1.64E3	N/A	6.07E4	N/A
Br <sup>82</sup>	17.68m	1.33E8	2.15	4.92E9	5.82E-4
Br <sup>84</sup>	31.8m	7.05E7	0.172	2.61E9	4.66E-5
C <sup>11</sup>	1223s	8.38E8	6.815	3.10E10	1.84E-3
C <sup>14</sup>	5730y	4.46	N/A	165	N/A
Ca <sup>41</sup>	1.03E5y	0.085	N/A	3.14	N/A
Ca <sup>47</sup>	4.536d	6.13E5	0.198	2.27E7	5.36E-5
Cd <sup>113</sup>	7.70E15y	4.12E-13	N/A	1.52E-11	N/A
Cd <sup>118</sup>	50.3m	3.17E7	N/A	1.17E9	N/A
Ce <sup>141</sup>	32.5d	2.85E4	0.422	1.06E6	1.14E-4
Ce <sup>143</sup>	33.1h	6.63E5	1.19	2.45E7	3.22E-4
Cf <sup>249</sup>	351y	4.09	1.98	151	5.35E-4
Cf <sup>252</sup>	2.638y	538	N/A	1.99E4	N/A
Cf <sup>255</sup>	85.0m	8.67E6	N/A	3.21E8	N/A
Cf <sup>256</sup>	12.3m	5.97E7	N/A	2.21E9	N/A
Cl <sup>36</sup>	3.01E5y	0.033	N/A	1.22	N/A
Cl <sup>38</sup>	37.24m	1.33E8	8.92	4.92E9	2.41E-3

32

	Half-Life	Rem/hr / Ci		Sv/hr / GBq	
		Ci/g	@ 30 cm	GBq/g	@ 30cm
Ba <sup>142</sup>	10.6m	1.25E8	1.01	4.63E9	2.73E-4
Be <sup>7</sup>	53.28d	3.50E5	0.38	1.30E7	1.03E-4
Be <sup>10</sup>	1.51E6y	0.024	N/A	0.875	N/A
Bi <sup>210</sup>	5.01d	1.24E5	N/A	4.59E6	N/A
Bi <sup>210m</sup>	3.04E6y	5.61E-4	2.124	0.0207	5.75E-4
Bi <sup>211</sup>	2.14m	4.17E8	0.273	1.54E10	7.39E-5
Bi <sup>212</sup>	60.6m	1.47E7	N/A	5.44E8	N/A
Bi <sup>213</sup>	45.59m	1.94E7	0.739	7.17E8	2.00E-4
Bi <sup>214</sup>	19.9m	4.41E7	9.31	1.63E9	2.52E-3
Bk <sup>249</sup>	320d	1.64E3	N/A	6.07E4	N/A
Br <sup>82</sup>	17.68m	1.33E8	2.15	4.92E9	5.82E-4
Br <sup>84</sup>	31.8m	7.05E7	0.172	2.61E9	4.66E-5
C <sup>11</sup>	1223s	8.38E8	6.815	3.10E10	1.84E-3
C <sup>14</sup>	5730y	4.46	N/A	165	N/A
Ca <sup>41</sup>	1.03E5y	0.085	N/A	3.14	N/A
Ca <sup>47</sup>	4.536d	6.13E5	0.198	2.27E7	5.36E-5
Cd <sup>113</sup>	7.70E15y	4.12E-13	N/A	1.52E-11	N/A
Cd <sup>118</sup>	50.3m	3.17E7	N/A	1.17E9	N/A
Ce <sup>141</sup>	32.5d	2.85E4	0.422	1.06E6	1.14E-4
Ce <sup>143</sup>	33.1h	6.63E5	1.19	2.45E7	3.22E-4
Cf <sup>249</sup>	351y	4.09	1.98	151	5.35E-4
Cf <sup>252</sup>	2.638y	538	N/A	1.99E4	N/A
Cf <sup>255</sup>	85.0m	8.67E6	N/A	3.21E8	N/A
Cf <sup>256</sup>	12.3m	5.97E7	N/A	2.21E9	N/A
Cl <sup>36</sup>	3.01E5y	0.033	N/A	1.22	N/A
Cl <sup>38</sup>	37.24m	1.33E8	8.92	4.92E9	2.41E-3

32

	Half-Life	Rem/hr / Ci		Sv/hr / GBq	
		Ci/g	@ 30 cm	GBq/g	@ 30cm
Cm <sup>242</sup>	162.8d	3.31E3	N/A	1.22E5	N/A
Cm <sup>243</sup>	29.1y	50.59	0.675	1.87E3	1.83E-4
Cm <sup>244</sup>	18.1y	81.0	N/A	3.00E3	N/A
Cm <sup>245</sup>	8500y	0.17	0.325	6.36	8.80E-5
Cm <sup>247</sup>	1.56E7y	9.28E-5	1.87	3.43E-3	5.06E-4
Co <sup>56</sup>	77.3d	3.02E4	21.36	1.12E6	5.77E-3
Co <sup>57</sup>	271.8d	8.43E3	0.713	3.12E5	4.54E-4
Co <sup>58</sup>	70.88d	3.18E4	6.81	1.18E6	1.84E-3
Co <sup>60</sup>	5.271y	1.13E3	15.19	4.18E4	4.11E-3
Cr <sup>51</sup>	27.70d	9.24E4	0.207	3.42E6	5.61E-5
Cs <sup>134</sup>	2.0648y	1.29E3	10.25	4.79E4	2.77E-3
Cs <sup>134m</sup>	2.903h	8.06E6	0.0986	2.98E8	2.67E-5
Cs <sup>135</sup>	2.30E6y	1.15E-3	N/A	0.0427	N/A
Cs <sup>136</sup>	13.16d	7.30E4	6.85	2.70E6	1.85E-3
Cs <sup>137</sup>	30.17y	86.6 See Ba <sup>137m</sup>	3.20E3	N/A	N/A
Cs <sup>138</sup>	33.41m	4.08E7	2.31	1.51E9	6.25E-4
Cu <sup>61</sup>	3.333h	1.54E7	1.05	5.71E8	2.84E-4
Cu <sup>62</sup>	9.74m	3.11E8	7.85	3.39E7	2.12E-3
Cu <sup>64</sup>	12.7h	3.86E6	1.228	1.43E8	3.33E-4
Dy <sup>154</sup>	3.00E6y	7.75E-4	N/A	0.0287	N/A
Dy <sup>165</sup>	2.334h	8.14E6	0.0918	3.01E8	2.49E-5
Es <sup>253</sup>	20.47d	2.52E4	N/A	9.32E5	N/A
Es <sup>256</sup>	25.4m	2.89E7	N/A	1.07E9	N/A
Eu <sup>152</sup>	13.537y	174.0	5.82	6.44E3	1.58E-3
Eu <sup>154</sup>	8.589y	270.6	7.06	1.00E4	1.91E-3
Eu <sup>155</sup>	4.7611y	485.1	0.319	1.79E4	8.64E-5

33

	Half-Life	Rem/hr / Ci		Sv/hr / GBq	
		Ci/g	@ 30 cm	GBq/g	@ 30cm
Cm <sup>242</sup>	162.8d	3.31E3	N/A	1.22E5	N/A
Cm <sup>243</sup>	29.1y	50.59	0.675	1.87E3	1.83E-4
Cm <sup>244</sup>	18.1y	81.0	N/A	3.00E3	N/A
Cm <sup>245</sup>	8500y	0.17	0.325	6.36	8.80E-5
Cm <sup>247</sup>	1.56E7y	9.28E-5	1.87	3.43E-3	5.06E-4
Co <sup>56</sup>	77.3d	3.02E4	21.36	1.12E6	5.77E-3
Co <sup>57</sup>	271.8d	8.43E3	0.713	3.12E5	4.54E-4
Co <sup>58</sup>	70.88d	3.18E4	6.81	1.18E6	1.84E-3
Co <sup>60</sup>	5.271y	1.13E3	15.19	4.18E4	4.11E-3
Cr <sup>51</sup>	27.70d	9.24E4	0.207	3.42E6	5.61E-5
Cs <sup>134</sup>	2.0648y	1.29E3	10.25	4.79E4	2.77E-3
Cs <sup>134m</sup>	2.903h	8.06E6	0.0986	2.98E8	2.67E-5
Cs <sup>135</sup>	2.30E6y	1.15E-3	N/A	0.0427	N/A
Cs <sup>136</sup>	13.16d	7.30E4	6.85	2.70E6	1.85E-3
Cs <sup>137</sup>	30.17y	86.6 See Ba <sup>137m</sup>	3.20E3	N/A	N/A
Cs <sup>138</sup>	33.41m	4.08E7	2.31	1.51E9	6.25E-4
Cu <sup>61</sup>	3.333h	1.54E7	1.05	5.71E8	2.84E-4
Cu <sup>62</sup>	9.74m	3.11E8	7.85	3.39E7	2.12E-3
Cu <sup>64</sup>	12.7h	3.86E6	1.228	1.43E8	3.33E-4
Dy <sup>154</sup>	3.00E6y	7.75E-4	N/A	0.0287	N/A
Dy <sup>165</sup>	2.334h	8.14E6	0.0918	3.01E8	2.49E-5
Es <sup>253</sup>	20.47d	2.52E4	N/A	9.32E5	N/A
Es <sup>256</sup>	25.4m	2.89E7	N/A	1.07E9	N/A
Eu <sup>152</sup>	13.537y	174.0	5.82	6.44E3	1.58E-3
Eu <sup>154</sup>	8.589y	270.6	7.06	1.00E4	1.91E-3
Eu <sup>155</sup>	4.7611y	485.1	0.319	1.79E4	8.64E-5

33

	Half-Life	Rem/hr / Ci		Sv/hr / GBq	
		Ci/g	@ 30 cm	GBq/g	@ 30cm
Cm <sup>242</sup>	162.8d	3.31E3	N/A	1.22E5	N/A
Cm <sup>243</sup>	29.1y	50.59	0.675	1.87E3	1.83E-4
Cm <sup>244</sup>	18.1y	81.0	N/A	3.00E3	N/A
Cm <sup>245</sup>	8500y	0.17	0.325	6.36	8.80E-5
Cm <sup>247</sup>	1.56E7y	9.28E-5	1.87	3.43E-3	5.06E-4
Co <sup>56</sup>	77.3d	3.02E4	21.36	1.12E6	5.77E-3
Co <sup>57</sup>	271.8d	8.43E3	0.713	3.12E5	4.54E-4
Co <sup>58</sup>	70.88d	3.18E4	6.81	1.18E6	1.84E-3
Co <sup>60</sup>	5.271y	1.13E3	15.19	4.18E4	4.11E-3
Cr <sup>51</sup>	27.70d	9.24E4	0.207	3.42E6	5.61E-5
Cs <sup>134</sup>	2.0648y	1.29E3	10.25	4.79E4	2.77E-3
Cs <sup>134m</sup>	2.903h	8.06E6	0.0986	2.98E8	2.67E-5
Cs <sup>135</sup>	2.30E6y	1.15E-3	N/A	0.0427	N/A
Cs <sup>136</sup>	13.16d	7.30E4	6.85	2.70E6	1.85E-3
Cs <sup>137</sup>	30.17y	86.6 See Ba <sup>137m</sup>	3.20E3	N/A	N/A
Cs <sup>138</sup>	33.41m	4.08E7	2.31	1.51E9	6.25E-4
Cu <sup>61</sup>	3.333h	1.54E7	1.05	5.71E8	2.84E-4
Cu <sup>62</sup>	9.74m	3.11E8	7.85	3.39E7	2.12E-3
Cu <sup>64</sup>	12.7h	3.86E6	1.228	1.43E8	3.33E-4
Dy <sup>154</sup>	3.00E6y	7.75E-4	N/A	0.0287	N/A
Dy <sup>165</sup>	2.334h	8.14E6	0.0918	3.01E8	2.49E-5
Es <sup>253</sup>	20.47d	2.52E4	N/A	9.32E5	N/A
Es <sup>256</sup>	25.4m	2.89E7	N/A	1.07E9	N/A
Eu <sup>152</sup>	13.537y	174.0	5.82	6.44E3	1.58E-3
Eu <sup>154</sup>	8.589y	270.6	7.06	1.00E4	1.91E-3
Eu <sup>155</sup>	4.7611y	485.1	0.319	1.79E4	8.64E-5

33

	Half-Life	Rem/hr / Ci		Sv/hr / GBq	
		Ci/g	@ 30 cm	GBq/g	@ 30cm
Cm <sup>242</sup>	162.8d	3.31E3	N/A	1.22E5	N/A
Cm <sup>243</sup>	29.1y	50.59	0.675	1.87E3	1.83E-4
Cm <sup>244</sup>	18.1y	81.0	N/A	3.00E3	N/A
Cm <sup>245</sup>	8500y	0.17	0.325	6.36	8.80E-5
Cm <sup>247</sup>	1.56E7y	9.28E-5	1.87	3.43E-3	5.06E-4
Co <sup>56</sup>	77.3d	3.02E4	21.36	1.12E6	5.77E-3
Co <sup>57</sup>	271.8d	8.43E3	0.713	3.12E5	4.54E-4
Co <sup>58</sup>	70.88d	3.18E4	6.81	1.18E6	1.84E-3
Co <sup>60</sup>	5.271y	1.13E3	15.19	4.18E4	4.11E-3
Cr <sup>51</sup>	27.70d	9.24E4	0.207	3.42E6	5.61E-5
Cs <sup>134</sup>	2.0648y	1.29E3	10.25	4.79E4	2.77E-3
Cs <sup>134m</sup>	2.903h	8.06E6	0.0986	2.98E8	2.67E-5
Cs <sup>135</sup>	2.30E6y	1.15E-3	N/A	0.0427	N/A
Cs <sup>136</sup>	13.16d	7.30E4	6.85	2.70E6	1.85E-3
Cs <sup>137</sup>	30.17y	86.6 See Ba <sup>137m</sup>	3.20E3	N/A	N/A
Cs <sup>138</sup>	33.41m	4.08E7	2.31	1.51E9	6.25E-4
Cu <sup>61</sup>	3.333h	1.54E7	1.05	5.71E8	2.84E-4
Cu <sup>62</sup>	9.74m	3.11E8	7.85	3.39E7	2.12E-3
Cu <sup>64</sup>	12.7h	3.86E6	1.228	1.43E8	3.33E-4
Dy <sup>154</sup>	3.00E6y	7.75E-4	N/A	0.0287	N/A
Dy <sup>165</sup>	2.334h	8.14E6	0.0918	3.01E8	2.49E-5
Es <sup>253</sup>	20.47d	2.52E4	N/A	9.32E5	N/A
Es <sup>256</sup>	25.4m	2.89E7	N/A	1.07E9	N/A
Eu <sup>152</sup>	13.537y	174.0	5.82	6.44E3	1.58E-3
Eu <sup>154</sup>	8.589y	270.6	7.06	1.00E4	1.91E-3
Eu <sup>155</sup>	4.7611y	485.1	0.319	1.79E4	8.64E-5

33

	Half-Life	Rem/hr / Ci		Sv/hr / GBq	
		Ci/g	@ 30 cm	GBq/g	@ 30cm
Eu <sup>156</sup>	15.19d	5.51E4	1.3	2.04E6	3.52E-4
F <sup>18</sup>	1.830h	9.52E7	7.72	3.52E9	2.09E-3
Fe <sup>55</sup>	2.73y	2.38E3	N/A	8.81E4	N/A
Fe <sup>59</sup>	44.51d	4.97E4	7.34	1.84E6	1.98E-3
Fe <sup>60</sup>	1.50E6y	3.98E-3	N/A	0.147	N/A
Fm <sup>256</sup>	157.6m	4.66E6	N/A	1.72E8	N/A
Fr <sup>219</sup>	20.0ms	2.58E12	N/A	9.53E13	N/A
Fr <sup>221</sup>	4.9m	1.74E8	0.163	6.43E9	4.41E-5
Fr <sup>223</sup>	21.8m	3.87E7	0.0952	1.43E9	2.58E-5
Ga <sup>67</sup>	3.2612d	5.98E5	0.9381	2.21E7	2.54E-4
Gd <sup>148</sup>	75y	32.2	N/A	1.19E3	N/A
Gd <sup>150</sup>	1.79E6y	1.33E-3	N/A	0.0493	N/A
Gd <sup>152</sup>	1.08E14y	2.18E-11	N/A	8.07E-10	N/A
Ge <sup>68</sup>	270.8d	7.09E3	N/A	2.62E5	N/A
H <sup>3</sup>	12.3y	9.70E3	N/A	3.59E5	N/A
Hf <sup>174</sup>	2.00E15y	1.03E-12	N/A	3.81E-11	N/A
Hg <sup>203</sup>	46.612d	1.38E4	1.29	5.11E5	3.49E-4
Ho <sup>163</sup>	4.57E3y	0.48	N/A	17.8	N/A
Ho <sup>166</sup>	26.8h	7.05E5	0.1164	2.61E7	3.15E-5
Ho <sup>166m</sup>	1200y	1.80	5.39	66.5	1.46E-3
I <sup>123</sup>	13.27h	1.92E6	0.796	7.11E7	2.15E-4
I <sup>124</sup>	4.176d	2.52E5	5.53	9.34E6	1.50E-3
I <sup>125</sup>	60.1d	1.74E4	1.664	6.44E5	4.50E-4
I <sup>126</sup>	12.93d	7.97E4	4.34	2.95E6	1.17E-3
I <sup>129</sup>	1.57E7y	1.77E-4	0.736	6.55E-3	1.99E-4
I <sup>130</sup>	12.36h	1.55E6	4.76	5.74E7	1.29E-3

34

	Half-Life	Rem/hr / Ci		Sv/hr / GBq	
		Ci/g	@ 30 cm	GBq/g	@ 30cm
Eu <sup>156</sup>	15.19d	5.51E4	1.3	2.04E6	3.52E-4
F <sup>18</sup>	1.830h	9.52E7	7.72	3.52E9	2.09E-3
Fe <sup>55</sup>	2.73y	2.38E3	N/A	8.81E4	N/A
Fe <sup>59</sup>	44.51d	4.97E4	7.34	1.84E6	1.98E-3
Fe <sup>60</sup>	1.50E6y	3.98E-3	N/A	0.147	N/A
Fm <sup>256</sup>	157.6m	4.66E6	N/A	1.72E8	N/A
Fr <sup>219</sup>	20.0ms	2.58E12	N/A	9.53E13	N/A
Fr <sup>221</sup>	4.9m	1.74E8	0.163	6.43E9	4.41E-5
Fr <sup>223</sup>	21.8m	3.87E7	0.0952	1.43E9	2.58E-5
Ga <sup>67</sup>	3.2612d	5.98E5	0.9381	2.21E7	2.54E-4
Gd <sup>148</sup>	75y	32.2	N/A	1.19E3	N/A
Gd <sup>150</sup>	1.79E6y	1.33E-3	N/A	0.0493	N/A
Gd <sup>152</sup>	1.08E14y	2.18E-11	N/A	8.07E-10	N/A
Ge <sup>68</sup>	270.8d	7.09E3	N/A	2.62E5	N/A
H <sup>3</sup>	12.3y	9.70E3	N/A	3.59E5	N/A
Hf <sup>174</sup>	2.00E15y	1.03E-12	N/A	3.81E-11	N/A
Hg <sup>203</sup>	46.612d	1.38E4	1.29	5.11E5	3.49E-4
Ho <sup>163</sup>	4.57E3y	0.48	N/A	17.8	N/A
Ho <sup>166</sup>	26.8h	7.05E5	0.1164	2.61E7	3.15E-5
Ho <sup>166m</sup>	1200y	1.80	5.39	66.5	1.46E-3
I <sup>123</sup>	13.27h	1.92E6	0.796	7.11E7	2.15E-4
I <sup>124</sup>	4.176d	2.52E5	5.53	9.34E6	1.50E-3
I <sup>125</sup>	60.1d	1.74E4	1.664	6.44E5	4.50E-4
I <sup>126</sup>	12.93d	7.97E4	4.34	2.95E6	1.17E-3
I <sup>129</sup>	1.57E7y	1.77E-4	0.736	6.55E-3	1.99E-4
I <sup>130</sup>	12.36h	1.55E6	4.76	5.74E7	1.29E-3

34

	Half-Life	Rem/hr / Ci		Sv/hr / GBq	
		Ci/g	@ 30 cm	GBq/g	@ 30cm
Eu <sup>156</sup>	15.19d	5.51E4	1.3	2.04E6	3.52E-4
F <sup>18</sup>	1.830h	9.52E7	7.72	3.52E9	2.09E-3
Fe <sup>55</sup>	2.73y	2.38E3	N/A	8.81E4	N/A
Fe <sup>59</sup>	44.51d	4.97E4	7.34	1.84E6	1.98E-3
Fe <sup>60</sup>	1.50E6y	3.98E-3	N/A	0.147	N/A
Fm <sup>256</sup>	157.6m	4.66E6	N/A	1.72E8	N/A
Fr <sup>219</sup>	20.0ms	2.58E12	N/A	9.53E13	N/A
Fr <sup>221</sup>	4.9m	1.74E8	0.163	6.43E9	4.41E-5
Fr <sup>223</sup>	21.8m	3.87E7	0.0952	1.43E9	2.58E-5
Ga <sup>67</sup>	3.2612d	5.98E5	0.9381	2.21E7	2.54E-4
Gd <sup>148</sup>	75y	32.2	N/A	1.19E3	N/A
Gd <sup>150</sup>	1.79E6y	1.33E-3	N/A	0.0493	N/A
Gd <sup>152</sup>	1.08E14y	2.18E-11	N/A	8.07E-10	N/A
Ge <sup>68</sup>	270.8d	7.09E3	N/A	2.62E5	N/A
H <sup>3</sup>	12.3y	9.70E3	N/A	3.59E5	N/A
Hf <sup>174</sup>	2.00E15y	1.03E-12	N/A	3.81E-11	N/A
Hg <sup>203</sup>	46.612d	1.38E4	1.29	5.11E5	3.49E-4
Ho <sup>163</sup>	4.57E3y	0.48	N/A	17.8	N/A
Ho <sup>166</sup>	26.8h	7.05E5	0.1164	2.61E7	3.15E-5
Ho <sup>166m</sup>	1200y	1.80	5.39	66.5	1.46E-3
I <sup>123</sup>	13.27h	1.92E6	0.796	7.11E7	2.15E-4
I <sup>124</sup>	4.176d	2.52E5	5.53	9.34E6	1.50E-3
I <sup>125</sup>	60.1d	1.74E4	1.664	6.44E5	4.50E-4
I <sup>126</sup>	12.93d	7.97E4	4.34	2.95E6	1.17E-3
I <sup>129</sup>	1.57E7y	1.77E-4	0.736	6.55E-3	1.99E-4
I <sup>130</sup>	12.36h	1.55E6	4.76	5.74E7	1.29E-3

34

	Half-Life	Rem/hr / Ci		Sv/hr / GBq	
		Ci/g	@ 30 cm	GBq/g	@ 30cm
Eu <sup>156</sup>	15.19d	5.51E4	1.3	2.04E6	3.52E-4
F <sup>18</sup>	1.830h	9.52E7	7.72	3.52E9	2.09E-3
Fe <sup>55</sup>	2.73y	2.38E3	N/A	8.81E4	N/A
Fe <sup>59</sup>	44.51d	4.97E4	7.34	1.84E6	1.98E-3
Fe <sup>60</sup>	1.50E6y	3.98E-3	N/A	0.147	N/A
Fm <sup>256</sup>	157.6m	4.66E6	N/A	1.72E8	N/A
Fr <sup>219</sup>	20.0ms	2.58E12	N/A	9.53E13	N/A
Fr <sup>221</sup>	4.9m	1.74E8	0.163	6.43E9	4.41E-5
Fr <sup>223</sup>	21.8m	3.87E7	0.0952	1.43E9	2.58E-5
Ga <sup>67</sup>	3.2612d	5.98E5	0.9381	2.21E7	2.54E-4
Gd <sup>148</sup>	75y	32.2	N/A	1.19E3	N/A
Gd <sup>150</sup>	1.79E6y	1.33E-3	N/A	0.0493	N/A
Gd <sup>152</sup>	1.08E14y	2.18E-11	N/A	8.07E-10	N/A
Ge <sup>68</sup>	270.8d	7.09E3	N/A	2.62E5	N/A
H <sup>3</sup>	12.3y	9.70E3	N/A	3.59E5	N/A
Hf <sup>174</sup>	2.00E15y	1.03E-12	N/A	3.81E-11	N/A
Hg <sup>203</sup>	46.612d	1.38E4	1.29	5.11E5	3.49E-4
Ho <sup>163</sup>	4.57E3y	0.48	N/A	17.8	N/A
Ho <sup>166</sup>	26.8h	7.05E5	0.1164	2.61E7	3.15E-5
Ho <sup>166m</sup>	1200y	1.80	5.39	66.5	1.46E-3
I <sup>123</sup>	13.27h	1.92E6	0.796	7.11E7	2.15E-4
I <sup>124</sup>	4.176d	2.52E5	5.53	9.34E6	1.50E-3
I <sup>125</sup>	60.1d	1.74E4	1.664	6.44E5	4.50E-4
I <sup>126</sup>	12.93d	7.97E4	4.34	2.95E6	1.17E-3
I <sup>129</sup>	1.57E7y	1.77E-4	0.736	6.55E-3	1.99E-4
I <sup>130</sup>	12.36h	1.55E6	4.76	5.74E7	1.29E-3

34

	Half-Life	Rem/hr / Ci		Sv/hr / GBq	
		Ci/g	@ 30 cm	GBq/g	@ 30cm
I <sup>131</sup>	8.040d	1.24E5	3.14	4.59E6	8.49E-4
I <sup>132</sup>	2.295h	1.04E7	5.17	3.83E8	1.40E-3
I <sup>133</sup>	20.8h	1.13E6	4.54	4.18E7	1.23E-3
I <sup>134</sup>	52.6m	2.67E7	17.47	9.88E8	4.72E-3
I <sup>135</sup>	6.57h	3.53E6	9.57	1.31E8	2.59E-3
In <sup>111</sup>	2.8047d	4.20E5	3.717	1.55E7	1.01E-3
In <sup>113m</sup>	1.6582h	1.69E7	1.53	6.25E8	4.14E-4
In <sup>115</sup>	4.41E14y	7.06E-12	N/A	2.61E-10	N/A
Ir <sup>192</sup>	73.83d	9.21E3	6.56	3.41E5	1.77E-3
K <sup>40</sup>	1.28E9y	6.99E-6	0.91	2.59E-4	2.46E-4
K <sup>42</sup>	12.36h	6.04E6	1.4	2.23E8	3.78E-4
K <sup>43</sup>	22.3h	3.27E6	5.6	1.21E8	1.51E-3
Kr <sup>85</sup>	10.73y	392.0	0.02	1.45E4	5.40E-6
Kr <sup>85m</sup>	4.48h	8.24E6	0.96	3.05E8	2.60E-4
Kr <sup>87</sup>	76.3m	2.84E7	3.18	1.05E9	8.61E-4
Kr <sup>88</sup>	2.84h	1.26E7	8.9	4.64E8	2.41E-3
Kr <sup>89</sup>	3.15m	6.71E8	3.96	2.48E10	1.07E-3
La <sup>140</sup>	1.678d	5.56E5	13.61	2.06E7	3.68E-3
La <sup>142</sup>	91.1m	1.46E7	0.675	5.38E8	1.83E-4
Lu <sup>177</sup>	6.73d	1.10E5	0.170	4.06E6	4.61E-5
Mn <sup>52</sup>	5.591d	4.49E5	18.6	1.66E7	5.03E-3
Mn <sup>52m</sup>	21.2m	1.72E8	1.48	6.35E9	4.01E-4
Mn <sup>53</sup>	3.74E6y	1.81E-3	N/A	0.0669	N/A
Mn <sup>54</sup>	312.2d	7.75E3	5.67	2.87E5	1.53E-3
Mn <sup>56</sup>	2.578h	2.17E7	10.24	8.03E8	2.77E-3
Mo <sup>99</sup>	67h	4.80E5	1.25	1.78E7	3.38E-4

35

	Half-Life	Rem/hr / Ci		Sv/hr / GBq	
		Ci/g	@ 30 cm	GBq/g	@ 30cm
I <sup>131</sup>	8.040d	1.24E5	3.14	4.59E6	8.49E-4
I <sup>132</sup>	2.295h	1.04E7	5.17	3.83E8	1.40E-3
I <sup>133</sup>	20.8h	1.13E6	4.54	4.18E7	1.23E-3
I <sup>134</sup>	52.6m	2.67E7	17.47	9.88E8	4.72E-3
I <sup>135</sup>	6.57h	3.53E6	9.57	1.31E8	2.59E-3
In <sup>111</sup>	2.8047d	4.20E5	3.717	1.55E7	1.01E-3
In <sup>113m</sup>	1.6582h	1.69E7	1.53	6.25E8	4.14E-4
In <sup>115</sup>	4.41E14y	7.06E-12	N/A	2.61E-10	N/A
Ir <sup>192</sup>	73.83d	9.21E3	6.56	3.41E5	1.77E-3
K <sup>40</sup>	1.28E9y	6.99E-6	0.91	2.59E-4	2.46E-4
K <sup>42</sup>	12.36h	6.04E6	1.4	2.23E8	3.78E-4
K <sup>43</sup>	22.3h	3.27E6	5.6	1.21E8	1.51E-3
Kr <sup>85</sup>	10.73y	392.0	0.02	1.45E4	5.40E-6
Kr <sup>85m</sup>	4.48h	8.24E6	0.96	3.05E8	2.60E-4
Kr <sup>87</sup>	76.3m	2.84E7	3.18	1.05E9	8.61E-4
Kr <sup>88</sup>	2.84h	1.26E7	8.9	4.64E8	2.41E-3
Kr <sup>89</sup>	3.15m	6.71E8	3.96	2.48E10	1.07E-3
La <sup>140</sup>	1.678d	5.56E5	13.61	2.06E7	3.68E-3
La <sup>142</sup>	91.1m	1.46E7	0.675	5.38E8	1.83E-4
Lu <sup>177</sup>	6.73d	1.10E5	0.170	4.06E6	4.61E-5
Mn <sup>52</sup>	5.591d	4.49E5	18.6	1.66E7	5.03E-3
Mn <sup>52m</sup>	21.2m	1.72E8	1.48	6.35E9	4.01E-4
Mn <sup>53</sup>	3.74E6y	1.81E-3	N/A	0.0669	N/A
Mn <sup>54</sup>	312.2d	7.75E3	5.67	2.87E5	1.53E-3
Mn <sup>56</sup>	2.578h	2.17E7	10.24	8.03E8	2.77E-3
Mo <sup>99</sup>	67h	4.80E5	1.25	1.78E7	3.38E-4

35

	Half-Life	Rem/hr / Ci		Sv/hr / GBq	
		Ci/g	@ 30 cm	GBq/g	@ 30cm
I <sup>131</sup>	8.040d	1.24E5	3.14	4.59E6	8.49E-4
I <sup>132</sup>	2.295h	1.04E7	5.17	3.83E8	1.40E-3
I <sup>133</sup>	20.8h	1.13E6	4.54	4.18E7	1.23E-3
I <sup>134</sup>	52.6m	2.67E7	17.47	9.88E8	4.72E-3
I <sup>135</sup>	6.57h	3.53E6	9.57	1.31E8	2.59E-3
In <sup>111</sup>	2.8047d	4.20E5	3.717	1.55E7	1.01E-3
In <sup>113m</sup>	1.6582h	1.69E7	1.53	6.25E8	4.14E-4
In <sup>115</sup>	4.41E14y	7.06E-12	N/A	2.61E-10	N/A
Ir <sup>192</sup>	73.83d	9.21E3	6.56	3.41E5	1.77E-3
K <sup>40</sup>	1.28E9y	6.99E-6	0.91	2.59E-4	2.46E-4
K <sup>42</sup>	12.36h	6.04E6	1.4	2.23E8	3.78E-4
K <sup>43</sup>	22.3h	3.27E6	5.6	1.21E8	1.51E-3
Kr <sup>85</sup>	10.73y	392.0	0.02	1.45E4	5.40E-6
Kr <sup>85m</sup>	4.48h	8.24E6	0.96	3.05E8	2.60E-4
Kr <sup>87</sup>	76.3m	2.84E7	3.18	1.05E9	8.61E-4
Kr <sup>88</sup>	2.84h	1.26E7	8.9	4.64E8	2.41E-3
Kr <sup>89</sup>	3.15m	6.71E8	3.96	2.48E10	1.07E-3
La <sup>140</sup>	1.678d	5.56E5	13.61	2.06E7	3.68E-3
La <sup>142</sup>	91.1m	1.46E7	0.675	5.38E8	1.83E-4
Lu <sup>177</sup>	6.73d	1.10E5	0.170	4.06E6	4.61E-5
Mn <sup>52</sup>	5.591d	4.49E5	18.6	1.66E7	5.03E-3
Mn <sup>52m</sup>	21.2m	1.72E8	1.48	6.35E9	4.01E-4
Mn <sup>53</sup>	3.74E6y	1.81E-3	N/A	0.0669	N/A
Mn <sup>54</sup>	312.2d	7.75E3	5.67	2.87E5	1.53E-3
Mn <sup>56</sup>	2.578h	2.17E7	10.24	8.03E8	2.77E-3
Mo <sup>99</sup>	67h	4.80E5	1.25	1.78E7	3.38E-4

35

	Half-Life	Rem/hr / Ci		Sv/hr / GBq	
		Ci/g	@ 30 cm	GBq/g	@ 30cm
I <sup>131</sup>	8.040d	1.24E5	3.14	4.59E6	8.49E-4
I <sup>132</sup>	2.295h	1.04E7	5.17	3.83E8	1.40E-3
I <sup>133</sup>	20.8h	1.13E6	4.54	4.18E7	1.23E-3
I <sup>134</sup>	52.6m	2.67E7	17.47	9.88E8	4.72E-3
I <sup>135</sup>	6.57h	3.53E6	9.57	1.31E8	2.59E-3
In <sup>111</sup>	2.8047d	4.20E5	3.717	1.55E7	1.01E-3
In <sup>113m</sup>	1.6582h	1.69E7	1.53	6.25E8	4.14E-4
In <sup>115</sup>	4.41E14y	7.06E-12	N/A	2.61E-10	N/A
Ir <sup>192</sup>	73.83d	9.21E3	6.56	3.41E5	1.77E-3
K <sup>40</sup>	1.28E9y	6.99E-6	0.91	2.59E-4	2.46E-4
K <sup>42</sup>	12.36h	6.04E6	1.4	2.23E8	3.78E-4
K <sup>43</sup>	22.3h	3.27E6	5.6	1.21E8	1.51E-3
Kr <sup>85</sup>	10.73y	392.0	0.02	1.45E4	5.40E-6
Kr <sup>85m</sup>	4.48h	8.24E6	0.96	3.05E8	2.60E-4
Kr <sup>87</sup>	76.3m	2.84E7	3.18	1.05E9	8.61E-4
Kr <sup>88</sup>	2.84h	1.26E7	8.9	4.64E8	2.41E-3
Kr <sup>89</sup>	3.15m	6.71E8	3.96	2.48E10	1.07E-3
La <sup>140</sup>	1.678d	5.56E5	13.61	2.06E7	3.68E-3
La <sup>142</sup>	91.1m	1.46E7	0.675	5.38E8	1.83E-4
Lu <sup>177</sup>	6.73d	1.10E5	0.170	4.06E6	4.61E-5
Mn <sup>52</sup>	5.591d	4.49E5	18.6	1.66E7	5.03E-3
Mn <sup>52m</sup>	21.2m	1.72E8	1.48	6.35E9	4.01E-4
Mn <sup>53</sup>	3.74E6y	1.81E-3	N/A	0.0669	N/A
Mn <sup>54</sup>	312.2d	7.75E3	5.67	2.87E5	1.53E-3
Mn <sup>56</sup>	2.578h	2.17E7	10.24	8.03E8	2.77E-3
Mo <sup>99</sup>	67h	4.80E5	1.25	1.78E7	3.38E-4

35

	Half-Life	Rem/hr / Ci		Sv/hr / GBq	
		Ci/g	@ 30 cm	GBq/g	@ 30cm
N <sup>13</sup>	9.965m	1.45E9	6.814	5.37E10	1.84E-3
N <sup>16</sup>	7.13s	9.89E10	16.57	3.66E12	4.48E-3
Na <sup>22</sup>	2.605y	6.24E3	14.85	2.31E5	4.01E-3
Na <sup>24</sup>	14.96h	8.73E6	20.55	3.23E8	5.55E-3
Nb <sup>94</sup>	2.03E5y	0.19	10.20	6.94	2.76E-3
Nb <sup>95</sup>	34.975d	3.93E4	4.74	1.46E6	1.28E-3
Nd <sup>144</sup>	2.29E15y	1.09E-12	N/A	4.02E-11	N/A
Ni <sup>57</sup>	35.6h	1.54E6	12	5.70E7	3.24E-3
Ni <sup>59</sup>	7.60E4y	0.080	12.5	2.95	3.38E-3
Ni <sup>63</sup>	101y	56.23	N/A	2.08E3	N/A
Ni <sup>65</sup>	2.52h	1.91E7	3.4	7.07E8	9.19E-4
Ni <sup>66</sup>	54.6h	8.71E5	N/A	3.22E7	N/A
Np <sup>237</sup>	2.14E6y	7.05E-4	0.0868	0.0261	2.35E-5
Np <sup>238</sup>	2.117d	2.59E5	0.018	9.59E6	4.87E-6
Np <sup>239</sup>	2.355d	2.32E5	0.594	8.58E6	1.61E-4
Np <sup>240</sup>	61.9m	1.27E7	0.863	4.68E8	2.34E-4
O <sup>15</sup>	122.2s	6.15E9	7.98	2.29E11	2.16E-3
Os <sup>186</sup>	2E15y	9.62E-13	0.613	3.56E-11	1.66E-4
P <sup>32</sup>	14.28d	2.86E5	N/A	1.06E7	N/A
P <sup>33</sup>	25.34d	1.56E5	N/A	5.78E6	N/A
Pa <sup>231</sup>	3.28E4y	0.047	0.104	1.75	2.81E-5
Pa <sup>233</sup>	26.967d	2.08E4	1.27	7.69E5	3.44E-4
Pa <sup>234</sup>	6.69h	2.00E6	7.03	7.40E7	1.90E-3
Pa <sup>234m</sup>	1.17m	6.86E8	0.05	2.54E10	1.35E-5
Pb <sup>209</sup>	3.253h	4.61E6	N/A	1.71E8	N/A
Pb <sup>210</sup>	22.3y	76.4	0.0203	2.83E3	5.50E-6

36

	Half-Life	Rem/hr / Ci		Sv/hr / GBq	
		Ci/g	@ 30 cm	GBq/g	@ 30cm
N <sup>13</sup>	9.965m	1.45E9	6.814	5.37E10	1.84E-3
N <sup>16</sup>	7.13s	9.89E10	16.57	3.66E12	4.48E-3
Na <sup>22</sup>	2.605y	6.24E3	14.85	2.31E5	4.01E-3
Na <sup>24</sup>	14.96h	8.73E6	20.55	3.23E8	5.55E-3
Nb <sup>94</sup>	2.03E5y	0.19	10.20	6.94	2.76E-3
Nb <sup>95</sup>	34.975d	3.93E4	4.74	1.46E6	1.28E-3
Nd <sup>144</sup>	2.29E15y	1.09E-12	N/A	4.02E-11	N/A
Ni <sup>57</sup>	35.6h	1.54E6	12	5.70E7	3.24E-3
Ni <sup>59</sup>	7.60E4y	0.080	12.5	2.95	3.38E-3
Ni <sup>63</sup>	101y	56.23	N/A	2.08E3	N/A
Ni <sup>65</sup>	2.52h	1.91E7	3.4	7.07E8	9.19E-4
Ni <sup>66</sup>	54.6h	8.71E5	N/A	3.22E7	N/A
Np <sup>237</sup>	2.14E6y	7.05E-4	0.0868	0.0261	2.35E-5
Np <sup>238</sup>	2.117d	2.59E5	0.018	9.59E6	4.87E-6
Np <sup>239</sup>	2.355d	2.32E5	0.594	8.58E6	1.61E-4
Np <sup>240</sup>	61.9m	1.27E7	0.863	4.68E8	2.34E-4
O <sup>15</sup>	122.2s	6.15E9	7.98	2.29E11	2.16E-3
Os <sup>186</sup>	2E15y	9.62E-13	0.613	3.56E-11	1.66E-4
P <sup>32</sup>	14.28d	2.86E5	N/A	1.06E7	N/A
P <sup>33</sup>	25.34d	1.56E5	N/A	5.78E6	N/A
Pa <sup>231</sup>	3.28E4y	0.047	0.104	1.75	2.81E-5
Pa <sup>233</sup>	26.967d	2.08E4	1.27	7.69E5	3.44E-4
Pa <sup>234</sup>	6.69h	2.00E6	7.03	7.40E7	1.90E-3
Pa <sup>234m</sup>	1.17m	6.86E8	0.05	2.54E10	1.35E-5
Pb <sup>209</sup>	3.253h	4.61E6	N/A	1.71E8	N/A
Pb <sup>210</sup>	22.3y	76.4	0.0203	2.83E3	5.50E-6

36

	Half-Life	Rem/hr / Ci		Sv/hr / GBq	
		Ci/g	@ 30 cm	GBq/g	@ 30cm
N <sup>13</sup>	9.965m	1.45E9	6.814	5.37E10	1.84E-3
N <sup>16</sup>	7.13s	9.89E10	16.57	3.66E12	4.48E-3
Na <sup>22</sup>	2.605y	6.24E3	14.85	2.31E5	4.01E-3
Na <sup>24</sup>	14.96h	8.73E6	20.55	3.23E8	5.55E-3
Nb <sup>94</sup>	2.03E5y	0.19	10.20	6.94	2.76E-3
Nb <sup>95</sup>	34.975d	3.93E4	4.74	1.46E6	1.28E-3
Nd <sup>144</sup>	2.29E15y	1.09E-12	N/A	4.02E-11	N/A
Ni <sup>57</sup>	35.6h	1.54E6	12	5.70E7	3.24E-3
Ni <sup>59</sup>	7.60E4y	0.080	12.5	2.95	3.38E-3
Ni <sup>63</sup>	101y	56.23	N/A	2.08E3	N/A
Ni <sup>65</sup>	2.52h	1.91E7	3.4	7.07E8	9.19E-4
Ni <sup>66</sup>	54.6h	8.71E5	N/A	3.22E7	N/A
Np <sup>237</sup>	2.14E6y	7.05E-4	0.0868	0.0261	2.35E-5
Np <sup>238</sup>	2.117d	2.59E5	0.018	9.59E6	4.87E-6
Np <sup>239</sup>	2.355d	2.32E5	0.594	8.58E6	1.61E-4
Np <sup>240</sup>	61.9m	1.27E7	0.863	4.68E8	2.34E-4
O <sup>15</sup>	122.2s	6.15E9	7.98	2.29E11	2.16E-3
Os <sup>186</sup>	2E15y	9.62E-13	0.613	3.56E-11	1.66E-4
P <sup>32</sup>	14.28d	2.86E5	N/A	1.06E7	N/A
P <sup>33</sup>	25.34d	1.56E5	N/A	5.78E6	N/A
Pa <sup>231</sup>	3.28E4y	0.047	0.104	1.75	2.81E-5
Pa <sup>233</sup>	26.967d	2.08E4	1.27	7.69E5	3.44E-4
Pa <sup>234</sup>	6.69h	2.00E6	7.03	7.40E7	1.90E-3
Pa <sup>234m</sup>	1.17m	6.86E8	0.05	2.54E10	1.35E-5
Pb <sup>209</sup>	3.253h	4.61E6	N/A	1.71E8	N/A
Pb <sup>210</sup>	22.3y	76.4	0.0203	2.83E3	5.50E-6

36

	Half-Life	Rem/hr / Ci		Sv/hr / GBq	
		Ci/g	@ 30 cm	GBq/g	@ 30cm
N <sup>13</sup>	9.965m	1.45E9	6.814	5.37E10	1.84E-3
N <sup>16</sup>	7.13s	9.89E10	16.57	3.66E12	4.48E-3
Na <sup>22</sup>	2.605y	6.24E3	14.85	2.31E5	4.01E-3
Na <sup>24</sup>	14.96h	8.73E6	20.55	3.23E8	5.55E-3
Nb <sup>94</sup>	2.03E5y	0.19	10.20	6.94	2.76E-3
Nb <sup>95</sup>	34.975d	3.93E4	4.74	1.46E6	1.28E-3
Nd <sup>144</sup>	2.29E15y	1.09E-12	N/A	4.02E-11	N/A
Ni <sup>57</sup>	35.6h	1.54E6	12	5.70E7	3.24E-3
Ni <sup>59</sup>	7.60E4y	0.080	12.5	2.95	3.38E-3
Ni <sup>63</sup>	101y	56.23	N/A	2.08E3	N/A
Ni <sup>65</sup>	2.52h	1.91E7	3.4	7.07E8	9.19E-4
Ni <sup>66</sup>	54.6h	8.71E5	N/A	3.22E7	N/A
Np <sup>237</sup>	2.14E6y	7.05E-4	0.0868	0.0261	2.35E-5
Np <sup>238</sup>	2.117d	2.59E5	0.018	9.59E6	4.87E-6
Np <sup>239</sup>	2.355d	2.32E5	0.594	8.58E6	1.61E-4
Np <sup>240</sup>	61.9m	1.27E7	0.863	4.68E8	2.34E-4
O <sup>15</sup>	122.2s	6.15E9	7.98	2.29E11	2.16E-3
Os <sup>186</sup>	2E15y	9.62E-13	0.613	3.56E-11	1.66E-4
P <sup>32</sup>	14.28d	2.86E5	N/A	1.06E7	N/A
P <sup>33</sup>	25.34d	1.56E5	N/A	5.78E6	N/A
Pa <sup>231</sup>	3.28E4y	0.047	0.104	1.75	2.81E-5
Pa <sup>233</sup>	26.967d	2.08E4	1.27	7.69E5	3.44E-4
Pa <sup>234</sup>	6.69h	2.00E6	7.03	7.40E7	1.90E-3
Pa <sup>234m</sup>	1.17m	6.86E8	0.05	2.54E10	1.35E-5
Pb <sup>209</sup>	3.253h	4.61E6	N/A	1.71E8	N/A
Pb <sup>210</sup>	22.3y	76.4	0.0203	2.83E3	5.50E-6

36

	Half-Life	Rem/hr / Ci		Sv/hr / GBq	
		Ci/g	@ 30 cm	GBq/g	@ 30cm
Pb <sup>211</sup>	36.1m	2.47E7	0.248	9.14E8	6.71E-5
Pb <sup>212</sup>	10.64h	1.39E6	0.732	5.14E7	1.98E-4
Pb <sup>214</sup>	27m	3.25E7	1.155	1.20E9	3.12E-4
Pd <sup>107</sup>	6.50E6y	5.15E-4	N/A	0.0191	N/A
Pm <sup>147</sup>	2.6234y	928.3	3.15E-5	3.43E4	8.53E-9
Pm <sup>149</sup>	53.08h	3.97E5	0.0532	1.47E7	1.44E-5
Pm <sup>151</sup>	4.12m	7.31E5	1.2	2.71E7	3.25E-4
Po <sup>210</sup>	138.38d	4.49E3	N/A	1.66E5	N/A
Po <sup>212</sup>	304ns	1.78E17	N/A	6.59E18	N/A
Po <sup>214</sup>	164us	3.22E14	6.71E-4	1.19E16	1.81E-7
Po <sup>216</sup>	145ms	3.60E11	9.95E-5	1.33E13	2.69E-9
Po <sup>218</sup>	3.10m	2.78E8	N/A	1.03E10	N/A
Pr <sup>142m</sup>	14.6m	9.08E7	N/A	3.36E9	N/A
Pt <sup>190</sup>	6.50E11y	2.90E-9	N/A	1.07E-7	N/A
Pt <sup>202</sup>	44.0h	3.53E5	N/A	1.30E7	N/A
Pu <sup>236</sup>	2.87y	528	N/A	1.95E4	N/A
Pu <sup>238</sup>	87.7y	17.1	N/A	633	N/A
Pu <sup>239</sup>	2.41E4y	0.062	2.11E-4	2.30	5.71E-8
Pu <sup>240</sup>	6560y	0.227	N/A	8.40	N/A
Pu <sup>241</sup>	14.4y	103	N/A	3.81E3	N/A
Pu <sup>242</sup>	3.75E5y	3.94E-3	N/A	0.146	N/A
Ra <sup>223</sup>	11.435d	5.12E4	0.37	1.89E6	1.00E-4
Ra <sup>224</sup>	3.66d	1.59E5	0.054	5.88E6	1.46E-5
Ra <sup>225</sup>	14.9d	3.90E4	0.07	1.44E6	1.89E-5
Ra <sup>226</sup>	1600y	0.99	0.045	36.6	1.22E-5
Ra <sup>228</sup>	5.76y	272	N/A	1.01E4	N/A

37

	Half-Life	Rem/hr / Ci		Sv/hr / GBq	
		Ci/g	@ 30 cm	GBq/g	@ 30cm
Pb <sup>211</sup>	36.1m	2.47E7	0.248	9.14E8	6.71E-5
Pb <sup>212</sup>	10.64h	1.39E6	0.732	5.14E7	1.98E-4
Pb <sup>214</sup>	27m	3.25E7	1.155	1.20E9	3.12E-4
Pd <sup>107</sup>	6.50E6y	5.15E-4	N/A	0.0191	N/A
Pm <sup>147</sup>	2.6234y	928.3	3.15E-5	3.43E4	8.53E-9
Pm <sup>149</sup>	53.08h	3.97E5	0.0532	1.47E7	1.44E-5
Pm <sup>151</sup>	4.12m	7.31E5	1.2	2.71E7	3.25E-4
Po <sup>210</sup>	138.38d	4.49E3	N/A	1.66E5	N/A
Po <sup>212</sup>	304ns	1.78E17	N/A	6.59E18	N/A
Po <sup>214</sup>	164us	3.22E14	6.71E-4	1.19E16	1.81E-7
Po <sup>216</sup>	145ms	3.60E11	9.95E-5	1.33E13	2.69E-9
Po <sup>218</sup>	3.10m	2.78E8	N/A	1.03E10	N/A
Pr <sup>142m</sup>	14.6m	9.08E7	N/A	3.36E9	N/A
Pt <sup>190</sup>	6.50E11y	2.90E-9	N/A	1.07E-7	N/A
Pt <sup>202</sup>	44.0h	3.53E5	N/A	1.30E7	N/A
Pu <sup>236</sup>	2.87y	528	N/A	1.95E4	N/A
Pu <sup>238</sup>	87.7y	17.1	N/A	633	N/A
Pu <sup>239</sup>	2.41E4y	0.062	2.11E-4	2.30	5.71E-8
Pu <sup>240</sup>	6560y	0.227	N/A	8.40	N/A
Pu <sup>241</sup>	14.4y	103	N/A	3.81E3	N/A
Pu <sup>242</sup>	3.75E5y	3.94E-3	N/A	0.146	N/A
Ra <sup>223</sup>	11.435d	5.12E4	0.37	1.89E6	1.00E-4
Ra <sup>224</sup>	3.66d	1.59E5	0.054	5.88E6	1.46E-5
Ra <sup>225</sup>	14.9d	3.90E4	0.07	1.44E6	1.89E-5
Ra <sup>226</sup>	1600y	0.99	0.045	36.6	1.22E-5
Ra <sup>228</sup>	5.76y	272	N/A	1.01E4	N/A

37

	Half-Life	Rem/hr / Ci		Sv/hr / GBq	
		Ci/g	@ 30 cm	GBq/g	@ 30cm
Pb <sup>211</sup>	36.1m	2.47E7	0.248	9.14E8	6.71E-5
Pb <sup>212</sup>	10.64h	1.39E6	0.732	5.14E7	1.98E-4
Pb <sup>214</sup>	27m	3.25E7	1.155	1.20E9	3.12E-4
Pd <sup>107</sup>	6.50E6y	5.15E-4	N/A	0.0191	N/A
Pm <sup>147</sup>	2.6234y	928.3	3.15E-5	3.43E4	8.53E-9
Pm <sup>149</sup>	53.08h	3.97E5	0.0532	1.47E7	1.44E-5
Pm <sup>151</sup>	4.12m	7.31E5	1.2	2.71E7	3.25E-4
Po <sup>210</sup>	138.38d	4.49E3	N/A	1.66E5	N/A
Po <sup>212</sup>	304ns	1.78E17	N/A	6.59E18	N/A
Po <sup>214</sup>	164us	3.22E14	6.71E-4	1.19E16	1.81E-7
Po <sup>216</sup>	145ms	3.60E11	9.95E-5	1.33E13	2.69E-9
Po <sup>218</sup>	3.10m	2.78E8	N/A	1.03E10	N/A
Pr <sup>142m</sup>	14.6m	9.08E7	N/A	3.36E9	N/A
Pt <sup>190</sup>	6.50E11y	2.90E-9	N/A	1.07E-7	N/A
Pt <sup>202</sup>	44.0h	3.53E5	N/A	1.30E7	N/A
Pu <sup>236</sup>	2.87y	528	N/A	1.95E4	N/A
Pu <sup>238</sup>	87.7y	17.1	N/A	633	N/A
Pu <sup>239</sup>	2.41E4y	0.062	2.11E-4	2.30	5.71E-8
Pu <sup>240</sup>	6560y	0.227	N/A	8.40	N/A
Pu <sup>241</sup>	14.4y	103	N/A	3.81E3	N/A
Pu <sup>242</sup>	3.75E5y	3.94E-3	N/A	0.146	N/A
Ra <sup>223</sup>	11.435d	5.12E4	0.37	1.89E6	1.00E-4
Ra <sup>224</sup>	3.66d	1.59E5	0.054	5.88E6	1.46E-5
Ra <sup>225</sup>	14.9d	3.90E4	0.07	1.44E6	1.89E-5
Ra <sup>226</sup>	1600y	0.99	0.045	36.6	1.22E-5
Ra <sup>228</sup>	5.76y	272	N/A	1.01E4	N/A

37

	Half-Life	Rem/hr / Ci		Sv/hr / GBq	
		Ci/g	@ 30 cm	GBq/g	@ 30cm
Pb <sup>211</sup>	36.1m	2.47E7	0.248	9.14E8	6.71E-5
Pb <sup>212</sup>	10.64h	1.39E6	0.732	5.14E7	1.98E-4
Pb <sup>214</sup>	27m	3.25E7	1.155	1.20E9	3.12E-4
Pd <sup>107</sup>	6.50E6y	5.15E-4	N/A	0.0191	N/A
Pm <sup>147</sup>	2.6234y	928.3	3.15E-5	3.43E4	8.53E-9
Pm <sup>149</sup>	53.08h	3.97E5	0.0532	1.47E7	1.44E-5
Pm <sup>151</sup>	4.12m	7.31E5	1.2	2.71E7	3.25E-4
Po <sup>210</sup>	138.38d	4.49E3	N/A	1.66E5	N/A
Po <sup>212</sup>	304ns	1.78E17	N/A	6.59E18	N/A
Po <sup>214</sup>	164us	3.22E14	6.71E-4	1.19E16	1.81E-7
Po <sup>216</sup>	145ms	3.60E11	9.95E-5	1.33E13	2.69E-9
Po <sup>218</sup>	3.10m	2.78E8	N/A	1.03E10	N/A
Pr <sup>142m</sup>	14.6m	9.08E7	N/A	3.36E9	N/A
Pt <sup>190</sup>	6.50E11y	2.90E-9	N/A	1.07E-7	N/A
Pt <sup>202</sup>	44.0h	3.53E5	N/A	1.30E7	N/A
Pu <sup>236</sup>	2.87y	528	N/A	1.95E4	N/A
Pu <sup>238</sup>	87.7y	17.1	N/A	633	N/A
Pu <sup>239</sup>	2.41E4y	0.062	2.11E-4	2.30	5.71E-8
Pu <sup>240</sup>	6560y	0.227	N/A	8.40	N/A
Pu <sup>241</sup>	14.4y	103	N/A	3.81E3	N/A
Pu <sup>242</sup>	3.75E5y	3.94E-3	N/A	0.146	N/A
Ra <sup>223</sup>	11.435d	5.12E4	0.37	1.89E6	1.00E-4
Ra <sup>224</sup>	3.66d	1.59E5	0.054	5.88E6	1.46E-5
Ra <sup>225</sup>	14.9d	3.90E4	0.07	1.44E6	1.89E-5
Ra <sup>226</sup>	1600y	0.99	0.045	36.6	1.22E-5
Ra <sup>228</sup>	5.76y	272	N/A	1.01E4	N/A

37

	Half-Life	Rem/hr / Ci		Sv/hr / GBq	
		Ci/g	@ 30 cm	GBq/g	@ 30cm
Rb <sup>81</sup>	4.576h	8.47E6	3.628	3.13E8	9.82E-4
Rb <sup>82</sup>	1.273m	1.80E9	7.452	6.67E10	2.02E-3
Rb <sup>83</sup>	86.2d	1.83E4	3.135	6.76E5	8.49E-4
Rb <sup>87</sup>	4.75E10y	8.67E-8	N/A	3.21E-6	N/A
Rb <sup>88</sup>	17.7m	1.21E8	3.58	4.48E9	9.68E-4
Rb <sup>89</sup>	15.4m	1.37E8	12.17	5.07E9	3.29E-3
Re <sup>187</sup>	4.35E10y	4.40E-8	N/A	1.63E-6	N/A
Re <sup>188</sup>	16.98h	9.82E5	0.2096	3.63E7	5.67E-5
Rh <sup>105</sup>	35.36h	8.45E5	0.462	3.13E7	1.25E-4
Rh <sup>106</sup>	29.8s	3.58E9	0.644	1.32E11	1.74E-4
Rn <sup>212</sup>	23.9m	3.71E7	N/A	1.37E9	N/A
Rn <sup>216</sup>	45.0us	1.16E15	N/A	4.30E16	N/A
Rn <sup>219</sup>	3.96s	1.30E10	0.329	4.81E11	8.91E-5
Rn <sup>220</sup>	55.6s	9.21E8	3.99E-3	3.41E10	1.08E-6
Rn <sup>222</sup>	3.8235d	1.54E5	3.03E-3	5.70E6	8.19E-7
Ru <sup>97</sup>	2.9d	4.65E5	1.32	1.72E7	3.57E-4
Ru <sup>103</sup>	39.26d	3.23E4	2.65	1.20E6	7.17E-4
Ru <sup>105</sup>	4.44h	6.73E6	1.93	2.49E8	5.22E-4
Ru <sup>106</sup>	1.02y	3.31E3	N/A	1.22E5	N/A
S <sup>35</sup>	87.51d	4.27E4	N/A	1.58E6	N/A
Sb <sup>122</sup>	2.7238d	3.93E5	2.991	1.46E7	8.10E-4
Sb <sup>124</sup>	60.2d	1.75E4	9.62	6.48E5	2.60E-3
Sb <sup>125</sup>	1007.4d	1.04E3	2.57	3.84E4	6.96E-4
Sb <sup>126</sup>	12.46d	8.33E4	11.5	3.08E6	3.11E-3
Sc <sup>44</sup>	3.927h	1.82E7	0.579	6.72E8	1.57E-4
Sc <sup>46</sup>	83.81d	3.39E4	10.9	1.25E6	2.95E-3

38

	Half-Life	Rem/hr / Ci		Sv/hr / GBq	
		Ci/g	@ 30 cm	GBq/g	@ 30cm
Rb <sup>81</sup>	4.576h	8.47E6	3.628	3.13E8	9.82E-4
Rb <sup>82</sup>	1.273m	1.80E9	7.452	6.67E10	2.02E-3
Rb <sup>83</sup>	86.2d	1.83E4	3.135	6.76E5	8.49E-4
Rb <sup>87</sup>	4.75E10y	8.67E-8	N/A	3.21E-6	N/A
Rb <sup>88</sup>	17.7m	1.21E8	3.58	4.48E9	9.68E-4
Rb <sup>89</sup>	15.4m	1.37E8	12.17	5.07E9	3.29E-3
Re <sup>187</sup>	4.35E10y	4.40E-8	N/A	1.63E-6	N/A
Re <sup>188</sup>	16.98h	9.82E5	0.2096	3.63E7	5.67E-5
Rh <sup>105</sup>	35.36h	8.45E5	0.462	3.13E7	1.25E-4
Rh <sup>106</sup>	29.8s	3.58E9	0.644	1.32E11	1.74E-4
Rn <sup>212</sup>	23.9m	3.71E7	N/A	1.37E9	N/A
Rn <sup>216</sup>	45.0us	1.16E15	N/A	4.30E16	N/A
Rn <sup>219</sup>	3.96s	1.30E10	0.329	4.81E11	8.91E-5
Rn <sup>220</sup>	55.6s	9.21E8	3.99E-3	3.41E10	1.08E-6
Rn <sup>222</sup>	3.8235d	1.54E5	3.03E-3	5.70E6	8.19E-7
Ru <sup>97</sup>	2.9d	4.65E5	1.32	1.72E7	3.57E-4
Ru <sup>103</sup>	39.26d	3.23E4	2.65	1.20E6	7.17E-4
Ru <sup>105</sup>	4.44h	6.73E6	1.93	2.49E8	5.22E-4
Ru <sup>106</sup>	1.02y	3.31E3	N/A	1.22E5	N/A
S <sup>35</sup>	87.51d	4.27E4	N/A	1.58E6	N/A
Sb <sup>122</sup>	2.7238d	3.93E5	2.991	1.46E7	8.10E-4
Sb <sup>124</sup>	60.2d	1.75E4	9.62	6.48E5	2.60E-3
Sb <sup>125</sup>	1007.4d	1.04E3	2.57	3.84E4	6.96E-4
Sb <sup>126</sup>	12.46d	8.33E4	11.5	3.08E6	3.11E-3
Sc <sup>44</sup>	3.927h	1.82E7	0.579	6.72E8	1.57E-4
Sc <sup>46</sup>	83.81d	3.39E4	10.9	1.25E6	2.95E-3

38

	Half-Life	Rem/hr / Ci		Sv/hr / GBq	
		Ci/g	@ 30 cm	GBq/g	@ 30cm
Rb <sup>81</sup>	4.576h	8.47E6	3.628	3.13E8	9.82E-4
Rb <sup>82</sup>	1.273m	1.80E9	7.452	6.67E10	2.02E-3
Rb <sup>83</sup>	86.2d	1.83E4	3.135	6.76E5	8.49E-4
Rb <sup>87</sup>	4.75E10y	8.67E-8	N/A	3.21E-6	N/A
Rb <sup>88</sup>	17.7m	1.21E8	3.58	4.48E9	9.68E-4
Rb <sup>89</sup>	15.4m	1.37E8	12.17	5.07E9	3.29E-3
Re <sup>187</sup>	4.35E10y	4.40E-8	N/A	1.63E-6	N/A
Re <sup>188</sup>	16.98h	9.82E5	0.2096	3.63E7	5.67E-5
Rh <sup>105</sup>	35.36h	8.45E5	0.462	3.13E7	1.25E-4
Rh <sup>106</sup>	29.8s	3.58E9	0.644	1.32E11	1.74E-4
Rn <sup>212</sup>	23.9m	3.71E7	N/A	1.37E9	N/A
Rn <sup>216</sup>	45.0us	1.16E15	N/A	4.30E16	N/A
Rn <sup>219</sup>	3.96s	1.30E10	0.329	4.81E11	8.91E-5
Rn <sup>220</sup>	55.6s	9.21E8	3.99E-3	3.41E10	1.08E-6
Rn <sup>222</sup>	3.8235d	1.54E5	3.03E-3	5.70E6	8.19E-7
Ru <sup>97</sup>	2.9d	4.65E5	1.32	1.72E7	3.57E-4
Ru <sup>103</sup>	39.26d	3.23E4	2.65	1.20E6	7.17E-4
Ru <sup>105</sup>	4.44h	6.73E6	1.93	2.49E8	5.22E-4
Ru <sup>106</sup>	1.02y	3.31E3	N/A	1.22E5	N/A
S <sup>35</sup>	87.51d	4.27E4	N/A	1.58E6	N/A
Sb <sup>122</sup>	2.7238d	3.93E5	2.991	1.46E7	8.10E-4
Sb <sup>124</sup>	60.2d	1.75E4	9.62	6.48E5	2.60E-3
Sb <sup>125</sup>	1007.4d	1.04E3	2.57	3.84E4	6.96E-4
Sb <sup>126</sup>	12.46d	8.33E4	11.5	3.08E6	3.11E-3
Sc <sup>44</sup>	3.927h	1.82E7	0.579	6.72E8	1.57E-4
Sc <sup>46</sup>	83.81d	3.39E4	10.9	1.25E6	2.95E-3

38

	Half-Life	Rem/hr / Ci		Sv/hr / GBq	
		Ci/g	@ 30 cm	GBq/g	@ 30cm
Rb <sup>81</sup>	4.576h	8.47E6	3.628	3.13E8	9.82E-4
Rb <sup>82</sup>	1.273m	1.80E9	7.452	6.67E10	2.02E-3
Rb <sup>83</sup>	86.2d	1.83E4	3.135	6.76E5	8.49E-4
Rb <sup>87</sup>	4.75E10y	8.67E-8	N/A	3.21E-6	N/A
Rb <sup>88</sup>	17.7m	1.21E8	3.58	4.48E9	9.68E-4
Rb <sup>89</sup>	15.4m	1.37E8	12.17	5.07E9	3.29E-3
Re <sup>187</sup>	4.35E10y	4.40E-8	N/A	1.63E-6	N/A
Re <sup>188</sup>	16.98h	9.82E5	0.2096	3.63E7	5.67E-5
Rh <sup>105</sup>	35.36h	8.45E5	0.462	3.13E7	1.25E-4
Rh <sup>106</sup>	29.8s	3.58E9	0.644	1.32E11	1.74E-4
Rn <sup>212</sup>	23.9m	3.71E7	N/A	1.37E9	N/A
Rn <sup>216</sup>	45.0us	1.16E15	N/A	4.30E16	N/A
Rn <sup>219</sup>	3.96s	1.30E10	0.329	4.81E11	8.91E-5
Rn <sup>220</sup>	55.6s	9.21E8	3.99E-3	3.41E10	1.08E-6
Rn <sup>222</sup>	3.8235d	1.54E5	3.03E-3	5.70E6	8.19E-7
Ru <sup>97</sup>	2.9d	4.65E5	1.32	1.72E7	3.57E-4
Ru <sup>103</sup>	39.26d	3.23E4	2.65	1.20E6	7.17E-4
Ru <sup>105</sup>	4.44h	6.73E6	1.93	2.49E8	5.22E-4
Ru <sup>106</sup>	1.02y	3.31E3	N/A	1.22E5	N/A
S <sup>35</sup>	87.51d	4.27E4	N/A	1.58E6	N/A
Sb <sup>122</sup>	2.7238d	3.93E5	2.991	1.46E7	8.10E-4
Sb <sup>124</sup>	60.2d	1.75E4	9.62	6.48E5	2.60E-3
Sb <sup>125</sup>	1007.4d	1.04E3	2.57	3.84E4	6.96E-4
Sb <sup>126</sup>	12.46d	8.33E4	11.5	3.08E6	3.11E-3
Sc <sup>44</sup>	3.927h	1.82E7	0.579	6.72E8	1.57E-4
Sc <sup>46</sup>	83.81d	3.39E4	10.9	1.25E6	2.95E-3

38

	Half-Life	Rem/hr / Ci		Sv/hr / GBq	
		Ci/g	@ 30 cm	GBq/g	@ 30cm
Sc <sup>47</sup>	3.349d	8.30E5	0.56	3.07E7	1.51E-4
Sc <sup>48</sup>	43.7h	1.49E6	21	5.51E7	5.68E-3
Se <sup>75</sup>	119.78d	1.45E4	9.53	5.37E5	2.58E-3
Se <sup>79</sup>	6.50E5y	6.98E-3	N/A	0.258	N/A
Si <sup>32</sup>	132y	84.77	N/A	3.14E3	N/A
Sm <sup>146</sup>	1.031E8y	2.38E-5	N/A	8.80E-4	N/A
Sm <sup>147</sup>	1.06E11y	2.30E-8	N/A	8.50E-7	N/A
Sm <sup>148</sup>	7.00E15y	3.46E-13	N/A	1.28E-11	N/A
Sm <sup>153</sup>	46.27h	4.43E5	0.175	1.64E7	4.74E-5
Sn <sup>121</sup>	27.06h	9.58E5	N/A	3.54E7	N/A
Sn <sup>125</sup>	9.64d	1.09E5	0.33	4.01E6	8.93E-5
Sr <sup>85</sup>	64.84d	2.37E4	3.06	8.78E5	8.28E-4
Sr <sup>87m</sup>	2.803h	1.32E7	1.92	4.87E8	5.20E-4
Sr <sup>89</sup>	50.52d	2.90E4	5.29E-3	1.07E6	1.43E-6
Sr <sup>90</sup>	29.1y	137.0	N/A	5.07E3	N/A
Sr <sup>91</sup>	9.63h	3.58E6	0.635	1.32E8	1.72E-4
Sr <sup>92</sup>	2.71h	1.26E7	7.8942	4.65E8	2.14E-3
Tb <sup>160</sup>	72.3d	1.13E4	0.635	4.18E5	1.72E-4
Tc <sup>99</sup>	2.13E5y	0.017	N/A	0.629	N/A
Tc <sup>99m</sup>	6.01h	5.27E6	0.896	1.95E8	2.42E-4
Tc <sup>101</sup>	14.2m	1.31E8	1.71	4.85E9	4.63E-4
Te <sup>123m</sup>	119.7d	8.88E3	1.365	3.28E5	3.69E-4
Te <sup>127</sup>	9.35h	2.64E6	0.0335	9.78E7	9.06E-6
Te <sup>129</sup>	69.6m	2.10E7	0.5717	7.76E8	1.55E-4
Te <sup>129m</sup>	33.6d	3.02E4	0.137	1.12E6	3.71E-5
Te <sup>131</sup>	25m	5.75E7	1.57	2.13E9	4.25E-4

39

	Half-Life	Rem/hr / Ci		Sv/hr / GBq	
		Ci/g	@ 30 cm	GBq/g	@ 30cm
Sc <sup>47</sup>	3.349d	8.30E5	0.56	3.07E7	1.51E-4
Sc <sup>48</sup>	43.7h	1.49E6	21	5.51E7	5.68E-3
Se <sup>75</sup>	119.78d	1.45E4	9.53	5.37E5	2.58E-3
Se <sup>79</sup>	6.50E5y	6.98E-3	N/A	0.258	N/A
Si <sup>32</sup>	132y	84.77	N/A	3.14E3	N/A
Sm <sup>146</sup>	1.031E8y	2.38E-5	N/A	8.80E-4	N/A
Sm <sup>147</sup>	1.06E11y	2.30E-8	N/A	8.50E-7	N/A
Sm <sup>148</sup>	7.00E15y	3.46E-13	N/A	1.28E-11	N/A
Sm <sup>153</sup>	46.27h	4.43E5	0.175	1.64E7	4.74E-5
Sn <sup>121</sup>	27.06h	9.58E5	N/A	3.54E7	N/A
Sn <sup>125</sup>	9.64d	1.09E5	0.33	4.01E6	8.93E-5
Sr <sup>85</sup>	64.84d	2.37E4	3.06	8.78E5	8.28E-4
Sr <sup>87m</sup>	2.803h	1.32E7	1.92	4.87E8	5.20E-4
Sr <sup>89</sup>	50.52d	2.90E4	5.29E-3	1.07E6	1.43E-6
Sr <sup>90</sup>	29.1y	137.0	N/A	5.07E3	N/A
Sr <sup>91</sup>	9.63h	3.58E6	0.635	1.32E8	1.72E-4
Sr <sup>92</sup>	2.71h	1.26E7	7.8942	4.65E8	2.14E-3
Tb <sup>160</sup>	72.3d	1.13E4	0.635	4.18E5	1.72E-4
Tc <sup>99</sup>	2.13E5y	0.017	N/A	0.629	N/A
Tc <sup>99m</sup>	6.01h	5.27E6	0.896	1.95E8	2.42E-4
Tc <sup>101</sup>	14.2m	1.31E8	1.71	4.85E9	4.63E-4
Te <sup>123m</sup>	119.7d	8.88E3	1.365	3.28E5	3.69E-4
Te <sup>127</sup>	9.35h	2.64E6	0.0335	9.78E7	9.06E-6
Te <sup>129</sup>	69.6m	2.10E7	0.5717	7.76E8	1.55E-4
Te <sup>129m</sup>	33.6d	3.02E4	0.137	1.12E6	3.71E-5
Te <sup>131</sup>	25m	5.75E7	1.57	2.13E9	4.25E-4

39

	Half-Life	Rem/hr / Ci		Sv/hr / GBq	
		Ci/g	@ 30 cm	GBq/g	@ 30cm
Sc <sup>47</sup>	3.349d	8.30E5	0.56	3.07E7	1.51E-4
Sc <sup>48</sup>	43.7h	1.49E6	21	5.51E7	5.68E-3
Se <sup>75</sup>	119.78d	1.45E4	9.53	5.37E5	2.58E-3
Se <sup>79</sup>	6.50E5y	6.98E-3	N/A	0.258	N/A
Si <sup>32</sup>	132y	84.77	N/A	3.14E3	N/A
Sm <sup>146</sup>	1.031E8y	2.38E-5	N/A	8.80E-4	N/A
Sm <sup>147</sup>	1.06E11y	2.30E-8	N/A	8.50E-7	N/A
Sm <sup>148</sup>	7.00E15y	3.46E-13	N/A	1.28E-11	N/A
Sm <sup>153</sup>	46.27h	4.43E5	0.175	1.64E7	4.74E-5
Sn <sup>121</sup>	27.06h	9.58E5	N/A	3.54E7	N/A
Sn <sup>125</sup>	9.64d	1.09E5	0.33	4.01E6	8.93E-5
Sr <sup>85</sup>	64.84d	2.37E4	3.06	8.78E5	8.28E-4
Sr <sup>87m</sup>	2.803h	1.32E7	1.92	4.87E8	5.20E-4
Sr <sup>89</sup>	50.52d	2.90E4	5.29E-3	1.07E6	1.43E-6
Sr <sup>90</sup>	29.1y	137.0	N/A	5.07E3	N/A
Sr <sup>91</sup>	9.63h	3.58E6	0.635	1.32E8	1.72E-4
Sr <sup>92</sup>	2.71h	1.26E7	7.8942	4.65E8	2.14E-3
Tb <sup>160</sup>	72.3d	1.13E4	0.635	4.18E5	1.72E-4
Tc <sup>99</sup>	2.13E5y	0.017	N/A	0.629	N/A
Tc <sup>99m</sup>	6.01h	5.27E6	0.896	1.95E8	2.42E-4
Tc <sup>101</sup>	14.2m	1.31E8	1.71	4.85E9	4.63E-4
Te <sup>123m</sup>	119.7d	8.88E3	1.365	3.28E5	3.69E-4
Te <sup>127</sup>	9.35h	2.64E6	0.0335	9.78E7	9.06E-6
Te <sup>129</sup>	69.6m	2.10E7	0.5717	7.76E8	1.55E-4
Te <sup>129m</sup>	33.6d	3.02E4	0.137	1.12E6	3.71E-5
Te <sup>131</sup>	25m	5.75E7	1.57	2.13E9	4.25E-4

39

	Half-Life	Rem/hr / Ci		Sv/hr / GBq	
		Ci/g	@ 30 cm	GBq/g	@ 30cm
Sc <sup>47</sup>	3.349d	8.30E5	0.56	3.07E7	1.51E-4
Sc <sup>48</sup>	43.7h	1.49E6	21	5.51E7	5.68E-3
Se <sup>75</sup>	119.78d	1.45E4	9.53	5.37E5	2.58E-3
Se <sup>79</sup>	6.50E5y	6.98E-3	N/A	0.258	N/A
Si <sup>32</sup>	132y	84.77	N/A	3.14E3	N/A
Sm <sup>146</sup>	1.031E8y	2.38E-5	N/A	8.80E-4	N/A
Sm <sup>147</sup>	1.06E11y	2.30E-8	N/A	8.50E-7	N/A
Sm <sup>148</sup>	7.00E15y	3.46E-13	N/A	1.28E-11	N/A
Sm <sup>153</sup>	46.27h	4.43E5	0.175	1.64E7	4.74E-5
Sn <sup>121</sup>	27.06h	9.58E5	N/A	3.54E7	N/A
Sn <sup>125</sup>	9.64d	1.09E5	0.33	4.01E6	8.93E-5
Sr <sup>85</sup>	64.84d	2.37E4	3.06	8.78E5	8.28E-4
Sr <sup>87m</sup>	2.803h	1.32E7	1.92	4.87E8	5.20E-4
Sr <sup>89</sup>	50.52d	2.90E4	5.29E-3	1.07E6	1.43E-6
Sr <sup>90</sup>	29.1y	137.0	N/A	5.07E3	N/A
Sr <sup>91</sup>	9.63h	3.58E6	0.635	1.32E8	1.72E-4
Sr <sup>92</sup>	2.71h	1.26E7	7.8942	4.65E8	2.14E-3
Tb <sup>160</sup>	72.3d	1.13E4	0.635	4.18E5	1.72E-4
Tc <sup>99</sup>	2.13E5y	0.017	N/A	0.629	N/A
Tc <sup>99m</sup>	6.01h	5.27E6	0.896	1.95E8	2.42E-4
Tc <sup>101</sup>	14.2m	1.31E8	1.71	4.85E9	4.63E-4
Te <sup>123m</sup>	119.7d	8.88E3	1.365	3.28E5	3.69E-4
Te <sup>127</sup>	9.35h	2.64E6	0.0335	9.78E7	9.06E-6
Te <sup>129</sup>	69.6m	2.10E7	0.5717	7.76E8	1.55E-4
Te <sup>129m</sup>	33.6d	3.02E4	0.137	1.12E6	3.71E-5
Te <sup>131</sup>	25m	5.75E7	1.57	2.13E9	4.25E-4

39

	Half-Life	Rem/hr / Ci		Sv/hr / GBq	
		Ci/g	@ 30 cm	GBq/g	@ 30cm
Te <sup>131m</sup>	30h	7.98E5	2.18	2.95E7	5.90E-4
Te <sup>132</sup>	3.204d	3.09E5	2.124	1.14E7	5.75E-4
Te <sup>133</sup>	12.5m	1.13E8	2.32	4.19E9	6.28E-4
Te <sup>133m</sup>	55.4m	2.55E7	3.11	9.45E8	8.42E-4
Te <sup>134</sup>	41.8m	3.36E7	1.77	1.24E9	4.79E-4
Te <sup>135</sup>	19s	4.40E9	0.195	1.63E11	5.28E-5
Th <sup>227</sup>	18.72d	3.07E4	0.39	1.14E6	1.05E-4
Th <sup>228</sup>	1.913y	820.0	0.014	3.03E4	3.78E-6
Th <sup>229</sup>	7300y	0.214	0.145	7.92	3.92E-5
Th <sup>230</sup>	7.54E4y	0.021	2.07E-3	0.762	5.60E-7
Th <sup>231</sup>	25.55h	5.32E5	0.0480	1.97E7	1.30E-5
Th <sup>232</sup>	1.40E10y	1.10E-7	7.62E-4	4.07E-6	2.06E-7
Th <sup>234</sup>	24.10d	2.32E4	0.0356	8.58E5	9.62E-6
Tl <sup>201</sup>	72.912h	2.14E5	0.122	7.91E6	3.30E-5
Tl <sup>204</sup>	3.78y	464.0	0.0124	1.72E4	3.35E-6
Tl <sup>206</sup>	4.20m	2.17E8	N/A	8.03E9	N/A
Tl <sup>208</sup>	3.053m	2.96E8	18.89	1.10E10	5.11E-3
Tl <sup>209</sup>	2.161m	4.16E8	4.17	1.54E10	1.13E-3
Tl <sup>210</sup>	1.30m	6.88E8	7.82	2.55E10	2.11E-3
U <sup>230</sup>	20.8d	2.73E4	2.00E-3	1.01E6	5.41E-7
U <sup>232</sup>	70y	22.0	0.0731	814	1.98E-5
U <sup>233</sup>	1.592E5y	9.65E-3	N/A	0.357	N/A
U <sup>234</sup>	2.46E5y	6.22E-3	N/A	0.230	N/A
U <sup>235</sup>	7.04E8y	2.16E-6	0.755	7.99E-5	2.04E-4
U <sup>235m</sup>	25.0m	3.20E7	N/A	1.18E9	N/A
U <sup>236</sup>	2.342E7y	6.47E-5	1.10E-4	2.40E-3	2.98E-8

40

	Half-Life	Rem/hr / Ci		Sv/hr / GBq	
		Ci/g	@ 30 cm	GBq/g	@ 30cm
Te <sup>131m</sup>	30h	7.98E5	2.18	2.95E7	5.90E-4
Te <sup>132</sup>	3.204d	3.09E5	2.124	1.14E7	5.75E-4
Te <sup>133</sup>	12.5m	1.13E8	2.32	4.19E9	6.28E-4
Te <sup>133m</sup>	55.4m	2.55E7	3.11	9.45E8	8.42E-4
Te <sup>134</sup>	41.8m	3.36E7	1.77	1.24E9	4.79E-4
Te <sup>135</sup>	19s	4.40E9	0.195	1.63E11	5.28E-5
Th <sup>227</sup>	18.72d	3.07E4	0.39	1.14E6	1.05E-4
Th <sup>228</sup>	1.913y	820.0	0.014	3.03E4	3.78E-6
Th <sup>229</sup>	7300y	0.214	0.145	7.92	3.92E-5
Th <sup>230</sup>	7.54E4y	0.021	2.07E-3	0.762	5.60E-7
Th <sup>231</sup>	25.55h	5.32E5	0.0480	1.97E7	1.30E-5
Th <sup>232</sup>	1.40E10y	1.10E-7	7.62E-4	4.07E-6	2.06E-7
Th <sup>234</sup>	24.10d	2.32E4	0.0356	8.58E5	9.62E-6
Tl <sup>201</sup>	72.912h	2.14E5	0.122	7.91E6	3.30E-5
Tl <sup>204</sup>	3.78y	464.0	0.0124	1.72E4	3.35E-6
Tl <sup>206</sup>	4.20m	2.17E8	N/A	8.03E9	N/A
Tl <sup>208</sup>	3.053m	2.96E8	18.89	1.10E10	5.11E-3
Tl <sup>209</sup>	2.161m	4.16E8	4.17	1.54E10	1.13E-3
Tl <sup>210</sup>	1.30m	6.88E8	7.82	2.55E10	2.11E-3
U <sup>230</sup>	20.8d	2.73E4	2.00E-3	1.01E6	5.41E-7
U <sup>232</sup>	70y	22.0	0.0731	814	1.98E-5
U <sup>233</sup>	1.592E5y	9.65E-3	N/A	0.357	N/A
U <sup>234</sup>	2.46E5y	6.22E-3	N/A	0.230	N/A
U <sup>235</sup>	7.04E8y	2.16E-6	0.755	7.99E-5	2.04E-4
U <sup>235m</sup>	25.0m	3.20E7	N/A	1.18E9	N/A
U <sup>236</sup>	2.342E7y	6.47E-5	1.10E-4	2.40E-3	2.98E-8

40

	Half-Life	Rem/hr / Ci		Sv/hr / GBq	
		Ci/g	@ 30 cm	GBq/g	@ 30cm
Te <sup>131m</sup>	30h	7.98E5	2.18	2.95E7	5.90E-4
Te <sup>132</sup>	3.204d	3.09E5	2.124	1.14E7	5.75E-4
Te <sup>133</sup>	12.5m	1.13E8	2.32	4.19E9	6.28E-4
Te <sup>133m</sup>	55.4m	2.55E7	3.11	9.45E8	8.42E-4
Te <sup>134</sup>	41.8m	3.36E7	1.77	1.24E9	4.79E-4
Te <sup>135</sup>	19s	4.40E9	0.195	1.63E11	5.28E-5
Th <sup>227</sup>	18.72d	3.07E4	0.39	1.14E6	1.05E-4
Th <sup>228</sup>	1.913y	820.0	0.014	3.03E4	3.78E-6
Th <sup>229</sup>	7300y	0.214	0.145	7.92	3.92E-5
Th <sup>230</sup>	7.54E4y	0.021	2.07E-3	0.762	5.60E-7
Th <sup>231</sup>	25.55h	5.32E5	0.0480	1.97E7	1.30E-5
Th <sup>232</sup>	1.40E10y	1.10E-7	7.62E-4	4.07E-6	2.06E-7
Th <sup>234</sup>	24.10d	2.32E4	0.0356	8.58E5	9.62E-6
Tl <sup>201</sup>	72.912h	2.14E5	0.122	7.91E6	3.30E-5
Tl <sup>204</sup>	3.78y	464.0	0.0124	1.72E4	3.35E-6
Tl <sup>206</sup>	4.20m	2.17E8	N/A	8.03E9	N/A
Tl <sup>208</sup>	3.053m	2.96E8	18.89	1.10E10	5.11E-3
Tl <sup>209</sup>	2.161m	4.16E8	4.17	1.54E10	1.13E-3
Tl <sup>210</sup>	1.30m	6.88E8	7.82	2.55E10	2.11E-3
U <sup>230</sup>	20.8d	2.73E4	2.00E-3	1.01E6	5.41E-7
U <sup>232</sup>	70y	22.0	0.0731	814	1.98E-5
U <sup>233</sup>	1.592E5y	9.65E-3	N/A	0.357	N/A
U <sup>234</sup>	2.46E5y	6.22E-3	N/A	0.230	N/A
U <sup>235</sup>	7.04E8y	2.16E-6	0.755	7.99E-5	2.04E-4
U <sup>235m</sup>	25.0m	3.20E7	N/A	1.18E9	N/A
U <sup>236</sup>	2.342E7y	6.47E-5	1.10E-4	2.40E-3	2.98E-8

40

	Half-Life	Rem/hr / Ci		Sv/hr / GBq	
		Ci/g	@ 30 cm	GBq/g	@ 30cm
Te <sup>131m</sup>	30h	7.98E5	2.18	2.95E7	5.90E-4
Te <sup>132</sup>	3.204d	3.09E5	2.124	1.14E7	5.75E-4
Te <sup>133</sup>	12.5m	1.13E8	2.32	4.19E9	6.28E-4
Te <sup>133m</sup>	55.4m	2.55E7	3.11	9.45E8	8.42E-4
Te <sup>134</sup>	41.8m	3.36E7	1.77	1.24E9	4.79E-4
Te <sup>135</sup>	19s	4.40E9	0.195	1.63E11	5.28E-5
Th <sup>227</sup>	18.72d	3.07E4	0.39	1.14E6	1.05E-4
Th <sup>228</sup>	1.913y	820.0	0.014	3.03E4	3.78E-6
Th <sup>229</sup>	7300y	0.214	0.145	7.92	3.92E-5
Th <sup>230</sup>	7.54E4y	0.021	2.07E-3	0.762	5.60E-7
Th <sup>231</sup>	25.55h	5.32E5	0.0480	1.97E7	1.30E-5
Th <sup>232</sup>	1.40E10y	1.10E-7	7.62E-4	4.07E-6	2.06E-7
Th <sup>234</sup>	24.10d	2.32E4	0.0356	8.58E5	9.62E-6
Tl <sup>201</sup>	72.912h	2.14E5	0.122	7.91E6	3.30E-5
Tl <sup>204</sup>	3.78y	464.0	0.0124	1.72E4	3.35E-6
Tl <sup>206</sup>	4.20m	2.17E8	N/A	8.03E9	N/A
Tl <sup>208</sup>	3.053m	2.96E8	18.89	1.10E10	5.11E-3
Tl <sup>209</sup>	2.161m	4.16E8	4.17	1.54E10	1.13E-3
Tl <sup>210</sup>	1.30m	6.88E8	7.82	2.55E10	2.11E-3
U <sup>230</sup>	20.8d	2.73E4	2.00E-3	1.01E6	5.41E-7
U <sup>232</sup>	70y	22.0	0.0731	814	1.98E-5
U <sup>233</sup>	1.592E5y	9.65E-3	N/A	0.357	N/A
U <sup>234</sup>	2.46E5y	6.22E-3	N/A	0.230	N/A
U <sup>235</sup>	7.04E8y	2.16E-6	0.755	7.99E-5	2.04E-4
U <sup>235m</sup>	25.0m	3.20E7	N/A	1.18E9	N/A
U <sup>236</sup>	2.342E7y	6.47E-5	1.10E-4	2.40E-3	2.98E-8

40

	Half-Life	Rem/hr / Ci		Sv/hr / GBq	
		Ci/g	@ 30 cm	GBq/g	@ 30cm
U <sup>237</sup>	6.75d	8.16E4	0.561	3.02E6	1.52E-4
U <sup>238</sup>	4.47E9y	3.36E-7	N/A	1.24E-5	N/A
V <sup>48</sup>	15.98d	1.70E5	15.6	6.29E6	4.22E-3
V <sup>49</sup>	330d	8.09E3	N/A	2.99E5	N/A
W <sup>187</sup>	23.72d	7.07E5	2.82	2.62E7	7.63E-4
Xe <sup>131m</sup>	11.84d	8.69E4	0.5664	3.22E6	1.53E-4
Xe <sup>133</sup>	5.243d	1.87E5	0.6248	6.93E6	1.69E-4
Xe <sup>133m</sup>	2.19d	4.49E5	0.7027	1.66E7	1.90E-4
Xe <sup>135</sup>	9.14h	2.54E6	1.6178	9.41E7	4.38E-4
Xe <sup>135m</sup>	15.29m	9.12E7	2.9736	3.37E9	8.05E-4
Xe <sup>138</sup>	14.08m	9.69E7	1.36	3.58E9	3.68E-4
Y <sup>88</sup>	106.65d	1.39E4	14.83	5.15E5	4.01E-3
Y <sup>90</sup>	64.1h	5.43E5	N/A	2.01E7	N/A
Y <sup>92</sup>	3.54h	9.63E6	0.126	3.56E8	3.41E-5
Y <sup>93</sup>	10.18h	3.31E6	0.11	1.23E8	2.98E-5
Yb <sup>169</sup>	32.026d	2.41E4	1.219	8.93E5	3.30E-4
Zn <sup>65</sup>	243.8d	8.24E3	3.575	3.05E5	9.68E-4
Zr <sup>89</sup>	78.41h	4.50E5	5.65	1.66E7	1.53E-3
Zr <sup>93</sup>	1.53E6y	2.52E-3	N/A	0.0931	N/A
Zr <sup>95</sup>	64.02d	2.15E4	5.16	7.96E5	1.39E-3
Zr <sup>97</sup>	16.91h	1.91E6	0.236	7.08E7	6.39E-5

The exposure rate from these radionuclides do not include their short-lived progeny. Spontaneous fission, isotopic mixtures, impurities in mixtures, and shielding (including self shielding) should also be taken into account when estimating exposure rate.

	Half-Life	Rem/hr / Ci		Sv/hr / GBq	
		Ci/g	@ 30 cm	GBq/g	@ 30cm
U <sup>237</sup>	6.75d	8.16E4	0.561	3.02E6	1.52E-4
U <sup>238</sup>	4.47E9y	3.36E-7	N/A	1.24E-5	N/A
V <sup>48</sup>	15.98d	1.70E5	15.6	6.29E6	4.22E-3
V <sup>49</sup>	330d	8.09E3	N/A	2.99E5	N/A
W <sup>187</sup>	23.72d	7.07E5	2.82	2.62E7	7.63E-4
Xe <sup>131m</sup>	11.84d	8.69E4	0.5664	3.22E6	1.53E-4
Xe <sup>133</sup>	5.243d	1.87E5	0.6248	6.93E6	1.69E-4
Xe <sup>133m</sup>	2.19d	4.49E5	0.7027	1.66E7	1.90E-4
Xe <sup>135</sup>	9.14h	2.54E6	1.6178	9.41E7	4.38E-4
Xe <sup>135m</sup>	15.29m	9.12E7	2.9736	3.37E9	8.05E-4
Xe <sup>138</sup>	14.08m	9.69E7	1.36	3.58E9	3.68E-4
Y <sup>88</sup>	106.65d	1.39E4	14.83	5.15E5	4.01E-3
Y <sup>90</sup>	64.1h	5.43E5	N/A	2.01E7	N/A
Y <sup>92</sup>	3.54h	9.63E6	0.126	3.56E8	3.41E-5
Y <sup>93</sup>	10.18h	3.31E6	0.11	1.23E8	2.98E-5
Yb <sup>169</sup>	32.026d	2.41E4	1.219	8.93E5	3.30E-4
Zn <sup>65</sup>	243.8d	8.24E3	3.575	3.05E5	9.68E-4
Zr <sup>89</sup>	78.41h	4.50E5	5.65	1.66E7	1.53E-3
Zr <sup>93</sup>	1.53E6y	2.52E-3	N/A	0.0931	N/A
Zr <sup>95</sup>	64.02d	2.15E4	5.16	7.96E5	1.39E-3
Zr <sup>97</sup>	16.91h	1.91E6	0.236	7.08E7	6.39E-5

The exposure rate from these radionuclides do not include their short-lived progeny. Spontaneous fission, isotopic mixtures, impurities in mixtures, and shielding (including self shielding) should also be taken into account when estimating exposure rate.

	Half-Life	Rem/hr / Ci		Sv/hr / GBq	
		Ci/g	@ 30 cm	GBq/g	@ 30cm
U <sup>237</sup>	6.75d	8.16E4	0.561	3.02E6	1.52E-4
U <sup>238</sup>	4.47E9y	3.36E-7	N/A	1.24E-5	N/A
V <sup>48</sup>	15.98d	1.70E5	15.6	6.29E6	4.22E-3
V <sup>49</sup>	330d	8.09E3	N/A	2.99E5	N/A
W <sup>187</sup>	23.72d	7.07E5	2.82	2.62E7	7.63E-4
Xe <sup>131m</sup>	11.84d	8.69E4	0.5664	3.22E6	1.53E-4
Xe <sup>133</sup>	5.243d	1.87E5	0.6248	6.93E6	1.69E-4
Xe <sup>133m</sup>	2.19d	4.49E5	0.7027	1.66E7	1.90E-4
Xe <sup>135</sup>	9.14h	2.54E6	1.6178	9.41E7	4.38E-4
Xe <sup>135m</sup>	15.29m	9.12E7	2.9736	3.37E9	8.05E-4
Xe <sup>138</sup>	14.08m	9.69E7	1.36	3.58E9	3.68E-4
Y <sup>88</sup>	106.65d	1.39E4	14.83	5.15E5	4.01E-3
Y <sup>90</sup>	64.1h	5.43E5	N/A	2.01E7	N/A
Y <sup>92</sup>	3.54h	9.63E6	0.126	3.56E8	3.41E-5
Y <sup>93</sup>	10.18h	3.31E6	0.11	1.23E8	2.98E-5
Yb <sup>169</sup>	32.026d	2.41E4	1.219	8.93E5	3.30E-4
Zn <sup>65</sup>	243.8d	8.24E3	3.575	3.05E5	9.68E-4
Zr <sup>89</sup>	78.41h	4.50E5	5.65	1.66E7	1.53E-3
Zr <sup>93</sup>	1.53E6y	2.52E-3	N/A	0.0931	N/A
Zr <sup>95</sup>	64.02d	2.15E4	5.16	7.96E5	1.39E-3
Zr <sup>97</sup>	16.91h	1.91E6	0.236	7.08E7	6.39E-5

The exposure rate from these radionuclides do not include their short-lived progeny. Spontaneous fission, isotopic mixtures, impurities in mixtures, and shielding (including self shielding) should also be taken into account when estimating exposure rate.

	Half-Life	Rem/hr / Ci		Sv/hr / GBq	
		Ci/g	@ 30 cm	GBq/g	@ 30cm
U <sup>237</sup>	6.75d	8.16E4	0.561	3.02E6	1.52E-4
U <sup>238</sup>	4.47E9y	3.36E-7	N/A	1.24E-5	N/A
V <sup>48</sup>	15.98d	1.70E5	15.6	6.29E6	4.22E-3
V <sup>49</sup>	330d	8.09E3	N/A	2.99E5	N/A
W <sup>187</sup>	23.72d	7.07E5	2.82	2.62E7	7.63E-4
Xe <sup>131m</sup>	11.84d	8.69E4	0.5664	3.22E6	1.53E-4
Xe <sup>133</sup>	5.243d	1.87E5	0.6248	6.93E6	1.69E-4
Xe <sup>133m</sup>	2.19d	4.49E5	0.7027	1.66E7	1.90E-4
Xe <sup>135</sup>	9.14h	2.54E6	1.6178	9.41E7	4.38E-4
Xe <sup>135m</sup>	15.29m	9.12E7	2.9736	3.37E9	8.05E-4
Xe <sup>138</sup>	14.08m	9.69E7	1.36	3.58E9	3.68E-4
Y <sup>88</sup>	106.65d	1.39E4	14.83	5.15E5	4.01E-3
Y <sup>90</sup>	64.1h	5.43E5	N/A	2.01E7	N/A
Y <sup>92</sup>	3.54h	9.63E6	0.126	3.56E8	3.41E-5
Y <sup>93</sup>	10.18h	3.31E6	0.11	1.23E8	2.98E-5
Yb <sup>169</sup>	32.026d	2.41E4	1.219	8.93E5	3.30E-4
Zn <sup>65</sup>	243.8d	8.24E3	3.575	3.05E5	9.68E-4
Zr <sup>89</sup>	78.41h	4.50E5	5.65	1.66E7	1.53E-3
Zr <sup>93</sup>	1.53E6y	2.52E-3	N/A	0.0931	N/A
Zr <sup>95</sup>	64.02d	2.15E4	5.16	7.96E5	1.39E-3
Zr <sup>97</sup>	16.91h	1.91E6	0.236	7.08E7	6.39E-5

The exposure rate from these radionuclides do not include their short-lived progeny. Spontaneous fission, isotopic mixtures, impurities in mixtures, and shielding (including self shielding) should also be taken into account when estimating exposure rate.

**Gamma exposure at 30 cm vs Particle Size  
in microns for commonly encountered radionuclides**

	mRem/hr			mSv/hr		
	1μ	10μ	100μ	1μ	10μ	100μ
Be <sup>7</sup>	1.3E-4	1.3E-1	1.3E2	1.3E-6	1.3E-3	1.3
Na <sup>22</sup>	4.7E-5	4.7E-2	4.7E1	4.7E-7	4.7E-4	0.47
Na <sup>24</sup>	9.5E-2	9.5E1	9.5E4	9.5E-4	0.95	9.5E2
Al <sup>26</sup>	4.5E-10	4.5E-7	4.5E-4	4.5E-12	4.5E-9	4.5E-7
Mg <sup>28</sup>	4.8E-2	4.8E1	4.8E4	4.8E-4	0.48	4.8E2
Sc <sup>46</sup>	6.9E-4	6.9E-1	6.9E2	6.9E-6	6.9E-4	6.9
V <sup>48</sup>	1E-2	1E1	1E4	1E-4	0.10	1E2
Cr <sup>51</sup>	9E-5	9E-2	9E1	9E-7	9E-4	0.9
Mn <sup>52</sup>	3.8E-2	3.8E1	3.8E4	3.8E-4	0.38	3.8E2
Mn <sup>54</sup>	1.7E-4	1.7E-1	1.7E2	1.7E-6	1.7E-3	1.7
Mn <sup>56</sup>	8.3E-1	8.3E2	8.3E5	8.3E-3	8.3	8.3E3
Co <sup>56</sup>	2.9E-3	2.9	2.9E3	2.9E-5	2.9E-2	29
Co <sup>57</sup>	6.6E-5	6.6E-2	6.6E1	6.6E-7	6.6E-4	0.66
Co <sup>58</sup>	1E-3	1	1E3	1E-5	1E-2	10
Fe <sup>59</sup>	1.5E-3	1.5	1.5E3	1.5E-5	1.5E-2	15
Co <sup>60</sup>	8E-5	8E-2	8E1	8E-7	8E-4	0.8
Zn <sup>65</sup>	1.1E-4	1.1E-1	1.1E2	1.1E-6	1.1E-3	1.1
Se <sup>75</sup>	3.5E-4	3.5E-1	3.5E2	3.5E-6	3.5E-3	3.5
Y <sup>88</sup>	6.3E-4	6.3E-1	6.3E2	6.3E-6	6.3E-3	6.3
Sr/Y <sup>90</sup>	N/A	N/A	N/A	N/A	N/A	N/A
Zr <sup>95</sup>	3.8E-4	3.8E-1	3.8E2	3.8E-6	3.8E-3	3.8
Mo <sup>99</sup>	3.2E-3	3.2	3.2E3	3.2E-5	3.2E-2	32
Cd <sup>109</sup>	2.4E-5	2.4E-2	2.4E1	2.4E-7	2.4E-4	0.24
Cs <sup>137</sup>	3.6E-7	3.6E-4	3.6E-1	3.6E-9	3.6E-6	3.6E-3
Ba <sup>140</sup>	2.4E-4	2.4E-1	2.4E2	2.4E-6	2.4E-3	2.4

**Gamma exposure at 30 cm vs Particle Size  
in microns for commonly encountered radionuclides**

	mRem/hr			mSv/hr		
	1μ	10μ	100μ	1μ	10μ	100μ
Be <sup>7</sup>	1.3E-4	1.3E-1	1.3E2	1.3E-6	1.3E-3	1.3
Na <sup>22</sup>	4.7E-5	4.7E-2	4.7E1	4.7E-7	4.7E-4	0.47
Na <sup>24</sup>	9.5E-2	9.5E1	9.5E4	9.5E-4	0.95	9.5E2
Al <sup>26</sup>	4.5E-10	4.5E-7	4.5E-4	4.5E-12	4.5E-9	4.5E-7
Mg <sup>28</sup>	4.8E-2	4.8E1	4.8E4	4.8E-4	0.48	4.8E2
Sc <sup>46</sup>	6.9E-4	6.9E-1	6.9E2	6.9E-6	6.9E-4	6.9
V <sup>48</sup>	1E-2	1E1	1E4	1E-4	0.10	1E2
Cr <sup>51</sup>	9E-5	9E-2	9E1	9E-7	9E-4	0.9
Mn <sup>52</sup>	3.8E-2	3.8E1	3.8E4	3.8E-4	0.38	3.8E2
Mn <sup>54</sup>	1.7E-4	1.7E-1	1.7E2	1.7E-6	1.7E-3	1.7
Mn <sup>56</sup>	8.3E-1	8.3E2	8.3E5	8.3E-3	8.3	8.3E3
Co <sup>56</sup>	2.9E-3	2.9	2.9E3	2.9E-5	2.9E-2	29
Co <sup>57</sup>	6.6E-5	6.6E-2	6.6E1	6.6E-7	6.6E-4	0.66
Co <sup>58</sup>	1E-3	1	1E3	1E-5	1E-2	10
Fe <sup>59</sup>	1.5E-3	1.5	1.5E3	1.5E-5	1.5E-2	15
Co <sup>60</sup>	8E-5	8E-2	8E1	8E-7	8E-4	0.8
Zn <sup>65</sup>	1.1E-4	1.1E-1	1.1E2	1.1E-6	1.1E-3	1.1
Se <sup>75</sup>	3.5E-4	3.5E-1	3.5E2	3.5E-6	3.5E-3	3.5
Y <sup>88</sup>	6.3E-4	6.3E-1	6.3E2	6.3E-6	6.3E-3	6.3
Sr/Y <sup>90</sup>	N/A	N/A	N/A	N/A	N/A	N/A
Zr <sup>95</sup>	3.8E-4	3.8E-1	3.8E2	3.8E-6	3.8E-3	3.8
Mo <sup>99</sup>	3.2E-3	3.2	3.2E3	3.2E-5	3.2E-2	32
Cd <sup>109</sup>	2.4E-5	2.4E-2	2.4E1	2.4E-7	2.4E-4	0.24
Cs <sup>137</sup>	3.6E-7	3.6E-4	3.6E-1	3.6E-9	3.6E-6	3.6E-3
Ba <sup>140</sup>	2.4E-4	2.4E-1	2.4E2	2.4E-6	2.4E-3	2.4

**Gamma exposure at 30 cm vs Particle Size  
in microns for commonly encountered radionuclides**

	mRem/hr			mSv/hr		
	1μ	10μ	100μ	1μ	10μ	100μ
Be <sup>7</sup>	1.3E-4	1.3E-1	1.3E2	1.3E-6	1.3E-3	1.3
Na <sup>22</sup>	4.7E-5	4.7E-2	4.7E1	4.7E-7	4.7E-4	0.47
Na <sup>24</sup>	9.5E-2	9.5E1	9.5E4	9.5E-4	0.95	9.5E2
Al <sup>26</sup>	4.5E-10	4.5E-7	4.5E-4	4.5E-12	4.5E-9	4.5E-7
Mg <sup>28</sup>	4.8E-2	4.8E1	4.8E4	4.8E-4	0.48	4.8E2
Sc <sup>46</sup>	6.9E-4	6.9E-1	6.9E2	6.9E-6	6.9E-4	6.9
V <sup>48</sup>	1E-2	1E1	1E4	1E-4	0.10	1E2
Cr <sup>51</sup>	9E-5	9E-2	9E1	9E-7	9E-4	0.9
Mn <sup>52</sup>	3.8E-2	3.8E1	3.8E4	3.8E-4	0.38	3.8E2
Mn <sup>54</sup>	1.7E-4	1.7E-1	1.7E2	1.7E-6	1.7E-3	1.7
Mn <sup>56</sup>	8.3E-1	8.3E2	8.3E5	8.3E-3	8.3	8.3E3
Co <sup>56</sup>	2.9E-3	2.9	2.9E3	2.9E-5	2.9E-2	29
Co <sup>57</sup>	6.6E-5	6.6E-2	6.6E1	6.6E-7	6.6E-4	0.66
Co <sup>58</sup>	1E-3	1	1E3	1E-5	1E-2	10
Fe <sup>59</sup>	1.5E-3	1.5	1.5E3	1.5E-5	1.5E-2	15
Co <sup>60</sup>	8E-5	8E-2	8E1	8E-7	8E-4	0.8
Zn <sup>65</sup>	1.1E-4	1.1E-1	1.1E2	1.1E-6	1.1E-3	1.1
Se <sup>75</sup>	3.5E-4	3.5E-1	3.5E2	3.5E-6	3.5E-3	3.5
Y <sup>88</sup>	6.3E-4	6.3E-1	6.3E2	6.3E-6	6.3E-3	6.3
Sr/Y <sup>90</sup>	N/A	N/A	N/A	N/A	N/A	N/A
Zr <sup>95</sup>	3.8E-4	3.8E-1	3.8E2	3.8E-6	3.8E-3	3.8
Mo <sup>99</sup>	3.2E-3	3.2	3.2E3	3.2E-5	3.2E-2	32
Cd <sup>109</sup>	2.4E-5	2.4E-2	2.4E1	2.4E-7	2.4E-4	0.24
Cs <sup>137</sup>	3.6E-7	3.6E-4	3.6E-1	3.6E-9	3.6E-6	3.6E-3
Ba <sup>140</sup>	2.4E-4	2.4E-1	2.4E2	2.4E-6	2.4E-3	2.4

**Gamma exposure at 30 cm vs Particle Size  
in microns for commonly encountered radionuclides**

	mRem/hr			mSv/hr		
	1μ	10μ	100μ	1μ	10μ	100μ
Be <sup>7</sup>	1.3E-4	1.3E-1	1.3E2	1.3E-6	1.3E-3	1.3
Na <sup>22</sup>	4.7E-5	4.7E-2	4.7E1	4.7E-7	4.7E-4	0.47
Na <sup>24</sup>	9.5E-2	9.5E1	9.5E4	9.5E-4	0.95	9.5E2
Al <sup>26</sup>	4.5E-10	4.5E-7	4.5E-4	4.5E-12	4.5E-9	4.5E-7
Mg <sup>28</sup>	4.8E-2	4.8E1	4.8E4	4.8E-4	0.48	4.8E2
Sc <sup>46</sup>	6.9E-4	6.9E-1	6.9E2	6.9E-6	6.9E-4	6.9
V <sup>48</sup>	1E-2	1E1	1E4	1E-4	0.10	1E2
Cr <sup>51</sup>	9E-5	9E-2	9E1	9E-7	9E-4	0.9
Mn <sup>52</sup>	3.8E-2	3.8E1	3.8E4	3.8E-4	0.38	3.8E2
Mn <sup>54</sup>	1.7E-4	1.7E-1	1.7E2	1.7E-6	1.7E-3	1.7
Mn <sup>56</sup>	8.3E-1	8.3E2	8.3E5	8.3E-3	8.3	8.3E3
Co <sup>56</sup>	2.9E-3	2.9	2.9E3	2.9E-5	2.9E-2	29
Co <sup>57</sup>	6.6E-5	6.6E-2	6.6E1	6.6E-7	6.6E-4	0.66
Co <sup>58</sup>	1E-3	1	1E3	1E-5	1E-2	10
Fe <sup>59</sup>	1.5E-3	1.5	1.5E3	1.5E-5	1.5E-2	15
Co <sup>60</sup>	8E-5	8E-2	8E1	8E-7	8E-4	0.8
Zn <sup>65</sup>	1.1E-4	1.1E-1	1.1E2	1.1E-6	1.1E-3	1.1
Se <sup>75</sup>	3.5E-4	3.5E-1	3.5E2	3.5E-6	3.5E-3	3.5
Y <sup>88</sup>	6.3E-4	6.3E-1	6.3E2	6.3E-6	6.3E-3	6.3
Sr/Y <sup>90</sup>	N/A	N/A	N/A	N/A	N/A	N/A
Zr <sup>95</sup>	3.8E-4	3.8E-1	3.8E2	3.8E-6	3.8E-3	3.8
Mo <sup>99</sup>	3.2E-3	3.2	3.2E3	3.2E-5	3.2E-2	32
Cd <sup>109</sup>	2.4E-5	2.4E-2	2.4E1	2.4E-7	2.4E-4	0.24
Cs <sup>137</sup>	3.6E-7	3.6E-4	3.6E-1	3.6E-9	3.6E-6	3.6E-3
Ba <sup>140</sup>	2.4E-4	2.4E-1	2.4E2	2.4E-6	2.4E-3	2.4

	mRem/hr			mSv/hr		
	1μ	10μ	100μ	1μ	10μ	100μ
W <sup>187</sup>	1.1E-3	1.1	1.1E3	1.1E-5	1.1E-2	11
Os <sup>191</sup>	3.9E-4	3.9E-1	3.9E2	3.9E-6	3.9E-3	3.9
Ir <sup>192</sup>	7.1E-4	7.1E-1	7.1E2	7.1E-6	7.1E-3	7.1
Au <sup>198</sup>	8E-3	8	8E3	8E-5	8E-2	80
Ra <sup>226</sup>	3.5E-10	3.5E-7	3.5E-4	3.5E-12	3.5E-9	3.5E-6
U <sup>234</sup>	5.4E-11	5.4E-8	5.4E-5	5.4E-13	5.4E-10	5.4E-7
U <sup>235</sup>	8.1E-14	8.1E-11	8.1E-8	8.1E-16	8.1E-13	8.1E-10
Np <sup>237</sup>	3.9E-11	3.9E-8	3.9E-5	3.9E-13	3.9E-10	3.9E-7
Pu <sup>238</sup>	1.6E-7	1.6E-4	1.6E-1	1.6E-9	1.6E-6	1.6E-3
Pu <sup>239</sup>	2.2E-10	2.2E-7	2.2E-4	2.2E-12	2.2E-9	2.2E-6
Pu <sup>240</sup>	2E-9	2E-6	2E-3	2E-11	2E-8	2E-5
Am <sup>241</sup>	1.3E-7	1.3E-4	1.3E-1	1.3E-9	1.3E-6	1.3E-3

1000 μ = 1 mm (millimeter) = 0.03937 inches  
 100 μ is easily discernible with the naked eye  
 50 μ is not easily discernible with the naked eye  
 < 10 μ is typical size for airborne particles

	mRem/hr			mSv/hr		
	1μ	10μ	100μ	1μ	10μ	100μ
W <sup>187</sup>	1.1E-3	1.1	1.1E3	1.1E-5	1.1E-2	11
Os <sup>191</sup>	3.9E-4	3.9E-1	3.9E2	3.9E-6	3.9E-3	3.9
Ir <sup>192</sup>	7.1E-4	7.1E-1	7.1E2	7.1E-6	7.1E-3	7.1
Au <sup>198</sup>	8E-3	8	8E3	8E-5	8E-2	80
Ra <sup>226</sup>	3.5E-10	3.5E-7	3.5E-4	3.5E-12	3.5E-9	3.5E-6
U <sup>234</sup>	5.4E-11	5.4E-8	5.4E-5	5.4E-13	5.4E-10	5.4E-7
U <sup>235</sup>	8.1E-14	8.1E-11	8.1E-8	8.1E-16	8.1E-13	8.1E-10
Np <sup>237</sup>	3.9E-11	3.9E-8	3.9E-5	3.9E-13	3.9E-10	3.9E-7
Pu <sup>238</sup>	1.6E-7	1.6E-4	1.6E-1	1.6E-9	1.6E-6	1.6E-3
Pu <sup>239</sup>	2.2E-10	2.2E-7	2.2E-4	2.2E-12	2.2E-9	2.2E-6
Pu <sup>240</sup>	2E-9	2E-6	2E-3	2E-11	2E-8	2E-5
Am <sup>241</sup>	1.3E-7	1.3E-4	1.3E-1	1.3E-9	1.3E-6	1.3E-3

1000 μ = 1 mm (millimeter) = 0.03937 inches  
 100 μ is easily discernible with the naked eye  
 50 μ is not easily discernible with the naked eye  
 < 10 μ is typical size for airborne particles

	mRem/hr			mSv/hr		
	1μ	10μ	100μ	1μ	10μ	100μ
W <sup>187</sup>	1.1E-3	1.1	1.1E3	1.1E-5	1.1E-2	11
Os <sup>191</sup>	3.9E-4	3.9E-1	3.9E2	3.9E-6	3.9E-3	3.9
Ir <sup>192</sup>	7.1E-4	7.1E-1	7.1E2	7.1E-6	7.1E-3	7.1
Au <sup>198</sup>	8E-3	8	8E3	8E-5	8E-2	80
Ra <sup>226</sup>	3.5E-10	3.5E-7	3.5E-4	3.5E-12	3.5E-9	3.5E-6
U <sup>234</sup>	5.4E-11	5.4E-8	5.4E-5	5.4E-13	5.4E-10	5.4E-7
U <sup>235</sup>	8.1E-14	8.1E-11	8.1E-8	8.1E-16	8.1E-13	8.1E-10
Np <sup>237</sup>	3.9E-11	3.9E-8	3.9E-5	3.9E-13	3.9E-10	3.9E-7
Pu <sup>238</sup>	1.6E-7	1.6E-4	1.6E-1	1.6E-9	1.6E-6	1.6E-3
Pu <sup>239</sup>	2.2E-10	2.2E-7	2.2E-4	2.2E-12	2.2E-9	2.2E-6
Pu <sup>240</sup>	2E-9	2E-6	2E-3	2E-11	2E-8	2E-5
Am <sup>241</sup>	1.3E-7	1.3E-4	1.3E-1	1.3E-9	1.3E-6	1.3E-3

1000 μ = 1 mm (millimeter) = 0.03937 inches  
 100 μ is easily discernible with the naked eye  
 50 μ is not easily discernible with the naked eye  
 < 10 μ is typical size for airborne particles

	mRem/hr			mSv/hr		
	1μ	10μ	100μ	1μ	10μ	100μ
W <sup>187</sup>	1.1E-3	1.1	1.1E3	1.1E-5	1.1E-2	11
Os <sup>191</sup>	3.9E-4	3.9E-1	3.9E2	3.9E-6	3.9E-3	3.9
Ir <sup>192</sup>	7.1E-4	7.1E-1	7.1E2	7.1E-6	7.1E-3	7.1
Au <sup>198</sup>	8E-3	8	8E3	8E-5	8E-2	80
Ra <sup>226</sup>	3.5E-10	3.5E-7	3.5E-4	3.5E-12	3.5E-9	3.5E-6
U <sup>234</sup>	5.4E-11	5.4E-8	5.4E-5	5.4E-13	5.4E-10	5.4E-7
U <sup>235</sup>	8.1E-14	8.1E-11	8.1E-8	8.1E-16	8.1E-13	8.1E-10
Np <sup>237</sup>	3.9E-11	3.9E-8	3.9E-5	3.9E-13	3.9E-10	3.9E-7
Pu <sup>238</sup>	1.6E-7	1.6E-4	1.6E-1	1.6E-9	1.6E-6	1.6E-3
Pu <sup>239</sup>	2.2E-10	2.2E-7	2.2E-4	2.2E-12	2.2E-9	2.2E-6
Pu <sup>240</sup>	2E-9	2E-6	2E-3	2E-11	2E-8	2E-5
Am <sup>241</sup>	1.3E-7	1.3E-4	1.3E-1	1.3E-9	1.3E-6	1.3E-3

1000 μ = 1 mm (millimeter) = 0.03937 inches  
 100 μ is easily discernible with the naked eye  
 50 μ is not easily discernible with the naked eye  
 < 10 μ is typical size for airborne particles

**Activity in DPM vs Particle Size in microns  
for oxide form of various isotopes**

	0.5μ	1μ	5μ	10μ	50μ
U <sup>234</sup>	8.7E-3	0.07	9	69.7	8700
U <sup>235</sup>	3.0E-6	2.4E-5	3E-3	0.02	3
U <sup>238</sup>	4.7E-7	3.8E-6	5E-4	3.8E-3	0.47
Np <sup>237</sup>	1.0E-3	8.0E-3	1.0	8	1000
Pu <sup>238</sup>	25	201	2.5E4	2E5	2.5E7
Pu <sup>239</sup>	0.09	0.73	91	730	9.1E4
Pu <sup>240</sup>	0.33	2.7	333	2670	3.3E5
Pu <sup>241</sup>	151	1210	1.5E5	1.2E6	1.5E8
Am <sup>241</sup>	5.1	41.1	5140	4.1E4	5.14E6

**Calculating Activity vs Particle Size**

1. Volume of the particle is  $V = 1/6\pi r^3$ .
  2. Use the density of the isotope listed in this reference.
  3. Mass of the particle is  $M = V \times \text{density}$ .
  4. Activity of the particle is  $A = M \times \text{specific activity}$ .
- Correct the activity of the particle for the oxide form if you need that; the molecular weight of Pu<sup>238</sup> is 238, the activity of the dioxide form must be reduced by the ratio of the molecular weight of the dioxide form to the molecular weight of Pu<sup>238</sup>. Multiply the calculated activity by 238/270 to get the activity of the dioxide form.
- For particles larger than about 1μ the aerodynamic diameter is approximately equal to the physical diameter times the square root of the density. The 10μ diameter particle in our example would have an equivalent aerodynamic diameter of 34μ (10μ x the square root of 11.46). This must be taken into account in air sampling/monitoring situations.

**Activity in DPM vs Particle Size in microns  
for oxide form of various isotopes**

	0.5μ	1μ	5μ	10μ	50μ
U <sup>234</sup>	8.7E-3	0.07	9	69.7	8700
U <sup>235</sup>	3.0E-6	2.4E-5	3E-3	0.02	3
U <sup>238</sup>	4.7E-7	3.8E-6	5E-4	3.8E-3	0.47
Np <sup>237</sup>	1.0E-3	8.0E-3	1.0	8	1000
Pu <sup>238</sup>	25	201	2.5E4	2E5	2.5E7
Pu <sup>239</sup>	0.09	0.73	91	730	9.1E4
Pu <sup>240</sup>	0.33	2.7	333	2670	3.3E5
Pu <sup>241</sup>	151	1210	1.5E5	1.2E6	1.5E8
Am <sup>241</sup>	5.1	41.1	5140	4.1E4	5.14E6

**Calculating Activity vs Particle Size**

1. Volume of the particle is  $V = 1/6\pi r^3$ .
  2. Use the density of the isotope listed in this reference.
  3. Mass of the particle is  $M = V \times \text{density}$ .
  4. Activity of the particle is  $A = M \times \text{specific activity}$ .
- Correct the activity of the particle for the oxide form if you need that; the molecular weight of Pu<sup>238</sup> is 238, the activity of the dioxide form must be reduced by the ratio of the molecular weight of the dioxide form to the molecular weight of Pu<sup>238</sup>. Multiply the calculated activity by 238/270 to get the activity of the dioxide form.
- For particles larger than about 1μ the aerodynamic diameter is approximately equal to the physical diameter times the square root of the density. The 10μ diameter particle in our example would have an equivalent aerodynamic diameter of 34μ (10μ x the square root of 11.46). This must be taken into account in air sampling/monitoring situations.

**Activity in DPM vs Particle Size in microns  
for oxide form of various isotopes**

	0.5μ	1μ	5μ	10μ	50μ
U <sup>234</sup>	8.7E-3	0.07	9	69.7	8700
U <sup>235</sup>	3.0E-6	2.4E-5	3E-3	0.02	3
U <sup>238</sup>	4.7E-7	3.8E-6	5E-4	3.8E-3	0.47
Np <sup>237</sup>	1.0E-3	8.0E-3	1.0	8	1000
Pu <sup>238</sup>	25	201	2.5E4	2E5	2.5E7
Pu <sup>239</sup>	0.09	0.73	91	730	9.1E4
Pu <sup>240</sup>	0.33	2.7	333	2670	3.3E5
Pu <sup>241</sup>	151	1210	1.5E5	1.2E6	1.5E8
Am <sup>241</sup>	5.1	41.1	5140	4.1E4	5.14E6

**Calculating Activity vs Particle Size**

1. Volume of the particle is  $V = 1/6\pi r^3$ .
  2. Use the density of the isotope listed in this reference.
  3. Mass of the particle is  $M = V \times \text{density}$ .
  4. Activity of the particle is  $A = M \times \text{specific activity}$ .
- Correct the activity of the particle for the oxide form if you need that; the molecular weight of Pu<sup>238</sup> is 238, the activity of the dioxide form must be reduced by the ratio of the molecular weight of the dioxide form to the molecular weight of Pu<sup>238</sup>. Multiply the calculated activity by 238/270 to get the activity of the dioxide form.
- For particles larger than about 1μ the aerodynamic diameter is approximately equal to the physical diameter times the square root of the density. The 10μ diameter particle in our example would have an equivalent aerodynamic diameter of 34μ (10μ x the square root of 11.46). This must be taken into account in air sampling/monitoring situations.

**Activity in DPM vs Particle Size in microns  
for oxide form of various isotopes**

	0.5μ	1μ	5μ	10μ	50μ
U <sup>234</sup>	8.7E-3	0.07	9	69.7	8700
U <sup>235</sup>	3.0E-6	2.4E-5	3E-3	0.02	3
U <sup>238</sup>	4.7E-7	3.8E-6	5E-4	3.8E-3	0.47
Np <sup>237</sup>	1.0E-3	8.0E-3	1.0	8	1000
Pu <sup>238</sup>	25	201	2.5E4	2E5	2.5E7
Pu <sup>239</sup>	0.09	0.73	91	730	9.1E4
Pu <sup>240</sup>	0.33	2.7	333	2670	3.3E5
Pu <sup>241</sup>	151	1210	1.5E5	1.2E6	1.5E8
Am <sup>241</sup>	5.1	41.1	5140	4.1E4	5.14E6

**Calculating Activity vs Particle Size**

1. Volume of the particle is  $V = 1/6\pi r^3$ .
  2. Use the density of the isotope listed in this reference.
  3. Mass of the particle is  $M = V \times \text{density}$ .
  4. Activity of the particle is  $A = M \times \text{specific activity}$ .
- Correct the activity of the particle for the oxide form if you need that; the molecular weight of Pu<sup>238</sup> is 238, the activity of the dioxide form must be reduced by the ratio of the molecular weight of the dioxide form to the molecular weight of Pu<sup>238</sup>. Multiply the calculated activity by 238/270 to get the activity of the dioxide form.
- For particles larger than about 1μ the aerodynamic diameter is approximately equal to the physical diameter times the square root of the density. The 10μ diameter particle in our example would have an equivalent aerodynamic diameter of 34μ (10μ x the square root of 11.46). This must be taken into account in air sampling/monitoring situations.

### RADIATION BIOLOGY

Maximum survivable dose: 1000 rem (10 Sv)  
Cancer mortality rate  $\approx$  900 excess deaths per 100,000  
persons at 0.1 Sv (10 rem)

#### Radiation Dose Risk

Report Additional Cancer Deaths  
BEIR III 1980 3 in 10,000 per 1 rem (10 mSv)  
(also Reg Guide 8.29)  
BEIR V 1990 800 in 100,000 per 10 rad (0.1 Gy)

#### Hiroshima Survivors Incidence of Cancer

4,000 Hiroshima survivors who received doses greater than 50 rem showed an extra 300 incidences of cancer.

#### COMPOSITION OF THE HUMAN BODY

O	65 %	Rb	0.00046 %	I	1.6E-5 %
C	18	Sr	0.00046	Au	1.4E-5
H	10	Br	0.00029	Ni	1.4E-5
N	3	Pb	0.00017	Mo	1.3E-5
Ca	1.5	Nb	0.00016	Ti	1.3E-5
P	1.0	Cu	0.00010	Te	1.2E-5
S	0.25	Al	0.000087	Sb	1.1E-5
K	0.20	Cd	0.000072	Li	3.11E-6
Cl	0.15	B	0.000069	Cr	2.4E-6
Na	0.15	Ba	0.000031	Cs	2.1E-6
Mg	0.05	As	0.000026	Co	2.1E-6
Fe	0.006	V	0.000026	Ag	1.0E-6
F	0.0037	Sn	0.000024	U	1.3E-7
Zn	0.0032	Hg	0.000019	Be	5E-8
Si	0.0020	Se	0.000019	Ra	1E-13
Zr	0.0006	Mn	0.000017		

45

### RADIATION BIOLOGY

Maximum survivable dose: 1000 rem (10 Sv)  
Cancer mortality rate  $\approx$  900 excess deaths per 100,000  
persons at 0.1 Sv (10 rem)

#### Radiation Dose Risk

Report Additional Cancer Deaths  
BEIR III 1980 3 in 10,000 per 1 rem (10 mSv)  
(also Reg Guide 8.29)  
BEIR V 1990 800 in 100,000 per 10 rad (0.1 Gy)

#### Hiroshima Survivors Incidence of Cancer

4,000 Hiroshima survivors who received doses greater than 50 rem showed an extra 300 incidences of cancer.

#### COMPOSITION OF THE HUMAN BODY

O	65 %	Rb	0.00046 %	I	1.6E-5 %
C	18	Sr	0.00046	Au	1.4E-5
H	10	Br	0.00029	Ni	1.4E-5
N	3	Pb	0.00017	Mo	1.3E-5
Ca	1.5	Nb	0.00016	Ti	1.3E-5
P	1.0	Cu	0.00010	Te	1.2E-5
S	0.25	Al	0.000087	Sb	1.1E-5
K	0.20	Cd	0.000072	Li	3.11E-6
Cl	0.15	B	0.000069	Cr	2.4E-6
Na	0.15	Ba	0.000031	Cs	2.1E-6
Mg	0.05	As	0.000026	Co	2.1E-6
Fe	0.006	V	0.000026	Ag	1.0E-6
F	0.0037	Sn	0.000024	U	1.3E-7
Zn	0.0032	Hg	0.000019	Be	5E-8
Si	0.0020	Se	0.000019	Ra	1E-13
Zr	0.0006	Mn	0.000017		

45

### RADIATION BIOLOGY

Maximum survivable dose: 1000 rem (10 Sv)  
Cancer mortality rate  $\approx$  900 excess deaths per 100,000  
persons at 0.1 Sv (10 rem)

#### Radiation Dose Risk

Report Additional Cancer Deaths  
BEIR III 1980 3 in 10,000 per 1 rem (10 mSv)  
(also Reg Guide 8.29)  
BEIR V 1990 800 in 100,000 per 10 rad (0.1 Gy)

#### Hiroshima Survivors Incidence of Cancer

4,000 Hiroshima survivors who received doses greater than 50 rem showed an extra 300 incidences of cancer.

#### COMPOSITION OF THE HUMAN BODY

O	65 %	Rb	0.00046 %	I	1.6E-5 %
C	18	Sr	0.00046	Au	1.4E-5
H	10	Br	0.00029	Ni	1.4E-5
N	3	Pb	0.00017	Mo	1.3E-5
Ca	1.5	Nb	0.00016	Ti	1.3E-5
P	1.0	Cu	0.00010	Te	1.2E-5
S	0.25	Al	0.000087	Sb	1.1E-5
K	0.20	Cd	0.000072	Li	3.11E-6
Cl	0.15	B	0.000069	Cr	2.4E-6
Na	0.15	Ba	0.000031	Cs	2.1E-6
Mg	0.05	As	0.000026	Co	2.1E-6
Fe	0.006	V	0.000026	Ag	1.0E-6
F	0.0037	Sn	0.000024	U	1.3E-7
Zn	0.0032	Hg	0.000019	Be	5E-8
Si	0.0020	Se	0.000019	Ra	1E-13
Zr	0.0006	Mn	0.000017		

45

### RADIATION BIOLOGY

Maximum survivable dose: 1000 rem (10 Sv)  
Cancer mortality rate  $\approx$  900 excess deaths per 100,000  
persons at 0.1 Sv (10 rem)

#### Radiation Dose Risk

Report Additional Cancer Deaths  
BEIR III 1980 3 in 10,000 per 1 rem (10 mSv)  
(also Reg Guide 8.29)  
BEIR V 1990 800 in 100,000 per 10 rad (0.1 Gy)

#### Hiroshima Survivors Incidence of Cancer

4,000 Hiroshima survivors who received doses greater than 50 rem showed an extra 300 incidences of cancer.

#### COMPOSITION OF THE HUMAN BODY

O	65 %	Rb	0.00046 %	I	1.6E-5 %
C	18	Sr	0.00046	Au	1.4E-5
H	10	Br	0.00029	Ni	1.4E-5
N	3	Pb	0.00017	Mo	1.3E-5
Ca	1.5	Nb	0.00016	Ti	1.3E-5
P	1.0	Cu	0.00010	Te	1.2E-5
S	0.25	Al	0.000087	Sb	1.1E-5
K	0.20	Cd	0.000072	Li	3.11E-6
Cl	0.15	B	0.000069	Cr	2.4E-6
Na	0.15	Ba	0.000031	Cs	2.1E-6
Mg	0.05	As	0.000026	Co	2.1E-6
Fe	0.006	V	0.000026	Ag	1.0E-6
F	0.0037	Sn	0.000024	U	1.3E-7
Zn	0.0032	Hg	0.000019	Be	5E-8
Si	0.0020	Se	0.000019	Ra	1E-13
Zr	0.0006	Mn	0.000017		

45

**DOSIMETRY**

$$1 \text{ Bq} = 1 \text{ dps} = 2.7 \text{ E-11 Ci}$$

$$1 \text{ Gy} = 1 \text{ joule / kg} = 100 \text{ rads}$$

$$H_T(\text{Sv}) = D(\text{Gy}) \times Q (\text{Sv / Gy})$$

Quality Factors (Q) values:

x-rays, beta, gamma	=	1
neutrons: thermal	=	2
fast	=	10
alpha	=	20

**DOSE EQUIVALENT CALCULATIONS**

$$1 \text{ Roentgen} = 2.58\text{E-4C} / \text{kg} \text{ or } 1 \text{ esu} / \text{cm}^3$$

$$= 87 \text{ ergs} / \text{g} \text{ or } 2.082 \text{ E9 ip} / \text{cm}^3$$

$$= 7.02 \text{ E4 MeV} / \text{cm}^3 \text{ in air @ STP}$$

or

$$= 98 \text{ ergs} / \text{g} \text{ in tissue}$$

$$1 \text{ R/hr} \sim 1 \text{ E-13 Amperes} / \text{cm}^3$$

$$1 \text{ rad} = 100 \text{ ergs} / \text{g} \text{ in any absorber}$$

$$\rho_{\text{air}} = 0.001293 \text{ g} / \text{cm}^3$$

$$W_{\text{air}} = 33.7 \text{ eV}$$

$$1 \text{ Ampere} = 1 \text{ Coulomb} / \text{sec}$$

$$\text{STP}_{\text{air}} = 760\text{mm Hg} @ 0^\circ\text{C} \text{ or } 14.7\text{lb} / \text{in}^2 @ 32^\circ \text{ F}$$

46

**DOSIMETRY**

$$1 \text{ Bq} = 1 \text{ dps} = 2.7 \text{ E-11 Ci}$$

$$1 \text{ Gy} = 1 \text{ joule / kg} = 100 \text{ rads}$$

$$H_T(\text{Sv}) = D(\text{Gy}) \times Q (\text{Sv / Gy})$$

Quality Factors (Q) values:

x-rays, beta, gamma	=	1
neutrons: thermal	=	2
fast	=	10
alpha	=	20

**DOSE EQUIVALENT CALCULATIONS**

$$1 \text{ Roentgen} = 2.58\text{E-4C} / \text{kg} \text{ or } 1 \text{ esu} / \text{cm}^3$$

$$= 87 \text{ ergs} / \text{g} \text{ or } 2.082 \text{ E9 ip} / \text{cm}^3$$

$$= 7.02 \text{ E4 MeV} / \text{cm}^3 \text{ in air @ STP}$$

or

$$= 98 \text{ ergs} / \text{g} \text{ in tissue}$$

$$1 \text{ R/hr} \sim 1 \text{ E-13 Amperes} / \text{cm}^3$$

$$1 \text{ rad} = 100 \text{ ergs} / \text{g} \text{ in any absorber}$$

$$\rho_{\text{air}} = 0.001293 \text{ g} / \text{cm}^3$$

$$W_{\text{air}} = 33.7 \text{ eV}$$

$$1 \text{ Ampere} = 1 \text{ Coulomb} / \text{sec}$$

$$\text{STP}_{\text{air}} = 760\text{mm Hg} @ 0^\circ\text{C} \text{ or } 14.7\text{lb} / \text{in}^2 @ 32^\circ \text{ F}$$

46

**DOSIMETRY**

$$1 \text{ Bq} = 1 \text{ dps} = 2.7 \text{ E-11 Ci}$$

$$1 \text{ Gy} = 1 \text{ joule / kg} = 100 \text{ rads}$$

$$H_T(\text{Sv}) = D(\text{Gy}) \times Q (\text{Sv / Gy})$$

Quality Factors (Q) values:

x-rays, beta, gamma	=	1
neutrons: thermal	=	2
fast	=	10
alpha	=	20

**DOSE EQUIVALENT CALCULATIONS**

$$1 \text{ Roentgen} = 2.58\text{E-4C} / \text{kg} \text{ or } 1 \text{ esu} / \text{cm}^3$$

$$= 87 \text{ ergs} / \text{g} \text{ or } 2.082 \text{ E9 ip} / \text{cm}^3$$

$$= 7.02 \text{ E4 MeV} / \text{cm}^3 \text{ in air @ STP}$$

or

$$= 98 \text{ ergs} / \text{g} \text{ in tissue}$$

$$1 \text{ R/hr} \sim 1 \text{ E-13 Amperes} / \text{cm}^3$$

$$1 \text{ rad} = 100 \text{ ergs} / \text{g} \text{ in any absorber}$$

$$\rho_{\text{air}} = 0.001293 \text{ g} / \text{cm}^3$$

$$W_{\text{air}} = 33.7 \text{ eV}$$

$$1 \text{ Ampere} = 1 \text{ Coulomb} / \text{sec}$$

$$\text{STP}_{\text{air}} = 760\text{mm Hg} @ 0^\circ\text{C} \text{ or } 14.7\text{lb} / \text{in}^2 @ 32^\circ \text{ F}$$

46

**DOSIMETRY**

$$1 \text{ Bq} = 1 \text{ dps} = 2.7 \text{ E-11 Ci}$$

$$1 \text{ Gy} = 1 \text{ joule / kg} = 100 \text{ rads}$$

$$H_T(\text{Sv}) = D(\text{Gy}) \times Q (\text{Sv / Gy})$$

Quality Factors (Q) values:

x-rays, beta, gamma	=	1
neutrons: thermal	=	2
fast	=	10
alpha	=	20

**DOSE EQUIVALENT CALCULATIONS**

$$1 \text{ Roentgen} = 2.58\text{E-4C} / \text{kg} \text{ or } 1 \text{ esu} / \text{cm}^3$$

$$= 87 \text{ ergs} / \text{g} \text{ or } 2.082 \text{ E9 ip} / \text{cm}^3$$

$$= 7.02 \text{ E4 MeV} / \text{cm}^3 \text{ in air @ STP}$$

or

$$= 98 \text{ ergs} / \text{g} \text{ in tissue}$$

$$1 \text{ R/hr} \sim 1 \text{ E-13 Amperes} / \text{cm}^3$$

$$1 \text{ rad} = 100 \text{ ergs} / \text{g} \text{ in any absorber}$$

$$\rho_{\text{air}} = 0.001293 \text{ g} / \text{cm}^3$$

$$W_{\text{air}} = 33.7 \text{ eV}$$

$$1 \text{ Ampere} = 1 \text{ Coulomb} / \text{sec}$$

$$\text{STP}_{\text{air}} = 760\text{mm Hg} @ 0^\circ\text{C} \text{ or } 14.7\text{lb} / \text{in}^2 @ 32^\circ \text{ F}$$

46

## INTERNAL DOSIMETRY

### Calculating CDE and CEDE ICRP 26/30

CDE =  $I / nALI \times 50 \text{ rem (0.5 Sv)}$  nALI is the non-stochastic ALI  
CDE = 50 yr committed dose equivalent to irradiated tissue  
 $I$  = Intake  
nALI = non-stochastic ALI =  $50 \text{ rem (0.5 Sv)} / h_{\text{max}}$   
 $h_{\text{max}}$  = greatest dose equivalent found in the exposure-to-dose conversion tables  
CEDE =  $I / sALI \times 5 \text{ rem (50 mSv)}$  sALI is the stochastic ALI  
CEDE = 50 yr committed effective dose equivalent  
OR CEDE =  $\sum_{i=1}^n W_T$   
CEDE = 50 yr committed effective dose equivalent to individual tissue  
 $W_T$  = tissue weighting factor  
Effective Dose Equivalent EDE =  $H_E = \sum W_T H_T$   
D.E. rate (Sv / hr) =  $0.15 A(\text{TBq})E / r^2$

### Calculating DAC and DAC-hours

DAC = ALI / 2000 hr at  $1.2 \text{ E6 ml / hr}$   
1 DAC-h = 2.5 mrem (25  $\mu\text{Sv}$ ) CEDE if based on sALI OR 25 mrem (0.25 mSv) ref ICRP 26 CDE to an organ or tissue if based on nALI  
DAC Fraction =  $\sum_i (\text{concentration} / \text{DAC}) / \text{PF}$   
DAC fraction x time (hours) = DAC-hours

## INTERNAL DOSIMETRY

Intake I(Bq) =  $A_i(\text{Bq}) / \text{IRF}_t$   
Body burden  $q_t$  =  $q_0 e^{-\lambda_{\text{eff}} t}$   
CEDE or  $H_{50}$  =  $50 \text{ mSv (5 rem)} \times I / \text{ALI}$   
TEDE = CEDE + Deep Dose Equivalent  
47

## INTERNAL DOSIMETRY

### Calculating CDE and CEDE ICRP 26/30

CDE =  $I / nALI \times 50 \text{ rem (0.5 Sv)}$  nALI is the non-stochastic ALI  
CDE = 50 yr committed dose equivalent to irradiated tissue  
 $I$  = Intake  
nALI = non-stochastic ALI =  $50 \text{ rem (0.5 Sv)} / h_{\text{max}}$   
 $h_{\text{max}}$  = greatest dose equivalent found in the exposure-to-dose conversion tables  
CEDE =  $I / sALI \times 5 \text{ rem (50 mSv)}$  sALI is the stochastic ALI  
CEDE = 50 yr committed effective dose equivalent  
OR CEDE =  $\sum_{i=1}^n W_T$   
CEDE = 50 yr committed effective dose equivalent to individual tissue  
 $W_T$  = tissue weighting factor  
Effective Dose Equivalent EDE =  $H_E = \sum W_T H_T$   
D.E. rate (Sv / hr) =  $0.15 A(\text{TBq})E / r^2$

### Calculating DAC and DAC-hours

DAC = ALI / 2000 hr at  $1.2 \text{ E6 ml / hr}$   
1 DAC-h = 2.5 mrem (25  $\mu\text{Sv}$ ) CEDE if based on sALI OR 25 mrem (0.25 mSv) ref ICRP 26 CDE to an organ or tissue if based on nALI  
DAC Fraction =  $\sum_i (\text{concentration} / \text{DAC}) / \text{PF}$   
DAC fraction x time (hours) = DAC-hours

## INTERNAL DOSIMETRY

Intake I(Bq) =  $A_i(\text{Bq}) / \text{IRF}_t$   
Body burden  $q_t$  =  $q_0 e^{-\lambda_{\text{eff}} t}$   
CEDE or  $H_{50}$  =  $50 \text{ mSv (5 rem)} \times I / \text{ALI}$   
TEDE = CEDE + Deep Dose Equivalent  
47

## INTERNAL DOSIMETRY

### Calculating CDE and CEDE ICRP 26/30

CDE =  $I / nALI \times 50 \text{ rem (0.5 Sv)}$  nALI is the non-stochastic ALI  
CDE = 50 yr committed dose equivalent to irradiated tissue  
 $I$  = Intake  
nALI = non-stochastic ALI =  $50 \text{ rem (0.5 Sv)} / h_{\text{max}}$   
 $h_{\text{max}}$  = greatest dose equivalent found in the exposure-to-dose conversion tables  
CEDE =  $I / sALI \times 5 \text{ rem (50 mSv)}$  sALI is the stochastic ALI  
CEDE = 50 yr committed effective dose equivalent  
OR CEDE =  $\sum_{i=1}^n W_T$   
CEDE = 50 yr committed effective dose equivalent to individual tissue  
 $W_T$  = tissue weighting factor  
Effective Dose Equivalent EDE =  $H_E = \sum W_T H_T$   
D.E. rate (Sv / hr) =  $0.15 A(\text{TBq})E / r^2$

### Calculating DAC and DAC-hours

DAC = ALI / 2000 hr at  $1.2 \text{ E6 ml / hr}$   
1 DAC-h = 2.5 mrem (25  $\mu\text{Sv}$ ) CEDE if based on sALI OR 25 mrem (0.25 mSv) ref ICRP 26 CDE to an organ or tissue if based on nALI  
DAC Fraction =  $\sum_i (\text{concentration} / \text{DAC}) / \text{PF}$   
DAC fraction x time (hours) = DAC-hours

## INTERNAL DOSIMETRY

Intake I(Bq) =  $A_i(\text{Bq}) / \text{IRF}_t$   
Body burden  $q_t$  =  $q_0 e^{-\lambda_{\text{eff}} t}$   
CEDE or  $H_{50}$  =  $50 \text{ mSv (5 rem)} \times I / \text{ALI}$   
TEDE = CEDE + Deep Dose Equivalent  
47

## INTERNAL DOSIMETRY

### Calculating CDE and CEDE ICRP 26/30

CDE =  $I / nALI \times 50 \text{ rem (0.5 Sv)}$  nALI is the non-stochastic ALI  
CDE = 50 yr committed dose equivalent to irradiated tissue  
 $I$  = Intake  
nALI = non-stochastic ALI =  $50 \text{ rem (0.5 Sv)} / h_{\text{max}}$   
 $h_{\text{max}}$  = greatest dose equivalent found in the exposure-to-dose conversion tables  
CEDE =  $I / sALI \times 5 \text{ rem (50 mSv)}$  sALI is the stochastic ALI  
CEDE = 50 yr committed effective dose equivalent  
OR CEDE =  $\sum_{i=1}^n W_T$   
CEDE = 50 yr committed effective dose equivalent to individual tissue  
 $W_T$  = tissue weighting factor  
Effective Dose Equivalent EDE =  $H_E = \sum W_T H_T$   
D.E. rate (Sv / hr) =  $0.15 A(\text{TBq})E / r^2$

### Calculating DAC and DAC-hours

DAC = ALI / 2000 hr at  $1.2 \text{ E6 ml / hr}$   
1 DAC-h = 2.5 mrem (25  $\mu\text{Sv}$ ) CEDE if based on sALI OR 25 mrem (0.25 mSv) ref ICRP 26 CDE to an organ or tissue if based on nALI  
DAC Fraction =  $\sum_i (\text{concentration} / \text{DAC}) / \text{PF}$   
DAC fraction x time (hours) = DAC-hours

## INTERNAL DOSIMETRY

Intake I(Bq) =  $A_i(\text{Bq}) / \text{IRF}_t$   
Body burden  $q_t$  =  $q_0 e^{-\lambda_{\text{eff}} t}$   
CEDE or  $H_{50}$  =  $50 \text{ mSv (5 rem)} \times I / \text{ALI}$   
TEDE = CEDE + Deep Dose Equivalent  
47

## INTERNAL DOSIMETRY

### Effective Half-Life

$$t_{\text{eff}} = t_r \times t_b / (t_r + t_b)$$

where;  $t_r$  = radioactive half-life  
 $t_b$  = biological half-life

### Effective Removal Constant

$$\lambda_{\text{eff}} = \lambda_r + \lambda_b$$

where;  $\lambda_r$  = decay constant =  $0.693 / t_{1/2}$   
 $\lambda_b$  = biological removal constant  $-0.693 / t_b$

### Calculating Internal Dose (ICRP 30)

$$H_{50} (T-S) = (1.6E-10)U_s \text{ SEE}(T-S)$$

$H_{50}$  = 50 year dose equivalent commitment in sieverts  
where SEE is the Specific Effective Energy modified by a quality factor for radiation absorbed in the target organ (T) for each transformation in the source organ (S) expressed in MeV/g.

$$\text{SEE} = \sum Y \cdot E \cdot \text{AF} \cdot Q / M_T$$

where;

Y = yield of radiations per transformation  
E = average energy of the radiation  
AF = absorbed fraction of energy absorbed in the target organ (T) per emission of radiation in the source organ (S)  
Q = quality factor  
 $M_T$  = mass of the target organ  
 $U_s$  = number of nuclear transformations in the source organ (S) during the time interval for which the dose is to be calculated

48

## INTERNAL DOSIMETRY

### Effective Half-Life

$$t_{\text{eff}} = t_r \times t_b / (t_r + t_b)$$

where;  $t_r$  = radioactive half-life  
 $t_b$  = biological half-life

### Effective Removal Constant

$$\lambda_{\text{eff}} = \lambda_r + \lambda_b$$

where;  $\lambda_r$  = decay constant =  $0.693 / t_{1/2}$   
 $\lambda_b$  = biological removal constant  $-0.693 / t_b$

### Calculating Internal Dose (ICRP 30)

$$H_{50} (T-S) = (1.6E-10)U_s \text{ SEE}(T-S)$$

$H_{50}$  = 50 year dose equivalent commitment in sieverts  
where SEE is the Specific Effective Energy modified by a quality factor for radiation absorbed in the target organ (T) for each transformation in the source organ (S) expressed in MeV/g.

$$\text{SEE} = \sum Y \cdot E \cdot \text{AF} \cdot Q / M_T$$

where;

Y = yield of radiations per transformation  
E = average energy of the radiation  
AF = absorbed fraction of energy absorbed in the target organ (T) per emission of radiation in the source organ (S)  
Q = quality factor  
 $M_T$  = mass of the target organ  
 $U_s$  = number of nuclear transformations in the source organ (S) during the time interval for which the dose is to be calculated

48

## INTERNAL DOSIMETRY

### Effective Half-Life

$$t_{\text{eff}} = t_r \times t_b / (t_r + t_b)$$

where;  $t_r$  = radioactive half-life  
 $t_b$  = biological half-life

### Effective Removal Constant

$$\lambda_{\text{eff}} = \lambda_r + \lambda_b$$

where;  $\lambda_r$  = decay constant =  $0.693 / t_{1/2}$   
 $\lambda_b$  = biological removal constant  $-0.693 / t_b$

### Calculating Internal Dose (ICRP 30)

$$H_{50} (T-S) = (1.6E-10)U_s \text{ SEE}(T-S)$$

$H_{50}$  = 50 year dose equivalent commitment in sieverts  
where SEE is the Specific Effective Energy modified by a quality factor for radiation absorbed in the target organ (T) for each transformation in the source organ (S) expressed in MeV/g.

$$\text{SEE} = \sum Y \cdot E \cdot \text{AF} \cdot Q / M_T$$

where;

Y = yield of radiations per transformation  
E = average energy of the radiation  
AF = absorbed fraction of energy absorbed in the target organ (T) per emission of radiation in the source organ (S)  
Q = quality factor  
 $M_T$  = mass of the target organ  
 $U_s$  = number of nuclear transformations in the source organ (S) during the time interval for which the dose is to be calculated

48

## INTERNAL DOSIMETRY

### Effective Half-Life

$$t_{\text{eff}} = t_r \times t_b / (t_r + t_b)$$

where;  $t_r$  = radioactive half-life  
 $t_b$  = biological half-life

### Effective Removal Constant

$$\lambda_{\text{eff}} = \lambda_r + \lambda_b$$

where;  $\lambda_r$  = decay constant =  $0.693 / t_{1/2}$   
 $\lambda_b$  = biological removal constant  $-0.693 / t_b$

### Calculating Internal Dose (ICRP 30)

$$H_{50} (T-S) = (1.6E-10)U_s \text{ SEE}(T-S)$$

$H_{50}$  = 50 year dose equivalent commitment in sieverts  
where SEE is the Specific Effective Energy modified by a quality factor for radiation absorbed in the target organ (T) for each transformation in the source organ (S) expressed in MeV/g.

$$\text{SEE} = \sum Y \cdot E \cdot \text{AF} \cdot Q / M_T$$

where;

Y = yield of radiations per transformation  
E = average energy of the radiation  
AF = absorbed fraction of energy absorbed in the target organ (T) per emission of radiation in the source organ (S)  
Q = quality factor  
 $M_T$  = mass of the target organ  
 $U_s$  = number of nuclear transformations in the source organ (S) during the time interval for which the dose is to be calculated

48

**EQUIVALENT DOSE, EFFECTIVE DOSE, and  
COMMITTED EFFECTIVE DOSE**

**ICRP 60 Equivalent Dose**

$$H_T = \sum_R W_R D_{T,R}$$

$H_T$  = equivalent dose in tissue T  
 $W_R$  = radiation weighting factor  
 $D_{T,R}$  = absorbed dose averaged over tissue T due to radiation R

**ICRP 60 Effective Dose**

$$E = \sum_T W_T H_T$$

$E$  = effective dose to the individual  
 $W_T$  = tissue weighting factor  
 $H_T$  = equivalent dose in tissue(s) T

**ICRP 60 Committed Effective Dose**

$$E(50) = \sum_{T=i}^{T=j} W_T H_T(50) + W_{\text{remainder}} \frac{\sum_{T=K}^{T=1} m_T H_T(50)}{\sum_{T=K}^{T=1} m_T}$$

$E(50)$  = committed effective dose  
 $W_T$  = tissue weighting factor for tissues & organs T to T  
 $m_T$  = mass of the remainder tissues T to T  
 $W_{\text{remainder}}$  = 0.05 (the  $W_T$  assigned to the remainder tissues)

**ICRP 23 REFERENCE MAN**

Daily Water Intake = 2.2 liters / day  
 Breathing Rate = 2 E4 ml / min  
 Skin surface area = 18,000 cm<sup>2</sup>  
 There are approximately 10<sup>13</sup> cells in the human body.  
 There are 140 g of potassium in standard man, 125 nCi (4.625kBq) is K<sup>40</sup> which results in 0.25 mrem/wk or 13 mrem/yr (2.5 μSv/wk or 0.13 mSv/yr) to the whole body. An additional 15 mrem/yr (0.15 mSv/yr) will occur when using a salt substitute.

**EQUIVALENT DOSE, EFFECTIVE DOSE, and  
COMMITTED EFFECTIVE DOSE**

**ICRP 60 Equivalent Dose**

$$H_T = \sum_R W_R D_{T,R}$$

$H_T$  = equivalent dose in tissue T  
 $W_R$  = radiation weighting factor  
 $D_{T,R}$  = absorbed dose averaged over tissue T due to radiation R

**ICRP 60 Effective Dose**

$$E = \sum_T W_T H_T$$

$E$  = effective dose to the individual  
 $W_T$  = tissue weighting factor  
 $H_T$  = equivalent dose in tissue(s) T

**ICRP 60 Committed Effective Dose**

$$E(50) = \sum_{T=i}^{T=j} W_T H_T(50) + W_{\text{remainder}} \frac{\sum_{T=K}^{T=1} m_T H_T(50)}{\sum_{T=K}^{T=1} m_T}$$

$E(50)$  = committed effective dose  
 $W_T$  = tissue weighting factor for tissues & organs T to T  
 $m_T$  = mass of the remainder tissues T to T  
 $W_{\text{remainder}}$  = 0.05 (the  $W_T$  assigned to the remainder tissues)

**ICRP 23 REFERENCE MAN**

Daily Water Intake = 2.2 liters / day  
 Breathing Rate = 2 E4 ml / min  
 Skin surface area = 18,000 cm<sup>2</sup>  
 There are approximately 10<sup>13</sup> cells in the human body.  
 There are 140 g of potassium in standard man, 125 nCi (4.625kBq) is K<sup>40</sup> which results in 0.25 mrem/wk or 13 mrem/yr (2.5 μSv/wk or 0.13 mSv/yr) to the whole body. An additional 15 mrem/yr (0.15 mSv/yr) will occur when using a salt substitute.

**EQUIVALENT DOSE, EFFECTIVE DOSE, and  
COMMITTED EFFECTIVE DOSE**

**ICRP 60 Equivalent Dose**

$$H_T = \sum_R W_R D_{T,R}$$

$H_T$  = equivalent dose in tissue T  
 $W_R$  = radiation weighting factor  
 $D_{T,R}$  = absorbed dose averaged over tissue T due to radiation R

**ICRP 60 Effective Dose**

$$E = \sum_T W_T H_T$$

$E$  = effective dose to the individual  
 $W_T$  = tissue weighting factor  
 $H_T$  = equivalent dose in tissue(s) T

**ICRP 60 Committed Effective Dose**

$$E(50) = \sum_{T=i}^{T=j} W_T H_T(50) + W_{\text{remainder}} \frac{\sum_{T=K}^{T=1} m_T H_T(50)}{\sum_{T=K}^{T=1} m_T}$$

$E(50)$  = committed effective dose  
 $W_T$  = tissue weighting factor for tissues & organs T to T  
 $m_T$  = mass of the remainder tissues T to T  
 $W_{\text{remainder}}$  = 0.05 (the  $W_T$  assigned to the remainder tissues)

**ICRP 23 REFERENCE MAN**

Daily Water Intake = 2.2 liters / day  
 Breathing Rate = 2 E4 ml / min  
 Skin surface area = 18,000 cm<sup>2</sup>  
 There are approximately 10<sup>13</sup> cells in the human body.  
 There are 140 g of potassium in standard man, 125 nCi (4.625kBq) is K<sup>40</sup> which results in 0.25 mrem/wk or 13 mrem/yr (2.5 μSv/wk or 0.13 mSv/yr) to the whole body. An additional 15 mrem/yr (0.15 mSv/yr) will occur when using a salt substitute.

**EQUIVALENT DOSE, EFFECTIVE DOSE, and  
COMMITTED EFFECTIVE DOSE**

**ICRP 60 Equivalent Dose**

$$H_T = \sum_R W_R D_{T,R}$$

$H_T$  = equivalent dose in tissue T  
 $W_R$  = radiation weighting factor  
 $D_{T,R}$  = absorbed dose averaged over tissue T due to radiation R

**ICRP 60 Effective Dose**

$$E = \sum_T W_T H_T$$

$E$  = effective dose to the individual  
 $W_T$  = tissue weighting factor  
 $H_T$  = equivalent dose in tissue(s) T

**ICRP 60 Committed Effective Dose**

$$E(50) = \sum_{T=i}^{T=j} W_T H_T(50) + W_{\text{remainder}} \frac{\sum_{T=K}^{T=1} m_T H_T(50)}{\sum_{T=K}^{T=1} m_T}$$

$E(50)$  = committed effective dose  
 $W_T$  = tissue weighting factor for tissues & organs T to T  
 $m_T$  = mass of the remainder tissues T to T  
 $W_{\text{remainder}}$  = 0.05 (the  $W_T$  assigned to the remainder tissues)

**ICRP 23 REFERENCE MAN**

Daily Water Intake = 2.2 liters / day  
 Breathing Rate = 2 E4 ml / min  
 Skin surface area = 18,000 cm<sup>2</sup>  
 There are approximately 10<sup>13</sup> cells in the human body.  
 There are 140 g of potassium in standard man, 125 nCi (4.625kBq) is K<sup>40</sup> which results in 0.25 mrem/wk or 13 mrem/yr (2.5 μSv/wk or 0.13 mSv/yr) to the whole body. An additional 15 mrem/yr (0.15 mSv/yr) will occur when using a salt substitute.

**RADIATION WEIGHTING FACTORS<sup>1</sup> (ICRP 60)**

Type and Energy Range <sup>2</sup>	Radiation Weighting Factor, $W_R$
Photons, all energies	1
Electrons and muons, all energies <sup>3</sup>	1
Neutrons, <10 keV	5
10 keV to 100 keV	10
100 keV to 2 MeV	20
2 MeV to 20 MeV	10
> 20 MeV	5
Protons, other than recoil protons, energy > 2MeV	5
Alpha particles, fission fragments, heavy nuclei	20

<sup>1</sup>All values relate to the radiation incident on the body or, for internal sources, emitted from the source.

<sup>2</sup>The choice of values for other radiation is discussed in Annex A of Publication 60.

<sup>3</sup>Excluding Auger electrons emitted from nuclei bound to DNA

**ICRP 60 Tissue Weighting Factors**

Tissue or organ	Tissue weighting factor, $W_T$
Gonads	0.20
Bone marrow (red)	0.12
Colon	0.12
Lung	0.12
Stomach	0.12
Bladder	0.05
Breast	0.05
Liver	0.05
Oesophagus	0.05
Thyroid	0.05
Skin	0.01
Bone surface	0.01
Remainder	0.05

50

**RADIATION WEIGHTING FACTORS<sup>1</sup> (ICRP 60)**

Type and Energy Range <sup>2</sup>	Radiation Weighting Factor, $W_R$
Photons, all energies	1
Electrons and muons, all energies <sup>3</sup>	1
Neutrons, <10 keV	5
10 keV to 100 keV	10
100 keV to 2 MeV	20
2 MeV to 20 MeV	10
> 20 MeV	5
Protons, other than recoil protons, energy > 2MeV	5
Alpha particles, fission fragments, heavy nuclei	20

<sup>1</sup>All values relate to the radiation incident on the body or, for internal sources, emitted from the source.

<sup>2</sup>The choice of values for other radiation is discussed in Annex A of Publication 60.

<sup>3</sup>Excluding Auger electrons emitted from nuclei bound to DNA

**ICRP 60 Tissue Weighting Factors**

Tissue or organ	Tissue weighting factor, $W_T$
Gonads	0.20
Bone marrow (red)	0.12
Colon	0.12
Lung	0.12
Stomach	0.12
Bladder	0.05
Breast	0.05
Liver	0.05
Oesophagus	0.05
Thyroid	0.05
Skin	0.01
Bone surface	0.01
Remainder	0.05

50

**RADIATION WEIGHTING FACTORS<sup>1</sup> (ICRP 60)**

Type and Energy Range <sup>2</sup>	Radiation Weighting Factor, $W_R$
Photons, all energies	1
Electrons and muons, all energies <sup>3</sup>	1
Neutrons, <10 keV	5
10 keV to 100 keV	10
100 keV to 2 MeV	20
2 MeV to 20 MeV	10
> 20 MeV	5
Protons, other than recoil protons, energy > 2MeV	5
Alpha particles, fission fragments, heavy nuclei	20

<sup>1</sup>All values relate to the radiation incident on the body or, for internal sources, emitted from the source.

<sup>2</sup>The choice of values for other radiation is discussed in Annex A of Publication 60.

<sup>3</sup>Excluding Auger electrons emitted from nuclei bound to DNA

**ICRP 60 Tissue Weighting Factors**

Tissue or organ	Tissue weighting factor, $W_T$
Gonads	0.20
Bone marrow (red)	0.12
Colon	0.12
Lung	0.12
Stomach	0.12
Bladder	0.05
Breast	0.05
Liver	0.05
Oesophagus	0.05
Thyroid	0.05
Skin	0.01
Bone surface	0.01
Remainder	0.05

50

**RADIATION WEIGHTING FACTORS<sup>1</sup> (ICRP 60)**

Type and Energy Range <sup>2</sup>	Radiation Weighting Factor, $W_R$
Photons, all energies	1
Electrons and muons, all energies <sup>3</sup>	1
Neutrons, <10 keV	5
10 keV to 100 keV	10
100 keV to 2 MeV	20
2 MeV to 20 MeV	10
> 20 MeV	5
Protons, other than recoil protons, energy > 2MeV	5
Alpha particles, fission fragments, heavy nuclei	20

<sup>1</sup>All values relate to the radiation incident on the body or, for internal sources, emitted from the source.

<sup>2</sup>The choice of values for other radiation is discussed in Annex A of Publication 60.

<sup>3</sup>Excluding Auger electrons emitted from nuclei bound to DNA

**ICRP 60 Tissue Weighting Factors**

Tissue or organ	Tissue weighting factor, $W_T$
Gonads	0.20
Bone marrow (red)	0.12
Colon	0.12
Lung	0.12
Stomach	0.12
Bladder	0.05
Breast	0.05
Liver	0.05
Oesophagus	0.05
Thyroid	0.05
Skin	0.01
Bone surface	0.01
Remainder	0.05

50

**CALCULATING TODE AND TEDE**

TEDE = DDE + CEDE  
 TODE = DDE + CDE  
 TEDE = total effective dose equivalent  
 TODE = total organ dose equivalent  
 DDE = deep dose equivalent  
 CDE = 50 year committed dose equivalent to a tissue or organ  
 CEDE = 50 year committed effective dose equivalent

**DOSE EQUIVALENT LIMITS & POSTING REQUIREMENTS (10CFR20 & 10CFR835)**

Dose Equivalent	Annual Limit	
TEDE	5 rem	50 mSv
TODE	50 rem	0.5 Sv
LDE	15 rem	0.15 Sv
SDE, WB	50 rem	0.5 Sv
SDE, ME	50 rem	0.5 Sv
TEDE (general public)	0.1 rem	1 mSv

**DOSE EQUIVALENT MEASUREMENT**

Abbreviations from USNRC Reg. Guide 8.7

	Measurement Depth for External Sources (cm)	Density Thickness (mg / cm <sup>2</sup> )
TEDE	1	1000
TODE	1	1000
LDE	0.3	300
SDE, WB <sup>1</sup>	0.007	7
SDE, ME <sup>2</sup>	0.007	7

<sup>1</sup>SDE, WB is the shallow dose equivalent to the skin of the whole body<sup>2</sup>SDE, ME the shallow dose equivalent to a major extremity.**CALCULATING TODE AND TEDE**

TEDE = DDE + CEDE  
 TODE = DDE + CDE  
 TEDE = total effective dose equivalent  
 TODE = total organ dose equivalent  
 DDE = deep dose equivalent  
 CDE = 50 year committed dose equivalent to a tissue or organ  
 CEDE = 50 year committed effective dose equivalent

**DOSE EQUIVALENT LIMITS & POSTING REQUIREMENTS (10CFR20 & 10CFR835)**

Dose Equivalent	Annual Limit	
TEDE	5 rem	50 mSv
TODE	50 rem	0.5 Sv
LDE	15 rem	0.15 Sv
SDE, WB	50 rem	0.5 Sv
SDE, ME	50 rem	0.5 Sv
TEDE (general public)	0.1 rem	1 mSv

**DOSE EQUIVALENT MEASUREMENT**

Abbreviations from USNRC Reg. Guide 8.7

	Measurement Depth for External Sources (cm)	Density Thickness (mg / cm <sup>2</sup> )
TEDE	1	1000
TODE	1	1000
LDE	0.3	300
SDE, WB <sup>1</sup>	0.007	7
SDE, ME <sup>2</sup>	0.007	7

<sup>1</sup>SDE, WB is the shallow dose equivalent to the skin of the whole body<sup>2</sup>SDE, ME the shallow dose equivalent to a major extremity.**CALCULATING TODE AND TEDE**

TEDE = DDE + CEDE  
 TODE = DDE + CDE  
 TEDE = total effective dose equivalent  
 TODE = total organ dose equivalent  
 DDE = deep dose equivalent  
 CDE = 50 year committed dose equivalent to a tissue or organ  
 CEDE = 50 year committed effective dose equivalent

**DOSE EQUIVALENT LIMITS & POSTING REQUIREMENTS (10CFR20 & 10CFR835)**

Dose Equivalent	Annual Limit	
TEDE	5 rem	50 mSv
TODE	50 rem	0.5 Sv
LDE	15 rem	0.15 Sv
SDE, WB	50 rem	0.5 Sv
SDE, ME	50 rem	0.5 Sv
TEDE (general public)	0.1 rem	1 mSv

**DOSE EQUIVALENT MEASUREMENT**

Abbreviations from USNRC Reg. Guide 8.7

	Measurement Depth for External Sources (cm)	Density Thickness (mg / cm <sup>2</sup> )
TEDE	1	1000
TODE	1	1000
LDE	0.3	300
SDE, WB <sup>1</sup>	0.007	7
SDE, ME <sup>2</sup>	0.007	7

<sup>1</sup>SDE, WB is the shallow dose equivalent to the skin of the whole body<sup>2</sup>SDE, ME the shallow dose equivalent to a major extremity.**CALCULATING TODE AND TEDE**

TEDE = DDE + CEDE  
 TODE = DDE + CDE  
 TEDE = total effective dose equivalent  
 TODE = total organ dose equivalent  
 DDE = deep dose equivalent  
 CDE = 50 year committed dose equivalent to a tissue or organ  
 CEDE = 50 year committed effective dose equivalent

**DOSE EQUIVALENT LIMITS & POSTING REQUIREMENTS (10CFR20 & 10CFR835)**

Dose Equivalent	Annual Limit	
TEDE	5 rem	50 mSv
TODE	50 rem	0.5 Sv
LDE	15 rem	0.15 Sv
SDE, WB	50 rem	0.5 Sv
SDE, ME	50 rem	0.5 Sv
TEDE (general public)	0.1 rem	1 mSv

**DOSE EQUIVALENT MEASUREMENT**

Abbreviations from USNRC Reg. Guide 8.7

	Measurement Depth for External Sources (cm)	Density Thickness (mg / cm <sup>2</sup> )
TEDE	1	1000
TODE	1	1000
LDE	0.3	300
SDE, WB <sup>1</sup>	0.007	7
SDE, ME <sup>2</sup>	0.007	7

<sup>1</sup>SDE, WB is the shallow dose equivalent to the skin of the whole body<sup>2</sup>SDE, ME the shallow dose equivalent to a major extremity.

## RADIATION INTERACTIONS

### Charged Particles

Ionization, Excitation, *Bremsstrahlung* ( $\beta^-$ ), Annihilation ( $\beta^+$ )

### Neutrons

Scattering ( $E > 0.025$  eV)

- Elastic (energy and momentum are conserved)
- Inelastic (photon emitted)

Absorption ( $E \leq 0.025$  eV)

- Radiative Capture ( $n, \gamma$ )
- Particle Emission ( $n, \alpha$ ) ( $n, p$ ) ( $n, n$ )
- Fission ( $n, f$ )

### Gamma or X-ray photons

- Photoelectric Effect (generally  $\leq 1$  MeV)
- Compton Scattering (generally 200 keV - 5 MeV)
- Pair Production (minimum 1.022 MeV)

### Scattered Photon

$$T' = T / [1 + T(1 - \cos \theta) / m_0 c^2]$$

where  $c^2 = 931.5$  MeV / amu

### Bremsstrahlung

emitted energy is  $\sim 1/3$  of the electron energy

**Photon Attenuation:**  $I_x = I_0 e^{\mu x}$

Interaction Probability per gram:

- Photoelectric  $\propto Z^3 / E^3$
- Compton independent of  $Z$
- Pair Production  $\propto Z^1$

$$\mu_{\text{Total}} = \mu_{\text{pe}} + \mu_{\text{cs}} + \mu_{\text{cc}}$$

$$W_{\text{Air}} = 33.9 \text{ eV per ion pair}$$

Specific Ionization =  $S/W$  (i.p. / cm)

52

## RADIATION INTERACTIONS

### Charged Particles

Ionization, Excitation, *Bremsstrahlung* ( $\beta^-$ ), Annihilation ( $\beta^+$ )

### Neutrons

Scattering ( $E > 0.025$  eV)

- Elastic (energy and momentum are conserved)
- Inelastic (photon emitted)

Absorption ( $E \leq 0.025$  eV)

- Radiative Capture ( $n, \gamma$ )
- Particle Emission ( $n, \alpha$ ) ( $n, p$ ) ( $n, n$ )
- Fission ( $n, f$ )

### Gamma or X-ray photons

- Photoelectric Effect (generally  $\leq 1$  MeV)
- Compton Scattering (generally 200 keV - 5 MeV)
- Pair Production (minimum 1.022 MeV)

### Scattered Photon

$$T' = T / [1 + T(1 - \cos \theta) / m_0 c^2]$$

where  $c^2 = 931.5$  MeV / amu

### Bremsstrahlung

emitted energy is  $\sim 1/3$  of the electron energy

**Photon Attenuation:**  $I_x = I_0 e^{\mu x}$

Interaction Probability per gram:

- Photoelectric  $\propto Z^3 / E^3$
- Compton independent of  $Z$
- Pair Production  $\propto Z^1$

$$\mu_{\text{Total}} = \mu_{\text{pe}} + \mu_{\text{cs}} + \mu_{\text{cc}}$$

$$W_{\text{Air}} = 33.9 \text{ eV per ion pair}$$

Specific Ionization =  $S/W$  (i.p. / cm)

52

## RADIATION INTERACTIONS

### Charged Particles

Ionization, Excitation, *Bremsstrahlung* ( $\beta^-$ ), Annihilation ( $\beta^+$ )

### Neutrons

Scattering ( $E > 0.025$  eV)

- Elastic (energy and momentum are conserved)
- Inelastic (photon emitted)

Absorption ( $E \leq 0.025$  eV)

- Radiative Capture ( $n, \gamma$ )
- Particle Emission ( $n, \alpha$ ) ( $n, p$ ) ( $n, n$ )
- Fission ( $n, f$ )

### Gamma or X-ray photons

- Photoelectric Effect (generally  $\leq 1$  MeV)
- Compton Scattering (generally 200 keV - 5 MeV)
- Pair Production (minimum 1.022 MeV)

### Scattered Photon

$$T' = T / [1 + T(1 - \cos \theta) / m_0 c^2]$$

where  $c^2 = 931.5$  MeV / amu

### Bremsstrahlung

emitted energy is  $\sim 1/3$  of the electron energy

**Photon Attenuation:**  $I_x = I_0 e^{\mu x}$

Interaction Probability per gram:

- Photoelectric  $\propto Z^3 / E^3$
- Compton independent of  $Z$
- Pair Production  $\propto Z^1$

$$\mu_{\text{Total}} = \mu_{\text{pe}} + \mu_{\text{cs}} + \mu_{\text{cc}}$$

$$W_{\text{Air}} = 33.9 \text{ eV per ion pair}$$

Specific Ionization =  $S/W$  (i.p. / cm)

52

## RADIATION INTERACTIONS

### Charged Particles

Ionization, Excitation, *Bremsstrahlung* ( $\beta^-$ ), Annihilation ( $\beta^+$ )

### Neutrons

Scattering ( $E > 0.025$  eV)

- Elastic (energy and momentum are conserved)
- Inelastic (photon emitted)

Absorption ( $E \leq 0.025$  eV)

- Radiative Capture ( $n, \gamma$ )
- Particle Emission ( $n, \alpha$ ) ( $n, p$ ) ( $n, n$ )
- Fission ( $n, f$ )

### Gamma or X-ray photons

- Photoelectric Effect (generally  $\leq 1$  MeV)
- Compton Scattering (generally 200 keV - 5 MeV)
- Pair Production (minimum 1.022 MeV)

### Scattered Photon

$$T' = T / [1 + T(1 - \cos \theta) / m_0 c^2]$$

where  $c^2 = 931.5$  MeV / amu

### Bremsstrahlung

emitted energy is  $\sim 1/3$  of the electron energy

**Photon Attenuation:**  $I_x = I_0 e^{\mu x}$

Interaction Probability per gram:

- Photoelectric  $\propto Z^3 / E^3$
- Compton independent of  $Z$
- Pair Production  $\propto Z^1$

$$\mu_{\text{Total}} = \mu_{\text{pe}} + \mu_{\text{cs}} + \mu_{\text{cc}}$$

$$W_{\text{Air}} = 33.9 \text{ eV per ion pair}$$

Specific Ionization =  $S/W$  (i.p. / cm)

52

### SHIELDING MATERIALS

$\alpha$	a single sheet of paper
$\beta^-$	low Z, such as plastic or aluminum
$\gamma$	high Z, such as tungsten
mixed $\beta^-/\gamma$	low Z, then high Z
neutron	hydrogenous material to thermalize (such as polyethylene) then neutron absorber (such as Cd, B, Li, Hf), then high Z to absorb "capture gammas"

#### Photon Half-Value Layers in CM

	100 KeV	600 KeV	1 MeV	2 MeV
U	0.005	0.25	0.48	0.78
W	0.008	0.35	0.58	0.82
Pb	0.012	0.52	0.90	1.35
Sn	0.06	1.20	1.38	1.80
Cu	0.18	1.01	1.70	1.65
Fe	0.25	1.15	1.32	1.55
Al	1.12	3.30	4.45	5.90
Concrete	1.8	3.8	4.6	6.2
Water	4.2	7.8	9.6	14.2

This table applies to a thin shield and no provision is made for buildup factor. Always perform a radiation measurement to confirm adequacy of shield.

#### Tenth-Value Thickness

Simply multiply the half-value thickness by the square root of 10 (3.162) to get the tenth-value thickness.

Example: A half-value thickness of concrete for Cs-137 gamma radiation is 3.8 cm.  
The tenth-value thickness is 3.8 cm x 3.162 = 12 cm.

53

### SHIELDING MATERIALS

$\alpha$	a single sheet of paper
$\beta^-$	low Z, such as plastic or aluminum
$\gamma$	high Z, such as tungsten
mixed $\beta^-/\gamma$	low Z, then high Z
neutron	hydrogenous material to thermalize (such as polyethylene) then neutron absorber (such as Cd, B, Li, Hf), then high Z to absorb "capture gammas"

#### Photon Half-Value Layers in CM

	100 KeV	600 KeV	1 MeV	2 MeV
U	0.005	0.25	0.48	0.78
W	0.008	0.35	0.58	0.82
Pb	0.012	0.52	0.90	1.35
Sn	0.06	1.20	1.38	1.80
Cu	0.18	1.01	1.70	1.65
Fe	0.25	1.15	1.32	1.55
Al	1.12	3.30	4.45	5.90
Concrete	1.8	3.8	4.6	6.2
Water	4.2	7.8	9.6	14.2

This table applies to a thin shield and no provision is made for buildup factor. Always perform a radiation measurement to confirm adequacy of shield.

#### Tenth-Value Thickness

Simply multiply the half-value thickness by the square root of 10 (3.162) to get the tenth-value thickness.

Example: A half-value thickness of concrete for Cs-137 gamma radiation is 3.8 cm.  
The tenth-value thickness is 3.8 cm x 3.162 = 12 cm.

53

### SHIELDING MATERIALS

$\alpha$	a single sheet of paper
$\beta^-$	low Z, such as plastic or aluminum
$\gamma$	high Z, such as tungsten
mixed $\beta^-/\gamma$	low Z, then high Z
neutron	hydrogenous material to thermalize (such as polyethylene) then neutron absorber (such as Cd, B, Li, Hf), then high Z to absorb "capture gammas"

#### Photon Half-Value Layers in CM

	100 KeV	600 KeV	1 MeV	2 MeV
U	0.005	0.25	0.48	0.78
W	0.008	0.35	0.58	0.82
Pb	0.012	0.52	0.90	1.35
Sn	0.06	1.20	1.38	1.80
Cu	0.18	1.01	1.70	1.65
Fe	0.25	1.15	1.32	1.55
Al	1.12	3.30	4.45	5.90
Concrete	1.8	3.8	4.6	6.2
Water	4.2	7.8	9.6	14.2

This table applies to a thin shield and no provision is made for buildup factor. Always perform a radiation measurement to confirm adequacy of shield.

#### Tenth-Value Thickness

Simply multiply the half-value thickness by the square root of 10 (3.162) to get the tenth-value thickness.

Example: A half-value thickness of concrete for Cs-137 gamma radiation is 3.8 cm.  
The tenth-value thickness is 3.8 cm x 3.162 = 12 cm.

53

### SHIELDING MATERIALS

$\alpha$	a single sheet of paper
$\beta^-$	low Z, such as plastic or aluminum
$\gamma$	high Z, such as tungsten
mixed $\beta^-/\gamma$	low Z, then high Z
neutron	hydrogenous material to thermalize (such as polyethylene) then neutron absorber (such as Cd, B, Li, Hf), then high Z to absorb "capture gammas"

#### Photon Half-Value Layers in CM

	100 KeV	600 KeV	1 MeV	2 MeV
U	0.005	0.25	0.48	0.78
W	0.008	0.35	0.58	0.82
Pb	0.012	0.52	0.90	1.35
Sn	0.06	1.20	1.38	1.80
Cu	0.18	1.01	1.70	1.65
Fe	0.25	1.15	1.32	1.55
Al	1.12	3.30	4.45	5.90
Concrete	1.8	3.8	4.6	6.2
Water	4.2	7.8	9.6	14.2

This table applies to a thin shield and no provision is made for buildup factor. Always perform a radiation measurement to confirm adequacy of shield.

#### Tenth-Value Thickness

Simply multiply the half-value thickness by the square root of 10 (3.162) to get the tenth-value thickness.

Example: A half-value thickness of concrete for Cs-137 gamma radiation is 3.8 cm.  
The tenth-value thickness is 3.8 cm x 3.162 = 12 cm.

53

### Photon Shielding Buildup Factors

MeV	Water	Aluminum	Concrete	Iron	Lead
0.5	2.52	2.37	2.19	1.98	1.24
1.0	2.13	2.02	1.94	1.87	1.37
2.0	1.83	1.75	1.75	1.76	1.39

### Neutron and Gamma Shielding

#### SIMPLIFIED SHIELD THICKNESS CALCULATION

perform radiation measurements to verify these calculations

$I$  = shielded exposure rate

$I_0$  = unshielded exposure rate

$n$  = number of shielding layers (tenth or half)

$I$  =  $I_0 \times 0.1^n$  for tenth value thickness

$I$  =  $I_0 \times 0.5^n$  for half value thickness

### Radiation Streaming

Consider the potential for radiation streaming thru gaps in the shielding. Design the shielding to minimize gaps and perform a comprehensive survey after the shielding is in place.

### Stay-Time Calculation

Stay-time calculations are typically used to determine how long an individual can remain in an area with elevated radiation fields until they reach some pre-determined dose limit. The principles can also be applied to airborne areas.

Stay-time = Allowable exposure/exposure rate

example; allowable exposure is 100 mR  
exposure rate is 25 mR/hr

Stay-time = 100 mR / 25 mR/hr = 4 hours

54

### Photon Shielding Buildup Factors

MeV	Water	Aluminum	Concrete	Iron	Lead
0.5	2.52	2.37	2.19	1.98	1.24
1.0	2.13	2.02	1.94	1.87	1.37
2.0	1.83	1.75	1.75	1.76	1.39

### Neutron and Gamma Shielding

#### SIMPLIFIED SHIELD THICKNESS CALCULATION

perform radiation measurements to verify these calculations

$I$  = shielded exposure rate

$I_0$  = unshielded exposure rate

$n$  = number of shielding layers (tenth or half)

$I$  =  $I_0 \times 0.1^n$  for tenth value thickness

$I$  =  $I_0 \times 0.5^n$  for half value thickness

### Radiation Streaming

Consider the potential for radiation streaming thru gaps in the shielding. Design the shielding to minimize gaps and perform a comprehensive survey after the shielding is in place.

### Stay-Time Calculation

Stay-time calculations are typically used to determine how long an individual can remain in an area with elevated radiation fields until they reach some pre-determined dose limit. The principles can also be applied to airborne areas.

Stay-time = Allowable exposure/exposure rate

example; allowable exposure is 100 mR  
exposure rate is 25 mR/hr

Stay-time = 100 mR / 25 mR/hr = 4 hours

54

### Photon Shielding Buildup Factors

MeV	Water	Aluminum	Concrete	Iron	Lead
0.5	2.52	2.37	2.19	1.98	1.24
1.0	2.13	2.02	1.94	1.87	1.37
2.0	1.83	1.75	1.75	1.76	1.39

### Neutron and Gamma Shielding

#### SIMPLIFIED SHIELD THICKNESS CALCULATION

perform radiation measurements to verify these calculations

$I$  = shielded exposure rate

$I_0$  = unshielded exposure rate

$n$  = number of shielding layers (tenth or half)

$I$  =  $I_0 \times 0.1^n$  for tenth value thickness

$I$  =  $I_0 \times 0.5^n$  for half value thickness

### Radiation Streaming

Consider the potential for radiation streaming thru gaps in the shielding. Design the shielding to minimize gaps and perform a comprehensive survey after the shielding is in place.

### Stay-Time Calculation

Stay-time calculations are typically used to determine how long an individual can remain in an area with elevated radiation fields until they reach some pre-determined dose limit. The principles can also be applied to airborne areas.

Stay-time = Allowable exposure/exposure rate

example; allowable exposure is 100 mR  
exposure rate is 25 mR/hr

Stay-time = 100 mR / 25 mR/hr = 4 hours

54

### Photon Shielding Buildup Factors

MeV	Water	Aluminum	Concrete	Iron	Lead
0.5	2.52	2.37	2.19	1.98	1.24
1.0	2.13	2.02	1.94	1.87	1.37
2.0	1.83	1.75	1.75	1.76	1.39

### Neutron and Gamma Shielding

#### SIMPLIFIED SHIELD THICKNESS CALCULATION

perform radiation measurements to verify these calculations

$I$  = shielded exposure rate

$I_0$  = unshielded exposure rate

$n$  = number of shielding layers (tenth or half)

$I$  =  $I_0 \times 0.1^n$  for tenth value thickness

$I$  =  $I_0 \times 0.5^n$  for half value thickness

### Radiation Streaming

Consider the potential for radiation streaming thru gaps in the shielding. Design the shielding to minimize gaps and perform a comprehensive survey after the shielding is in place.

### Stay-Time Calculation

Stay-time calculations are typically used to determine how long an individual can remain in an area with elevated radiation fields until they reach some pre-determined dose limit. The principles can also be applied to airborne areas.

Stay-time = Allowable exposure/exposure rate

example; allowable exposure is 100 mR  
exposure rate is 25 mR/hr

Stay-time = 100 mR / 25 mR/hr = 4 hours

54

### Beta Dose Rates in rad/hr per mCi

MeV	1 cm	10 cm	30 cm	60 cm	90 cm	1.0 m
0.15	1,200	1.7	0	0	0	0
0.25	1,000	2.2	0.1	0	0	0
0.30	900	3.6	0.1	0	0	0
0.50	750	5.2	0.4	0.05	0.01	0
0.75	650	5.0	0.5	0.05	0.01	0
1.0	550	4.6	0.4	0.1	0	0
1.25	450	4.3	0.4	0.1	0.04	0.02
1.50	400	4.0	0.4	0.1	0.04	0.02
1.75	350	3.4	0.4	0.1	0.04	0.02
2.00	340	3.6	0.4	0.1	0.04	0.02
2.25	320	3.3	0.4	0.1	0.04	0.02

Beta dose should be treated as a "shallow" dose and should not be summed with "deep" doses. This chart should also be used to determine beta+ doses from positron emitters.

### Half-value Thickness vs Beta Energy

Isotope	Emax (MeV)	Half-Value Thickness mg / cm <sup>2</sup>
C-14	0.156	2
Tc-99	0.292	7.5
Cl-36	0.714	15
Sr/Y-90	0.546 / 2.284	150
U-238 Betas from short lived progeny	0.191 / 2.281	130
P-32	1.710	150

Estimate the half-value thickness for a beta emitter.  
 $\text{mg/cm}^2 = 50 \times E^2$

where E is Emax in MeV for the beta emitter

This equation tends to underestimate the half-value thickness for low energy betas and overestimate the half-value thickness for high energy betas.

### Beta Dose Rates in rad/hr per mCi

MeV	1 cm	10 cm	30 cm	60 cm	90 cm	1.0 m
0.15	1,200	1.7	0	0	0	0
0.25	1,000	2.2	0.1	0	0	0
0.30	900	3.6	0.1	0	0	0
0.50	750	5.2	0.4	0.05	0.01	0
0.75	650	5.0	0.5	0.05	0.01	0
1.0	550	4.6	0.4	0.1	0	0
1.25	450	4.3	0.4	0.1	0.04	0.02
1.50	400	4.0	0.4	0.1	0.04	0.02
1.75	350	3.4	0.4	0.1	0.04	0.02
2.00	340	3.6	0.4	0.1	0.04	0.02
2.25	320	3.3	0.4	0.1	0.04	0.02

Beta dose should be treated as a "shallow" dose and should not be summed with "deep" doses. This chart should also be used to determine beta+ doses from positron emitters.

### Half-value Thickness vs Beta Energy

Isotope	Emax (MeV)	Half-Value Thickness mg / cm <sup>2</sup>
C-14	0.156	2
Tc-99	0.292	7.5
Cl-36	0.714	15
Sr/Y-90	0.546 / 2.284	150
U-238 Betas from short lived progeny	0.191 / 2.281	130
P-32	1.710	150

Estimate the half-value thickness for a beta emitter.  
 $\text{mg/cm}^2 = 50 \times E^2$

where E is Emax in MeV for the beta emitter

This equation tends to underestimate the half-value thickness for low energy betas and overestimate the half-value thickness for high energy betas.

### Beta Dose Rates in rad/hr per mCi

MeV	1 cm	10 cm	30 cm	60 cm	90 cm	1.0 m
0.15	1,200	1.7	0	0	0	0
0.25	1,000	2.2	0.1	0	0	0
0.30	900	3.6	0.1	0	0	0
0.50	750	5.2	0.4	0.05	0.01	0
0.75	650	5.0	0.5	0.05	0.01	0
1.0	550	4.6	0.4	0.1	0	0
1.25	450	4.3	0.4	0.1	0.04	0.02
1.50	400	4.0	0.4	0.1	0.04	0.02
1.75	350	3.4	0.4	0.1	0.04	0.02
2.00	340	3.6	0.4	0.1	0.04	0.02
2.25	320	3.3	0.4	0.1	0.04	0.02

Beta dose should be treated as a "shallow" dose and should not be summed with "deep" doses. This chart should also be used to determine beta+ doses from positron emitters.

### Half-value Thickness vs Beta Energy

Isotope	Emax (MeV)	Half-Value Thickness mg / cm <sup>2</sup>
C-14	0.156	2
Tc-99	0.292	7.5
Cl-36	0.714	15
Sr/Y-90	0.546 / 2.284	150
U-238 Betas from short lived progeny	0.191 / 2.281	130
P-32	1.710	150

Estimate the half-value thickness for a beta emitter.  
 $\text{mg/cm}^2 = 50 \times E^2$

where E is Emax in MeV for the beta emitter

This equation tends to underestimate the half-value thickness for low energy betas and overestimate the half-value thickness for high energy betas.

### Beta Dose Rates in rad/hr per mCi

MeV	1 cm	10 cm	30 cm	60 cm	90 cm	1.0 m
0.15	1,200	1.7	0	0	0	0
0.25	1,000	2.2	0.1	0	0	0
0.30	900	3.6	0.1	0	0	0
0.50	750	5.2	0.4	0.05	0.01	0
0.75	650	5.0	0.5	0.05	0.01	0
1.0	550	4.6	0.4	0.1	0	0
1.25	450	4.3	0.4	0.1	0.04	0.02
1.50	400	4.0	0.4	0.1	0.04	0.02
1.75	350	3.4	0.4	0.1	0.04	0.02
2.00	340	3.6	0.4	0.1	0.04	0.02
2.25	320	3.3	0.4	0.1	0.04	0.02

Beta dose should be treated as a "shallow" dose and should not be summed with "deep" doses. This chart should also be used to determine beta+ doses from positron emitters.

### Half-value Thickness vs Beta Energy

Isotope	Emax (MeV)	Half-Value Thickness mg / cm <sup>2</sup>
C-14	0.156	2
Tc-99	0.292	7.5
Cl-36	0.714	15
Sr/Y-90	0.546 / 2.284	150
U-238 Betas from short lived progeny	0.191 / 2.281	130
P-32	1.710	150

Estimate the half-value thickness for a beta emitter.  
 $\text{mg/cm}^2 = 50 \times E^2$

where E is Emax in MeV for the beta emitter

This equation tends to underestimate the half-value thickness for low energy betas and overestimate the half-value thickness for high energy betas.

## Positron Emitters Beta+ Energy and % Abundance

	Half-life	MeV (%)
C-11	20.3 m	0.960 (99.8%)
N-13	9.97 m	1.199 (99.8%)
O-15	122 s	1.732 (99.9%)
F-18	1.83 h	0.634 (96.7%)
Na-22	2.605 y	0.546 (89.8%)
Al-26	7.3E5 y	3.210 (100%)
V-48	15.98 d	0.697 (50.1%)
Mn-52	5.591 d	2.633 (94.9%)
Co-56	77.3 d	1.458 (19.0%)
Ni-57	35.6 h	0.737 (7.0%), 0.865 (35.3%)
Co-58	70.88 d	0.475 (14.9%)
Cu-62	9.74 m	2.926 (97.2%)
Zn-65	243.8 d	0.330 (1.4%)
Ga-68	67.7 m	0.822 (1.2%), 1.899 (89.1%)
As-74	17.8 d	0.945 (26.1%), 1.540 (3.0%)
Rb-82	1.26 m	2.601 (13.1%), 3.378 (81.8%)

Several of the positron emitters are useful in PET studies. That usefulness is somewhat offset by the cost of producing the radionuclides and the added complexity of radiation protection. For all of the positron emitters the energy of the Beta+ must be considered. Refer to the table of Beta Dose Rates for estimates of beta+ radiation exposure. Also, consider the annihilation photons when the positron comes into contact with a beta-, annihilating their masses and producing two 511 KeV photons. These photons present an external radiation hazard. For the patient undergoing a PET scan the combination of the positron energy and the photon energy must be considered.

56

## Positron Emitters Beta+ Energy and % Abundance

	Half-life	MeV (%)
C-11	20.3 m	0.960 (99.8%)
N-13	9.97 m	1.199 (99.8%)
O-15	122 s	1.732 (99.9%)
F-18	1.83 h	0.634 (96.7%)
Na-22	2.605 y	0.546 (89.8%)
Al-26	7.3E5 y	3.210 (100%)
V-48	15.98 d	0.697 (50.1%)
Mn-52	5.591 d	2.633 (94.9%)
Co-56	77.3 d	1.458 (19.0%)
Ni-57	35.6 h	0.737 (7.0%), 0.865 (35.3%)
Co-58	70.88 d	0.475 (14.9%)
Cu-62	9.74 m	2.926 (97.2%)
Zn-65	243.8 d	0.330 (1.4%)
Ga-68	67.7 m	0.822 (1.2%), 1.899 (89.1%)
As-74	17.8 d	0.945 (26.1%), 1.540 (3.0%)
Rb-82	1.26 m	2.601 (13.1%), 3.378 (81.8%)

Several of the positron emitters are useful in PET studies. That usefulness is somewhat offset by the cost of producing the radionuclides and the added complexity of radiation protection. For all of the positron emitters the energy of the Beta+ must be considered. Refer to the table of Beta Dose Rates for estimates of beta+ radiation exposure. Also, consider the annihilation photons when the positron comes into contact with a beta-, annihilating their masses and producing two 511 KeV photons. These photons present an external radiation hazard. For the patient undergoing a PET scan the combination of the positron energy and the photon energy must be considered.

56

## Positron Emitters Beta+ Energy and % Abundance

	Half-life	MeV (%)
C-11	20.3 m	0.960 (99.8%)
N-13	9.97 m	1.199 (99.8%)
O-15	122 s	1.732 (99.9%)
F-18	1.83 h	0.634 (96.7%)
Na-22	2.605 y	0.546 (89.8%)
Al-26	7.3E5 y	3.210 (100%)
V-48	15.98 d	0.697 (50.1%)
Mn-52	5.591 d	2.633 (94.9%)
Co-56	77.3 d	1.458 (19.0%)
Ni-57	35.6 h	0.737 (7.0%), 0.865 (35.3%)
Co-58	70.88 d	0.475 (14.9%)
Cu-62	9.74 m	2.926 (97.2%)
Zn-65	243.8 d	0.330 (1.4%)
Ga-68	67.7 m	0.822 (1.2%), 1.899 (89.1%)
As-74	17.8 d	0.945 (26.1%), 1.540 (3.0%)
Rb-82	1.26 m	2.601 (13.1%), 3.378 (81.8%)

Several of the positron emitters are useful in PET studies. That usefulness is somewhat offset by the cost of producing the radionuclides and the added complexity of radiation protection. For all of the positron emitters the energy of the Beta+ must be considered. Refer to the table of Beta Dose Rates for estimates of beta+ radiation exposure. Also, consider the annihilation photons when the positron comes into contact with a beta-, annihilating their masses and producing two 511 KeV photons. These photons present an external radiation hazard. For the patient undergoing a PET scan the combination of the positron energy and the photon energy must be considered.

56

## Positron Emitters Beta+ Energy and % Abundance

	Half-life	MeV (%)
C-11	20.3 m	0.960 (99.8%)
N-13	9.97 m	1.199 (99.8%)
O-15	122 s	1.732 (99.9%)
F-18	1.83 h	0.634 (96.7%)
Na-22	2.605 y	0.546 (89.8%)
Al-26	7.3E5 y	3.210 (100%)
V-48	15.98 d	0.697 (50.1%)
Mn-52	5.591 d	2.633 (94.9%)
Co-56	77.3 d	1.458 (19.0%)
Ni-57	35.6 h	0.737 (7.0%), 0.865 (35.3%)
Co-58	70.88 d	0.475 (14.9%)
Cu-62	9.74 m	2.926 (97.2%)
Zn-65	243.8 d	0.330 (1.4%)
Ga-68	67.7 m	0.822 (1.2%), 1.899 (89.1%)
As-74	17.8 d	0.945 (26.1%), 1.540 (3.0%)
Rb-82	1.26 m	2.601 (13.1%), 3.378 (81.8%)

Several of the positron emitters are useful in PET studies. That usefulness is somewhat offset by the cost of producing the radionuclides and the added complexity of radiation protection. For all of the positron emitters the energy of the Beta+ must be considered. Refer to the table of Beta Dose Rates for estimates of beta+ radiation exposure. Also, consider the annihilation photons when the positron comes into contact with a beta-, annihilating their masses and producing two 511 KeV photons. These photons present an external radiation hazard. For the patient undergoing a PET scan the combination of the positron energy and the photon energy must be considered.

56

### Combining Radiation Types to Determine Total Dose

An individual radionuclide may have several different types of emissions. Those different types of emissions and the short-lived progeny of the individual radionuclide must be considered when determining a total dose.

Particulate radiation should be treated as a “shallow” dose while photons and neutrons should be treated as a “deep” dose and these two types of doses should not be summed.

This example with sodium-22 will clarify this concept.

Na-22 2.605 y Beta+ 0.546 MeV (89.8% Abundance)  
1 mCi Gamma 1.275 MeV (99.9% Abundance)

From the table of Beta Dose Rates we find 320 rad/hr at 1 cm and 0.4 rad/hr at 30 cm. The near contact dose rate is much higher than the dose rate at 30 cm.

Using 6CEN for the gamma dose rate we find;  
 $6CEN = 6 \times 1 \text{ mCi} \times 1.275 \text{ MeV} \times 0.999 = 7.64 \text{ mRem/hr}$  at 30 cm.

We can also use 6CEN for the annihilation photons from the positron.  
 $6CEN = 6 \times 1 \text{ mCi} \times 0.511 \text{ MeV} \times 2 \times 0.898 = 5.51 \text{ mRem/hr}$  at 30 cm.

The “shallow” dose from the positron at 30 cm is 400 mrad/hr and the “deep” dose from the gamma and photon radiation is  $7.64 \text{ mRem/hr} + 5.51 \text{ mRem/hr} = 13.15 \text{ mRem/hr}$ .

57

### Combining Radiation Types to Determine Total Dose

An individual radionuclide may have several different types of emissions. Those different types of emissions and the short-lived progeny of the individual radionuclide must be considered when determining a total dose.

Particulate radiation should be treated as a “shallow” dose while photons and neutrons should be treated as a “deep” dose and these two types of doses should not be summed.

This example with sodium-22 will clarify this concept.

Na-22 2.605 y Beta+ 0.546 MeV (89.8% Abundance)  
1 mCi Gamma 1.275 MeV (99.9% Abundance)

From the table of Beta Dose Rates we find 320 rad/hr at 1 cm and 0.4 rad/hr at 30 cm. The near contact dose rate is much higher than the dose rate at 30 cm.

Using 6CEN for the gamma dose rate we find;  
 $6CEN = 6 \times 1 \text{ mCi} \times 1.275 \text{ MeV} \times 0.999 = 7.64 \text{ mRem/hr}$  at 30 cm.

We can also use 6CEN for the annihilation photons from the positron.  
 $6CEN = 6 \times 1 \text{ mCi} \times 0.511 \text{ MeV} \times 2 \times 0.898 = 5.51 \text{ mRem/hr}$  at 30 cm.

The “shallow” dose from the positron at 30 cm is 400 mrad/hr and the “deep” dose from the gamma and photon radiation is  $7.64 \text{ mRem/hr} + 5.51 \text{ mRem/hr} = 13.15 \text{ mRem/hr}$ .

57

### Combining Radiation Types to Determine Total Dose

An individual radionuclide may have several different types of emissions. Those different types of emissions and the short-lived progeny of the individual radionuclide must be considered when determining a total dose.

Particulate radiation should be treated as a “shallow” dose while photons and neutrons should be treated as a “deep” dose and these two types of doses should not be summed.

This example with sodium-22 will clarify this concept.

Na-22 2.605 y Beta+ 0.546 MeV (89.8% Abundance)  
1 mCi Gamma 1.275 MeV (99.9% Abundance)

From the table of Beta Dose Rates we find 320 rad/hr at 1 cm and 0.4 rad/hr at 30 cm. The near contact dose rate is much higher than the dose rate at 30 cm.

Using 6CEN for the gamma dose rate we find;  
 $6CEN = 6 \times 1 \text{ mCi} \times 1.275 \text{ MeV} \times 0.999 = 7.64 \text{ mRem/hr}$  at 30 cm.

We can also use 6CEN for the annihilation photons from the positron.  
 $6CEN = 6 \times 1 \text{ mCi} \times 0.511 \text{ MeV} \times 2 \times 0.898 = 5.51 \text{ mRem/hr}$  at 30 cm.

The “shallow” dose from the positron at 30 cm is 400 mrad/hr and the “deep” dose from the gamma and photon radiation is  $7.64 \text{ mRem/hr} + 5.51 \text{ mRem/hr} = 13.15 \text{ mRem/hr}$ .

57

### Combining Radiation Types to Determine Total Dose

An individual radionuclide may have several different types of emissions. Those different types of emissions and the short-lived progeny of the individual radionuclide must be considered when determining a total dose.

Particulate radiation should be treated as a “shallow” dose while photons and neutrons should be treated as a “deep” dose and these two types of doses should not be summed.

This example with sodium-22 will clarify this concept.

Na-22 2.605 y Beta+ 0.546 MeV (89.8% Abundance)  
1 mCi Gamma 1.275 MeV (99.9% Abundance)

From the table of Beta Dose Rates we find 320 rad/hr at 1 cm and 0.4 rad/hr at 30 cm. The near contact dose rate is much higher than the dose rate at 30 cm.

Using 6CEN for the gamma dose rate we find;  
 $6CEN = 6 \times 1 \text{ mCi} \times 1.275 \text{ MeV} \times 0.999 = 7.64 \text{ mRem/hr}$  at 30 cm.

We can also use 6CEN for the annihilation photons from the positron.  
 $6CEN = 6 \times 1 \text{ mCi} \times 0.511 \text{ MeV} \times 2 \times 0.898 = 5.51 \text{ mRem/hr}$  at 30 cm.

The “shallow” dose from the positron at 30 cm is 400 mrad/hr and the “deep” dose from the gamma and photon radiation is  $7.64 \text{ mRem/hr} + 5.51 \text{ mRem/hr} = 13.15 \text{ mRem/hr}$ .

57

### Shallow Dose Correction Factor

In accordance with 10CFR20 and 10CFR835 deep dose equivalent shall be used for posting of radiation areas. Shallow dose equivalent shall be reported separate from deep dose equivalent. Deep dose equivalent is the sum of the gamma and neutron deep dose equivalents. Shallow dose includes low-energy photons and charged particles such as betas, positrons, and protons. Alpha particles are not included in shallow dose.

The following applies to vented air ionization chambers with a window density thickness of  $7 \text{ mg/cm}^2$  and a moveable shield with a density thickness of  $1,000 \text{ mg/cm}^2$ .

Determining the need to report a shallow dose;  
If the Open Shield Reading divided by the Closed Shield Reading is equal to or greater than 1.2, then perform a shallow dose survey.  
Calculate the shallow dose rate using this equation;  
(Open Shield Reading - Closed Shield Reading) x CF  
Obtain the **CF** (Correction Factor) from experimental or published data for the specific detector and radiation source(s).

Typical correction factors for betas range between 2 and 5 (multipliers).  
Typical correction factors for low energy photons range between 0.1 and 1 (multipliers).

Low energy photons that penetrate the closed shield of the ion chamber and produce a response in the instrument are part of the "deep" dose.

### Shallow Dose Correction Factor

In accordance with 10CFR20 and 10CFR835 deep dose equivalent shall be used for posting of radiation areas. Shallow dose equivalent shall be reported separate from deep dose equivalent. Deep dose equivalent is the sum of the gamma and neutron deep dose equivalents. Shallow dose includes low-energy photons and charged particles such as betas, positrons, and protons. Alpha particles are not included in shallow dose.

The following applies to vented air ionization chambers with a window density thickness of  $7 \text{ mg/cm}^2$  and a moveable shield with a density thickness of  $1,000 \text{ mg/cm}^2$ .

Determining the need to report a shallow dose;  
If the Open Shield Reading divided by the Closed Shield Reading is equal to or greater than 1.2, then perform a shallow dose survey.  
Calculate the shallow dose rate using this equation;  
(Open Shield Reading - Closed Shield Reading) x CF  
Obtain the **CF** (Correction Factor) from experimental or published data for the specific detector and radiation source(s).

Typical correction factors for betas range between 2 and 5 (multipliers).  
Typical correction factors for low energy photons range between 0.1 and 1 (multipliers).

Low energy photons that penetrate the closed shield of the ion chamber and produce a response in the instrument are part of the "deep" dose.

### Shallow Dose Correction Factor

In accordance with 10CFR20 and 10CFR835 deep dose equivalent shall be used for posting of radiation areas. Shallow dose equivalent shall be reported separate from deep dose equivalent. Deep dose equivalent is the sum of the gamma and neutron deep dose equivalents. Shallow dose includes low-energy photons and charged particles such as betas, positrons, and protons. Alpha particles are not included in shallow dose.

The following applies to vented air ionization chambers with a window density thickness of  $7 \text{ mg/cm}^2$  and a moveable shield with a density thickness of  $1,000 \text{ mg/cm}^2$ .

Determining the need to report a shallow dose;  
If the Open Shield Reading divided by the Closed Shield Reading is equal to or greater than 1.2, then perform a shallow dose survey.  
Calculate the shallow dose rate using this equation;  
(Open Shield Reading - Closed Shield Reading) x CF  
Obtain the **CF** (Correction Factor) from experimental or published data for the specific detector and radiation source(s).

Typical correction factors for betas range between 2 and 5 (multipliers).  
Typical correction factors for low energy photons range between 0.1 and 1 (multipliers).

Low energy photons that penetrate the closed shield of the ion chamber and produce a response in the instrument are part of the "deep" dose.

### Shallow Dose Correction Factor

In accordance with 10CFR20 and 10CFR835 deep dose equivalent shall be used for posting of radiation areas. Shallow dose equivalent shall be reported separate from deep dose equivalent. Deep dose equivalent is the sum of the gamma and neutron deep dose equivalents. Shallow dose includes low-energy photons and charged particles such as betas, positrons, and protons. Alpha particles are not included in shallow dose.

The following applies to vented air ionization chambers with a window density thickness of  $7 \text{ mg/cm}^2$  and a moveable shield with a density thickness of  $1,000 \text{ mg/cm}^2$ .

Determining the need to report a shallow dose;  
If the Open Shield Reading divided by the Closed Shield Reading is equal to or greater than 1.2, then perform a shallow dose survey.  
Calculate the shallow dose rate using this equation;  
(Open Shield Reading - Closed Shield Reading) x CF  
Obtain the **CF** (Correction Factor) from experimental or published data for the specific detector and radiation source(s).

Typical correction factors for betas range between 2 and 5 (multipliers).  
Typical correction factors for low energy photons range between 0.1 and 1 (multipliers).

Low energy photons that penetrate the closed shield of the ion chamber and produce a response in the instrument are part of the "deep" dose.

## NEUTRON SHIELD THICKNESS

$$I = I_0 e^{-\sigma N x}$$

where;  $I$  = final neutron flux rate

$I_0$  = initial neutron flux rate

$\sigma$  = shield cross section in square centimeters

$N$  = number of atoms per  $\text{cm}^3$  in the shield

$x$  = shield thickness in centimeters

example:

A dosimetry phantom is designed to simulate the composition of the human body. Ten % by weight is hydrogen. Assume a density of 1 and a shield cross section of hydrogen of 0.1 barns. A barn is  $1\text{E-}24 \text{ cm}^2$ .  $N$ , the number of atoms per  $\text{cm}^3$ , is 10% of Avogadro's number, so  $N$  equals  $6\text{E}22$  hydrogen atoms per  $\text{cm}^3$ . Assume the phantom thickness is 30 cm.

$$I_0 = 5,000 \text{ n/cm}^2 / \text{s}$$

$$\sigma = 1\text{E-}25 \text{ cm}^2 (0.1 \text{ barns})$$

$$N = 6\text{E}22 \text{ atoms per cm}^3$$

$$x = 30 \text{ centimeters thick}$$

$$-\sigma N x = 1\text{E-}25 \text{ times } 6\text{E}22 \text{ times } 30 = -0.18$$

$$I = I_0 e^{-\sigma N x}$$

$$I = 5,000 \text{ n/cm}^2 / \text{s} e^{-0.18}$$

$$I = 5,000 \text{ n/cm}^2 / \text{s} \times 0.835 = 4,175 \text{ n/cm}^2 / \text{s}$$

The attenuation of the neutron flux by the phantom is about 16%.

59

## NEUTRON SHIELD THICKNESS

$$I = I_0 e^{-\sigma N x}$$

where;  $I$  = final neutron flux rate

$I_0$  = initial neutron flux rate

$\sigma$  = shield cross section in square centimeters

$N$  = number of atoms per  $\text{cm}^3$  in the shield

$x$  = shield thickness in centimeters

example:

A dosimetry phantom is designed to simulate the composition of the human body. Ten % by weight is hydrogen. Assume a density of 1 and a shield cross section of hydrogen of 0.1 barns. A barn is  $1\text{E-}24 \text{ cm}^2$ .  $N$ , the number of atoms per  $\text{cm}^3$ , is 10% of Avogadro's number, so  $N$  equals  $6\text{E}22$  hydrogen atoms per  $\text{cm}^3$ . Assume the phantom thickness is 30 cm.

$$I_0 = 5,000 \text{ n/cm}^2 / \text{s}$$

$$\sigma = 1\text{E-}25 \text{ cm}^2 (0.1 \text{ barns})$$

$$N = 6\text{E}22 \text{ atoms per cm}^3$$

$$x = 30 \text{ centimeters thick}$$

$$-\sigma N x = 1\text{E-}25 \text{ times } 6\text{E}22 \text{ times } 30 = -0.18$$

$$I = I_0 e^{-\sigma N x}$$

$$I = 5,000 \text{ n/cm}^2 / \text{s} e^{-0.18}$$

$$I = 5,000 \text{ n/cm}^2 / \text{s} \times 0.835 = 4,175 \text{ n/cm}^2 / \text{s}$$

The attenuation of the neutron flux by the phantom is about 16%.

59

## NEUTRON SHIELD THICKNESS

$$I = I_0 e^{-\sigma N x}$$

where;  $I$  = final neutron flux rate

$I_0$  = initial neutron flux rate

$\sigma$  = shield cross section in square centimeters

$N$  = number of atoms per  $\text{cm}^3$  in the shield

$x$  = shield thickness in centimeters

example:

A dosimetry phantom is designed to simulate the composition of the human body. Ten % by weight is hydrogen. Assume a density of 1 and a shield cross section of hydrogen of 0.1 barns. A barn is  $1\text{E-}24 \text{ cm}^2$ .  $N$ , the number of atoms per  $\text{cm}^3$ , is 10% of Avogadro's number, so  $N$  equals  $6\text{E}22$  hydrogen atoms per  $\text{cm}^3$ . Assume the phantom thickness is 30 cm.

$$I_0 = 5,000 \text{ n/cm}^2 / \text{s}$$

$$\sigma = 1\text{E-}25 \text{ cm}^2 (0.1 \text{ barns})$$

$$N = 6\text{E}22 \text{ atoms per cm}^3$$

$$x = 30 \text{ centimeters thick}$$

$$-\sigma N x = 1\text{E-}25 \text{ times } 6\text{E}22 \text{ times } 30 = -0.18$$

$$I = I_0 e^{-\sigma N x}$$

$$I = 5,000 \text{ n/cm}^2 / \text{s} e^{-0.18}$$

$$I = 5,000 \text{ n/cm}^2 / \text{s} \times 0.835 = 4,175 \text{ n/cm}^2 / \text{s}$$

The attenuation of the neutron flux by the phantom is about 16%.

59

## NEUTRON SHIELD THICKNESS

$$I = I_0 e^{-\sigma N x}$$

where;  $I$  = final neutron flux rate

$I_0$  = initial neutron flux rate

$\sigma$  = shield cross section in square centimeters

$N$  = number of atoms per  $\text{cm}^3$  in the shield

$x$  = shield thickness in centimeters

example:

A dosimetry phantom is designed to simulate the composition of the human body. Ten % by weight is hydrogen. Assume a density of 1 and a shield cross section of hydrogen of 0.1 barns. A barn is  $1\text{E-}24 \text{ cm}^2$ .  $N$ , the number of atoms per  $\text{cm}^3$ , is 10% of Avogadro's number, so  $N$  equals  $6\text{E}22$  hydrogen atoms per  $\text{cm}^3$ . Assume the phantom thickness is 30 cm.

$$I_0 = 5,000 \text{ n/cm}^2 / \text{s}$$

$$\sigma = 1\text{E-}25 \text{ cm}^2 (0.1 \text{ barns})$$

$$N = 6\text{E}22 \text{ atoms per cm}^3$$

$$x = 30 \text{ centimeters thick}$$

$$-\sigma N x = 1\text{E-}25 \text{ times } 6\text{E}22 \text{ times } 30 = -0.18$$

$$I = I_0 e^{-\sigma N x}$$

$$I = 5,000 \text{ n/cm}^2 / \text{s} e^{-0.18}$$

$$I = 5,000 \text{ n/cm}^2 / \text{s} \times 0.835 = 4,175 \text{ n/cm}^2 / \text{s}$$

The attenuation of the neutron flux by the phantom is about 16%.

59

### Neutron Half-Value Layers in centimeters

Energy in MeV	1	5	10	15
Polyethylene	3.7	6.1	7.7	8.8
Water	4.3	6.9	8.8	10.1
Concrete	6.8	11	14	16
Damp soil	8.8	14.3	18.2	20.8

example:

How many half-value layers of polyethylene are needed to attenuate a 100 mRem/hr 5 MeV neutron source to 5 mRem/hr? How thick does the polyethylene need to be?

$$I = I_0 \times 0.5^n$$
$$I = 5 \text{ mRem/hr}$$
$$I_0 = 100 \text{ mRem/hr}$$
$$n = \text{the number of half-value layers}$$

$$I/I_0 = 0.5^n$$
$$5/100 = 0.05 = 0.5^n$$
$$\ln 0.05 = n \times \ln 0.5$$
$$\ln 0.05/\ln 0.5 = n$$
$$-2.996/-0.693 = n$$
$$4.32 = n$$

It will take 4.32 half-value layers of polyethylene to reduce attenuate the neutron source.

4.32 half-value layers is  $4.32 \times 6.1 \text{ cm} = 26.4 \text{ cm}$

### Neutron Half-Value Layers in centimeters

Energy in MeV	1	5	10	15
Polyethylene	3.7	6.1	7.7	8.8
Water	4.3	6.9	8.8	10.1
Concrete	6.8	11	14	16
Damp soil	8.8	14.3	18.2	20.8

example:

How many half-value layers of polyethylene are needed to attenuate a 100 mRem/hr 5 MeV neutron source to 5 mRem/hr? How thick does the polyethylene need to be?

$$I = I_0 \times 0.5^n$$
$$I = 5 \text{ mRem/hr}$$
$$I_0 = 100 \text{ mRem/hr}$$
$$n = \text{the number of half-value layers}$$

$$I/I_0 = 0.5^n$$
$$5/100 = 0.05 = 0.5^n$$
$$\ln 0.05 = n \times \ln 0.5$$
$$\ln 0.05/\ln 0.5 = n$$
$$-2.996/-0.693 = n$$
$$4.32 = n$$

It will take 4.32 half-value layers of polyethylene to reduce attenuate the neutron source.

4.32 half-value layers is  $4.32 \times 6.1 \text{ cm} = 26.4 \text{ cm}$

### Neutron Half-Value Layers in centimeters

Energy in MeV	1	5	10	15
Polyethylene	3.7	6.1	7.7	8.8
Water	4.3	6.9	8.8	10.1
Concrete	6.8	11	14	16
Damp soil	8.8	14.3	18.2	20.8

example:

How many half-value layers of polyethylene are needed to attenuate a 100 mRem/hr 5 MeV neutron source to 5 mRem/hr? How thick does the polyethylene need to be?

$$I = I_0 \times 0.5^n$$
$$I = 5 \text{ mRem/hr}$$
$$I_0 = 100 \text{ mRem/hr}$$
$$n = \text{the number of half-value layers}$$

$$I/I_0 = 0.5^n$$
$$5/100 = 0.05 = 0.5^n$$
$$\ln 0.05 = n \times \ln 0.5$$
$$\ln 0.05/\ln 0.5 = n$$
$$-2.996/-0.693 = n$$
$$4.32 = n$$

It will take 4.32 half-value layers of polyethylene to reduce attenuate the neutron source.

4.32 half-value layers is  $4.32 \times 6.1 \text{ cm} = 26.4 \text{ cm}$

### Neutron Half-Value Layers in centimeters

Energy in MeV	1	5	10	15
Polyethylene	3.7	6.1	7.7	8.8
Water	4.3	6.9	8.8	10.1
Concrete	6.8	11	14	16
Damp soil	8.8	14.3	18.2	20.8

example:

How many half-value layers of polyethylene are needed to attenuate a 100 mRem/hr 5 MeV neutron source to 5 mRem/hr? How thick does the polyethylene need to be?

$$I = I_0 \times 0.5^n$$
$$I = 5 \text{ mRem/hr}$$
$$I_0 = 100 \text{ mRem/hr}$$
$$n = \text{the number of half-value layers}$$

$$I/I_0 = 0.5^n$$
$$5/100 = 0.05 = 0.5^n$$
$$\ln 0.05 = n \times \ln 0.5$$
$$\ln 0.05/\ln 0.5 = n$$
$$-2.996/-0.693 = n$$
$$4.32 = n$$

It will take 4.32 half-value layers of polyethylene to reduce attenuate the neutron source.

4.32 half-value layers is  $4.32 \times 6.1 \text{ cm} = 26.4 \text{ cm}$

**Exposure Rate in an Air-Filled Ion Chamber**

$$X = I / m[1 / (2.58E-4 \text{ C / kg})-R]$$

$$X = \text{exposure rate (R / sec)}$$

$$I = \text{current (amperes)}$$

$$m = \text{mass of air in chamber (kg)}$$

**% Resolution of a Gamma Spec System**

$$\% R = \text{FWHM} / \text{peak energy} \times 100 = \% \text{ resolution}$$

$$\text{FWHM} = \text{peak energy width at full width half-max height}$$

$$\text{peak energy} = \text{photopeak energy of interest}$$

**True Count Rate Based on the Resolving Time of a Gas-Filled Detector**

$$R_C = R_o / (1 - R_o Y) = \text{true count rate}$$

$$R_o = \text{observed count rate}$$

$$Y = \text{resolving time}$$

**Specific Gamma-Ray Constant ( $\Gamma$ ) for Source Activity (A)**

$$\Gamma = \phi E_\gamma (\mu_{en} / \rho)_{air} e / W$$

$$\Gamma = \text{specific gamma constant (R-cm}^2 / \text{hr-A)}$$

$$\phi = \text{photon fluence rate (}\gamma / \text{cm}^2\text{-hr)}$$

$$E_\gamma = \text{gamma photon energy (MeV)}$$

$$(\mu_{en} / \rho) = \text{density thickness of air (g / cm}^2\text{)}$$

$$e = \text{electron charge (Coulombs)}$$

$$W = \text{average amount of energy to produce an ion pair in air (eV)}$$

**Dose Rate (D) to Air from a Point Beta Source**

$$D = 300 A / d^2 = \text{rad /hr}$$

$$A = \text{source activity in curies}$$

$$d = \text{distance from source in feet}$$

61

**Exposure Rate in an Air-Filled Ion Chamber**

$$X = I / m[1 / (2.58E-4 \text{ C / kg})-R]$$

$$X = \text{exposure rate (R / sec)}$$

$$I = \text{current (amperes)}$$

$$m = \text{mass of air in chamber (kg)}$$

**% Resolution of a Gamma Spec System**

$$\% R = \text{FWHM} / \text{peak energy} \times 100 = \% \text{ resolution}$$

$$\text{FWHM} = \text{peak energy width at full width half-max height}$$

$$\text{peak energy} = \text{photopeak energy of interest}$$

**True Count Rate Based on the Resolving Time of a Gas-Filled Detector**

$$R_C = R_o / (1 - R_o Y) = \text{true count rate}$$

$$R_o = \text{observed count rate}$$

$$Y = \text{resolving time}$$

**Specific Gamma-Ray Constant ( $\Gamma$ ) for Source Activity (A)**

$$\Gamma = \phi E_\gamma (\mu_{en} / \rho)_{air} e / W$$

$$\Gamma = \text{specific gamma constant (R-cm}^2 / \text{hr-A)}$$

$$\phi = \text{photon fluence rate (}\gamma / \text{cm}^2\text{-hr)}$$

$$E_\gamma = \text{gamma photon energy (MeV)}$$

$$(\mu_{en} / \rho) = \text{density thickness of air (g / cm}^2\text{)}$$

$$e = \text{electron charge (Coulombs)}$$

$$W = \text{average amount of energy to produce an ion pair in air (eV)}$$

**Dose Rate (D) to Air from a Point Beta Source**

$$D = 300 A / d^2 = \text{rad /hr}$$

$$A = \text{source activity in curies}$$

$$d = \text{distance from source in feet}$$

61

**Exposure Rate in an Air-Filled Ion Chamber**

$$X = I / m[1 / (2.58E-4 \text{ C / kg})-R]$$

$$X = \text{exposure rate (R / sec)}$$

$$I = \text{current (amperes)}$$

$$m = \text{mass of air in chamber (kg)}$$

**% Resolution of a Gamma Spec System**

$$\% R = \text{FWHM} / \text{peak energy} \times 100 = \% \text{ resolution}$$

$$\text{FWHM} = \text{peak energy width at full width half-max height}$$

$$\text{peak energy} = \text{photopeak energy of interest}$$

**True Count Rate Based on the Resolving Time of a Gas-Filled Detector**

$$R_C = R_o / (1 - R_o Y) = \text{true count rate}$$

$$R_o = \text{observed count rate}$$

$$Y = \text{resolving time}$$

**Specific Gamma-Ray Constant ( $\Gamma$ ) for Source Activity (A)**

$$\Gamma = \phi E_\gamma (\mu_{en} / \rho)_{air} e / W$$

$$\Gamma = \text{specific gamma constant (R-cm}^2 / \text{hr-A)}$$

$$\phi = \text{photon fluence rate (}\gamma / \text{cm}^2\text{-hr)}$$

$$E_\gamma = \text{gamma photon energy (MeV)}$$

$$(\mu_{en} / \rho) = \text{density thickness of air (g / cm}^2\text{)}$$

$$e = \text{electron charge (Coulombs)}$$

$$W = \text{average amount of energy to produce an ion pair in air (eV)}$$

**Dose Rate (D) to Air from a Point Beta Source**

$$D = 300 A / d^2 = \text{rad /hr}$$

$$A = \text{source activity in curies}$$

$$d = \text{distance from source in feet}$$

61

**Exposure Rate in an Air-Filled Ion Chamber**

$$X = I / m[1 / (2.58E-4 \text{ C / kg})-R]$$

$$X = \text{exposure rate (R / sec)}$$

$$I = \text{current (amperes)}$$

$$m = \text{mass of air in chamber (kg)}$$

**% Resolution of a Gamma Spec System**

$$\% R = \text{FWHM} / \text{peak energy} \times 100 = \% \text{ resolution}$$

$$\text{FWHM} = \text{peak energy width at full width half-max height}$$

$$\text{peak energy} = \text{photopeak energy of interest}$$

**True Count Rate Based on the Resolving Time of a Gas-Filled Detector**

$$R_C = R_o / (1 - R_o Y) = \text{true count rate}$$

$$R_o = \text{observed count rate}$$

$$Y = \text{resolving time}$$

**Specific Gamma-Ray Constant ( $\Gamma$ ) for Source Activity (A)**

$$\Gamma = \phi E_\gamma (\mu_{en} / \rho)_{air} e / W$$

$$\Gamma = \text{specific gamma constant (R-cm}^2 / \text{hr-A)}$$

$$\phi = \text{photon fluence rate (}\gamma / \text{cm}^2\text{-hr)}$$

$$E_\gamma = \text{gamma photon energy (MeV)}$$

$$(\mu_{en} / \rho) = \text{density thickness of air (g / cm}^2\text{)}$$

$$e = \text{electron charge (Coulombs)}$$

$$W = \text{average amount of energy to produce an ion pair in air (eV)}$$

**Dose Rate (D) to Air from a Point Beta Source**

$$D = 300 A / d^2 = \text{rad /hr}$$

$$A = \text{source activity in curies}$$

$$d = \text{distance from source in feet}$$

61

**Photon Fluence Rate  $\phi$  from a Point Source**

$$\phi = AY / 4\pi r^2 = \text{photon fluence rate } (\gamma / \text{cm}^2\text{-hr})$$

A = source activity (decay per hr)  
 Y = photon yield ( $\gamma$  / decay)  
 r = distance from point source (cm)

**Exposure Rate (X) from a Point Source**

$$X \text{ (R/hr)} = \Gamma A / r^2$$

$\Gamma$  = specific gamma ray constant (R/hr @ 1 meter per Ci)  
 A = activity of source in curies  
 r = distance from source in meters

**Exposure Rate (X) from a Line Source**

Inside L / 2:  $X_1(d_1) = X_2(d_2)$   
 Outside L / 2:  $X_1(d_1)^2 = X_2(d_2)^2$   
 $d_1$  = distance from source at location 1  
 $d_2$  = distance from source at location 2  
 L = length of line

Note that outside of L / 2 the equation is the same as the inverse square law.

**Exposure Rate (X) from a Disk Source**

$$X \text{ (R/hr)} = \pi R^2 A_a \Gamma \times \ln[(R^2 + D^2) / D^2] / R^2$$

$\Gamma$  = R/hr @ 1 meter per Ci  
 $A_a$  = activity per unit area (curies per sq. meter)  
 R = radius of source surface in meters  
 D = distance from source surface in meters

Simplify the formula by canceling the  $R^2$ 's

$$X \text{ (R/hr)} = \pi A_a \Gamma \times \ln[(R^2 + D^2) / D^2] / 62$$

**Photon Fluence Rate  $\phi$  from a Point Source**

$$\phi = AY / 4\pi r^2 = \text{photon fluence rate } (\gamma / \text{cm}^2\text{-hr})$$

A = source activity (decay per hr)  
 Y = photon yield ( $\gamma$  / decay)  
 r = distance from point source (cm)

**Exposure Rate (X) from a Point Source**

$$X \text{ (R/hr)} = \Gamma A / r^2$$

$\Gamma$  = specific gamma ray constant (R/hr @ 1 meter per Ci)  
 A = activity of source in curies  
 r = distance from source in meters

**Exposure Rate (X) from a Line Source**

Inside L / 2:  $X_1(d_1) = X_2(d_2)$   
 Outside L / 2:  $X_1(d_1)^2 = X_2(d_2)^2$   
 $d_1$  = distance from source at location 1  
 $d_2$  = distance from source at location 2  
 L = length of line

Note that outside of L / 2 the equation is the same as the inverse square law.

**Exposure Rate (X) from a Disk Source**

$$X \text{ (R/hr)} = \pi R^2 A_a \Gamma \times \ln[(R^2 + D^2) / D^2] / R^2$$

$\Gamma$  = R/hr @ 1 meter per Ci  
 $A_a$  = activity per unit area (curies per sq. meter)  
 R = radius of source surface in meters  
 D = distance from source surface in meters

Simplify the formula by canceling the  $R^2$ 's

$$X \text{ (R/hr)} = \pi A_a \Gamma \times \ln[(R^2 + D^2) / D^2] / 62$$

**Photon Fluence Rate  $\phi$  from a Point Source**

$$\phi = AY / 4\pi r^2 = \text{photon fluence rate } (\gamma / \text{cm}^2\text{-hr})$$

A = source activity (decay per hr)  
 Y = photon yield ( $\gamma$  / decay)  
 r = distance from point source (cm)

**Exposure Rate (X) from a Point Source**

$$X \text{ (R/hr)} = \Gamma A / r^2$$

$\Gamma$  = specific gamma ray constant (R/hr @ 1 meter per Ci)  
 A = activity of source in curies  
 r = distance from source in meters

**Exposure Rate (X) from a Line Source**

Inside L / 2:  $X_1(d_1) = X_2(d_2)$   
 Outside L / 2:  $X_1(d_1)^2 = X_2(d_2)^2$   
 $d_1$  = distance from source at location 1  
 $d_2$  = distance from source at location 2  
 L = length of line

Note that outside of L / 2 the equation is the same as the inverse square law.

**Exposure Rate (X) from a Disk Source**

$$X \text{ (R/hr)} = \pi R^2 A_a \Gamma \times \ln[(R^2 + D^2) / D^2] / R^2$$

$\Gamma$  = R/hr @ 1 meter per Ci  
 $A_a$  = activity per unit area (curies per sq. meter)  
 R = radius of source surface in meters  
 D = distance from source surface in meters

Simplify the formula by canceling the  $R^2$ 's

$$X \text{ (R/hr)} = \pi A_a \Gamma \times \ln[(R^2 + D^2) / D^2] / 62$$

**Photon Fluence Rate  $\phi$  from a Point Source**

$$\phi = AY / 4\pi r^2 = \text{photon fluence rate } (\gamma / \text{cm}^2\text{-hr})$$

A = source activity (decay per hr)  
 Y = photon yield ( $\gamma$  / decay)  
 r = distance from point source (cm)

**Exposure Rate (X) from a Point Source**

$$X \text{ (R/hr)} = \Gamma A / r^2$$

$\Gamma$  = specific gamma ray constant (R/hr @ 1 meter per Ci)  
 A = activity of source in curies  
 r = distance from source in meters

**Exposure Rate (X) from a Line Source**

Inside L / 2:  $X_1(d_1) = X_2(d_2)$   
 Outside L / 2:  $X_1(d_1)^2 = X_2(d_2)^2$   
 $d_1$  = distance from source at location 1  
 $d_2$  = distance from source at location 2  
 L = length of line

Note that outside of L / 2 the equation is the same as the inverse square law.

**Exposure Rate (X) from a Disk Source**

$$X \text{ (R/hr)} = \pi R^2 A_a \Gamma \times \ln[(R^2 + D^2) / D^2] / R^2$$

$\Gamma$  = R/hr @ 1 meter per Ci  
 $A_a$  = activity per unit area (curies per sq. meter)  
 R = radius of source surface in meters  
 D = distance from source surface in meters

Simplify the formula by canceling the  $R^2$ 's

$$X \text{ (R/hr)} = \pi A_a \Gamma \times \ln[(R^2 + D^2) / D^2] / 62$$

### Inverse Square Law

$$X_1 (D_1)^2 = X_2 (D_2)^2$$

$X_1$  = Measured exposure rate  
 $D_1^2$  = Distance from source for the measured exposure rate  
 $X_2$  = Exposure rate to be calculated  
 $D_2^2$  = New distance from the source

#### Applying the Inverse Square Law to Dose Reduction

Given: A high activity source at an unknown distance.

Find: Exposure rate from the source at 30 cm without approaching closer to the source.

$X_2$  is measured exposure rate at distance Y

$X_3$  is measured exposure rate at distance Y + 100 cm

$$X_2 (Y)^2 = X_3 (Y + 100 \text{ cm})^2$$

$$Y^2 = X_3 (Y + 100 \text{ cm})^2 / X_2$$

Set up this equation by entering the exposure rates you measured at distances Y and Y + 100 cm

Let us assume 100 mr/hr and 50 mr/hr for those two points.

$$Y^2 = 50 (Y + 100 \text{ cm})^2 / 100 = 0.5Y^2 + 100Y + 5,000$$

$$\text{simplify this to } Y^2 - 200Y - 10,000 = 0$$

This quadratic equation can be factored into two answers.

The positive answer for Y is 241.42 cm.

Now we know the distance for exposure rate  $X_2$  and we can calculate the exposure rate at any distance.

The exposure rate at 30 cm would be 6,476 mR/hr but we were able to calculate that exposure rate without entering the High Radiation Area.

A simpler method without having to factor a quadratic equation is to back AWAY from the source until the exposure rate is 1/4 of the initial rate. The distance you moved away is equal to the original distance to the source. Now you can use the inverse square law to calculate the 30 cm exposure rate.

### Inverse Square Law

$$X_1 (D_1)^2 = X_2 (D_2)^2$$

$X_1$  = Measured exposure rate  
 $D_1^2$  = Distance from source for the measured exposure rate  
 $X_2$  = Exposure rate to be calculated  
 $D_2^2$  = New distance from the source

#### Applying the Inverse Square Law to Dose Reduction

Given: A high activity source at an unknown distance.

Find: Exposure rate from the source at 30 cm without approaching closer to the source.

$X_2$  is measured exposure rate at distance Y

$X_3$  is measured exposure rate at distance Y + 100 cm

$$X_2 (Y)^2 = X_3 (Y + 100 \text{ cm})^2$$

$$Y^2 = X_3 (Y + 100 \text{ cm})^2 / X_2$$

Set up this equation by entering the exposure rates you measured at distances Y and Y + 100 cm

Let us assume 100 mr/hr and 50 mr/hr for those two points.

$$Y^2 = 50 (Y + 100 \text{ cm})^2 / 100 = 0.5Y^2 + 100Y + 5,000$$

$$\text{simplify this to } Y^2 - 200Y - 10,000 = 0$$

This quadratic equation can be factored into two answers.

The positive answer for Y is 241.42 cm.

Now we know the distance for exposure rate  $X_2$  and we can calculate the exposure rate at any distance.

The exposure rate at 30 cm would be 6,476 mR/hr but we were able to calculate that exposure rate without entering the High Radiation Area.

A simpler method without having to factor a quadratic equation is to back AWAY from the source until the exposure rate is 1/4 of the initial rate. The distance you moved away is equal to the original distance to the source. Now you can use the inverse square law to calculate the 30 cm exposure rate.

### Inverse Square Law

$$X_1 (D_1)^2 = X_2 (D_2)^2$$

$X_1$  = Measured exposure rate  
 $D_1^2$  = Distance from source for the measured exposure rate  
 $X_2$  = Exposure rate to be calculated  
 $D_2^2$  = New distance from the source

#### Applying the Inverse Square Law to Dose Reduction

Given: A high activity source at an unknown distance.

Find: Exposure rate from the source at 30 cm without approaching closer to the source.

$X_2$  is measured exposure rate at distance Y

$X_3$  is measured exposure rate at distance Y + 100 cm

$$X_2 (Y)^2 = X_3 (Y + 100 \text{ cm})^2$$

$$Y^2 = X_3 (Y + 100 \text{ cm})^2 / X_2$$

Set up this equation by entering the exposure rates you measured at distances Y and Y + 100 cm

Let us assume 100 mr/hr and 50 mr/hr for those two points.

$$Y^2 = 50 (Y + 100 \text{ cm})^2 / 100 = 0.5Y^2 + 100Y + 5,000$$

$$\text{simplify this to } Y^2 - 200Y - 10,000 = 0$$

This quadratic equation can be factored into two answers.

The positive answer for Y is 241.42 cm.

Now we know the distance for exposure rate  $X_2$  and we can calculate the exposure rate at any distance.

The exposure rate at 30 cm would be 6,476 mR/hr but we were able to calculate that exposure rate without entering the High Radiation Area.

A simpler method without having to factor a quadratic equation is to back AWAY from the source until the exposure rate is 1/4 of the initial rate. The distance you moved away is equal to the original distance to the source. Now you can use the inverse square law to calculate the 30 cm exposure rate.

### Inverse Square Law

$$X_1 (D_1)^2 = X_2 (D_2)^2$$

$X_1$  = Measured exposure rate  
 $D_1^2$  = Distance from source for the measured exposure rate  
 $X_2$  = Exposure rate to be calculated  
 $D_2^2$  = New distance from the source

#### Applying the Inverse Square Law to Dose Reduction

Given: A high activity source at an unknown distance.

Find: Exposure rate from the source at 30 cm without approaching closer to the source.

$X_2$  is measured exposure rate at distance Y

$X_3$  is measured exposure rate at distance Y + 100 cm

$$X_2 (Y)^2 = X_3 (Y + 100 \text{ cm})^2$$

$$Y^2 = X_3 (Y + 100 \text{ cm})^2 / X_2$$

Set up this equation by entering the exposure rates you measured at distances Y and Y + 100 cm

Let us assume 100 mr/hr and 50 mr/hr for those two points.

$$Y^2 = 50 (Y + 100 \text{ cm})^2 / 100 = 0.5Y^2 + 100Y + 5,000$$

$$\text{simplify this to } Y^2 - 200Y - 10,000 = 0$$

This quadratic equation can be factored into two answers.

The positive answer for Y is 241.42 cm.

Now we know the distance for exposure rate  $X_2$  and we can calculate the exposure rate at any distance.

The exposure rate at 30 cm would be 6,476 mR/hr but we were able to calculate that exposure rate without entering the High Radiation Area.

A simpler method without having to factor a quadratic equation is to back AWAY from the source until the exposure rate is 1/4 of the initial rate. The distance you moved away is equal to the original distance to the source. Now you can use the inverse square law to calculate the 30 cm exposure rate.

**A comparison of signal levels for various counting gases**

Counting Gas	$\omega$ Factor eV / ion pair	Gas Density (g / L)
Air	33.8	1.2928
Ar	26.4	1.8
He	41.3	0.183
H <sub>2</sub>	36.5	0.09
N <sub>2</sub>	34.8	1.25
O <sub>2</sub>	30.8	1.43
CH <sub>4</sub>	27.3	0.717
Ne	36.2	0.9
Xe	21.5	5.9
Ne + 0.5 % Ar	25.3	0.909
Ar + 0.5 % C <sub>2</sub> H <sub>2</sub>	20.3	1.75
Ar + 0.8 % CH <sub>4</sub>	26.0	1.78
Ar + 10 % CH <sub>4</sub> (P-10)	26.0	1.616

Use this equation to calculate the current flow in amps for an ion chamber.

$$1 \text{ mR/hr} = \frac{8.71E-16 \times V \times P \times \text{fill gas g / l}}{T \times \omega \text{ for fill gas}}$$

where; V is chamber volume in cc,  
P is chamber pressure in mm Hg,  
T is 273.15 + °C,  
fill gas density in grams per liter,  
 $\omega$  for fill gas

**A comparison of signal levels for various counting gases**

Counting Gas	$\omega$ Factor eV / ion pair	Gas Density (g / L)
Air	33.8	1.2928
Ar	26.4	1.8
He	41.3	0.183
H <sub>2</sub>	36.5	0.09
N <sub>2</sub>	34.8	1.25
O <sub>2</sub>	30.8	1.43
CH <sub>4</sub>	27.3	0.717
Ne	36.2	0.9
Xe	21.5	5.9
Ne + 0.5 % Ar	25.3	0.909
Ar + 0.5 % C <sub>2</sub> H <sub>2</sub>	20.3	1.75
Ar + 0.8 % CH <sub>4</sub>	26.0	1.78
Ar + 10 % CH <sub>4</sub> (P-10)	26.0	1.616

Use this equation to calculate the current flow in amps for an ion chamber.

$$1 \text{ mR/hr} = \frac{8.71E-16 \times V \times P \times \text{fill gas g / l}}{T \times \omega \text{ for fill gas}}$$

where; V is chamber volume in cc,  
P is chamber pressure in mm Hg,  
T is 273.15 + °C,  
fill gas density in grams per liter,  
 $\omega$  for fill gas

**A comparison of signal levels for various counting gases**

Counting Gas	$\omega$ Factor eV / ion pair	Gas Density (g / L)
Air	33.8	1.2928
Ar	26.4	1.8
He	41.3	0.183
H <sub>2</sub>	36.5	0.09
N <sub>2</sub>	34.8	1.25
O <sub>2</sub>	30.8	1.43
CH <sub>4</sub>	27.3	0.717
Ne	36.2	0.9
Xe	21.5	5.9
Ne + 0.5 % Ar	25.3	0.909
Ar + 0.5 % C <sub>2</sub> H <sub>2</sub>	20.3	1.75
Ar + 0.8 % CH <sub>4</sub>	26.0	1.78
Ar + 10 % CH <sub>4</sub> (P-10)	26.0	1.616

Use this equation to calculate the current flow in amps for an ion chamber.

$$1 \text{ mR/hr} = \frac{8.71E-16 \times V \times P \times \text{fill gas g / l}}{T \times \omega \text{ for fill gas}}$$

where; V is chamber volume in cc,  
P is chamber pressure in mm Hg,  
T is 273.15 + °C,  
fill gas density in grams per liter,  
 $\omega$  for fill gas

**A comparison of signal levels for various counting gases**

Counting Gas	$\omega$ Factor eV / ion pair	Gas Density (g / L)
Air	33.8	1.2928
Ar	26.4	1.8
He	41.3	0.183
H <sub>2</sub>	36.5	0.09
N <sub>2</sub>	34.8	1.25
O <sub>2</sub>	30.8	1.43
CH <sub>4</sub>	27.3	0.717
Ne	36.2	0.9
Xe	21.5	5.9
Ne + 0.5 % Ar	25.3	0.909
Ar + 0.5 % C <sub>2</sub> H <sub>2</sub>	20.3	1.75
Ar + 0.8 % CH <sub>4</sub>	26.0	1.78
Ar + 10 % CH <sub>4</sub> (P-10)	26.0	1.616

Use this equation to calculate the current flow in amps for an ion chamber.

$$1 \text{ mR/hr} = \frac{8.71E-16 \times V \times P \times \text{fill gas g / l}}{T \times \omega \text{ for fill gas}}$$

where; V is chamber volume in cc,  
P is chamber pressure in mm Hg,  
T is 273.15 + °C,  
fill gas density in grams per liter,  
 $\omega$  for fill gas

**Table 1 of DOE 5400.5**

Radionuclides	Surface Activity Guidelines		
	Ave	Max	Removable
<b>Group 1:</b> Transuranics, <sup>125</sup> I, <sup>129</sup> I, <sup>227</sup> Ac, <sup>226</sup> Ra, <sup>228</sup> Ra, <sup>228</sup> Th, <sup>230</sup> Th, <sup>231</sup> Pa	100	300	20
<b>Group 2:</b> Th-natural, <sup>90</sup> Sr, <sup>126</sup> I, <sup>131</sup> I, <sup>133</sup> I, <sup>223</sup> Ra, <sup>224</sup> Ra, <sup>232</sup> U, <sup>232</sup> Th	1,000	3,000	200
<b>Group 3:</b> U-natural, <sup>235</sup> U, <sup>238</sup> U, and associated decay products, alpha emitters	5,000	15,000	1,000
<b>Group 4:</b> Beta/gamma emitters <sup>1</sup>	5,000	15,000	1,000
<b>Tritium</b> <sup>2</sup>	N/A	N/A	10,000

<sup>1</sup> radionuclides with decay modes other than alpha emission or spontaneous fission except <sup>90</sup>Sr and others noted above

<sup>2</sup> applicable to surface and subsurface

Nuclide	Appendix D of 10CFR835	
	Removable	Total (fixed + removable)
Natural U, <sup>235</sup> U, <sup>238</sup> U, and associated decay products	1,000 alpha	5,000 alpha
<b>Transuranics,</b> <sup>226</sup> Ra, <sup>228</sup> Ra, <sup>230</sup> Th, <sup>228</sup> Th, <sup>231</sup> Pa, <sup>227</sup> Ac, <sup>125</sup> I, <sup>129</sup> I	20	500
<b>Natural Th,</b> <sup>232</sup> Th, <sup>90</sup> Sr, <sup>223</sup> Ra, <sup>224</sup> Ra, <sup>232</sup> U, <sup>126</sup> I, <sup>131</sup> I, <sup>133</sup> I	200	1,000
<b>Beta/gamma emitters</b> <sup>1</sup>	1,000	5,000
<b>Tritium</b> <sup>2</sup>	10,000	10,000

<sup>1</sup> nuclides with decay modes other than alpha emission or spontaneous fission except <sup>90</sup>Sr and others noted above

<sup>2</sup> Tritium organic compounds, surfaces contaminated by HT, HTO, and metal tritide aerosols  
Contamination levels in dpm/100 cm<sup>2</sup>

**Table 1 of DOE 5400.5**

Radionuclides	Surface Activity Guidelines		
	Ave	Max	Removable
<b>Group 1:</b> Transuranics, <sup>125</sup> I, <sup>129</sup> I, <sup>227</sup> Ac, <sup>226</sup> Ra, <sup>228</sup> Ra, <sup>228</sup> Th, <sup>230</sup> Th, <sup>231</sup> Pa	100	300	20
<b>Group 2:</b> Th-natural, <sup>90</sup> Sr, <sup>126</sup> I, <sup>131</sup> I, <sup>133</sup> I, <sup>223</sup> Ra, <sup>224</sup> Ra, <sup>232</sup> U, <sup>232</sup> Th	1,000	3,000	200
<b>Group 3:</b> U-natural, <sup>235</sup> U, <sup>238</sup> U, and associated decay products, alpha emitters	5,000	15,000	1,000
<b>Group 4:</b> Beta/gamma emitters <sup>1</sup>	5,000	15,000	1,000
<b>Tritium</b> <sup>2</sup>	N/A	N/A	10,000

<sup>1</sup> radionuclides with decay modes other than alpha emission or spontaneous fission except <sup>90</sup>Sr and others noted above

<sup>2</sup> applicable to surface and subsurface

Nuclide	Appendix D of 10CFR835	
	Removable	Total (fixed + removable)
Natural U, <sup>235</sup> U, <sup>238</sup> U, and associated decay products	1,000 alpha	5,000 alpha
<b>Transuranics,</b> <sup>226</sup> Ra, <sup>228</sup> Ra, <sup>230</sup> Th, <sup>228</sup> Th, <sup>231</sup> Pa, <sup>227</sup> Ac, <sup>125</sup> I, <sup>129</sup> I	20	500
<b>Natural Th,</b> <sup>232</sup> Th, <sup>90</sup> Sr, <sup>223</sup> Ra, <sup>224</sup> Ra, <sup>232</sup> U, <sup>126</sup> I, <sup>131</sup> I, <sup>133</sup> I	200	1,000
<b>Beta/gamma emitters</b> <sup>1</sup>	1,000	5,000
<b>Tritium</b> <sup>2</sup>	10,000	10,000

<sup>1</sup> nuclides with decay modes other than alpha emission or spontaneous fission except <sup>90</sup>Sr and others noted above

<sup>2</sup> Tritium organic compounds, surfaces contaminated by HT, HTO, and metal tritide aerosols  
Contamination levels in dpm/100 cm<sup>2</sup>

**Table 1 of DOE 5400.5**

Radionuclides	Surface Activity Guidelines		
	Ave	Max	Removable
<b>Group 1:</b> Transuranics, <sup>125</sup> I, <sup>129</sup> I, <sup>227</sup> Ac, <sup>226</sup> Ra, <sup>228</sup> Ra, <sup>228</sup> Th, <sup>230</sup> Th, <sup>231</sup> Pa	100	300	20
<b>Group 2:</b> Th-natural, <sup>90</sup> Sr, <sup>126</sup> I, <sup>131</sup> I, <sup>133</sup> I, <sup>223</sup> Ra, <sup>224</sup> Ra, <sup>232</sup> U, <sup>232</sup> Th	1,000	3,000	200
<b>Group 3:</b> U-natural, <sup>235</sup> U, <sup>238</sup> U, and associated decay products, alpha emitters	5,000	15,000	1,000
<b>Group 4:</b> Beta/gamma emitters <sup>1</sup>	5,000	15,000	1,000
<b>Tritium</b> <sup>2</sup>	N/A	N/A	10,000

<sup>1</sup> radionuclides with decay modes other than alpha emission or spontaneous fission except <sup>90</sup>Sr and others noted above

<sup>2</sup> applicable to surface and subsurface

Nuclide	Appendix D of 10CFR835	
	Removable	Total (fixed + removable)
Natural U, <sup>235</sup> U, <sup>238</sup> U, and associated decay products	1,000 alpha	5,000 alpha
<b>Transuranics,</b> <sup>226</sup> Ra, <sup>228</sup> Ra, <sup>230</sup> Th, <sup>228</sup> Th, <sup>231</sup> Pa, <sup>227</sup> Ac, <sup>125</sup> I, <sup>129</sup> I	20	500
<b>Natural Th,</b> <sup>232</sup> Th, <sup>90</sup> Sr, <sup>223</sup> Ra, <sup>224</sup> Ra, <sup>232</sup> U, <sup>126</sup> I, <sup>131</sup> I, <sup>133</sup> I	200	1,000
<b>Beta/gamma emitters</b> <sup>1</sup>	1,000	5,000
<b>Tritium</b> <sup>2</sup>	10,000	10,000

<sup>1</sup> nuclides with decay modes other than alpha emission or spontaneous fission except <sup>90</sup>Sr and others noted above

<sup>2</sup> Tritium organic compounds, surfaces contaminated by HT, HTO, and metal tritide aerosols  
Contamination levels in dpm/100 cm<sup>2</sup>

**Table 1 of DOE 5400.5**

Radionuclides	Surface Activity Guidelines		
	Ave	Max	Removable
<b>Group 1:</b> Transuranics, <sup>125</sup> I, <sup>129</sup> I, <sup>227</sup> Ac, <sup>226</sup> Ra, <sup>228</sup> Ra, <sup>228</sup> Th, <sup>230</sup> Th, <sup>231</sup> Pa	100	300	20
<b>Group 2:</b> Th-natural, <sup>90</sup> Sr, <sup>126</sup> I, <sup>131</sup> I, <sup>133</sup> I, <sup>223</sup> Ra, <sup>224</sup> Ra, <sup>232</sup> U, <sup>232</sup> Th	1,000	3,000	200
<b>Group 3:</b> U-natural, <sup>235</sup> U, <sup>238</sup> U, and associated decay products, alpha emitters	5,000	15,000	1,000
<b>Group 4:</b> Beta/gamma emitters <sup>1</sup>	5,000	15,000	1,000
<b>Tritium</b> <sup>2</sup>	N/A	N/A	10,000

<sup>1</sup> radionuclides with decay modes other than alpha emission or spontaneous fission except <sup>90</sup>Sr and others noted above

<sup>2</sup> applicable to surface and subsurface

Nuclide	Appendix D of 10CFR835	
	Removable	Total (fixed + removable)
Natural U, <sup>235</sup> U, <sup>238</sup> U, and associated decay products	1,000 alpha	5,000 alpha
<b>Transuranics,</b> <sup>226</sup> Ra, <sup>228</sup> Ra, <sup>230</sup> Th, <sup>228</sup> Th, <sup>231</sup> Pa, <sup>227</sup> Ac, <sup>125</sup> I, <sup>129</sup> I	20	500
<b>Natural Th,</b> <sup>232</sup> Th, <sup>90</sup> Sr, <sup>223</sup> Ra, <sup>224</sup> Ra, <sup>232</sup> U, <sup>126</sup> I, <sup>131</sup> I, <sup>133</sup> I	200	1,000
<b>Beta/gamma emitters</b> <sup>1</sup>	1,000	5,000
<b>Tritium</b> <sup>2</sup>	10,000	10,000

<sup>1</sup> nuclides with decay modes other than alpha emission or spontaneous fission except <sup>90</sup>Sr and others noted above

<sup>2</sup> Tritium organic compounds, surfaces contaminated by HT, HTO, and metal tritide aerosols  
Contamination levels in dpm/100 cm<sup>2</sup>

### INSTRUMENT SELECTION AND USE

**Exposure/Absorbed Dose Rates (photon)** - Ion Chamber, Energy Compensated GM, Tissue-Equivalent Plastic

**Dose Equivalent Rates (neutron)** - BF<sub>3</sub> or He<sup>3</sup> moderator, Neutron-Proton Recoil (Rossi Detector, Liquid Plastic Scintillator, Plastic/ZnS Scintillator), LiGdBO<sub>3</sub>-loaded Plastic

**Beta and activity** - Proportional Counter, GM, Plastic Scintillator

**Alpha activity** - Proportional Counter, ZnS Scintillator, Air Proportional, Solid-state Silicon, Plastic Scintillator

**Alpha + beta activity** - Proportional Counter, Plastic/ZnS Scintillator, Plastic Scintillator, Solid-state Silicon

**Gross gamma activity** - NaI, CsI

**X-ray spectroscopy** - Si(Li)

**Gamma spectroscopy** - HPGe, CZT, HgI, CsI, LaBr

**Alpha spectroscopy** - Frisch Grid, Solid-state Silicon

**Beta spectroscopy** - BGO, Plastic Scintillator, Silicon

1. Select an instrument appropriate for the isotope(s) to be surveyed for.
2. Check instrument for a valid calibration sticker and for damage that would prevent it (them) from operating acceptably.
3. Check the battery condition.
4. Perform an operational (or performance) check.
5. Determine the isotope(s) correction factor to be applied to the instrument.
6. Calculate the instrument's MDA and compare to survey criteria.
7. If the instrument does not meet all of the above criteria, then replace the instrument (or change/charge the batteries) or change your survey technique so that the instrument's MDA will meet the survey criteria.
9. Perform and then document the survey.

66

### INSTRUMENT SELECTION AND USE

**Exposure/Absorbed Dose Rates (photon)** - Ion Chamber, Energy Compensated GM, Tissue-Equivalent Plastic

**Dose Equivalent Rates (neutron)** - BF<sub>3</sub> or He<sup>3</sup> moderator, Neutron-Proton Recoil (Rossi Detector, Liquid Plastic Scintillator, Plastic/ZnS Scintillator), LiGdBO<sub>3</sub>-loaded Plastic

**Beta and activity** - Proportional Counter, GM, Plastic Scintillator

**Alpha activity** - Proportional Counter, ZnS Scintillator, Air Proportional, Solid-state Silicon, Plastic Scintillator

**Alpha + beta activity** - Proportional Counter, Plastic/ZnS Scintillator, Plastic Scintillator, Solid-state Silicon

**Gross gamma activity** - NaI, CsI

**X-ray spectroscopy** - Si(Li)

**Gamma spectroscopy** - HPGe, CZT, HgI, CsI, LaBr

**Alpha spectroscopy** - Frisch Grid, Solid-state Silicon

**Beta spectroscopy** - BGO, Plastic Scintillator, Silicon

1. Select an instrument appropriate for the isotope(s) to be surveyed for.
2. Check instrument for a valid calibration sticker and for damage that would prevent it (them) from operating acceptably.
3. Check the battery condition.
4. Perform an operational (or performance) check.
5. Determine the isotope(s) correction factor to be applied to the instrument.
6. Calculate the instrument's MDA and compare to survey criteria.
7. If the instrument does not meet all of the above criteria, then replace the instrument (or change/charge the batteries) or change your survey technique so that the instrument's MDA will meet the survey criteria.
9. Perform and then document the survey.

66

### INSTRUMENT SELECTION AND USE

**Exposure/Absorbed Dose Rates (photon)** - Ion Chamber, Energy Compensated GM, Tissue-Equivalent Plastic

**Dose Equivalent Rates (neutron)** - BF<sub>3</sub> or He<sup>3</sup> moderator, Neutron-Proton Recoil (Rossi Detector, Liquid Plastic Scintillator, Plastic/ZnS Scintillator), LiGdBO<sub>3</sub>-loaded Plastic

**Beta and activity** - Proportional Counter, GM, Plastic Scintillator

**Alpha activity** - Proportional Counter, ZnS Scintillator, Air Proportional, Solid-state Silicon, Plastic Scintillator

**Alpha + beta activity** - Proportional Counter, Plastic/ZnS Scintillator, Plastic Scintillator, Solid-state Silicon

**Gross gamma activity** - NaI, CsI

**X-ray spectroscopy** - Si(Li)

**Gamma spectroscopy** - HPGe, CZT, HgI, CsI, LaBr

**Alpha spectroscopy** - Frisch Grid, Solid-state Silicon

**Beta spectroscopy** - BGO, Plastic Scintillator, Silicon

1. Select an instrument appropriate for the isotope(s) to be surveyed for.
2. Check instrument for a valid calibration sticker and for damage that would prevent it (them) from operating acceptably.
3. Check the battery condition.
4. Perform an operational (or performance) check.
5. Determine the isotope(s) correction factor to be applied to the instrument.
6. Calculate the instrument's MDA and compare to survey criteria.
7. If the instrument does not meet all of the above criteria, then replace the instrument (or change/charge the batteries) or change your survey technique so that the instrument's MDA will meet the survey criteria.
9. Perform and then document the survey.

66

### INSTRUMENT SELECTION AND USE

**Exposure/Absorbed Dose Rates (photon)** - Ion Chamber, Energy Compensated GM, Tissue-Equivalent Plastic

**Dose Equivalent Rates (neutron)** - BF<sub>3</sub> or He<sup>3</sup> moderator, Neutron-Proton Recoil (Rossi Detector, Liquid Plastic Scintillator, Plastic/ZnS Scintillator), LiGdBO<sub>3</sub>-loaded Plastic

**Beta and activity** - Proportional Counter, GM, Plastic Scintillator

**Alpha activity** - Proportional Counter, ZnS Scintillator, Air Proportional, Solid-state Silicon, Plastic Scintillator

**Alpha + beta activity** - Proportional Counter, Plastic/ZnS Scintillator, Plastic Scintillator, Solid-state Silicon

**Gross gamma activity** - NaI, CsI

**X-ray spectroscopy** - Si(Li)

**Gamma spectroscopy** - HPGe, CZT, HgI, CsI, LaBr

**Alpha spectroscopy** - Frisch Grid, Solid-state Silicon

**Beta spectroscopy** - BGO, Plastic Scintillator, Silicon

1. Select an instrument appropriate for the isotope(s) to be surveyed for.
2. Check instrument for a valid calibration sticker and for damage that would prevent it (them) from operating acceptably.
3. Check the battery condition.
4. Perform an operational (or performance) check.
5. Determine the isotope(s) correction factor to be applied to the instrument.
6. Calculate the instrument's MDA and compare to survey criteria.
7. If the instrument does not meet all of the above criteria, then replace the instrument (or change/charge the batteries) or change your survey technique so that the instrument's MDA will meet the survey criteria.
9. Perform and then document the survey.

66

### 6CEN

The 6CEN equation can be used to calculate the exposure rate in R/hr at one foot for x-ray and gamma radiation point sources with energies between 70 KeV and 2 MeV.

$$R/\text{hr at 1 foot} = 6\text{CEN}$$

where; C = curies of radioactive material

E = photon energy in MeV

N = abundance of that photon expressed as a decimal

### 2.22TBqEN

The same formula in Sv/h is given by 2.22 TBqEN, where TBq is the number of terabecquels.

$$\text{Sv/hr at 30 cm} = 2.22\text{TBqEN}$$

where; TBq = quantity of radioactive material

### Airborne Activity General Dispersion Model

Assume a 1 μCi (37 kBq) release of respirable Pu<sup>239</sup> inside a large room measuring 12 x 12 x 3 meters with a ventilation turnover rate of 7 volumes per hour. The General Dispersion Model uses this 2π formula for volume.  $V = 2/3 \times \pi \times R^3$

Volume in cm <sup>3</sup>	30 cm	1 M	10 M
@ distance R	5.65E4	2.09E6	2.09E9

Concentration @ distance R

in μCi / cc	1.77E-5	4.78E-7	4.78E-10
in Bq / M <sup>3</sup>	6.55E5	1.77E4	17.7
in DAC	8.85E6	2.39E5	239

Time for airborne wave front to reach distance R

13 sec	43 sec	7.15 min
--------	--------	----------

1 CFM sample for 1 week equals 10,080 CF ( 285.4 M<sup>3</sup>)

2 CFM sample for 1 week equals 20,160 CF ( 571 M<sup>3</sup>)

### 6CEN

The 6CEN equation can be used to calculate the exposure rate in R/hr at one foot for x-ray and gamma radiation point sources with energies between 70 KeV and 2 MeV.

$$R/\text{hr at 1 foot} = 6\text{CEN}$$

where; C = curies of radioactive material

E = photon energy in MeV

N = abundance of that photon expressed as a decimal

### 2.22TBqEN

The same formula in Sv/h is given by 2.22 TBqEN, where TBq is the number of terabecquels.

$$\text{Sv/hr at 30 cm} = 2.22\text{TBqEN}$$

where; TBq = quantity of radioactive material

### Airborne Activity General Dispersion Model

Assume a 1 μCi (37 kBq) release of respirable Pu<sup>239</sup> inside a large room measuring 12 x 12 x 3 meters with a ventilation turnover rate of 7 volumes per hour. The General Dispersion Model uses this 2π formula for volume.  $V = 2/3 \times \pi \times R^3$

Volume in cm <sup>3</sup>	30 cm	1 M	10 M
@ distance R	5.65E4	2.09E6	2.09E9

Concentration @ distance R

in μCi / cc	1.77E-5	4.78E-7	4.78E-10
in Bq / M <sup>3</sup>	6.55E5	1.77E4	17.7
in DAC	8.85E6	2.39E5	239

Time for airborne wave front to reach distance R

13 sec	43 sec	7.15 min
--------	--------	----------

1 CFM sample for 1 week equals 10,080 CF ( 285.4 M<sup>3</sup>)

2 CFM sample for 1 week equals 20,160 CF ( 571 M<sup>3</sup>)

### 6CEN

The 6CEN equation can be used to calculate the exposure rate in R/hr at one foot for x-ray and gamma radiation point sources with energies between 70 KeV and 2 MeV.

$$R/\text{hr at 1 foot} = 6\text{CEN}$$

where; C = curies of radioactive material

E = photon energy in MeV

N = abundance of that photon expressed as a decimal

### 2.22TBqEN

The same formula in Sv/h is given by 2.22 TBqEN, where TBq is the number of terabecquels.

$$\text{Sv/hr at 30 cm} = 2.22\text{TBqEN}$$

where; TBq = quantity of radioactive material

### Airborne Activity General Dispersion Model

Assume a 1 μCi (37 kBq) release of respirable Pu<sup>239</sup> inside a large room measuring 12 x 12 x 3 meters with a ventilation turnover rate of 7 volumes per hour. The General Dispersion Model uses this 2π formula for volume.  $V = 2/3 \times \pi \times R^3$

Volume in cm <sup>3</sup>	30 cm	1 M	10 M
@ distance R	5.65E4	2.09E6	2.09E9

Concentration @ distance R

in μCi / cc	1.77E-5	4.78E-7	4.78E-10
in Bq / M <sup>3</sup>	6.55E5	1.77E4	17.7
in DAC	8.85E6	2.39E5	239

Time for airborne wave front to reach distance R

13 sec	43 sec	7.15 min
--------	--------	----------

1 CFM sample for 1 week equals 10,080 CF ( 285.4 M<sup>3</sup>)

2 CFM sample for 1 week equals 20,160 CF ( 571 M<sup>3</sup>)

### 6CEN

The 6CEN equation can be used to calculate the exposure rate in R/hr at one foot for x-ray and gamma radiation point sources with energies between 70 KeV and 2 MeV.

$$R/\text{hr at 1 foot} = 6\text{CEN}$$

where; C = curies of radioactive material

E = photon energy in MeV

N = abundance of that photon expressed as a decimal

### 2.22TBqEN

The same formula in Sv/h is given by 2.22 TBqEN, where TBq is the number of terabecquels.

$$\text{Sv/hr at 30 cm} = 2.22\text{TBqEN}$$

where; TBq = quantity of radioactive material

### Airborne Activity General Dispersion Model

Assume a 1 μCi (37 kBq) release of respirable Pu<sup>239</sup> inside a large room measuring 12 x 12 x 3 meters with a ventilation turnover rate of 7 volumes per hour. The General Dispersion Model uses this 2π formula for volume.  $V = 2/3 \times \pi \times R^3$

Volume in cm <sup>3</sup>	30 cm	1 M	10 M
@ distance R	5.65E4	2.09E6	2.09E9

Concentration @ distance R

in μCi / cc	1.77E-5	4.78E-7	4.78E-10
in Bq / M <sup>3</sup>	6.55E5	1.77E4	17.7
in DAC	8.85E6	2.39E5	239

Time for airborne wave front to reach distance R

13 sec	43 sec	7.15 min
--------	--------	----------

1 CFM sample for 1 week equals 10,080 CF ( 285.4 M<sup>3</sup>)

2 CFM sample for 1 week equals 20,160 CF ( 571 M<sup>3</sup>)

**Airborne Radioactivity (long-lived)**

- $C_s = R_N / (V \times \epsilon \times SA \times CE \times CF)$
- $C_s$  = activity concentration at end of sample run time
- $R_N$  = net counting rate
- $V$  = sample volume
- $\epsilon$  = detector efficiency
- $SA$  = self-absorption factor
- $CE$  = collection efficiency
- $CF$  = conversion from disintegrations per unit time to activity

**Airborne Radioactivity (short-lived)**

- $C_s = R_N / [V \times \epsilon \times SA \times CE \times CF \times (1 - e^{-\lambda t_s}) \times (e^{-\lambda t_d})]$
- $t_s$  = sample count time
- $t_d$  = time elapsed between end of sample run time and start of sample count time

**RESPIRATORY PROTECTION FACTORS (PF) 10CFR20**

Device	Mode	Particulates	Vapors	PF
Air-purifying half-mask	D	Y	N	10
Air-purifying full-face	D	Y	N	50
Air-purifying full-face	PP	Y	N	1000
Supplied-air hood	PP	Y	Y	1000*
Supplied-air full-face	PP	Y	Y	2000
SCBA	D	Y	N	50
SCBA	PD	Y	Y	10,000

\* 2000 for supplied-air hood if run at max flow with calibrated flow gauge.

Bubble suits have been used in Pu atmospheres as high as 1,000,000 DAC. Supplied-air respirators are worn inside the bubble suits and real-time air monitoring INSIDE the bubble suits is performed.

**Airborne Radioactivity (long-lived)**

- $C_s = R_N / (V \times \epsilon \times SA \times CE \times CF)$
- $C_s$  = activity concentration at end of sample run time
- $R_N$  = net counting rate
- $V$  = sample volume
- $\epsilon$  = detector efficiency
- $SA$  = self-absorption factor
- $CE$  = collection efficiency
- $CF$  = conversion from disintegrations per unit time to activity

**Airborne Radioactivity (short-lived)**

- $C_s = R_N / [V \times \epsilon \times SA \times CE \times CF \times (1 - e^{-\lambda t_s}) \times (e^{-\lambda t_d})]$
- $t_s$  = sample count time
- $t_d$  = time elapsed between end of sample run time and start of sample count time

**RESPIRATORY PROTECTION FACTORS (PF) 10CFR20**

Device	Mode	Particulates	Vapors	PF
Air-purifying half-mask	D	Y	N	10
Air-purifying full-face	D	Y	N	50
Air-purifying full-face	PP	Y	N	1000
Supplied-air hood	PP	Y	Y	1000*
Supplied-air full-face	PP	Y	Y	2000
SCBA	D	Y	N	50
SCBA	PD	Y	Y	10,000

\* 2000 for supplied-air hood if run at max flow with calibrated flow gauge.

Bubble suits have been used in Pu atmospheres as high as 1,000,000 DAC. Supplied-air respirators are worn inside the bubble suits and real-time air monitoring INSIDE the bubble suits is performed.

**Airborne Radioactivity (long-lived)**

- $C_s = R_N / (V \times \epsilon \times SA \times CE \times CF)$
- $C_s$  = activity concentration at end of sample run time
- $R_N$  = net counting rate
- $V$  = sample volume
- $\epsilon$  = detector efficiency
- $SA$  = self-absorption factor
- $CE$  = collection efficiency
- $CF$  = conversion from disintegrations per unit time to activity

**Airborne Radioactivity (short-lived)**

- $C_s = R_N / [V \times \epsilon \times SA \times CE \times CF \times (1 - e^{-\lambda t_s}) \times (e^{-\lambda t_d})]$
- $t_s$  = sample count time
- $t_d$  = time elapsed between end of sample run time and start of sample count time

**RESPIRATORY PROTECTION FACTORS (PF) 10CFR20**

Device	Mode	Particulates	Vapors	PF
Air-purifying half-mask	D	Y	N	10
Air-purifying full-face	D	Y	N	50
Air-purifying full-face	PP	Y	N	1000
Supplied-air hood	PP	Y	Y	1000*
Supplied-air full-face	PP	Y	Y	2000
SCBA	D	Y	N	50
SCBA	PD	Y	Y	10,000

\* 2000 for supplied-air hood if run at max flow with calibrated flow gauge.

Bubble suits have been used in Pu atmospheres as high as 1,000,000 DAC. Supplied-air respirators are worn inside the bubble suits and real-time air monitoring INSIDE the bubble suits is performed.

**Airborne Radioactivity (long-lived)**

- $C_s = R_N / (V \times \epsilon \times SA \times CE \times CF)$
- $C_s$  = activity concentration at end of sample run time
- $R_N$  = net counting rate
- $V$  = sample volume
- $\epsilon$  = detector efficiency
- $SA$  = self-absorption factor
- $CE$  = collection efficiency
- $CF$  = conversion from disintegrations per unit time to activity

**Airborne Radioactivity (short-lived)**

- $C_s = R_N / [V \times \epsilon \times SA \times CE \times CF \times (1 - e^{-\lambda t_s}) \times (e^{-\lambda t_d})]$
- $t_s$  = sample count time
- $t_d$  = time elapsed between end of sample run time and start of sample count time

**RESPIRATORY PROTECTION FACTORS (PF) 10CFR20**

Device	Mode	Particulates	Vapors	PF
Air-purifying half-mask	D	Y	N	10
Air-purifying full-face	D	Y	N	50
Air-purifying full-face	PP	Y	N	1000
Supplied-air hood	PP	Y	Y	1000*
Supplied-air full-face	PP	Y	Y	2000
SCBA	D	Y	N	50
SCBA	PD	Y	Y	10,000

\* 2000 for supplied-air hood if run at max flow with calibrated flow gauge.

Bubble suits have been used in Pu atmospheres as high as 1,000,000 DAC. Supplied-air respirators are worn inside the bubble suits and real-time air monitoring INSIDE the bubble suits is performed.


### Ventilation Rates

Ventilation rates of work areas for health physics and industrial hygiene requirements is typically 6 to 7 volume turnovers per hour.

Calculate the ventilation rate in CFM to ventilate a room at 7 volume turnovers per hour given room dimensions of 30 feet by 30 feet by 10 feet. Volume of the room is  $30 \times 30 \times 10 = 9,000$  cubic feet. Seven volume turnovers per hour would be 7 times 9,000 cubic feet or 63,000 cubic feet per hour (1,050 CFM) room ventilation rate.

#### Lung Deposition from ICRP 30

AMAD	NP	TB	
$\mu$	Naso-pharinx	Trachea-bronchus	Alveolar
0.1	0.01	0.08	0.61
1	0.3	0.08	0.25
10	0.9	0.08	0.04



69


### Ventilation Rates

Ventilation rates of work areas for health physics and industrial hygiene requirements is typically 6 to 7 volume turnovers per hour.

Calculate the ventilation rate in CFM to ventilate a room at 7 volume turnovers per hour given room dimensions of 30 feet by 30 feet by 10 feet. Volume of the room is  $30 \times 30 \times 10 = 9,000$  cubic feet. Seven volume turnovers per hour would be 7 times 9,000 cubic feet or 63,000 cubic feet per hour (1,050 CFM) room ventilation rate.

#### Lung Deposition from ICRP 30

AMAD	NP	TB	
$\mu$	Naso-pharinx	Trachea-bronchus	Alveolar
0.1	0.01	0.08	0.61
1	0.3	0.08	0.25
10	0.9	0.08	0.04



69


### Ventilation Rates

Ventilation rates of work areas for health physics and industrial hygiene requirements is typically 6 to 7 volume turnovers per hour.

Calculate the ventilation rate in CFM to ventilate a room at 7 volume turnovers per hour given room dimensions of 30 feet by 30 feet by 10 feet. Volume of the room is  $30 \times 30 \times 10 = 9,000$  cubic feet. Seven volume turnovers per hour would be 7 times 9,000 cubic feet or 63,000 cubic feet per hour (1,050 CFM) room ventilation rate.

#### Lung Deposition from ICRP 30

AMAD	NP	TB	
$\mu$	Naso-pharinx	Trachea-bronchus	Alveolar
0.1	0.01	0.08	0.61
1	0.3	0.08	0.25
10	0.9	0.08	0.04



69


### Ventilation Rates

Ventilation rates of work areas for health physics and industrial hygiene requirements is typically 6 to 7 volume turnovers per hour.

Calculate the ventilation rate in CFM to ventilate a room at 7 volume turnovers per hour given room dimensions of 30 feet by 30 feet by 10 feet. Volume of the room is  $30 \times 30 \times 10 = 9,000$  cubic feet. Seven volume turnovers per hour would be 7 times 9,000 cubic feet or 63,000 cubic feet per hour (1,050 CFM) room ventilation rate.

#### Lung Deposition from ICRP 30

AMAD	NP	TB	
$\mu$	Naso-pharinx	Trachea-bronchus	Alveolar
0.1	0.01	0.08	0.61
1	0.3	0.08	0.25
10	0.9	0.08	0.04



69

## AIR MONITORING

### Concentration

Concentration is activity per volume of air and may be stated as dpm / cubic meter, iCi / ml, or Bq / cubic meter. DAC (Derived Air Concentration) is another way to express airborne radioactivity concentrations as relative hazards.

DPM	=	Sample CPM / Eff (CPM / DPM)
1 uCi	=	2.22 E6 DPM
1 DPM / M <sup>3</sup>	=	4.5 E-13 uCi / ml
1 uCi / ml	=	2.22 E12 DPM / M <sup>3</sup>
1 Bq	=	1 DPS
DPM / M <sup>3</sup>	=	CPM/(Eff x total sample volume in M <sup>3</sup> )
uCi / ml	=	CPM/(Eff x 2.22 E6 DPM / uCi x total sample volume in ml)
Bq / M <sup>3</sup>	=	CPM / (Eff x 60 DPM / Bq x total sample volume in M <sup>3</sup> )
DAC	=	uCi / ml ( uCi / ml per DAC {DAC Factor} )
1 DAC-h	=	1 DAC exposure for 1 hour
1 DAC-h	=	2.5 mrem = 25 uSv
1 DAC for Pu239	is	11.1 DPM / M <sup>3</sup>

Calculate the number of DAC-h on a filter by this formula  
# DAC-h =  $\frac{\text{\# of DPM on filter}}{(\text{Sample flow rate in LPM} \times 1.332\text{E}11 \times \text{DAC factor})}$

Calculate the DPM on a filter to reach 8 DAC-h  
DPM = 8 DAC-h x flow rate in LPM x 1.33E11 x DAC factor

Calculate the DAC level on a filter from the # of DPM  
DAC =  $\frac{\text{\# of DPM}}{(\text{DAC factor} \times \text{LPM} \times \text{time in minutes} \times 2.22\text{E}9)}$

## AIR MONITORING

### Concentration

Concentration is activity per volume of air and may be stated as dpm / cubic meter, iCi / ml, or Bq / cubic meter. DAC (Derived Air Concentration) is another way to express airborne radioactivity concentrations as relative hazards.

DPM	=	Sample CPM / Eff (CPM / DPM)
1 uCi	=	2.22 E6 DPM
1 DPM / M <sup>3</sup>	=	4.5 E-13 uCi / ml
1 uCi / ml	=	2.22 E12 DPM / M <sup>3</sup>
1 Bq	=	1 DPS
DPM / M <sup>3</sup>	=	CPM/(Eff x total sample volume in M <sup>3</sup> )
uCi / ml	=	CPM/(Eff x 2.22 E6 DPM / uCi x total sample volume in ml)
Bq / M <sup>3</sup>	=	CPM / (Eff x 60 DPM / Bq x total sample volume in M <sup>3</sup> )
DAC	=	uCi / ml ( uCi / ml per DAC {DAC Factor} )
1 DAC-h	=	1 DAC exposure for 1 hour
1 DAC-h	=	2.5 mrem = 25 uSv
1 DAC for Pu239	is	11.1 DPM / M <sup>3</sup>

Calculate the number of DAC-h on a filter by this formula  
# DAC-h =  $\frac{\text{\# of DPM on filter}}{(\text{Sample flow rate in LPM} \times 1.332\text{E}11 \times \text{DAC factor})}$

Calculate the DPM on a filter to reach 8 DAC-h  
DPM = 8 DAC-h x flow rate in LPM x 1.33E11 x DAC factor

Calculate the DAC level on a filter from the # of DPM  
DAC =  $\frac{\text{\# of DPM}}{(\text{DAC factor} \times \text{LPM} \times \text{time in minutes} \times 2.22\text{E}9)}$

## AIR MONITORING

### Concentration

Concentration is activity per volume of air and may be stated as dpm / cubic meter, iCi / ml, or Bq / cubic meter. DAC (Derived Air Concentration) is another way to express airborne radioactivity concentrations as relative hazards.

DPM	=	Sample CPM / Eff (CPM / DPM)
1 uCi	=	2.22 E6 DPM
1 DPM / M <sup>3</sup>	=	4.5 E-13 uCi / ml
1 uCi / ml	=	2.22 E12 DPM / M <sup>3</sup>
1 Bq	=	1 DPS
DPM / M <sup>3</sup>	=	CPM/(Eff x total sample volume in M <sup>3</sup> )
uCi / ml	=	CPM/(Eff x 2.22 E6 DPM / uCi x total sample volume in ml)
Bq / M <sup>3</sup>	=	CPM / (Eff x 60 DPM / Bq x total sample volume in M <sup>3</sup> )
DAC	=	uCi / ml ( uCi / ml per DAC {DAC Factor} )
1 DAC-h	=	1 DAC exposure for 1 hour
1 DAC-h	=	2.5 mrem = 25 uSv
1 DAC for Pu239	is	11.1 DPM / M <sup>3</sup>

Calculate the number of DAC-h on a filter by this formula  
# DAC-h =  $\frac{\text{\# of DPM on filter}}{(\text{Sample flow rate in LPM} \times 1.332\text{E}11 \times \text{DAC factor})}$

Calculate the DPM on a filter to reach 8 DAC-h  
DPM = 8 DAC-h x flow rate in LPM x 1.33E11 x DAC factor

Calculate the DAC level on a filter from the # of DPM  
DAC =  $\frac{\text{\# of DPM}}{(\text{DAC factor} \times \text{LPM} \times \text{time in minutes} \times 2.22\text{E}9)}$

## AIR MONITORING

### Concentration

Concentration is activity per volume of air and may be stated as dpm / cubic meter, iCi / ml, or Bq / cubic meter. DAC (Derived Air Concentration) is another way to express airborne radioactivity concentrations as relative hazards.

DPM	=	Sample CPM / Eff (CPM / DPM)
1 uCi	=	2.22 E6 DPM
1 DPM / M <sup>3</sup>	=	4.5 E-13 uCi / ml
1 uCi / ml	=	2.22 E12 DPM / M <sup>3</sup>
1 Bq	=	1 DPS
DPM / M <sup>3</sup>	=	CPM/(Eff x total sample volume in M <sup>3</sup> )
uCi / ml	=	CPM/(Eff x 2.22 E6 DPM / uCi x total sample volume in ml)
Bq / M <sup>3</sup>	=	CPM / (Eff x 60 DPM / Bq x total sample volume in M <sup>3</sup> )
DAC	=	uCi / ml ( uCi / ml per DAC {DAC Factor} )
1 DAC-h	=	1 DAC exposure for 1 hour
1 DAC-h	=	2.5 mrem = 25 uSv
1 DAC for Pu239	is	11.1 DPM / M <sup>3</sup>

Calculate the number of DAC-h on a filter by this formula  
# DAC-h =  $\frac{\text{\# of DPM on filter}}{(\text{Sample flow rate in LPM} \times 1.332\text{E}11 \times \text{DAC factor})}$

Calculate the DPM on a filter to reach 8 DAC-h  
DPM = 8 DAC-h x flow rate in LPM x 1.33E11 x DAC factor

Calculate the DAC level on a filter from the # of DPM  
DAC =  $\frac{\text{\# of DPM}}{(\text{DAC factor} \times \text{LPM} \times \text{time in minutes} \times 2.22\text{E}9)}$

## AIR FLOW METER CORRECTIONS

### Mass Flow Meters

$$Q_S = Q_A (P_A / P_S \times T_S / T_A)$$

$$Q_A = Q_S (P_S / P_A \times T_A / T_S)$$

where;  $Q_S$  is the STP flow rate

$Q_A$  is the ambient flow rate

$P_S$  is STP pressure

$P_A$  is the ambient pressure

$T_S$  is STP temperature

$T_A$  is the ambient temperature

### Rotameter Corrections

$$Q_S = \frac{Q_I \times P_S / P_A \times T_S / T_A}{\sqrt{(P_S / P_I \times T_A / T_S)}}$$

where;  $Q_I$  is the rotameter flow indication

$P_I$  is the actual pressure inside the rotameter.

This correction assumes the rotameter markings are correct at STP. The actual pressure inside the rotameter should be used in the calculations.

For personnel protection against particulate airborne radioactivity ambient sample volumes instead of volumes corrected to STP should be used for calculations. The ambient respiratory rate will remain the same as atmospheric pressure changes from STP up to an elevation of approximately 12,000 feet (3,660 Meters).

71

## AIR FLOW METER CORRECTIONS

### Mass Flow Meters

$$Q_S = Q_A (P_A / P_S \times T_S / T_A)$$

$$Q_A = Q_S (P_S / P_A \times T_A / T_S)$$

where;  $Q_S$  is the STP flow rate

$Q_A$  is the ambient flow rate

$P_S$  is STP pressure

$P_A$  is the ambient pressure

$T_S$  is STP temperature

$T_A$  is the ambient temperature

### Rotameter Corrections

$$Q_S = \frac{Q_I \times P_S / P_A \times T_S / T_A}{\sqrt{(P_S / P_I \times T_A / T_S)}}$$

where;  $Q_I$  is the rotameter flow indication

$P_I$  is the actual pressure inside the rotameter.

This correction assumes the rotameter markings are correct at STP. The actual pressure inside the rotameter should be used in the calculations.

For personnel protection against particulate airborne radioactivity ambient sample volumes instead of volumes corrected to STP should be used for calculations. The ambient respiratory rate will remain the same as atmospheric pressure changes from STP up to an elevation of approximately 12,000 feet (3,660 Meters).

71

## AIR FLOW METER CORRECTIONS

### Mass Flow Meters

$$Q_S = Q_A (P_A / P_S \times T_S / T_A)$$

$$Q_A = Q_S (P_S / P_A \times T_A / T_S)$$

where;  $Q_S$  is the STP flow rate

$Q_A$  is the ambient flow rate

$P_S$  is STP pressure

$P_A$  is the ambient pressure

$T_S$  is STP temperature

$T_A$  is the ambient temperature

### Rotameter Corrections

$$Q_S = \frac{Q_I \times P_S / P_A \times T_S / T_A}{\sqrt{(P_S / P_I \times T_A / T_S)}}$$

where;  $Q_I$  is the rotameter flow indication

$P_I$  is the actual pressure inside the rotameter.

This correction assumes the rotameter markings are correct at STP. The actual pressure inside the rotameter should be used in the calculations.

For personnel protection against particulate airborne radioactivity ambient sample volumes instead of volumes corrected to STP should be used for calculations. The ambient respiratory rate will remain the same as atmospheric pressure changes from STP up to an elevation of approximately 12,000 feet (3,660 Meters).

71

## AIR FLOW METER CORRECTIONS

### Mass Flow Meters

$$Q_S = Q_A (P_A / P_S \times T_S / T_A)$$

$$Q_A = Q_S (P_S / P_A \times T_A / T_S)$$

where;  $Q_S$  is the STP flow rate

$Q_A$  is the ambient flow rate

$P_S$  is STP pressure

$P_A$  is the ambient pressure

$T_S$  is STP temperature

$T_A$  is the ambient temperature

### Rotameter Corrections

$$Q_S = \frac{Q_I \times P_S / P_A \times T_S / T_A}{\sqrt{(P_S / P_I \times T_A / T_S)}}$$

where;  $Q_I$  is the rotameter flow indication

$P_I$  is the actual pressure inside the rotameter.

This correction assumes the rotameter markings are correct at STP. The actual pressure inside the rotameter should be used in the calculations.

For personnel protection against particulate airborne radioactivity ambient sample volumes instead of volumes corrected to STP should be used for calculations. The ambient respiratory rate will remain the same as atmospheric pressure changes from STP up to an elevation of approximately 12,000 feet (3,660 Meters).

71

### Filter Media Characteristics for Alpha CAMs

Filter Type	Pore Size	Filter ΔP	FWHM keV
Millipore			
Fluoropore	5 um	0.5"Hg	370
Fluoropore	3 um	0.8"Hg	300
SMWP	5 um	2.0"Hg	450
SSWP	3 um	3.1"Hg	350
AW19	1.2 um	3.8"Hg	450
Durapore	5 um	4.3"Hg	490
AP40	0.7 um	2.6"Hg	490
Bladewerx			
Speclon 1.5	1.5 um	2.6"Hg	300
Speclon 5.0	5 um	0.4"Hg	370
Whatman			
GFA	0.3 um	2.8"Hg	490
EPM 2000	0.6 um	1.8"Hg	1,000
Gelman			
A/E Glass	1.0 um	2.3"Hg	1,000
Versapor 3000	3.0 um	2.3"Hg	450
Hollingsworth & Vose			
HV LB5211	0.3 um	1.0"Hg	650

The rated pore size is for >99.99% collection efficiency for that size particle and greater. All of these filters have >99% collection efficiency for particles as small as 0.3 um. The stated pressure drop is for a 40 mm collection diameter with an air flow rate of 2 ACFM and barometric pressure of 23.1"Hg. The FWHM is for Po-214 at 7.68 MeV and was determined using a 25 mm collection diameter and a 25 mm diameter diffused junction detector with a spacing of 4 mm. The pressure drop will be higher and the FWHM will be broader at higher barometric pressures.

72

### Filter Media Characteristics for Alpha CAMs

Filter Type	Pore Size	Filter ΔP	FWHM keV
Millipore			
Fluoropore	5 um	0.5"Hg	370
Fluoropore	3 um	0.8"Hg	300
SMWP	5 um	2.0"Hg	450
SSWP	3 um	3.1"Hg	350
AW19	1.2 um	3.8"Hg	450
Durapore	5 um	4.3"Hg	490
AP40	0.7 um	2.6"Hg	490
Bladewerx			
Speclon 1.5	1.5 um	2.6"Hg	300
Speclon 5.0	5 um	0.4"Hg	370
Whatman			
GFA	0.3 um	2.8"Hg	490
EPM 2000	0.6 um	1.8"Hg	1,000
Gelman			
A/E Glass	1.0 um	2.3"Hg	1,000
Versapor 3000	3.0 um	2.3"Hg	450
Hollingsworth & Vose			
HV LB5211	0.3 um	1.0"Hg	650

The rated pore size is for >99.99% collection efficiency for that size particle and greater. All of these filters have >99% collection efficiency for particles as small as 0.3 um. The stated pressure drop is for a 40 mm collection diameter with an air flow rate of 2 ACFM and barometric pressure of 23.1"Hg. The FWHM is for Po-214 at 7.68 MeV and was determined using a 25 mm collection diameter and a 25 mm diameter diffused junction detector with a spacing of 4 mm. The pressure drop will be higher and the FWHM will be broader at higher barometric pressures.

72

### Filter Media Characteristics for Alpha CAMs

Filter Type	Pore Size	Filter ΔP	FWHM keV
Millipore			
Fluoropore	5 um	0.5"Hg	370
Fluoropore	3 um	0.8"Hg	300
SMWP	5 um	2.0"Hg	450
SSWP	3 um	3.1"Hg	350
AW19	1.2 um	3.8"Hg	450
Durapore	5 um	4.3"Hg	490
AP40	0.7 um	2.6"Hg	490
Bladewerx			
Speclon 1.5	1.5 um	2.6"Hg	300
Speclon 5.0	5 um	0.4"Hg	370
Whatman			
GFA	0.3 um	2.8"Hg	490
EPM 2000	0.6 um	1.8"Hg	1,000
Gelman			
A/E Glass	1.0 um	2.3"Hg	1,000
Versapor 3000	3.0 um	2.3"Hg	450
Hollingsworth & Vose			
HV LB5211	0.3 um	1.0"Hg	650

The rated pore size is for >99.99% collection efficiency for that size particle and greater. All of these filters have >99% collection efficiency for particles as small as 0.3 um. The stated pressure drop is for a 40 mm collection diameter with an air flow rate of 2 ACFM and barometric pressure of 23.1"Hg. The FWHM is for Po-214 at 7.68 MeV and was determined using a 25 mm collection diameter and a 25 mm diameter diffused junction detector with a spacing of 4 mm. The pressure drop will be higher and the FWHM will be broader at higher barometric pressures.

72

### Filter Media Characteristics for Alpha CAMs

Filter Type	Pore Size	Filter ΔP	FWHM keV
Millipore			
Fluoropore	5 um	0.5"Hg	370
Fluoropore	3 um	0.8"Hg	300
SMWP	5 um	2.0"Hg	450
SSWP	3 um	3.1"Hg	350
AW19	1.2 um	3.8"Hg	450
Durapore	5 um	4.3"Hg	490
AP40	0.7 um	2.6"Hg	490
Bladewerx			
Speclon 1.5	1.5 um	2.6"Hg	300
Speclon 5.0	5 um	0.4"Hg	370
Whatman			
GFA	0.3 um	2.8"Hg	490
EPM 2000	0.6 um	1.8"Hg	1,000
Gelman			
A/E Glass	1.0 um	2.3"Hg	1,000
Versapor 3000	3.0 um	2.3"Hg	450
Hollingsworth & Vose			
HV LB5211	0.3 um	1.0"Hg	650

The rated pore size is for >99.99% collection efficiency for that size particle and greater. All of these filters have >99% collection efficiency for particles as small as 0.3 um. The stated pressure drop is for a 40 mm collection diameter with an air flow rate of 2 ACFM and barometric pressure of 23.1"Hg. The FWHM is for Po-214 at 7.68 MeV and was determined using a 25 mm collection diameter and a 25 mm diameter diffused junction detector with a spacing of 4 mm. The pressure drop will be higher and the FWHM will be broader at higher barometric pressures.

72

10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi	
	uCi/mL	uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation		uCi/mL	uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation
H-3 <sup>1</sup>	X	2E-05	7E+5	X	X	H-3 <sup>1</sup>	X	2E-05	7E+5	X	X
H-3 <sup>2</sup>	X	2E-01	9E+9	X	X	H-3 <sup>2</sup>	X	2E-01	9E+9	X	X
H-3 <sup>3</sup>	2E-05	X	X	8E+4	8E+4	H-3 <sup>3</sup>	2E-05	X	X	8E+4	8E+4
STCs <sup>4</sup>	X	2E-06	8E+4	X	X	STCs <sup>4</sup>	X	2E-06	8E+4	X	X
STCs <sup>5</sup>	X	1E-05	5E+5	X	X	STCs <sup>5</sup>	X	1E-05	5E+5	X	X
Be-7	8E-06	1E-05	4E+5	4E+4	2E+4	Be-7	8E-06	1E-05	4E+5	4E+4	2E+4
Be-10	6E-09	2E-08	1E+3	1E+3	2E+2	Be-10	6E-09	2E-08	1E+3	1E+3	2E+2
C-11 <sup>6, 38</sup>	X	1E-04	6E+6	X	X	C-11 <sup>6, 38</sup>	X	1E-04	6E+6	X	X
C-11 <sup>7</sup>	5E-04	4E-04	1E+7	X	1E+6	C-11 <sup>7</sup>	5E-04	4E-04	1E+7	X	1E+6
C-11 <sup>8</sup>	3E-04	2E-04	9E+6	X	6E+5	C-11 <sup>8</sup>	3E-04	2E-04	9E+6	X	6E+5
C-11 <sup>9</sup>	2E-04	X	X	4E+5	4E+5	C-11 <sup>9</sup>	2E-04	X	X	4E+5	4E+5
C-14 <sup>6</sup>	X	9E-07	3E+4	X	X	C-14 <sup>6</sup>	X	9E-07	3E+4	X	X
C-14 <sup>7</sup>	7E-04	7E-04	2E+7	X	2E+6	C-14 <sup>7</sup>	7E-04	7E-04	2E+7	X	2E+6
C-14 <sup>8</sup>	9E-05	8E-05	3E+6	X	2E+5	C-14 <sup>8</sup>	9E-05	8E-05	3E+6	X	2E+5
C-14 <sup>9</sup>	1E-06	X	X	2E+3	2E+3	C-14 <sup>9</sup>	1E-06	X	X	2E+3	2E+3
F-18 <sup>38</sup>	3E-05	3E-06	1E+5	5E+4	7E+4	F-18 <sup>38</sup>	3E-05	3E-06	1E+5	5E+4	7E+4
Na-22	3E-07	2E-07	1E+4	4E+2	6E+2	Na-22	3E-07	2E-07	1E+4	4E+2	6E+2
Na-24	2E-06	4E-07	1E+4	4E+3	5E+3	Na-24	2E-06	4E-07	1E+4	4E+3	5E+3
Mg-28	5E-07	3E-07	1E+4	7E+2	1E+3	Mg-28	5E-07	3E-07	1E+4	7E+2	1E+3
Al-26	3E-08	4E-08	1E+3	4E+2	60	Al-26	3E-08	4E-08	1E+3	4E+2	60
Si-31	1E-06	5E-06	1E+5	9E+3	3E+4	Si-31	1E-06	5E-06	1E+5	9E+3	3E+4
Si-32	2E-09	1E-08	3E+2	2E+3	5	Si-32	2E-09	1E-08	3E+2	2E+3	5
P-32	2E-07	5E-07	7E+3	6E+2	4E+2	P-32	2E-07	5E-07	7E+3	6E+2	4E+2
P-33	1E-06	4E-06	1E+4	6E+3	3E+3	P-33	1E-06	4E-06	1E+4	6E+3	3E+3
S-35 <sup>10</sup>	6E-06	4E-06	1E+5	X	1E+4	S-35 <sup>10</sup>	6E-06	4E-06	1E+5	X	1E+4
S-35	9E-07	5E-07	1E+4	6E+3	2E+3	S-35	9E-07	5E-07	1E+4	6E+3	2E+3
Cl-36	1E-07	1E-07	4E+3	2E+3	2E+2	Cl-36	1E-07	1E-07	4E+3	2E+3	2E+2
Cl-38 <sup>38</sup>	2E-05	5E-06	2E+5	2E+4	4E+4	Cl-38 <sup>38</sup>	2E-05	5E-06	2E+5	2E+4	4E+4
Cl-39 <sup>38</sup>	2E-05	2E-06	1E+5	2E+4	5E+4	Cl-39 <sup>38</sup>	2E-05	2E-06	1E+5	2E+4	5E+4
K-40	2E-07	1E-07	6E+3	3E+2	4E+2	K-40	2E-07	1E-07	6E+3	3E+2	4E+2

73

73

10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi	
	uCi/mL	uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation		uCi/mL	uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation
H-3 <sup>1</sup>	X	2E-05	7E+5	X	X	H-3 <sup>1</sup>	X	2E-05	7E+5	X	X
H-3 <sup>2</sup>	X	2E-01	9E+9	X	X	H-3 <sup>2</sup>	X	2E-01	9E+9	X	X
H-3 <sup>3</sup>	2E-05	X	X	8E+4	8E+4	H-3 <sup>3</sup>	2E-05	X	X	8E+4	8E+4
STCs <sup>4</sup>	X	2E-06	8E+4	X	X	STCs <sup>4</sup>	X	2E-06	8E+4	X	X
STCs <sup>5</sup>	X	1E-05	5E+5	X	X	STCs <sup>5</sup>	X	1E-05	5E+5	X	X
Be-7	8E-06	1E-05	4E+5	4E+4	2E+4	Be-7	8E-06	1E-05	4E+5	4E+4	2E+4
Be-10	6E-09	2E-08	1E+3	1E+3	2E+2	Be-10	6E-09	2E-08	1E+3	1E+3	2E+2
C-11 <sup>6, 38</sup>	X	1E-04	6E+6	X	X	C-11 <sup>6, 38</sup>	X	1E-04	6E+6	X	X
C-11 <sup>7</sup>	5E-04	4E-04	1E+7	X	1E+6	C-11 <sup>7</sup>	5E-04	4E-04	1E+7	X	1E+6
C-11 <sup>8</sup>	3E-04	2E-04	9E+6	X	6E+5	C-11 <sup>8</sup>	3E-04	2E-04	9E+6	X	6E+5
C-11 <sup>9</sup>	2E-04	X	X	4E+5	4E+5	C-11 <sup>9</sup>	2E-04	X	X	4E+5	4E+5
C-14 <sup>6</sup>	X	9E-07	3E+4	X	X	C-14 <sup>6</sup>	X	9E-07	3E+4	X	X
C-14 <sup>7</sup>	7E-04	7E-04	2E+7	X	2E+6	C-14 <sup>7</sup>	7E-04	7E-04	2E+7	X	2E+6
C-14 <sup>8</sup>	9E-05	8E-05	3E+6	X	2E+5	C-14 <sup>8</sup>	9E-05	8E-05	3E+6	X	2E+5
C-14 <sup>9</sup>	1E-06	X	X	2E+3	2E+3	C-14 <sup>9</sup>	1E-06	X	X	2E+3	2E+3
F-18 <sup>38</sup>	3E-05	3E-06	1E+5	5E+4	7E+4	F-18 <sup>38</sup>	3E-05	3E-06	1E+5	5E+4	7E+4
Na-22	3E-07	2E-07	1E+4	4E+2	6E+2	Na-22	3E-07	2E-07	1E+4	4E+2	6E+2
Na-24	2E-06	4E-07	1E+4	4E+3	5E+3	Na-24	2E-06	4E-07	1E+4	4E+3	5E+3
Mg-28	5E-07	3E-07	1E+4	7E+2	1E+3	Mg-28	5E-07	3E-07	1E+4	7E+2	1E+3
Al-26	3E-08	4E-08	1E+3	4E+2	60	Al-26	3E-08	4E-08	1E+3	4E+2	60
Si-31	1E-06	5E-06	1E+5	9E+3	3E+4	Si-31	1E-06	5E-06	1E+5	9E+3	3E+4
Si-32	2E-09	1E-08	3E+2	2E+3	5	Si-32	2E-09	1E-08	3E+2	2E+3	5
P-32	2E-07	5E-07	7E+3	6E+2	4E+2	P-32	2E-07	5E-07	7E+3	6E+2	4E+2
P-33	1E-06	4E-06	1E+4	6E+3	3E+3	P-33	1E-06	4E-06	1E+4	6E+3	3E+3
S-35 <sup>10</sup>	6E-06	4E-06	1E+5	X	1E+4	S-35 <sup>10</sup>	6E-06	4E-06	1E+5	X	1E+4
S-35	9E-07	5E-07	1E+4	6E+3	2E+3	S-35	9E-07	5E-07	1E+4	6E+3	2E+3
Cl-36	1E-07	1E-07	4E+3	2E+3	2E+2	Cl-36	1E-07	1E-07	4E+3	2E+3	2E+2
Cl-38 <sup>38</sup>	2E-05	5E-06	2E+5	2E+4	4E+4	Cl-38 <sup>38</sup>	2E-05	5E-06	2E+5	2E+4	4E+4
Cl-39 <sup>38</sup>	2E-05	2E-06	1E+5	2E+4	5E+4	Cl-39 <sup>38</sup>	2E-05	2E-06	1E+5	2E+4	5E+4
K-40	2E-07	1E-07	6E+3	3E+2	4E+2	K-40	2E-07	1E-07	6E+3	3E+2	4E+2

73

73

10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi	
uCi/mL	uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation		uCi/mL	uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	
K-42 <sup>38</sup>	2E-06	2E-06	1E+5	5E+3	5E+3	K-42 <sup>38</sup>	2E-06	2E-06	1E+5	5E+3	5E+3
K-43	4E-06	9E-07	3E+4	6E+3	9E+3	K-43	4E-06	9E-07	3E+4	6E+3	9E+3
K-44	3E-05	8E-06	2E+5	2E+4	7E+4	K-44	3E-05	8E-06	2E+5	2E+4	7E+4
K-45 <sup>38</sup>	5E-05	9E-06	3E+5	3E+4	1E+5	K-45 <sup>38</sup>	5E-05	9E-06	3E+5	3E+4	1E+5
Ca-41	2E-06	2E-06	8E+4	3E+3	4E+3	Ca-41	2E-06	2E-06	8E+4	3E+3	4E+3
Ca-45	4E-07	2E-07	9E+3	2E+3	8E+2	Ca-45	4E-07	2E-07	9E+3	2E+3	8E+2
Ca-47	4E-07	2E-07	9E+3	8E+2	9E+2	Ca-47	4E-07	2E-07	9E+3	8E+2	9E+2
Sc-43	9E-06	2E-06	7E+4	7E+3	2E+4	Sc-43	9E-06	2E-06	7E+4	7E+3	2E+4
Sc-44m	3E-07	2E-07	1E+4	5E+2	7E+2	Sc-44m	3E-07	2E-07	1E+4	5E+2	7E+2
Sc-44	5E-06	1E-06	4E+4	4E+3	1E+4	Sc-44	5E-06	1E-06	4E+4	4E+3	1E+4
Sc-46	1E-07	1E-07	4E+3	9E+2	2E+2	Sc-46	1E-07	1E-07	4E+3	9E+2	2E+2
Sc-47	1E-06	7E-07	2E+4	2E+3	3E+3	Sc-47	1E-06	7E-07	2E+4	2E+3	3E+3
Sc-48	6E-07	2E-07	1E+4	8E+2	1E+3	Sc-48	6E-07	2E-07	1E+4	8E+2	1E+3
Sc-49 <sup>38</sup>	2E-05	8E-06	3E+5	2E+4	5E+4	Sc-49 <sup>38</sup>	2E-05	8E-06	3E+5	2E+4	5E+4
Ti-44	2E-09	7E-09	2E+2	3E+2	6	Ti-44	2E-09	7E-09	2E+2	3E+2	6
Ti-45	1E-05	2E-06	1E+5	9E+3	3E+4	Ti-45	1E-05	2E-06	1E+5	9E+3	3E+4
V-47 <sup>38</sup>	3E-05	6E-06	2E+5	3E+4	8E+4	V-47 <sup>38</sup>	3E-05	6E-06	2E+5	3E+4	8E+4
V-48	3E-07	2E-07	7E+3	6E+2	6E+2	V-48	3E-07	2E-07	7E+3	6E+2	6E+2
V-49	8E-06	1E-05	7E+5	7E+4	2E+4	V-49	8E-06	1E-05	7E+5	7E+4	2E+4
Cr-48	3E-06	2E-06	8E+4	6E+3	7E+3	Cr-48	3E-06	2E-06	8E+4	6E+3	7E+3
Cr-49 <sup>38</sup>	4E-05	5E-06	2E+5	3E+4	8E+4	Cr-49 <sup>38</sup>	4E-05	5E-06	2E+5	3E+4	8E+4
Cr-51	8E-06	1E-05	5E+5	4E+4	2E+4	Cr-51	8E-06	1E-05	5E+5	4E+4	2E+4
Mn-51 <sup>38</sup>	2E-05	7E-06	2E+5	2E+4	5E+4	Mn-51 <sup>38</sup>	2E-05	7E-06	2E+5	2E+4	5E+4
Mn-52m <sup>38</sup>	4E-05	5E-06	2E+5	3E+4	9E+4	Mn-52m <sup>38</sup>	4E-05	5E-06	2E+5	3E+4	9E+4
Mn-52	4E-07	2E-07	8E+3	7E+2	9E+2	Mn-52	4E-07	2E-07	8E+3	7E+2	9E+2
Mn-53	5E-06	1E-05	2E+5	5E+4	1E+4	Mn-53	5E-06	1E-05	2E+5	5E+4	1E+4
Mn-54	3E-07	4E-07	1E+4	2E+3	8E+2	Mn-54	3E-07	4E-07	1E+4	2E+3	8E+2
Mn-56	6E-06	2E-06	8E+4	5E+3	2E+4	Mn-56	6E-06	2E-06	8E+4	5E+3	2E+4
Fe-52	1E-06	5E-07	2E+4	9E+2	2E+3	Fe-52	1E-06	5E-07	2E+4	9E+2	2E+3
Fe-55	8E-07	6E-07	2E+4	9E+3	2E+3	Fe-55	8E-07	6E-07	2E+4	9E+3	2E+3

74

74

10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi	
uCi/mL	uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation		uCi/mL	uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	
K-42 <sup>38</sup>	2E-06	2E-06	1E+5	5E+3	5E+3	K-42 <sup>38</sup>	2E-06	2E-06	1E+5	5E+3	5E+3
K-43	4E-06	9E-07	3E+4	6E+3	9E+3	K-43	4E-06	9E-07	3E+4	6E+3	9E+3
K-44	3E-05	8E-06	2E+5	2E+4	7E+4	K-44	3E-05	8E-06	2E+5	2E+4	7E+4
K-45 <sup>38</sup>	5E-05	9E-06	3E+5	3E+4	1E+5	K-45 <sup>38</sup>	5E-05	9E-06	3E+5	3E+4	1E+5
Ca-41	2E-06	2E-06	8E+4	3E+3	4E+3	Ca-41	2E-06	2E-06	8E+4	3E+3	4E+3
Ca-45	4E-07	2E-07	9E+3	2E+3	8E+2	Ca-45	4E-07	2E-07	9E+3	2E+3	8E+2
Ca-47	4E-07	2E-07	9E+3	8E+2	9E+2	Ca-47	4E-07	2E-07	9E+3	8E+2	9E+2
Sc-43	9E-06	2E-06	7E+4	7E+3	2E+4	Sc-43	9E-06	2E-06	7E+4	7E+3	2E+4
Sc-44m	3E-07	2E-07	1E+4	5E+2	7E+2	Sc-44m	3E-07	2E-07	1E+4	5E+2	7E+2
Sc-44	5E-06	1E-06	4E+4	4E+3	1E+4	Sc-44	5E-06	1E-06	4E+4	4E+3	1E+4
Sc-46	1E-07	1E-07	4E+3	9E+2	2E+2	Sc-46	1E-07	1E-07	4E+3	9E+2	2E+2
Sc-47	1E-06	7E-07	2E+4	2E+3	3E+3	Sc-47	1E-06	7E-07	2E+4	2E+3	3E+3
Sc-48	6E-07	2E-07	1E+4	8E+2	1E+3	Sc-48	6E-07	2E-07	1E+4	8E+2	1E+3
Sc-49 <sup>38</sup>	2E-05	8E-06	3E+5	2E+4	5E+4	Sc-49 <sup>38</sup>	2E-05	8E-06	3E+5	2E+4	5E+4
Ti-44	2E-09	7E-09	2E+2	3E+2	6	Ti-44	2E-09	7E-09	2E+2	3E+2	6
Ti-45	1E-05	2E-06	1E+5	9E+3	3E+4	Ti-45	1E-05	2E-06	1E+5	9E+3	3E+4
V-47 <sup>38</sup>	3E-05	6E-06	2E+5	3E+4	8E+4	V-47 <sup>38</sup>	3E-05	6E-06	2E+5	3E+4	8E+4
V-48	3E-07	2E-07	7E+3	6E+2	6E+2	V-48	3E-07	2E-07	7E+3	6E+2	6E+2
V-49	8E-06	1E-05	7E+5	7E+4	2E+4	V-49	8E-06	1E-05	7E+5	7E+4	2E+4
Cr-48	3E-06	2E-06	8E+4	6E+3	7E+3	Cr-48	3E-06	2E-06	8E+4	6E+3	7E+3
Cr-49 <sup>38</sup>	4E-05	5E-06	2E+5	3E+4	8E+4	Cr-49 <sup>38</sup>	4E-05	5E-06	2E+5	3E+4	8E+4
Cr-51	8E-06	1E-05	5E+5	4E+4	2E+4	Cr-51	8E-06	1E-05	5E+5	4E+4	2E+4
Mn-51 <sup>38</sup>	2E-05	7E-06	2E+5	2E+4	5E+4	Mn-51 <sup>38</sup>	2E-05	7E-06	2E+5	2E+4	5E+4
Mn-52m <sup>38</sup>	4E-05	5E-06	2E+5	3E+4	9E+4	Mn-52m <sup>38</sup>	4E-05	5E-06	2E+5	3E+4	9E+4
Mn-52	4E-07	2E-07	8E+3	7E+2	9E+2	Mn-52	4E-07	2E-07	8E+3	7E+2	9E+2
Mn-53	5E-06	1E-05	2E+5	5E+4	1E+4	Mn-53	5E-06	1E-05	2E+5	5E+4	1E+4
Mn-54	3E-07	4E-07	1E+4	2E+3	8E+2	Mn-54	3E-07	4E-07	1E+4	2E+3	8E+2
Mn-56	6E-06	2E-06	8E+4	5E+3	2E+4	Mn-56	6E-06	2E-06	8E+4	5E+3	2E+4
Fe-52	1E-06	5E-07	2E+4	9E+2	2E+3	Fe-52	1E-06	5E-07	2E+4	9E+2	2E+3
Fe-55	8E-07	6E-07	2E+4	9E+3	2E+3	Fe-55	8E-07	6E-07	2E+4	9E+3	2E+3

74

74

10CFR20 DAC			10CFR835 DAC			10CFR20 ALIs uCi			10CFR20 DAC			10CFR835 DAC			10CFR20 ALIs uCi		
	uCi/mL	uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation		uCi/mL	uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation		uCi/mL	uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation
Fe-59	1E-07	1E-07	6E+3	8E+2	3E+2	Fe-59	1E-07	1E-07	6E+3	8E+2	3E+2						
Fe-60	3E-09	1E-09	60	30	6	Fe-60	3E-09	1E-09	60	30	6						
Co-55	1E-06	5E-07	2E+4	1E+3	3E+3	Co-55	1E-06	5E-07	2E+4	1E+3	3E+3						
Co-56	8E-08	1E-07	4E+3	4E+2	2E+2	Co-56	8E-08	1E-07	4E+3	4E+2	2E+2						
Co-57	3E-07	9E-07	3E+4	4E+3	7E+2	Co-57	3E-07	9E-07	3E+4	4E+3	7E+2						
Co-58m	3E-05	3E-05	1E+6	6E+4	6E+4	Co-58m	3E-05	3E-05	1E+6	6E+4	6E+4						
Co-58	3E-07	3E-07	1E+4	1E+3	7E+2	Co-58	3E-07	3E-07	1E+4	1E+3	7E+2						
Co-60m <sup>38</sup>	1E-03	4E-04	1E+7	1E+6	3E+6	Co-60m <sup>38</sup>	1E-03	4E-04	1E+7	1E+6	3E+6						
Co-60	1E-08	3E-08	1E+3	2E+2	30	Co-60	1E-08	3E-08	1E+3	2E+2	30						
Co-61 <sup>38</sup>	2E-05	6E-06	2E+5	2E+4	6E+4	Co-61 <sup>38</sup>	2E-05	6E-06	2E+5	2E+4	6E+4						
Co-62m <sup>38</sup>	6E-05	6E-06	2E+5	4E+4	2E+5	Co-62m <sup>38</sup>	6E-05	6E-06	2E+5	4E+4	2E+5						
Ni-56	5E-07	X	X	1E+3	1E+3	Ni-56	5E-07	X	X	1E+3	1E+3						
Ni-56 <sup>11</sup>	X	4E-07	1E+4	X	X	Ni-56 <sup>11</sup>	X	4E-07	1E+4	X	X						
Ni-56 <sup>12</sup>	X	4E-07	1E+4	X	X	Ni-56 <sup>12</sup>	X	4E-07	1E+4	X	X						
Ni-57	1E-06	X	X	2E+3	3E+3	Ni-57	1E-06	X	X	2E+3	3E+3						
Ni-57 <sup>11</sup>	X	5E-07	2E+4	X	X	Ni-57 <sup>11</sup>	X	5E-07	2E+4	X	X						
Ni-57 <sup>12</sup>	X	7E-07	2E+4	X	X	Ni-57 <sup>12</sup>	X	7E-07	2E+4	X	X						
Ni-59	8E-07	X	X	2E+4	2E+3	Ni-59	8E-07	X	X	2E+4	2E+3						
Ni-59 <sup>11</sup>	X	2E-06	9E+4	X	X	Ni-59 <sup>11</sup>	X	2E-06	9E+4	X	X						
Ni-59 <sup>12</sup>	X	6E-07	2E+4	X	X	Ni-59 <sup>12</sup>	X	6E-07	2E+4	X	X						
Ni-63	3E-07	X	X	9E+3	2E+3	Ni-63	3E-07	X	X	9E+3	2E+3						
Ni-63 <sup>11</sup>	X	1E-06	4E+4	X	X	Ni-63 <sup>11</sup>	X	1E-06	4E+4	X	X						
Ni-63 <sup>12</sup>	X	2E-07	1E+4	X	X	Ni-63 <sup>12</sup>	X	2E-07	1E+4	X	X						
Ni-65	7E-06	X	X	8E+3	2E+4	Ni-65	7E-06	X	X	8E+3	2E+4						
Ni-65 <sup>11</sup>	X	4E-06	1E+5	X	X	Ni-65 <sup>11</sup>	X	4E-06	1E+5	X	X						
Ni-65 <sup>12</sup>	X	8E-07	3E+4	X	X	Ni-65 <sup>12</sup>	X	8E-07	3E+4	X	X						
Ni-66	3E-07	X	X	4E+2	6E+2	Ni-66	3E-07	X	X	4E+2	6E+2						
Ni-66 <sup>11</sup>	X	2E-07	1E+4	X	X	Ni-66 <sup>11</sup>	X	2E-07	1E+4	X	X						
Ni-66 <sup>12</sup>	X	2E-07	1E+4	X	X	Ni-66 <sup>12</sup>	X	2E-07	1E+4	X	X						
Cu-60 <sup>38</sup>	4E-05	4E-06	1E+5	3E+4	9E+4	Cu-60 <sup>38</sup>	4E-05	4E-06	1E+5	3E+4	9E+4						

75

75

10CFR20 DAC			10CFR835 DAC			10CFR20 ALIs uCi			10CFR20 DAC			10CFR835 DAC			10CFR20 ALIs uCi		
	uCi/mL	uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation		uCi/mL	uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation		uCi/mL	uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation
Fe-59	1E-07	1E-07	6E+3	8E+2	3E+2	Fe-59	1E-07	1E-07	6E+3	8E+2	3E+2						
Fe-60	3E-09	1E-09	60	30	6	Fe-60	3E-09	1E-09	60	30	6						
Co-55	1E-06	5E-07	2E+4	1E+3	3E+3	Co-55	1E-06	5E-07	2E+4	1E+3	3E+3						
Co-56	8E-08	1E-07	4E+3	4E+2	2E+2	Co-56	8E-08	1E-07	4E+3	4E+2	2E+2						
Co-57	3E-07	9E-07	3E+4	4E+3	7E+2	Co-57	3E-07	9E-07	3E+4	4E+3	7E+2						
Co-58m	3E-05	3E-05	1E+6	6E+4	6E+4	Co-58m	3E-05	3E-05	1E+6	6E+4	6E+4						
Co-58	3E-07	3E-07	1E+4	1E+3	7E+2	Co-58	3E-07	3E-07	1E+4	1E+3	7E+2						
Co-60m <sup>38</sup>	1E-03	4E-04	1E+7	1E+6	3E+6	Co-60m <sup>38</sup>	1E-03	4E-04	1E+7	1E+6	3E+6						
Co-60	1E-08	3E-08	1E+3	2E+2	30	Co-60	1E-08	3E-08	1E+3	2E+2	30						
Co-61 <sup>38</sup>	2E-05	6E-06	2E+5	2E+4	6E+4	Co-61 <sup>38</sup>	2E-05	6E-06	2E+5	2E+4	6E+4						
Co-62m <sup>38</sup>	6E-05	6E-06	2E+5	4E+4	2E+5	Co-62m <sup>38</sup>	6E-05	6E-06	2E+5	4E+4	2E+5						
Ni-56	5E-07	X	X	1E+3	1E+3	Ni-56	5E-07	X	X	1E+3	1E+3						
Ni-56 <sup>11</sup>	X	4E-07	1E+4	X	X	Ni-56 <sup>11</sup>	X	4E-07	1E+4	X	X						
Ni-56 <sup>12</sup>	X	4E-07	1E+4	X	X	Ni-56 <sup>12</sup>	X	4E-07	1E+4	X	X						
Ni-57	1E-06	X	X	2E+3	3E+3	Ni-57	1E-06	X	X	2E+3	3E+3						
Ni-57 <sup>11</sup>	X	5E-07	2E+4	X	X	Ni-57 <sup>11</sup>	X	5E-07	2E+4	X	X						
Ni-57 <sup>12</sup>	X	7E-07	2E+4	X	X	Ni-57 <sup>12</sup>	X	7E-07	2E+4	X	X						
Ni-59	8E-07	X	X	2E+4	2E+3	Ni-59	8E-07	X	X	2E+4	2E+3						
Ni-59 <sup>11</sup>	X	2E-06	9E+4	X	X	Ni-59 <sup>11</sup>	X	2E-06	9E+4	X	X						
Ni-59 <sup>12</sup>	X	6E-07	2E+4	X	X	Ni-59 <sup>12</sup>	X	6E-07	2E+4	X	X						
Ni-63	3E-07	X	X	9E+3	2E+3	Ni-63	3E-07	X	X	9E+3	2E+3						
Ni-63 <sup>11</sup>	X	1E-06	4E+4	X	X	Ni-63 <sup>11</sup>	X	1E-06	4E+4	X	X						
Ni-63 <sup>12</sup>	X	2E-07	1E+4	X	X	Ni-63 <sup>12</sup>	X	2E-07	1E+4	X	X						
Ni-65	7E-06	X	X	8E+3	2E+4	Ni-65	7E-06	X	X	8E+3	2E+4						
Ni-65 <sup>11</sup>	X	4E-06	1E+5	X	X	Ni-65 <sup>11</sup>	X	4E-06	1E+5	X	X						
Ni-65 <sup>12</sup>	X	8E-07	3E+4	X	X	Ni-65 <sup>12</sup>	X	8E-07	3E+4	X	X						
Ni-66	3E-07	X	X	4E+2	6E+2	Ni-66	3E-07	X	X	4E+2	6E+2						
Ni-66 <sup>11</sup>	X	2E-07	1E+4	X	X	Ni-66 <sup>11</sup>	X	2E-07	1E+4	X	X						
Ni-66 <sup>12</sup>	X	2E-07	1E+4	X	X	Ni-66 <sup>12</sup>	X	2E-07	1E+4	X	X						
Cu-60 <sup>38</sup>	4E-05	4E-06	1E+5	3E+4	9E+4	Cu-60 <sup>38</sup>	4E-05	4E-06	1E+5	3E+4	9E+4						

75

75

10CFR20 DAC			10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC			10CFR835 DAC		10CFR20 ALIs uCi	
uCi/mL			uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	uCi/mL			uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation
Cu-61	1E-05	3E-06	1E+5	1E+4	3E+4	Cu-61	1E-05	3E-06	1E+5	1E+4	3E+4		
Cu-64	9E-06	3E-06	1E+5	1E+4	2E+4	Cu-64	9E-06	3E-06	1E+5	1E+4	2E+4		
Cu-67	2E-06	2E-06	3E+4	5E+3	5E+3	Cu-67	2E-06	2E-06	3E+4	5E+3	5E+3		
Zn-62	1E-06	9E-07	3E+4	1E+3	3E+3	Zn-62	1E-06	9E-07	3E+4	1E+3	3E+3		
Zn-63 <sup>38</sup>	3E-05	8E-07	2E+5	2E+4	7E+4	Zn-63 <sup>38</sup>	3E-05	8E-07	2E+5	2E+4	7E+4		
Zn-65	1E-07	5E-06	7E+3	4E+2	3E+2	Zn-65	1E-07	5E-06	7E+3	4E+2	3E+2		
Zn-69m	3E-06	2E-07	6E+4	4E+3	7E+3	Zn-69m	3E-06	2E-07	6E+4	4E+3	7E+3		
Zn-69 <sup>38</sup>	6E-05	1E-06	2E+5	6E+4	1E+5	Zn-69 <sup>38</sup>	6E-05	1E-06	2E+5	6E+4	1E+5		
Zn-71m	7E-06	7E-06	5E+4	6E+3	2E+4	Zn-71m	7E-06	7E-06	5E+4	6E+3	2E+4		
Zn-72	5E-07	1E-06	1E+4	1E+3	1E+3	Zn-72	5E-07	1E-06	1E+4	1E+3	1E+3		
Ga-65 <sup>38</sup>	7E-05	3E-07	3E+5	5E+4	2E+5	Ga-65 <sup>38</sup>	7E-05	3E-07	3E+5	5E+4	2E+5		
Ga-66	1E-06	7E-07	2E+4	1E+3	3E+3	Ga-66	1E-06	7E-07	2E+4	1E+3	3E+3		
Ga-67	4E-06	2E-06	7E+4	7E+3	1E+4	Ga-67	4E-06	2E-06	7E+4	7E+3	1E+4		
Ga-68 <sup>38</sup>	2E-05	4E-06	1E+5	2E+4	4E+4	Ga-68 <sup>38</sup>	2E-05	4E-06	1E+5	2E+4	4E+4		
Ga-70 <sup>38</sup>	7E-05	1E-05	4E+5	5E+4	2E+5	Ga-70 <sup>38</sup>	7E-05	1E-05	4E+5	5E+4	2E+5		
Ga-72	1E-06	5E-07	2E+4	1E+3	3E+3	Ga-72	1E-06	5E-07	2E+4	1E+3	3E+3		
Ga-73	6E-06	2E-06	1E+5	5E+3	2E+4	Ga-73	6E-06	2E-06	1E+5	5E+3	2E+4		
Ge-66	8E-06	2E-06	9E+4	2E+4	2E+4	Ge-66	8E-06	2E-06	9E+4	2E+4	2E+4		
Ge-67 <sup>38</sup>	4E-05	7E-06	2E+5	3E+4	9E+4	Ge-67 <sup>38</sup>	4E-05	7E-06	2E+5	3E+4	9E+4		
Ge-68	4E-08	7E-08	2E+3	5E+3	1E+2	Ge-68	4E-08	7E-08	2E+3	5E+3	1E+2		
Ge-69	3E-06	1E-06	3E+4	1E+4	8E+3	Ge-69	3E-06	1E-06	3E+4	1E+4	8E+3		
Ge-71	2E-05	5E-05	1E+6	5E+5	4E+4	Ge-71	2E-05	5E-05	1E+6	5E+5	4E+4		
Ge-75 <sup>38</sup>	3E-05	7E-06	2E+5	4E+4	8E+4	Ge-75 <sup>38</sup>	3E-05	7E-06	2E+5	4E+4	8E+4		
Ge-77	2E-06	1E-06	4E+4	9E+3	6E+3	Ge-77	2E-06	1E-06	4E+4	9E+3	6E+3		
Ge-78 <sup>38</sup>	9E-06	3E-06	1E+5	2E+4	2E+4	Ge-78 <sup>38</sup>	9E-06	3E-06	1E+5	2E+4	2E+4		
As-69 <sup>38</sup>	5E-05	9E-06	3E+5	3E+4	1E+5	As-69 <sup>38</sup>	5E-05	9E-06	3E+5	3E+4	1E+5		
As-70 <sup>38</sup>	2E-05	2E-06	8E+4	1E+4	5E+4	As-70 <sup>38</sup>	2E-05	2E-06	8E+4	1E+4	5E+4		
As-71	2E-06	1E-06	4E+4	4E+3	5E+3	As-71	2E-06	1E-06	4E+4	4E+3	5E+3		
As-72	6E-07	4E-07	1E+4	9E+2	1E+3	As-72	6E-07	4E-07	1E+4	9E+2	1E+3		
As-73	7E-07	8E-07	3E+4	8E+3	2E+3	As-73	7E-07	8E-07	3E+4	8E+3	2E+3		

76

76

10CFR20 DAC			10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC			10CFR835 DAC		10CFR20 ALIs uCi	
uCi/mL			uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	uCi/mL			uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation
Cu-61	1E-05	3E-06	1E+5	1E+4	3E+4	Cu-61	1E-05	3E-06	1E+5	1E+4	3E+4		
Cu-64	9E-06	3E-06	1E+5	1E+4	2E+4	Cu-64	9E-06	3E-06	1E+5	1E+4	2E+4		
Cu-67	2E-06	2E-06	3E+4	5E+3	5E+3	Cu-67	2E-06	2E-06	3E+4	5E+3	5E+3		
Zn-62	1E-06	9E-07	3E+4	1E+3	3E+3	Zn-62	1E-06	9E-07	3E+4	1E+3	3E+3		
Zn-63 <sup>38</sup>	3E-05	8E-07	2E+5	2E+4	7E+4	Zn-63 <sup>38</sup>	3E-05	8E-07	2E+5	2E+4	7E+4		
Zn-65	1E-07	5E-06	7E+3	4E+2	3E+2	Zn-65	1E-07	5E-06	7E+3	4E+2	3E+2		
Zn-69m	3E-06	2E-07	6E+4	4E+3	7E+3	Zn-69m	3E-06	2E-07	6E+4	4E+3	7E+3		
Zn-69 <sup>38</sup>	6E-05	1E-06	2E+5	6E+4	1E+5	Zn-69 <sup>38</sup>	6E-05	1E-06	2E+5	6E+4	1E+5		
Zn-71m	7E-06	7E-06	5E+4	6E+3	2E+4	Zn-71m	7E-06	7E-06	5E+4	6E+3	2E+4		
Zn-72	5E-07	1E-06	1E+4	1E+3	1E+3	Zn-72	5E-07	1E-06	1E+4	1E+3	1E+3		
Ga-65 <sup>38</sup>	7E-05	3E-07	3E+5	5E+4	2E+5	Ga-65 <sup>38</sup>	7E-05	3E-07	3E+5	5E+4	2E+5		
Ga-66	1E-06	7E-07	2E+4	1E+3	3E+3	Ga-66	1E-06	7E-07	2E+4	1E+3	3E+3		
Ga-67	4E-06	2E-06	7E+4	7E+3	1E+4	Ga-67	4E-06	2E-06	7E+4	7E+3	1E+4		
Ga-68 <sup>38</sup>	2E-05	4E-06	1E+5	2E+4	4E+4	Ga-68 <sup>38</sup>	2E-05	4E-06	1E+5	2E+4	4E+4		
Ga-70 <sup>38</sup>	7E-05	1E-05	4E+5	5E+4	2E+5	Ga-70 <sup>38</sup>	7E-05	1E-05	4E+5	5E+4	2E+5		
Ga-72	1E-06	5E-07	2E+4	1E+3	3E+3	Ga-72	1E-06	5E-07	2E+4	1E+3	3E+3		
Ga-73	6E-06	2E-06	1E+5	5E+3	2E+4	Ga-73	6E-06	2E-06	1E+5	5E+3	2E+4		
Ge-66	8E-06	2E-06	9E+4	2E+4	2E+4	Ge-66	8E-06	2E-06	9E+4	2E+4	2E+4		
Ge-67 <sup>38</sup>	4E-05	7E-06	2E+5	3E+4	9E+4	Ge-67 <sup>38</sup>	4E-05	7E-06	2E+5	3E+4	9E+4		
Ge-68	4E-08	7E-08	2E+3	5E+3	1E+2	Ge-68	4E-08	7E-08	2E+3	5E+3	1E+2		
Ge-69	3E-06	1E-06	3E+4	1E+4	8E+3	Ge-69	3E-06	1E-06	3E+4	1E+4	8E+3		
Ge-71	2E-05	5E-05	1E+6	5E+5	4E+4	Ge-71	2E-05	5E-05	1E+6	5E+5	4E+4		
Ge-75 <sup>38</sup>	3E-05	7E-06	2E+5	4E+4	8E+4	Ge-75 <sup>38</sup>	3E-05	7E-06	2E+5	4E+4	8E+4		
Ge-77	2E-06	1E-06	4E+4	9E+3	6E+3	Ge-77	2E-06	1E-06	4E+4	9E+3	6E+3		
Ge-78 <sup>38</sup>	9E-06	3E-06	1E+5	2E+4	2E+4	Ge-78 <sup>38</sup>	9E-06	3E-06	1E+5	2E+4	2E+4		
As-69 <sup>38</sup>	5E-05	9E-06	3E+5	3E+4	1E+5	As-69 <sup>38</sup>	5E-05	9E-06	3E+5	3E+4	1E+5		
As-70 <sup>38</sup>	2E-05	2E-06	8E+4	1E+4	5E+4	As-70 <sup>38</sup>	2E-05	2E-06	8E+4	1E+4	5E+4		
As-71	2E-06	1E-06	4E+4	4E+3	5E+3	As-71	2E-06	1E-06	4E+4	4E+3	5E+3		
As-72	6E-07	4E-07	1E+4	9E+2	1E+3	As-72	6E-07	4E-07	1E+4	9E+2	1E+3		
As-73	7E-07	8E-07	3E+4	8E+3	2E+3	As-73	7E-07	8E-07	3E+4	8E+3	2E+3		

76

76

10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi	
uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation
As-74	3E-07	3E-07	1E+4	1E+3	8E+2	As-74	3E-07	3E-07	1E+4	1E+3	8E+2
As-76	6E-07	6E-07	2E+4	1E+3	1E+3	As-76	6E-07	6E-07	2E+4	1E+3	1E+3
As-77	2E-06	1E-06	4E+4	4E+3	5E+3	As-77	2E-06	1E-06	4E+4	4E+3	5E+3
As-78 <sup>38</sup>	9E-06	3E-06	1E+5	8E+3	2E+4	As-78 <sup>38</sup>	9E-06	3E-06	1E+5	8E+3	2E+4
Se-70 <sup>38</sup>	2E-05	2E-06	9E+4	1E+4	4E+4	Se-70 <sup>38</sup>	2E-05	2E-06	9E+4	1E+4	4E+4
Se-73m <sup>38</sup>	6E-05	1E-05	4E+5	3E+4	1E+5	Se-73m <sup>38</sup>	6E-05	1E-05	4E+5	3E+4	1E+5
Se-73	5E-06	1E-06	5E+4	3E+3	1E+4	Se-73	5E-06	1E-06	5E+4	3E+3	1E+4
Se-75	3E-07	3E-07	1E+4	5E+2	6E+2	Se-75	3E-07	3E-07	1E+4	5E+2	6E+2
Se-79	2E-07	1E-07	6E+3	6E+2	6E+2	Se-79	2E-07	1E-07	6E+3	6E+2	6E+2
Se-81m <sup>38</sup>	3E-05	6E-06	2E+5	2E+4	7E+4	Se-81m <sup>38</sup>	3E-05	6E-06	2E+5	2E+4	7E+4
Se-81 <sup>38</sup>	9E-05	1E-05	4E+5	6E+4	2E+5	Se-81 <sup>38</sup>	9E-05	1E-05	4E+5	6E+4	2E+5
Se-83 <sup>38</sup>	5E-05	5E-06	1E+5	3E+4	1E+5	Se-83 <sup>38</sup>	5E-05	5E-06	1E+5	3E+4	1E+5
Br-74m <sup>38</sup>	2E-05	2E-06	1E+5	1E+4	4E+4	Br-74m <sup>38</sup>	2E-05	2E-06	1E+5	1E+4	4E+4
Br-74 <sup>38</sup>	3E-05	4E-06	1E+5	2E+4	7E+4	Br-74 <sup>38</sup>	3E-05	4E-06	1E+5	2E+4	7E+4
Br-75 <sup>38</sup>	2E-05	3E-06	1E+5	3E+4	5E+4	Br-75 <sup>38</sup>	2E-05	3E-06	1E+5	3E+4	5E+4
Br-76	2E-06	5E-07	2E+4	4E+3	4E+3	Br-76	2E-06	5E-07	2E+4	4E+3	4E+3
Br-77	8E-06	2E-06	7E+4	2E+4	2E+4	Br-77	8E-06	2E-06	7E+4	2E+4	2E+4
Br-80m	6E-06	5E-06	2E+5	2E+4	1E+4	Br-80m	6E-06	5E-06	2E+5	2E+4	1E+4
Br-80 <sup>38</sup>	8E-05	2E-05	7E+5	5E+4	2E+5	Br-80 <sup>38</sup>	8E-05	2E-05	7E+5	5E+4	2E+5
Br-82	2E-06	3E-07	1E+4	3E+3	4E+3	Br-82	2E-06	3E-07	1E+4	3E+3	4E+3
Br-83	3E-05	6E-06	2E+5	5E+4	6E+4	Br-83	3E-05	6E-06	2E+5	5E+4	6E+4
Br-84 <sup>38</sup>	2E-05	5E-06	2E+5	2E+4	6E+4	Br-84 <sup>38</sup>	2E-05	5E-06	2E+5	2E+4	6E+4
Rb-79 <sup>38</sup>	5E-05	8E-06	2E+5	4E+4	1E+5	Rb-79 <sup>38</sup>	5E-05	8E-06	2E+5	4E+4	1E+5
Rb-81m <sup>38</sup>	1E-04	1E-05	6E+5	2E+5	3E+5	Rb-81m <sup>38</sup>	1E-04	1E-05	6E+5	2E+5	3E+5
Rb-81	2E-05	2E-06	1E+5	4E+4	5E+4	Rb-81	2E-05	2E-06	1E+5	4E+4	5E+4
Rb-82m	7E-06	8E-07	3E+4	1E+4	2E+4	Rb-82m	7E-06	8E-07	3E+4	1E+4	2E+4
Rb-83	4E-07	5E-07	2E+4	6E+2	1E+3	Rb-83	4E-07	5E-07	2E+4	6E+2	1E+3
Rb-84	3E-07	3E-07	1E+4	5E+2	8E+2	Rb-84	3E-07	3E-07	1E+4	5E+2	8E+2
Rb-86	3E-07	4E-07	1E+4	5E+2	8E+2	Rb-86	3E-07	4E-07	1E+4	5E+2	8E+2
Rb-87	6E-07	7E-07	2E+4	1E+3	2E+3	Rb-87	6E-07	7E-07	2E+4	1E+3	2E+3

77

77

10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi	
uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation
As-74	3E-07	3E-07	1E+4	1E+3	8E+2	As-74	3E-07	3E-07	1E+4	1E+3	8E+2
As-76	6E-07	6E-07	2E+4	1E+3	1E+3	As-76	6E-07	6E-07	2E+4	1E+3	1E+3
As-77	2E-06	1E-06	4E+4	4E+3	5E+3	As-77	2E-06	1E-06	4E+4	4E+3	5E+3
As-78 <sup>38</sup>	9E-06	3E-06	1E+5	8E+3	2E+4	As-78 <sup>38</sup>	9E-06	3E-06	1E+5	8E+3	2E+4
Se-70 <sup>38</sup>	2E-05	2E-06	9E+4	1E+4	4E+4	Se-70 <sup>38</sup>	2E-05	2E-06	9E+4	1E+4	4E+4
Se-73m <sup>38</sup>	6E-05	1E-05	4E+5	3E+4	1E+5	Se-73m <sup>38</sup>	6E-05	1E-05	4E+5	3E+4	1E+5
Se-73	5E-06	1E-06	5E+4	3E+3	1E+4	Se-73	5E-06	1E-06	5E+4	3E+3	1E+4
Se-75	3E-07	3E-07	1E+4	5E+2	6E+2	Se-75	3E-07	3E-07	1E+4	5E+2	6E+2
Se-79	2E-07	1E-07	6E+3	6E+2	6E+2	Se-79	2E-07	1E-07	6E+3	6E+2	6E+2
Se-81m <sup>38</sup>	3E-05	6E-06	2E+5	2E+4	7E+4	Se-81m <sup>38</sup>	3E-05	6E-06	2E+5	2E+4	7E+4
Se-81 <sup>38</sup>	9E-05	1E-05	4E+5	6E+4	2E+5	Se-81 <sup>38</sup>	9E-05	1E-05	4E+5	6E+4	2E+5
Se-83 <sup>38</sup>	5E-05	5E-06	1E+5	3E+4	1E+5	Se-83 <sup>38</sup>	5E-05	5E-06	1E+5	3E+4	1E+5
Br-74m <sup>38</sup>	2E-05	2E-06	1E+5	1E+4	4E+4	Br-74m <sup>38</sup>	2E-05	2E-06	1E+5	1E+4	4E+4
Br-74 <sup>38</sup>	3E-05	4E-06	1E+5	2E+4	7E+4	Br-74 <sup>38</sup>	3E-05	4E-06	1E+5	2E+4	7E+4
Br-75 <sup>38</sup>	2E-05	3E-06	1E+5	3E+4	5E+4	Br-75 <sup>38</sup>	2E-05	3E-06	1E+5	3E+4	5E+4
Br-76	2E-06	5E-07	2E+4	4E+3	4E+3	Br-76	2E-06	5E-07	2E+4	4E+3	4E+3
Br-77	8E-06	2E-06	7E+4	2E+4	2E+4	Br-77	8E-06	2E-06	7E+4	2E+4	2E+4
Br-80m	6E-06	5E-06	2E+5	2E+4	1E+4	Br-80m	6E-06	5E-06	2E+5	2E+4	1E+4
Br-80 <sup>38</sup>	8E-05	2E-05	7E+5	5E+4	2E+5	Br-80 <sup>38</sup>	8E-05	2E-05	7E+5	5E+4	2E+5
Br-82	2E-06	3E-07	1E+4	3E+3	4E+3	Br-82	2E-06	3E-07	1E+4	3E+3	4E+3
Br-83	3E-05	6E-06	2E+5	5E+4	6E+4	Br-83	3E-05	6E-06	2E+5	5E+4	6E+4
Br-84 <sup>38</sup>	2E-05	5E-06	2E+5	2E+4	6E+4	Br-84 <sup>38</sup>	2E-05	5E-06	2E+5	2E+4	6E+4
Rb-79 <sup>38</sup>	5E-05	8E-06	2E+5	4E+4	1E+5	Rb-79 <sup>38</sup>	5E-05	8E-06	2E+5	4E+4	1E+5
Rb-81m <sup>38</sup>	1E-04	1E-05	6E+5	2E+5	3E+5	Rb-81m <sup>38</sup>	1E-04	1E-05	6E+5	2E+5	3E+5
Rb-81	2E-05	2E-06	1E+5	4E+4	5E+4	Rb-81	2E-05	2E-06	1E+5	4E+4	5E+4
Rb-82m	7E-06	8E-07	3E+4	1E+4	2E+4	Rb-82m	7E-06	8E-07	3E+4	1E+4	2E+4
Rb-83	4E-07	5E-07	2E+4	6E+2	1E+3	Rb-83	4E-07	5E-07	2E+4	6E+2	1E+3
Rb-84	3E-07	3E-07	1E+4	5E+2	8E+2	Rb-84	3E-07	3E-07	1E+4	5E+2	8E+2
Rb-86	3E-07	4E-07	1E+4	5E+2	8E+2	Rb-86	3E-07	4E-07	1E+4	5E+2	8E+2
Rb-87	6E-07	7E-07	2E+4	1E+3	2E+3	Rb-87	6E-07	7E-07	2E+4	1E+3	2E+3

77

77

10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi	
	uCi/mL	uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation		uCi/mL	uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation
Rb-88 <sup>38</sup>	3E-05	1E-05	5E+5	2E+4	6E+4	Rb-88 <sup>38</sup>	3E-05	1E-05	5E+5	2E+4	6E+4
Rb-89 <sup>38</sup>	6E-05	1E-05	3E+5	4E+4	1E+5	Rb-89 <sup>38</sup>	6E-05	1E-05	3E+5	4E+4	1E+5
Sr-80 <sup>38</sup>	5E-06	2E-06	9E+4	4E+3	1E+4	Sr-80 <sup>38</sup>	5E-06	2E-06	9E+4	4E+3	1E+4
Sr-81 <sup>38</sup>	3E-05	5E-06	2E+5	2E+4	8E+4	Sr-81 <sup>38</sup>	3E-05	5E-06	2E+5	2E+4	8E+4
Sr-82	4E-08	7E-08	2E+3	2E+2	90	Sr-82	4E-08	7E-08	2E+3	2E+2	90
Sr-83	1E-06	9E-07	3E+4	2E+3	4E+3	Sr-83	1E-06	9E-07	3E+4	2E+3	4E+3
Sr-85m <sup>38</sup>	3E-04	3E-05	1E+6	2E+5	6E+5	Sr-85m <sup>38</sup>	3E-04	3E-05	1E+6	2E+5	6E+5
Sr-85	6E-07	8E-07	3E+4	3E+3	2E+3	Sr-85	6E-07	8E-07	3E+4	3E+3	2E+3
Sr-87m	5E-05	9E-06	3E+5	4E+4	1E+5	Sr-87m	5E-05	9E-06	3E+5	4E+4	1E+5
Sr-89	6E-08	1E-07	3E+3	5E+2	1E+2	Sr-89	6E-08	1E-07	3E+3	5E+2	1E+2
Sr-90	2E-09	7E-09	2E+2	30	4	Sr-90	2E-09	7E-09	2E+2	30	4
Sr-91	1E-06	9E-07	3E+4	2E+3	4E+3	Sr-91	1E-06	9E-07	3E+4	2E+3	4E+3
Sr-92	3E-06	1E-06	6E+4	3E+3	7E+3	Sr-92	3E-06	1E-06	6E+4	3E+3	7E+3
Y-86m <sup>38</sup>	2E-05	6E-06	2E+5	2E+4	5E+4	Y-86m <sup>38</sup>	2E-05	6E-06	2E+5	2E+4	5E+4
Y-86	1E-06	4E-07	1E+4	1E+3	3E+3	Y-86	1E-06	4E-07	1E+4	1E+3	3E+3
Y-87	1E-06	8E-07	3E+4	2E+3	3E+3	Y-87	1E-06	8E-07	3E+4	2E+3	3E+3
Y-88	1E-07	1E-07	6E+3	1E+3	2E+2	Y-88	1E-07	1E-07	6E+3	1E+3	2E+2
Y-90m	5E-06	4E-06	1E+5	8E+3	1E+4	Y-90m	5E-06	4E-06	1E+5	8E+3	1E+4
Y-90	3E-07	3E-07	1E+4	4E+2	6E+2	Y-90	3E-07	3E-07	1E+4	4E+2	6E+2
Y-91m <sup>38</sup>	7E-05	2E-05	7E+5	1E+5	2E+5	Y-91m <sup>38</sup>	7E-05	2E-05	7E+5	1E+5	2E+5
Y-91	5E-08	9E-08	3E+3	5E+2	1E+2	Y-91	5E-08	9E-08	3E+3	5E+2	1E+2
Y-92	3E-06	2E-06	7E+4	3E+3	8E+3	Y-92	3E-06	2E-06	7E+4	3E+3	8E+3
Y-93	1E-06	9E-07	3E+4	1E+3	2E+3	Y-93	1E-06	9E-07	3E+4	1E+3	2E+3
Y-94 <sup>38</sup>	3E-05	8E-06	3E+5	2E+4	8E+4	Y-94 <sup>38</sup>	3E-05	8E-06	3E+5	2E+4	8E+4
Y-95 <sup>38</sup>	6E-05	1E-05	4E+5	4E+4	1E+5	Y-95 <sup>38</sup>	6E-05	1E-05	4E+5	4E+4	1E+5
Zr-86	1E-06	5E-07	2E+4	1E+3	2E+3	Zr-86	1E-06	5E-07	2E+4	1E+3	2E+3
Zr-88	9E-08	1E-07	5E+3	4E+3	2E+2	Zr-88	9E-08	1E-07	5E+3	4E+3	2E+2
Zr-89	1E-06	6E-07	2E+4	2E+3	2E+3	Zr-89	1E-06	6E-07	2E+4	2E+3	2E+3
Zr-93	3E-09	3E-09	1E+2	1E+3	6	Zr-93	3E-09	3E-09	1E+2	1E+3	6
Zr-95	5E-08	9E-08	3E+3	1E+3	1E+2	Zr-95	5E-08	9E-08	3E+3	1E+3	1E+2

78

78

10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi	
	uCi/mL	uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation		uCi/mL	uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation
Rb-88 <sup>38</sup>	3E-05	1E-05	5E+5	2E+4	6E+4	Rb-88 <sup>38</sup>	3E-05	1E-05	5E+5	2E+4	6E+4
Rb-89 <sup>38</sup>	6E-05	1E-05	3E+5	4E+4	1E+5	Rb-89 <sup>38</sup>	6E-05	1E-05	3E+5	4E+4	1E+5
Sr-80 <sup>38</sup>	5E-06	2E-06	9E+4	4E+3	1E+4	Sr-80 <sup>38</sup>	5E-06	2E-06	9E+4	4E+3	1E+4
Sr-81 <sup>38</sup>	3E-05	5E-06	2E+5	2E+4	8E+4	Sr-81 <sup>38</sup>	3E-05	5E-06	2E+5	2E+4	8E+4
Sr-82	4E-08	7E-08	2E+3	2E+2	90	Sr-82	4E-08	7E-08	2E+3	2E+2	90
Sr-83	1E-06	9E-07	3E+4	2E+3	4E+3	Sr-83	1E-06	9E-07	3E+4	2E+3	4E+3
Sr-85m <sup>38</sup>	3E-04	3E-05	1E+6	2E+5	6E+5	Sr-85m <sup>38</sup>	3E-04	3E-05	1E+6	2E+5	6E+5
Sr-85	6E-07	8E-07	3E+4	3E+3	2E+3	Sr-85	6E-07	8E-07	3E+4	3E+3	2E+3
Sr-87m	5E-05	9E-06	3E+5	4E+4	1E+5	Sr-87m	5E-05	9E-06	3E+5	4E+4	1E+5
Sr-89	6E-08	1E-07	3E+3	5E+2	1E+2	Sr-89	6E-08	1E-07	3E+3	5E+2	1E+2
Sr-90	2E-09	7E-09	2E+2	30	4	Sr-90	2E-09	7E-09	2E+2	30	4
Sr-91	1E-06	9E-07	3E+4	2E+3	4E+3	Sr-91	1E-06	9E-07	3E+4	2E+3	4E+3
Sr-92	3E-06	1E-06	6E+4	3E+3	7E+3	Sr-92	3E-06	1E-06	6E+4	3E+3	7E+3
Y-86m <sup>38</sup>	2E-05	6E-06	2E+5	2E+4	5E+4	Y-86m <sup>38</sup>	2E-05	6E-06	2E+5	2E+4	5E+4
Y-86	1E-06	4E-07	1E+4	1E+3	3E+3	Y-86	1E-06	4E-07	1E+4	1E+3	3E+3
Y-87	1E-06	8E-07	3E+4	2E+3	3E+3	Y-87	1E-06	8E-07	3E+4	2E+3	3E+3
Y-88	1E-07	1E-07	6E+3	1E+3	2E+2	Y-88	1E-07	1E-07	6E+3	1E+3	2E+2
Y-90m	5E-06	4E-06	1E+5	8E+3	1E+4	Y-90m	5E-06	4E-06	1E+5	8E+3	1E+4
Y-90	3E-07	3E-07	1E+4	4E+2	6E+2	Y-90	3E-07	3E-07	1E+4	4E+2	6E+2
Y-91m <sup>38</sup>	7E-05	2E-05	7E+5	1E+5	2E+5	Y-91m <sup>38</sup>	7E-05	2E-05	7E+5	1E+5	2E+5
Y-91	5E-08	9E-08	3E+3	5E+2	1E+2	Y-91	5E-08	9E-08	3E+3	5E+2	1E+2
Y-92	3E-06	2E-06	7E+4	3E+3	8E+3	Y-92	3E-06	2E-06	7E+4	3E+3	8E+3
Y-93	1E-06	9E-07	3E+4	1E+3	2E+3	Y-93	1E-06	9E-07	3E+4	1E+3	2E+3
Y-94 <sup>38</sup>	3E-05	8E-06	3E+5	2E+4	8E+4	Y-94 <sup>38</sup>	3E-05	8E-06	3E+5	2E+4	8E+4
Y-95 <sup>38</sup>	6E-05	1E-05	4E+5	4E+4	1E+5	Y-95 <sup>38</sup>	6E-05	1E-05	4E+5	4E+4	1E+5
Zr-86	1E-06	5E-07	2E+4	1E+3	2E+3	Zr-86	1E-06	5E-07	2E+4	1E+3	2E+3
Zr-88	9E-08	1E-07	5E+3	4E+3	2E+2	Zr-88	9E-08	1E-07	5E+3	4E+3	2E+2
Zr-89	1E-06	6E-07	2E+4	2E+3	2E+3	Zr-89	1E-06	6E-07	2E+4	2E+3	2E+3
Zr-93	3E-09	3E-09	1E+2	1E+3	6	Zr-93	3E-09	3E-09	1E+2	1E+3	6
Zr-95	5E-08	9E-08	3E+3	1E+3	1E+2	Zr-95	5E-08	9E-08	3E+3	1E+3	1E+2

78

78

10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi	
uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation
Zr-97	5E-07	4E-07	1E+4	6E+2	1E+3	Zr-97	5E-07	4E-07	1E+4	6E+2	1E+3
Nb-88 <sup>38</sup>	9E-05	5E-06	1E+5	5E+4	2E+5	Nb-88 <sup>38</sup>	9E-05	5E-06	1E+5	5E+4	2E+5
Nb-89m <sup>13</sup>	2E-05	3E-06	1E+5	1E+4	4E+4	Nb-89m <sup>13</sup>	2E-05	3E-06	1E+5	1E+4	4E+4
Nb-89 <sup>14</sup>	6E-06	2E-06	1E+5	5E+3	2E+4	Nb-89 <sup>14</sup>	6E-06	2E-06	1E+5	5E+3	2E+4
Nb-90	1E-06	3E-07	1E+4	1E+3	2E+3	Nb-90	1E-06	3E-07	1E+4	1E+3	2E+3
Nb-93m	7E-08	6E-07	2E+4	9E+3	2E+2	Nb-93m	7E-08	6E-07	2E+4	9E+3	2E+2
Nb-94	6E-09	2E-08	8E+2	9E+2	20	Nb-94	6E-09	2E-08	8E+2	9E+2	20
Nb-95m	9E-07	6E-07	2E+4	2E+3	2E+3	Nb-95m	9E-07	6E-07	2E+4	2E+3	2E+3
Nb-95	5E-07	4E-07	1E+4	2E+3	1E+3	Nb-95	5E-07	4E-07	1E+4	2E+3	1E+3
Nb-96	1E-06	4E-07	1E+4	1E+3	2E+3	Nb-96	1E-06	4E-07	1E+4	1E+3	2E+3
Nb-97 <sup>38</sup>	3E-05	5E-06	1E+5	2E+4	7E+4	Nb-97 <sup>38</sup>	3E-05	5E-06	1E+5	2E+4	7E+4
Nb-98 <sup>38</sup>	2E-05	3E-06	1E+5	1E+4	5E+4	Nb-98 <sup>38</sup>	2E-05	3E-06	1E+5	1E+4	5E+4
Mo-90	2E-06	7E-07	2E+4	2E+3	5E+3	Mo-90	2E-06	7E-07	2E+4	2E+3	5E+3
Mo-93m	6E-06	1E-06	3E+4	4E+3	1E+4	Mo-93m	6E-06	1E-06	3E+4	4E+3	1E+4
Mo-93	8E-08	2E-07	7E+3	2E+4	2E+2	Mo-93	8E-08	2E-07	7E+3	2E+4	2E+2
Mo-99	6E-07	5E-07	1E+4	1E+3	1E+3	Mo-99	6E-07	5E-07	1E+4	1E+3	1E+3
Mo-101 <sup>38</sup>	6E-05	6E-06	2E+5	4E+4	1E+5	Mo-101 <sup>38</sup>	6E-05	6E-06	2E+5	4E+4	1E+5
Tc-93m <sup>38</sup>	6E-05	7E-06	2E+5	3E+4	2E+5	Tc-93m <sup>38</sup>	6E-05	7E-06	2E+5	3E+4	2E+5
Tc-93	3E-05	3E-06	1E+5	3E+4	7E+4	Tc-93	3E-05	3E-06	1E+5	3E+4	7E+4
Tc-94m <sup>38</sup>	2E-05	4E-06	1E+5	2E+4	4E+4	Tc-94m <sup>38</sup>	2E-05	4E-06	1E+5	2E+4	4E+4
Tc-94	8E-06	1E-06	3E+4	9E+3	2E+4	Tc-94	8E-06	1E-06	3E+4	9E+3	2E+4
Tc-95m	8E-07	6E-07	2E+4	4E+3	2E+3	Tc-95m	8E-07	6E-07	2E+4	4E+3	2E+3
Tc-95	8E-06	1E-06	5E+4	1E+4	2E+4	Tc-95	8E-06	1E-06	5E+4	1E+4	2E+4
Tc-96m <sup>38</sup>	1E-04	2E-05	1E+6	2E+5	2E+5	Tc-96m <sup>38</sup>	1E-04	2E-05	1E+6	2E+5	2E+5
Tc-96	9E-07	3E-07	1E+4	2E+3	2E+3	Tc-96	9E-07	3E-07	1E+4	2E+3	2E+3
Tc-97m	5E-07	2E-07	7E+3	5E+3	1E+3	Tc-97m	5E-07	2E-07	7E+3	5E+3	1E+3
Tc-97	2E-06	3E-06	1E+5	4E+4	6E+3	Tc-97	2E-06	3E-06	1E+5	4E+4	6E+3
Tc-98	1E-07	9E-08	3E+3	1E+3	3E+2	Tc-98	1E-07	9E-08	3E+3	1E+3	3E+2
Tc-99m	6E-05	1E-05	4E+5	8E+4	2E+5	Tc-99m	6E-05	1E-05	4E+5	8E+4	2E+5
Tc-99	3E-07	1E-07	6E+3	4E+3	7E+2	Tc-99	3E-07	1E-07	6E+3	4E+3	7E+2

79

79

10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi	
uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation
Zr-97	5E-07	4E-07	1E+4	6E+2	1E+3	Zr-97	5E-07	4E-07	1E+4	6E+2	1E+3
Nb-88 <sup>38</sup>	9E-05	5E-06	1E+5	5E+4	2E+5	Nb-88 <sup>38</sup>	9E-05	5E-06	1E+5	5E+4	2E+5
Nb-89m <sup>13</sup>	2E-05	3E-06	1E+5	1E+4	4E+4	Nb-89m <sup>13</sup>	2E-05	3E-06	1E+5	1E+4	4E+4
Nb-89 <sup>14</sup>	6E-06	2E-06	1E+5	5E+3	2E+4	Nb-89 <sup>14</sup>	6E-06	2E-06	1E+5	5E+3	2E+4
Nb-90	1E-06	3E-07	1E+4	1E+3	2E+3	Nb-90	1E-06	3E-07	1E+4	1E+3	2E+3
Nb-93m	7E-08	6E-07	2E+4	9E+3	2E+2	Nb-93m	7E-08	6E-07	2E+4	9E+3	2E+2
Nb-94	6E-09	2E-08	8E+2	9E+2	20	Nb-94	6E-09	2E-08	8E+2	9E+2	20
Nb-95m	9E-07	6E-07	2E+4	2E+3	2E+3	Nb-95m	9E-07	6E-07	2E+4	2E+3	2E+3
Nb-95	5E-07	4E-07	1E+4	2E+3	1E+3	Nb-95	5E-07	4E-07	1E+4	2E+3	1E+3
Nb-96	1E-06	4E-07	1E+4	1E+3	2E+3	Nb-96	1E-06	4E-07	1E+4	1E+3	2E+3
Nb-97 <sup>38</sup>	3E-05	5E-06	1E+5	2E+4	7E+4	Nb-97 <sup>38</sup>	3E-05	5E-06	1E+5	2E+4	7E+4
Nb-98 <sup>38</sup>	2E-05	3E-06	1E+5	1E+4	5E+4	Nb-98 <sup>38</sup>	2E-05	3E-06	1E+5	1E+4	5E+4
Mo-90	2E-06	7E-07	2E+4	2E+3	5E+3	Mo-90	2E-06	7E-07	2E+4	2E+3	5E+3
Mo-93m	6E-06	1E-06	3E+4	4E+3	1E+4	Mo-93m	6E-06	1E-06	3E+4	4E+3	1E+4
Mo-93	8E-08	2E-07	7E+3	2E+4	2E+2	Mo-93	8E-08	2E-07	7E+3	2E+4	2E+2
Mo-99	6E-07	5E-07	1E+4	1E+3	1E+3	Mo-99	6E-07	5E-07	1E+4	1E+3	1E+3
Mo-101 <sup>38</sup>	6E-05	6E-06	2E+5	4E+4	1E+5	Mo-101 <sup>38</sup>	6E-05	6E-06	2E+5	4E+4	1E+5
Tc-93m <sup>38</sup>	6E-05	7E-06	2E+5	3E+4	2E+5	Tc-93m <sup>38</sup>	6E-05	7E-06	2E+5	3E+4	2E+5
Tc-93	3E-05	3E-06	1E+5	3E+4	7E+4	Tc-93	3E-05	3E-06	1E+5	3E+4	7E+4
Tc-94m <sup>38</sup>	2E-05	4E-06	1E+5	2E+4	4E+4	Tc-94m <sup>38</sup>	2E-05	4E-06	1E+5	2E+4	4E+4
Tc-94	8E-06	1E-06	3E+4	9E+3	2E+4	Tc-94	8E-06	1E-06	3E+4	9E+3	2E+4
Tc-95m	8E-07	6E-07	2E+4	4E+3	2E+3	Tc-95m	8E-07	6E-07	2E+4	4E+3	2E+3
Tc-95	8E-06	1E-06	5E+4	1E+4	2E+4	Tc-95	8E-06	1E-06	5E+4	1E+4	2E+4
Tc-96m <sup>38</sup>	1E-04	2E-05	1E+6	2E+5	2E+5	Tc-96m <sup>38</sup>	1E-04	2E-05	1E+6	2E+5	2E+5
Tc-96	9E-07	3E-07	1E+4	2E+3	2E+3	Tc-96	9E-07	3E-07	1E+4	2E+3	2E+3
Tc-97m	5E-07	2E-07	7E+3	5E+3	1E+3	Tc-97m	5E-07	2E-07	7E+3	5E+3	1E+3
Tc-97	2E-06	3E-06	1E+5	4E+4	6E+3	Tc-97	2E-06	3E-06	1E+5	4E+4	6E+3
Tc-98	1E-07	9E-08	3E+3	1E+3	3E+2	Tc-98	1E-07	9E-08	3E+3	1E+3	3E+2
Tc-99m	6E-05	1E-05	4E+5	8E+4	2E+5	Tc-99m	6E-05	1E-05	4E+5	8E+4	2E+5
Tc-99	3E-07	1E-07	6E+3	4E+3	7E+2	Tc-99	3E-07	1E-07	6E+3	4E+3	7E+2

79

79

10CFR20 DAC			10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC			10CFR835 DAC		10CFR20 ALIs uCi	
uCi/mL			uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	uCi/mL			uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation
Tc-101 <sup>38</sup>	1E-04	1E-05	4E+5	9E+4	3E+5	Tc-101 <sup>38</sup>	1E-04	1E-05	4E+5	9E+4	3E+5		
Tc-104 <sup>38</sup>	3E-05	7E-06	2E+5	2E+4	7E+4	Tc-104 <sup>38</sup>	3E-05	7E-06	2E+5	2E+4	7E+4		
Ru-94 <sup>38</sup>	2E-05	5E-06	1E+5	2E+4	4E+4	Ru-94 <sup>38</sup>	2E-05	5E-06	1E+5	2E+4	4E+4		
Ru-97	5E-06	2E-06	8E+4	8E+3	1E+4	Ru-97	5E-06	2E-06	8E+4	8E+3	1E+4		
Ru-103	3E-07	2E-07	9E+3	2E+3	6E+2	Ru-103	3E-07	2E-07	9E+3	2E+3	6E+2		
Ru-105	5E-06	2E-06	8E+4	5E+3	1E+4	Ru-105	5E-06	2E-06	8E+4	5E+3	1E+4		
Ru-106	5E-09	1E-08	5E+2	2E+2	10	Ru-106	5E-09	1E-08	5E+2	2E+2	10		
Rh-99m	2E-05	3E-06	1E+5	2E+4	6E+4	Rh-99m	2E-05	3E-06	1E+5	2E+4	6E+4		
Rh-99	8E-07	6E-07	2E+4	2E+3	2E+3	Rh-99	8E-07	6E-07	2E+4	2E+3	2E+3		
Rh-100	2E-06	5E-07	1E+4	2E+3	4E+3	Rh-100	2E-06	5E-07	1E+4	2E+3	4E+3		
Rh-101m	3E-06	1E-06	6E+4	6E+3	8E+3	Rh-101m	3E-06	1E-06	6E+4	6E+3	8E+3		
Rh-101	6E-08	1E-07	6E+3	2E+3	2E+2	Rh-101	6E-08	1E-07	6E+3	2E+3	2E+2		
Rh-102m	5E-08	1E-07	4E+3	1E+3	1E+2	Rh-102m	5E-08	1E-07	4E+3	1E+3	1E+2		
Rh-102	2E-08	6E-08	2E+3	6E+2	60	Rh-102	2E-08	6E-08	2E+3	6E+2	60		
Rh-103m <sup>38</sup>	5E-04	2E-04	8E+6	4E+5	1E+6	Rh-103m <sup>38</sup>	5E-04	2E-04	8E+6	4E+5	1E+6		
Rh-105	2E-06	1E-06	4E+4	4E+3	6E+3	Rh-105	2E-06	1E-06	4E+4	4E+3	6E+3		
Rh-106m	1E-05	1E-06	5E+4	8E+3	3E+4	Rh-106m	1E-05	1E-06	5E+4	8E+3	3E+4		
Rh-107 <sup>38</sup>	1E-04	9E-06	3E+5	7E+4	2E+5	Rh-107 <sup>38</sup>	1E-04	9E-06	3E+5	7E+4	2E+5		
Pd-100	5E-07	5E-07	2E+4	1E+3	1E+3	Pd-100	5E-07	5E-07	2E+4	1E+3	1E+3		
Pd-101	1E-05	3E-06	1E+5	1E+4	3E+4	Pd-101	1E-05	3E-06	1E+5	1E+4	3E+4		
Pd-103	1E-06	1E-06	6E+4	6E+3	4E+3	Pd-103	1E-06	1E-06	6E+4	6E+3	4E+3		
Pd-107	2E-07	1E-06	7E+4	3E+4	4E+2	Pd-107	2E-07	1E-06	7E+4	3E+4	4E+2		
Pd-109	2E-06	1E-06	4E+4	2E+3	5E+3	Pd-109	2E-06	1E-06	4E+4	2E+3	5E+3		
Ag-102 <sup>38</sup>	8E-05	7E-06	2E+5	5E+4	2E+5	Ag-102 <sup>38</sup>	8E-05	7E-06	2E+5	5E+4	2E+5		
Ag-103 <sup>38</sup>	4E-05	7E-06	2E+5	4E+4	1E+5	Ag-103 <sup>38</sup>	4E-05	7E-06	2E+5	4E+4	1E+5		
Ag-104m <sup>38</sup>	4E-05	6E-06	2E+5	3E+4	9E+4	Ag-104m <sup>38</sup>	4E-05	6E-06	2E+5	3E+4	9E+4		
Ag-104 <sup>38</sup>	3E-05	3E-06	1E+5	2E+4	7E+4	Ag-104 <sup>38</sup>	3E-05	3E-06	1E+5	2E+4	7E+4		
Ag-105	4E-07	7E-07	2E+4	3E+3	1E+3	Ag-105	4E-07	7E-07	2E+4	3E+3	1E+3		
Ag-106m	3E-07	2E-07	9E+3	8E+2	7E+2	Ag-106m	3E-07	2E-07	9E+3	8E+2	7E+2		
Ag-106 <sup>38</sup>	8E-05	1E-05	4E+5	6E+4	2E+5	Ag-106 <sup>38</sup>	8E-05	1E-05	4E+5	6E+4	2E+5		

80

80

10CFR20 DAC			10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC			10CFR835 DAC		10CFR20 ALIs uCi	
uCi/mL			uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	uCi/mL			uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation
Tc-101 <sup>38</sup>	1E-04	1E-05	4E+5	9E+4	3E+5	Tc-101 <sup>38</sup>	1E-04	1E-05	4E+5	9E+4	3E+5		
Tc-104 <sup>38</sup>	3E-05	7E-06	2E+5	2E+4	7E+4	Tc-104 <sup>38</sup>	3E-05	7E-06	2E+5	2E+4	7E+4		
Ru-94 <sup>38</sup>	2E-05	5E-06	1E+5	2E+4	4E+4	Ru-94 <sup>38</sup>	2E-05	5E-06	1E+5	2E+4	4E+4		
Ru-97	5E-06	2E-06	8E+4	8E+3	1E+4	Ru-97	5E-06	2E-06	8E+4	8E+3	1E+4		
Ru-103	3E-07	2E-07	9E+3	2E+3	6E+2	Ru-103	3E-07	2E-07	9E+3	2E+3	6E+2		
Ru-105	5E-06	2E-06	8E+4	5E+3	1E+4	Ru-105	5E-06	2E-06	8E+4	5E+3	1E+4		
Ru-106	5E-09	1E-08	5E+2	2E+2	10	Ru-106	5E-09	1E-08	5E+2	2E+2	10		
Rh-99m	2E-05	3E-06	1E+5	2E+4	6E+4	Rh-99m	2E-05	3E-06	1E+5	2E+4	6E+4		
Rh-99	8E-07	6E-07	2E+4	2E+3	2E+3	Rh-99	8E-07	6E-07	2E+4	2E+3	2E+3		
Rh-100	2E-06	5E-07	1E+4	2E+3	4E+3	Rh-100	2E-06	5E-07	1E+4	2E+3	4E+3		
Rh-101m	3E-06	1E-06	6E+4	6E+3	8E+3	Rh-101m	3E-06	1E-06	6E+4	6E+3	8E+3		
Rh-101	6E-08	1E-07	6E+3	2E+3	2E+2	Rh-101	6E-08	1E-07	6E+3	2E+3	2E+2		
Rh-102m	5E-08	1E-07	4E+3	1E+3	1E+2	Rh-102m	5E-08	1E-07	4E+3	1E+3	1E+2		
Rh-102	2E-08	6E-08	2E+3	6E+2	60	Rh-102	2E-08	6E-08	2E+3	6E+2	60		
Rh-103m <sup>38</sup>	5E-04	2E-04	8E+6	4E+5	1E+6	Rh-103m <sup>38</sup>	5E-04	2E-04	8E+6	4E+5	1E+6		
Rh-105	2E-06	1E-06	4E+4	4E+3	6E+3	Rh-105	2E-06	1E-06	4E+4	4E+3	6E+3		
Rh-106m	1E-05	1E-06	5E+4	8E+3	3E+4	Rh-106m	1E-05	1E-06	5E+4	8E+3	3E+4		
Rh-107 <sup>38</sup>	1E-04	9E-06	3E+5	7E+4	2E+5	Rh-107 <sup>38</sup>	1E-04	9E-06	3E+5	7E+4	2E+5		
Pd-100	5E-07	5E-07	2E+4	1E+3	1E+3	Pd-100	5E-07	5E-07	2E+4	1E+3	1E+3		
Pd-101	1E-05	3E-06	1E+5	1E+4	3E+4	Pd-101	1E-05	3E-06	1E+5	1E+4	3E+4		
Pd-103	1E-06	1E-06	6E+4	6E+3	4E+3	Pd-103	1E-06	1E-06	6E+4	6E+3	4E+3		
Pd-107	2E-07	1E-06	7E+4	3E+4	4E+2	Pd-107	2E-07	1E-06	7E+4	3E+4	4E+2		
Pd-109	2E-06	1E-06	4E+4	2E+3	5E+3	Pd-109	2E-06	1E-06	4E+4	2E+3	5E+3		
Ag-102 <sup>38</sup>	8E-05	7E-06	2E+5	5E+4	2E+5	Ag-102 <sup>38</sup>	8E-05	7E-06	2E+5	5E+4	2E+5		
Ag-103 <sup>38</sup>	4E-05	7E-06	2E+5	4E+4	1E+5	Ag-103 <sup>38</sup>	4E-05	7E-06	2E+5	4E+4	1E+5		
Ag-104m <sup>38</sup>	4E-05	6E-06	2E+5	3E+4	9E+4	Ag-104m <sup>38</sup>	4E-05	6E-06	2E+5	3E+4	9E+4		
Ag-104 <sup>38</sup>	3E-05	3E-06	1E+5	2E+4	7E+4	Ag-104 <sup>38</sup>	3E-05	3E-06	1E+5	2E+4	7E+4		
Ag-105	4E-07	7E-07	2E+4	3E+3	1E+3	Ag-105	4E-07	7E-07	2E+4	3E+3	1E+3		
Ag-106m	3E-07	2E-07	9E+3	8E+2	7E+2	Ag-106m	3E-07	2E-07	9E+3	8E+2	7E+2		
Ag-106 <sup>38</sup>	8E-05	1E-05	4E+5	6E+4	2E+5	Ag-106 <sup>38</sup>	8E-05	1E-05	4E+5	6E+4	2E+5		

80

80

10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi	
uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation
Ag-108m	1E-08	2E-08	1E+3	6E+2	20	Ag-108m	1E-08	2E-08	1E+3	6E+2	20
Ag-110m	4E-08	7E-08	2E+3	5E+2	90	Ag-110m	4E-08	7E-08	2E+3	5E+2	90
Ag-111	4E-07	3E-07	1E+4	9E+2	9E+2	Ag-111	4E-07	3E-07	1E+4	9E+2	9E+2
Ag-112	3E-06	2E-06	8E+4	3E+3	8E+3	Ag-112	3E-06	2E-06	8E+4	3E+3	8E+3
Ag-115 <sup>38</sup>	3E-05	8E-06	3E+5	3E+4	8E+4	Ag-115 <sup>38</sup>	3E-05	8E-06	3E+5	3E+4	8E+4
Cd-104 <sup>38</sup>	3E-05	4E-06	1E+5	2E+4	7E+4	Cd-104 <sup>38</sup>	3E-05	4E-06	1E+5	2E+4	7E+4
Cd-107	2E-05	4E-06	1E+5	2E+4	5E+4	Cd-107	2E-05	4E-06	1E+5	2E+4	5E+4
Cd-109	1E-08	1E-07	9E+2	3E+2	50	Cd-109	1E-08	1E-07	9E+2	3E+2	50
Cd-113m	1E-09	1E-09	60	20	2	Cd-113m	1E-09	1E-09	60	20	2
Cd-113	9E-10	1E-09	50	20	2	Cd-113	9E-10	1E-09	50	20	2
Cd-115m	2E-08	3E-08	1E+3	3E+2	50	Cd-115m	2E-08	3E-08	1E+3	3E+2	50
Cd-115	5E-07	4E-07	1E+4	9E+2	1E+3	Cd-115	5E-07	4E-07	1E+4	9E+2	1E+3
Cd-117m	5E-06	1E-06	4E+4	5E+3	1E+4	Cd-117m	5E-06	1E-06	4E+4	5E+3	1E+4
Cd-117	5E-06	2E-06	7E+4	5E+3	1E+4	Cd-117	5E-06	2E-06	7E+4	5E+3	1E+4
In-109	2E-05	4E-06	1E+5	2E+4	4E+4	In-109	2E-05	4E-06	1E+5	2E+4	4E+4
In-110 <sup>15, 38</sup>	2E-05	4E-06	1E+5	2E+4	4E+4	In-110 <sup>15, 38</sup>	2E-05	4E-06	1E+5	2E+4	4E+4
In-110 <sup>16</sup>	7E-06	9E-07	3E+4	5E+3	2E+4	In-110 <sup>16</sup>	7E-06	9E-07	3E+4	5E+3	2E+4
In-111	3E-06	1E-06	5E+4	4E+3	6E+3	In-111	3E-06	1E-06	5E+4	4E+3	6E+3
In-112	3E-04	1E-05	6E+5	2E+5	6E+5	In-112	3E-04	1E-05	6E+5	2E+5	6E+5
In-113m <sup>38</sup>	6E-05	1E-05	3E+5	5E+4	1E+5	In-113m <sup>38</sup>	6E-05	1E-05	3E+5	5E+4	1E+5
In-114m	3E-08	5E-08	1E+3	3E+2	60	In-114m	3E-08	5E-08	1E+3	3E+2	60
In-115m	2E-05	6E-06	2E+5	1E+4	4E+4	In-115m	2E-05	6E-06	2E+5	1E+4	4E+4
In-115	6E-10	1E-09	40	40	10	In-115	6E-10	1E-09	40	40	10
In-116m <sup>38</sup>	3E-05	4E-06	1E+5	2E+4	8E+4	In-116m <sup>38</sup>	3E-05	4E-06	1E+5	2E+4	8E+4
In-117m <sup>38</sup>	1E-05	5E-06	1E+5	1E+4	3E+4	In-117m <sup>38</sup>	1E-05	5E-06	1E+5	1E+4	3E+4
In-117 <sup>38</sup>	7E-05	5E-06	2E+5	6E+4	2E+5	In-117 <sup>38</sup>	7E-05	5E-06	2E+5	6E+4	2E+5
In-119m <sup>38</sup>	5E-05	1E-05	4E+5	4E+4	1E+5	In-119m <sup>38</sup>	5E-05	1E-05	4E+5	4E+4	1E+5
Sn-110	5E-06	1E-06	6E+4	4E+3	1E+4	Sn-110	5E-06	1E-06	6E+4	4E+3	1E+4
Sn-111 <sup>38</sup>	9E-05	1E-05	5E+5	7E+4	2E+5	Sn-111 <sup>38</sup>	9E-05	1E-05	5E+5	7E+4	2E+5
Sn-113	2E-07	2E-07	1E+4	2E+3	5E+2	Sn-113	2E-07	2E-07	1E+4	2E+3	5E+2

81

81

10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi	
uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation
Ag-108m	1E-08	2E-08	1E+3	6E+2	20	Ag-108m	1E-08	2E-08	1E+3	6E+2	20
Ag-110m	4E-08	7E-08	2E+3	5E+2	90	Ag-110m	4E-08	7E-08	2E+3	5E+2	90
Ag-111	4E-07	3E-07	1E+4	9E+2	9E+2	Ag-111	4E-07	3E-07	1E+4	9E+2	9E+2
Ag-112	3E-06	2E-06	8E+4	3E+3	8E+3	Ag-112	3E-06	2E-06	8E+4	3E+3	8E+3
Ag-115 <sup>38</sup>	3E-05	8E-06	3E+5	3E+4	8E+4	Ag-115 <sup>38</sup>	3E-05	8E-06	3E+5	3E+4	8E+4
Cd-104 <sup>38</sup>	3E-05	4E-06	1E+5	2E+4	7E+4	Cd-104 <sup>38</sup>	3E-05	4E-06	1E+5	2E+4	7E+4
Cd-107	2E-05	4E-06	1E+5	2E+4	5E+4	Cd-107	2E-05	4E-06	1E+5	2E+4	5E+4
Cd-109	1E-08	1E-07	9E+2	3E+2	50	Cd-109	1E-08	1E-07	9E+2	3E+2	50
Cd-113m	1E-09	1E-09	60	20	2	Cd-113m	1E-09	1E-09	60	20	2
Cd-113	9E-10	1E-09	50	20	2	Cd-113	9E-10	1E-09	50	20	2
Cd-115m	2E-08	3E-08	1E+3	3E+2	50	Cd-115m	2E-08	3E-08	1E+3	3E+2	50
Cd-115	5E-07	4E-07	1E+4	9E+2	1E+3	Cd-115	5E-07	4E-07	1E+4	9E+2	1E+3
Cd-117m	5E-06	1E-06	4E+4	5E+3	1E+4	Cd-117m	5E-06	1E-06	4E+4	5E+3	1E+4
Cd-117	5E-06	2E-06	7E+4	5E+3	1E+4	Cd-117	5E-06	2E-06	7E+4	5E+3	1E+4
In-109	2E-05	4E-06	1E+5	2E+4	4E+4	In-109	2E-05	4E-06	1E+5	2E+4	4E+4
In-110 <sup>15, 38</sup>	2E-05	4E-06	1E+5	2E+4	4E+4	In-110 <sup>15, 38</sup>	2E-05	4E-06	1E+5	2E+4	4E+4
In-110 <sup>16</sup>	7E-06	9E-07	3E+4	5E+3	2E+4	In-110 <sup>16</sup>	7E-06	9E-07	3E+4	5E+3	2E+4
In-111	3E-06	1E-06	5E+4	4E+3	6E+3	In-111	3E-06	1E-06	5E+4	4E+3	6E+3
In-112	3E-04	1E-05	6E+5	2E+5	6E+5	In-112	3E-04	1E-05	6E+5	2E+5	6E+5
In-113m <sup>38</sup>	6E-05	1E-05	3E+5	5E+4	1E+5	In-113m <sup>38</sup>	6E-05	1E-05	3E+5	5E+4	1E+5
In-114m	3E-08	5E-08	1E+3	3E+2	60	In-114m	3E-08	5E-08	1E+3	3E+2	60
In-115m	2E-05	6E-06	2E+5	1E+4	4E+4	In-115m	2E-05	6E-06	2E+5	1E+4	4E+4
In-115	6E-10	1E-09	40	40	10	In-115	6E-10	1E-09	40	40	10
In-116m <sup>38</sup>	3E-05	4E-06	1E+5	2E+4	8E+4	In-116m <sup>38</sup>	3E-05	4E-06	1E+5	2E+4	8E+4
In-117m <sup>38</sup>	1E-05	5E-06	1E+5	1E+4	3E+4	In-117m <sup>38</sup>	1E-05	5E-06	1E+5	1E+4	3E+4
In-117 <sup>38</sup>	7E-05	5E-06	2E+5	6E+4	2E+5	In-117 <sup>38</sup>	7E-05	5E-06	2E+5	6E+4	2E+5
In-119m <sup>38</sup>	5E-05	1E-05	4E+5	4E+4	1E+5	In-119m <sup>38</sup>	5E-05	1E-05	4E+5	4E+4	1E+5
Sn-110	5E-06	1E-06	6E+4	4E+3	1E+4	Sn-110	5E-06	1E-06	6E+4	4E+3	1E+4
Sn-111 <sup>38</sup>	9E-05	1E-05	5E+5	7E+4	2E+5	Sn-111 <sup>38</sup>	9E-05	1E-05	5E+5	7E+4	2E+5
Sn-113	2E-07	2E-07	1E+4	2E+3	5E+2	Sn-113	2E-07	2E-07	1E+4	2E+3	5E+2

81

81

10CFR20 DAC			10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC			10CFR835 DAC		10CFR20 ALIs uCi	
uCi/mL			uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	uCi/mL			uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation
Sn-117m	5E-07	2E-07	9E+3	2E+3	1E+3	2E+3	1E+3	Sn-117m	5E-07	2E-07	9E+3	2E+3	1E+3
Sn-119m	4E-07	3E-07	1E+4	3E+3	1E+3	3E+3	1E+3	Sn-119m	4E-07	3E-07	1E+4	3E+3	1E+3
Sn-121m	2E-07	1E-07	6E+3	3E+3	5E+2	3E+3	5E+2	Sn-121m	2E-07	1E-07	6E+3	3E+3	5E+2
Sn-121	5E-06	2E-06	7E+4	6E+3	1E+4	6E+3	1E+4	Sn-121	5E-06	2E-06	7E+4	6E+3	1E+4
Sn-123m <sup>38</sup>	5E-05	7E-06	2E+5	5E+4	1E+5	5E+4	1E+5	Sn-123m <sup>38</sup>	5E-05	7E-06	2E+5	5E+4	1E+5
Sn-123	7E-08	1E-07	3E+3	5E+2	2E+2	5E+2	2E+2	Sn-123	7E-08	1E-07	3E+3	5E+2	2E+2
Sn-125	1E-07	2E-07	7E+3	4E+2	4E+2	4E+2	4E+2	Sn-125	1E-07	2E-07	7E+3	4E+2	4E+2
Sn-126	2E-08	3E-08	1E+3	3E+2	60	3E+2	60	Sn-126	2E-08	3E-08	1E+3	3E+2	60
Sn-127	8E-06	2E-06	7E+4	7E+3	2E+4	7E+3	2E+4	Sn-127	8E-06	2E-06	7E+4	7E+3	2E+4
Sn-128 <sup>38</sup>	1E-05	2E-06	8E+4	9E+3	3E+4	9E+3	3E+4	Sn-128 <sup>38</sup>	1E-05	2E-06	8E+4	9E+3	3E+4
Sb-115 <sup>38</sup>	1E-04	1E-05	4E+5	8E+4	2E+5	8E+4	2E+5	Sb-115 <sup>38</sup>	1E-04	1E-05	4E+5	8E+4	2E+5
Sb-116m <sup>38</sup>	3E-05	2E-06	1E+5	2E+4	7E+4	2E+4	7E+4	Sb-116m <sup>38</sup>	3E-05	2E-06	1E+5	2E+4	7E+4
Sb-116 <sup>38</sup>	1E-04	1E-05	3E+5	7E+4	3E+5	7E+4	3E+5	Sb-116 <sup>38</sup>	1E-04	1E-05	3E+5	7E+4	3E+5
Sb-117	9E-05	1E-05	3E+5	7E+4	2E+5	7E+4	2E+5	Sb-117	9E-05	1E-05	3E+5	7E+4	2E+5
Sb-118m	8E-06	1E-06	4E+4	5E+3	2E+4	5E+3	2E+4	Sb-118m	8E-06	1E-06	4E+4	5E+3	2E+4
Sb-119	1E-05	6E-06	2E+5	2E+4	3E+4	2E+4	3E+4	Sb-119	1E-05	6E-06	2E+5	2E+4	3E+4
Sb-120 <sup>17</sup>	2E-04	2E-05	7E+5	1E+5	4E+5	1E+5	4E+5	Sb-120 <sup>17</sup>	2E-04	2E-05	7E+5	1E+5	4E+5
Sb-120 <sup>18</sup>	5E-07	3E-07	1E+4	9E+2	1E+3	9E+2	1E+3	Sb-120 <sup>18</sup>	5E-07	3E-07	1E+4	9E+2	1E+3
Sb-122	4E-07	4E-07	1E+4	7E+2	1E+3	7E+2	1E+3	Sb-122	4E-07	4E-07	1E+4	7E+2	1E+3
Sb-124m <sup>38</sup>	2E-04	3E-05	1E+6	2E+5	6E+5	2E+5	6E+5	Sb-124m <sup>38</sup>	2E-04	3E-05	1E+6	2E+5	6E+5
Sb-124	1E-07	1E-07	4E+3	5E+2	2E+2	5E+2	2E+2	Sb-124	1E-07	1E-07	4E+3	5E+2	2E+2
Sb-125	2E-07	1E-07	6E+3	2E+3	5E+2	2E+3	5E+2	Sb-125	2E-07	1E-07	6E+3	2E+3	5E+2
Sb-126m <sup>38</sup>	8E-05	7E-06	2E+5	5E+4	2E+5	5E+4	2E+5	Sb-126m <sup>38</sup>	8E-05	7E-06	2E+5	5E+4	2E+5
Sb-126	2E-07	1E-07	6E+3	5E+2	5E+2	5E+2	5E+2	Sb-126	2E-07	1E-07	6E+3	5E+2	5E+2
Sb-127	4E-07	3E-07	1E+4	7E+2	9E+2	7E+2	9E+2	Sb-127	4E-07	3E-07	1E+4	7E+2	9E+2
Sb-128 <sup>19</sup>	1E-06	5E-07	2E+4	8E+4	4E+5	8E+4	4E+5	Sb-128 <sup>19</sup>	1E-06	5E-07	2E+4	8E+4	4E+5
Sb-128 <sup>20</sup>	2E-04	9E-06	3E+5	1E+3	3E+3	1E+3	3E+3	Sb-128 <sup>20</sup>	2E-04	9E-06	3E+5	1E+3	3E+3
Sb-129	4E-06	1E-06	5E+4	3E+3	9E+3	3E+3	9E+3	Sb-129	4E-06	1E-06	5E+4	3E+3	9E+3
Sb-130 <sup>38</sup>	3E-05	2E-06	1E+5	2E+4	6E+4	2E+4	6E+4	Sb-130 <sup>38</sup>	3E-05	2E-06	1E+5	2E+4	6E+4
Sb-131 <sup>38</sup>	1E-05	4E-06	1E+5	1E+4	2E+4	1E+4	2E+4	Sb-131 <sup>38</sup>	1E-05	4E-06	1E+5	1E+4	2E+4

82

82

10CFR20 DAC			10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC			10CFR835 DAC		10CFR20 ALIs uCi	
uCi/mL			uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	uCi/mL			uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation
Sn-117m	5E-07	2E-07	9E+3	2E+3	1E+3	2E+3	1E+3	Sn-117m	5E-07	2E-07	9E+3	2E+3	1E+3
Sn-119m	4E-07	3E-07	1E+4	3E+3	1E+3	3E+3	1E+3	Sn-119m	4E-07	3E-07	1E+4	3E+3	1E+3
Sn-121m	2E-07	1E-07	6E+3	3E+3	5E+2	3E+3	5E+2	Sn-121m	2E-07	1E-07	6E+3	3E+3	5E+2
Sn-121	5E-06	2E-06	7E+4	6E+3	1E+4	6E+3	1E+4	Sn-121	5E-06	2E-06	7E+4	6E+3	1E+4
Sn-123m <sup>38</sup>	5E-05	7E-06	2E+5	5E+4	1E+5	5E+4	1E+5	Sn-123m <sup>38</sup>	5E-05	7E-06	2E+5	5E+4	1E+5
Sn-123	7E-08	1E-07	3E+3	5E+2	2E+2	5E+2	2E+2	Sn-123	7E-08	1E-07	3E+3	5E+2	2E+2
Sn-125	1E-07	2E-07	7E+3	4E+2	4E+2	4E+2	4E+2	Sn-125	1E-07	2E-07	7E+3	4E+2	4E+2
Sn-126	2E-08	3E-08	1E+3	3E+2	60	3E+2	60	Sn-126	2E-08	3E-08	1E+3	3E+2	60
Sn-127	8E-06	2E-06	7E+4	7E+3	2E+4	7E+3	2E+4	Sn-127	8E-06	2E-06	7E+4	7E+3	2E+4
Sn-128 <sup>38</sup>	1E-05	2E-06	8E+4	9E+3	3E+4	9E+3	3E+4	Sn-128 <sup>38</sup>	1E-05	2E-06	8E+4	9E+3	3E+4
Sb-115 <sup>38</sup>	1E-04	1E-05	4E+5	8E+4	2E+5	8E+4	2E+5	Sb-115 <sup>38</sup>	1E-04	1E-05	4E+5	8E+4	2E+5
Sb-116m <sup>38</sup>	3E-05	2E-06	1E+5	2E+4	7E+4	2E+4	7E+4	Sb-116m <sup>38</sup>	3E-05	2E-06	1E+5	2E+4	7E+4
Sb-116 <sup>38</sup>	1E-04	1E-05	3E+5	7E+4	3E+5	7E+4	3E+5	Sb-116 <sup>38</sup>	1E-04	1E-05	3E+5	7E+4	3E+5
Sb-117	9E-05	1E-05	3E+5	7E+4	2E+5	7E+4	2E+5	Sb-117	9E-05	1E-05	3E+5	7E+4	2E+5
Sb-118m	8E-06	1E-06	4E+4	5E+3	2E+4	5E+3	2E+4	Sb-118m	8E-06	1E-06	4E+4	5E+3	2E+4
Sb-119	1E-05	6E-06	2E+5	2E+4	3E+4	2E+4	3E+4	Sb-119	1E-05	6E-06	2E+5	2E+4	3E+4
Sb-120 <sup>17</sup>	2E-04	2E-05	7E+5	1E+5	4E+5	1E+5	4E+5	Sb-120 <sup>17</sup>	2E-04	2E-05	7E+5	1E+5	4E+5
Sb-120 <sup>18</sup>	5E-07	3E-07	1E+4	9E+2	1E+3	9E+2	1E+3	Sb-120 <sup>18</sup>	5E-07	3E-07	1E+4	9E+2	1E+3
Sb-122	4E-07	4E-07	1E+4	7E+2	1E+3	7E+2	1E+3	Sb-122	4E-07	4E-07	1E+4	7E+2	1E+3
Sb-124m <sup>38</sup>	2E-04	3E-05	1E+6	2E+5	6E+5	2E+5	6E+5	Sb-124m <sup>38</sup>	2E-04	3E-05	1E+6	2E+5	6E+5
Sb-124	1E-07	1E-07	4E+3	5E+2	2E+2	5E+2	2E+2	Sb-124	1E-07	1E-07	4E+3	5E+2	2E+2
Sb-125	2E-07	1E-07	6E+3	2E+3	5E+2	2E+3	5E+2	Sb-125	2E-07	1E-07	6E+3	2E+3	5E+2
Sb-126m <sup>38</sup>	8E-05	7E-06	2E+5	5E+4	2E+5	5E+4	2E+5	Sb-126m <sup>38</sup>	8E-05	7E-06	2E+5	5E+4	2E+5
Sb-126	2E-07	1E-07	6E+3	5E+2	5E+2	5E+2	5E+2	Sb-126	2E-07	1E-07	6E+3	5E+2	5E+2
Sb-127	4E-07	3E-07	1E+4	7E+2	9E+2	7E+2	9E+2	Sb-127	4E-07	3E-07	1E+4	7E+2	9E+2
Sb-128 <sup>19</sup>	1E-06	5E-07	2E+4	8E+4	4E+5	8E+4	4E+5	Sb-128 <sup>19</sup>	1E-06	5E-07	2E+4	8E+4	4E+5
Sb-128 <sup>20</sup>	2E-04	9E-06	3E+5	1E+3	3E+3	1E+3	3E+3	Sb-128 <sup>20</sup>	2E-04	9E-06	3E+5	1E+3	3E+3
Sb-129	4E-06	1E-06	5E+4	3E+3	9E+3	3E+3	9E+3	Sb-129	4E-06	1E-06	5E+4	3E+3	9E+3
Sb-130 <sup>38</sup>	3E-05	2E-06	1E+5	2E+4	6E+4	2E+4	6E+4	Sb-130 <sup>38</sup>	3E-05	2E-06	1E+5	2E+4	6E+4
Sb-131 <sup>38</sup>	1E-05	4E-06	1E+5	1E+4	2E+4	1E+4	2E+4	Sb-131 <sup>38</sup>	1E-05	4E-06	1E+5	1E+4	2E+4

82

82

10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi	
uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation
Te-116	9E-06	2E-06	7E+4	8E+3	2E+4	Te-116	9E-06	2E-06	7E+4	8E+3	2E+4
Te-116 <sup>10</sup>	X	6E-06	1E+3	X	X	Te-116 <sup>10</sup>	X	6E-06	1E+3	X	X
Te-121m	8E-08	1E-07	4E+3	5E+2	2E+2	Te-121m	8E-08	1E-07	4E+3	5E+2	2E+2
Te-121m <sup>10</sup>	X	4E-08	1E+3	X	X	Te-121m <sup>10</sup>	X	4E-08	1E+3	X	X
Te-121	1E-06	1E-06	4E+4	3E+3	3E+3	Te-121	1E-06	1E-06	4E+4	3E+3	3E+3
Te-121 <sup>10</sup>	X	1E-06	3E+4	X	X	Te-121 <sup>10</sup>	X	1E-06	3E+4	X	X
Te-123m	9E-08	1E-07	4E+3	6E+2	2E+2	Te-123m	9E-08	1E-07	4E+3	6E+2	2E+2
Te-123m <sup>10</sup>	X	5E-08	2E+3	X	X	Te-123m <sup>10</sup>	X	5E-08	2E+3	X	X
Te-123	8E-08	2E-08	1E+3	5E+2	2E+2	Te-123	8E-08	2E-08	1E+3	5E+2	2E+2
Te-123 <sup>10</sup>	X	1E-08	4E+2	X	X	Te-123 <sup>10</sup>	X	1E-08	4E+2	X	X
Te-125m	2E-07	1E-07	7E+3	1E+3	4E+2	Te-125m	2E-07	1E-07	7E+3	1E+3	4E+2
Te-125m <sup>10</sup>	X	1E-07	3E+3	X	X	Te-125m <sup>10</sup>	X	1E-07	3E+3	X	X
Te-127m	1E-07	9E-08	3E+3	6E+2	3E+2	Te-127m	1E-07	9E-08	3E+3	6E+2	3E+2
Te-127m <sup>10</sup>	X	6E-08	2E+3	X	X	Te-127m <sup>10</sup>	X	6E-08	2E+3	X	X
Te-127	7E-06	3E-06	1E+5	7E+3	2E+4	Te-127	7E-06	3E-06	1E+5	7E+3	2E+4
Te-127 <sup>10</sup>	X	7E-06	2E+5	X	X	Te-127 <sup>10</sup>	X	7E-06	2E+5	X	X
Te-129m	1E-07	1E-07	3E+3	5E+2	2E+2	Te-129m	1E-07	1E-07	3E+3	5E+2	2E+2
Te-129m <sup>10</sup>	X	1E-07	5E+3	X	X	Te-129m <sup>10</sup>	X	1E-07	5E+3	X	X
Te-129 <sup>38</sup>	3E-05	7E-06	2E+5	3E+4	6E+4	Te-129 <sup>38</sup>	3E-05	7E-06	2E+5	3E+4	6E+4
Te-129 <sup>10</sup>	X	1E-05	5E+5	X	X	Te-129 <sup>10</sup>	X	1E-05	5E+5	X	X
Te-131m	2E-07	3E-07	1E+4	3E+2	4E+2	Te-131m	2E-07	3E-07	1E+4	3E+2	4E+2
Te-131m <sup>10</sup>	X	1E-07	5E+3	X	X	Te-131m <sup>10</sup>	X	1E-07	5E+3	X	X
Te-131 <sup>38</sup>	2E-06	7E-06	2E+5	3E+3	5E+3	Te-131 <sup>38</sup>	2E-06	7E-06	2E+5	3E+3	5E+3
Te-131 <sup>10</sup>	X	6E-06	2E+5	X	X	Te-131 <sup>10</sup>	X	6E-06	2E+5	X	X
Te-132	9E-08	1E-07	6E+3	2E+2	2E+2	Te-132	9E-08	1E-07	6E+3	2E+2	2E+2
Te-132 <sup>10</sup>	X	7E-08	2E+3	X	X	Te-132 <sup>10</sup>	X	7E-08	2E+3	X	X
Te-133m <sup>10</sup>	X	1E-06	6E+4	X	X	Te-133m <sup>10</sup>	X	1E-06	6E+4	X	X
Te-133m <sup>38</sup>	2E-06	2E-06	1E+5	3E+3	5E+3	Te-133m <sup>38</sup>	2E-06	2E-06	1E+5	3E+3	5E+3
Te-133 <sup>38</sup>	9E-06	9E-06	3E+5	1E+4	2E+4	Te-133 <sup>38</sup>	9E-06	9E-06	3E+5	1E+4	2E+4
Te-133 <sup>10</sup>	X	7E-06	2E+5	X	X	Te-133 <sup>10</sup>	X	7E-06	2E+5	X	X

83

83

10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi	
uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation
Te-116	9E-06	2E-06	7E+4	8E+3	2E+4	Te-116	9E-06	2E-06	7E+4	8E+3	2E+4
Te-116 <sup>10</sup>	X	6E-06	1E+3	X	X	Te-116 <sup>10</sup>	X	6E-06	1E+3	X	X
Te-121m	8E-08	1E-07	4E+3	5E+2	2E+2	Te-121m	8E-08	1E-07	4E+3	5E+2	2E+2
Te-121m <sup>10</sup>	X	4E-08	1E+3	X	X	Te-121m <sup>10</sup>	X	4E-08	1E+3	X	X
Te-121	1E-06	1E-06	4E+4	3E+3	3E+3	Te-121	1E-06	1E-06	4E+4	3E+3	3E+3
Te-121 <sup>10</sup>	X	1E-06	3E+4	X	X	Te-121 <sup>10</sup>	X	1E-06	3E+4	X	X
Te-123m	9E-08	1E-07	4E+3	6E+2	2E+2	Te-123m	9E-08	1E-07	4E+3	6E+2	2E+2
Te-123m <sup>10</sup>	X	5E-08	2E+3	X	X	Te-123m <sup>10</sup>	X	5E-08	2E+3	X	X
Te-123	8E-08	2E-08	1E+3	5E+2	2E+2	Te-123	8E-08	2E-08	1E+3	5E+2	2E+2
Te-123 <sup>10</sup>	X	1E-08	4E+2	X	X	Te-123 <sup>10</sup>	X	1E-08	4E+2	X	X
Te-125m	2E-07	1E-07	7E+3	1E+3	4E+2	Te-125m	2E-07	1E-07	7E+3	1E+3	4E+2
Te-125m <sup>10</sup>	X	1E-07	3E+3	X	X	Te-125m <sup>10</sup>	X	1E-07	3E+3	X	X
Te-127m	1E-07	9E-08	3E+3	6E+2	3E+2	Te-127m	1E-07	9E-08	3E+3	6E+2	3E+2
Te-127m <sup>10</sup>	X	6E-08	2E+3	X	X	Te-127m <sup>10</sup>	X	6E-08	2E+3	X	X
Te-127	7E-06	3E-06	1E+5	7E+3	2E+4	Te-127	7E-06	3E-06	1E+5	7E+3	2E+4
Te-127 <sup>10</sup>	X	7E-06	2E+5	X	X	Te-127 <sup>10</sup>	X	7E-06	2E+5	X	X
Te-129m	1E-07	1E-07	3E+3	5E+2	2E+2	Te-129m	1E-07	1E-07	3E+3	5E+2	2E+2
Te-129m <sup>10</sup>	X	1E-07	5E+3	X	X	Te-129m <sup>10</sup>	X	1E-07	5E+3	X	X
Te-129 <sup>38</sup>	3E-05	7E-06	2E+5	3E+4	6E+4	Te-129 <sup>38</sup>	3E-05	7E-06	2E+5	3E+4	6E+4
Te-129 <sup>10</sup>	X	1E-05	5E+5	X	X	Te-129 <sup>10</sup>	X	1E-05	5E+5	X	X
Te-131m	2E-07	3E-07	1E+4	3E+2	4E+2	Te-131m	2E-07	3E-07	1E+4	3E+2	4E+2
Te-131m <sup>10</sup>	X	1E-07	5E+3	X	X	Te-131m <sup>10</sup>	X	1E-07	5E+3	X	X
Te-131 <sup>38</sup>	2E-06	7E-06	2E+5	3E+3	5E+3	Te-131 <sup>38</sup>	2E-06	7E-06	2E+5	3E+3	5E+3
Te-131 <sup>10</sup>	X	6E-06	2E+5	X	X	Te-131 <sup>10</sup>	X	6E-06	2E+5	X	X
Te-132	9E-08	1E-07	6E+3	2E+2	2E+2	Te-132	9E-08	1E-07	6E+3	2E+2	2E+2
Te-132 <sup>10</sup>	X	7E-08	2E+3	X	X	Te-132 <sup>10</sup>	X	7E-08	2E+3	X	X
Te-133m <sup>10</sup>	X	1E-06	6E+4	X	X	Te-133m <sup>10</sup>	X	1E-06	6E+4	X	X
Te-133m <sup>38</sup>	2E-06	2E-06	1E+5	3E+3	5E+3	Te-133m <sup>38</sup>	2E-06	2E-06	1E+5	3E+3	5E+3
Te-133 <sup>38</sup>	9E-06	9E-06	3E+5	1E+4	2E+4	Te-133 <sup>38</sup>	9E-06	9E-06	3E+5	1E+4	2E+4
Te-133 <sup>10</sup>	X	7E-06	2E+5	X	X	Te-133 <sup>10</sup>	X	7E-06	2E+5	X	X

83

83

10CFR20 DAC			10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC			10CFR835 DAC		10CFR20 ALIs uCi	
uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation		
Te-134 <sup>10</sup>	X	6E-06	2E+5	X	X	Te-134 <sup>10</sup>	X	6E-06	2E+5	X	X		
Te-134 <sup>38</sup>	1E-05	2E-06	1E+5	2E+4	2E+4	Te-134 <sup>38</sup>	1E-05	2E-06	1E+5	2E+4	2E+4		
I-120m <sup>38</sup>	9E-06	2E-06	1E+5	1E+4	2E+4	I-120m <sup>38</sup>	9E-06	2E-06	1E+5	1E+4	2E+4		
I-120m <sup>10</sup>	X	3E-06	5E+4	X	X	I-120m <sup>10</sup>	X	3E-06	5E+4	X	X		
I-120m <sup>21</sup>	X	4E-06	8E+4	X	X	I-120m <sup>21</sup>	X	4E-06	8E+4	X	X		
I-120 <sup>38</sup>	4E-06	2E-06	6E+4	4E+3	9E+3	I-120 <sup>38</sup>	4E-06	2E-06	6E+4	4E+3	9E+3		
I-120 <sup>10</sup>	X	1E-06	5E+4	X	X	I-120 <sup>10</sup>	X	1E-06	5E+4	X	X		
I-120 <sup>21</sup>	X	1E-06	1E+5	X	X	I-120 <sup>21</sup>	X	1E-06	1E+5	X	X		
I-121	8E-06	8E-06	3E+5	1E+4	2E+4	I-121	8E-06	8E-06	3E+5	1E+4	2E+4		
I-121 <sup>10</sup>	X	4E-06	1E+5	X	X	I-121 <sup>10</sup>	X	4E-06	1E+5	X	X		
I-121 <sup>21</sup>	X	5E-06	2E+5	X	X	I-121 <sup>21</sup>	X	5E-06	2E+5	X	X		
I-123	3E-06	2E-06	1E+5	3E+3	6E+3	I-123	3E-06	2E-06	1E+5	3E+3	6E+3		
I-123 <sup>10</sup>	X	1E-06	5E+4	X	X	I-123 <sup>10</sup>	X	1E-06	5E+4	X	X		
I-123 <sup>21</sup>	X	1E-06	7E+4	X	X	I-123 <sup>21</sup>	X	1E-06	7E+4	X	X		
I-124	3E-08	4E-08	1E+3	50	80	I-124	3E-08	4E-08	1E+3	50	80		
I-124 <sup>10</sup>	X	2E-08	9E+2	X	X	I-124 <sup>10</sup>	X	2E-08	9E+2	X	X		
I-124 <sup>21</sup>	X	3E-08	1E+3	X	X	I-124 <sup>21</sup>	X	3E-08	1E+3	X	X		
I-125	3E-08	3E-08	1E+3	40	60	I-125	3E-08	3E-08	1E+3	40	60		
I-125 <sup>10</sup>	X	2E-08	7E+2	X	X	I-125 <sup>10</sup>	X	2E-08	7E+2	X	X		
I-125 <sup>21</sup>	X	2E-08	9E+2	X	X	I-125 <sup>21</sup>	X	2E-08	9E+2	X	X		
I-126	1E-08	2E-08	7E+2	20	40	I-126	1E-08	2E-08	7E+2	20	40		
I-126 <sup>10</sup>	X	1E-08	4E+2	X	X	I-126 <sup>10</sup>	X	1E-08	4E+2	X	X		
I-126 <sup>21</sup>	X	1E-08	5E+2	X	X	I-126 <sup>21</sup>	X	1E-08	5E+2	X	X		
I-128	5E-05	1E-05	6E+5	4E+4	1E+5	I-128	5E-05	1E-05	6E+5	4E+4	1E+5		
I-128 <sup>10</sup>	X	8E-06	3E+5	X	X	I-128 <sup>10</sup>	X	8E-06	3E+5	X	X		
I-128 <sup>21</sup>	X	3E-05	1E+6	X	X	I-128 <sup>21</sup>	X	3E-05	1E+6	X	X		
I-129	4E-09	5E-09	2E+2	50	90	I-129	4E-09	5E-09	2E+2	50	90		
I-129 <sup>10</sup>	X	2E-09	1E+2	X	X	I-129 <sup>10</sup>	X	2E-09	1E+2	X	X		
I-129 <sup>21</sup>	X	3E-09	1E+2	X	X	I-129 <sup>21</sup>	X	3E-09	1E+2	X	X		
I-130	3E-07	3E-07	1E+4	4E+2	7E+2	I-130	3E-07	3E-07	1E+4	4E+2	7E+2		

84

84

10CFR20 DAC			10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC			10CFR835 DAC		10CFR20 ALIs uCi	
uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation		
Te-134 <sup>10</sup>	X	6E-06	2E+5	X	X	Te-134 <sup>10</sup>	X	6E-06	2E+5	X	X		
Te-134 <sup>38</sup>	1E-05	2E-06	1E+5	2E+4	2E+4	Te-134 <sup>38</sup>	1E-05	2E-06	1E+5	2E+4	2E+4		
I-120m <sup>38</sup>	9E-06	2E-06	1E+5	1E+4	2E+4	I-120m <sup>38</sup>	9E-06	2E-06	1E+5	1E+4	2E+4		
I-120m <sup>10</sup>	X	3E-06	5E+4	X	X	I-120m <sup>10</sup>	X	3E-06	5E+4	X	X		
I-120m <sup>21</sup>	X	4E-06	8E+4	X	X	I-120m <sup>21</sup>	X	4E-06	8E+4	X	X		
I-120 <sup>38</sup>	4E-06	2E-06	6E+4	4E+3	9E+3	I-120 <sup>38</sup>	4E-06	2E-06	6E+4	4E+3	9E+3		
I-120 <sup>10</sup>	X	1E-06	5E+4	X	X	I-120 <sup>10</sup>	X	1E-06	5E+4	X	X		
I-120 <sup>21</sup>	X	1E-06	1E+5	X	X	I-120 <sup>21</sup>	X	1E-06	1E+5	X	X		
I-121	8E-06	8E-06	3E+5	1E+4	2E+4	I-121	8E-06	8E-06	3E+5	1E+4	2E+4		
I-121 <sup>10</sup>	X	4E-06	1E+5	X	X	I-121 <sup>10</sup>	X	4E-06	1E+5	X	X		
I-121 <sup>21</sup>	X	5E-06	2E+5	X	X	I-121 <sup>21</sup>	X	5E-06	2E+5	X	X		
I-123	3E-06	2E-06	1E+5	3E+3	6E+3	I-123	3E-06	2E-06	1E+5	3E+3	6E+3		
I-123 <sup>10</sup>	X	1E-06	5E+4	X	X	I-123 <sup>10</sup>	X	1E-06	5E+4	X	X		
I-123 <sup>21</sup>	X	1E-06	7E+4	X	X	I-123 <sup>21</sup>	X	1E-06	7E+4	X	X		
I-124	3E-08	4E-08	1E+3	50	80	I-124	3E-08	4E-08	1E+3	50	80		
I-124 <sup>10</sup>	X	2E-08	9E+2	X	X	I-124 <sup>10</sup>	X	2E-08	9E+2	X	X		
I-124 <sup>21</sup>	X	3E-08	1E+3	X	X	I-124 <sup>21</sup>	X	3E-08	1E+3	X	X		
I-125	3E-08	3E-08	1E+3	40	60	I-125	3E-08	3E-08	1E+3	40	60		
I-125 <sup>10</sup>	X	2E-08	7E+2	X	X	I-125 <sup>10</sup>	X	2E-08	7E+2	X	X		
I-125 <sup>21</sup>	X	2E-08	9E+2	X	X	I-125 <sup>21</sup>	X	2E-08	9E+2	X	X		
I-126	1E-08	2E-08	7E+2	20	40	I-126	1E-08	2E-08	7E+2	20	40		
I-126 <sup>10</sup>	X	1E-08	4E+2	X	X	I-126 <sup>10</sup>	X	1E-08	4E+2	X	X		
I-126 <sup>21</sup>	X	1E-08	5E+2	X	X	I-126 <sup>21</sup>	X	1E-08	5E+2	X	X		
I-128	5E-05	1E-05	6E+5	4E+4	1E+5	I-128	5E-05	1E-05	6E+5	4E+4	1E+5		
I-128 <sup>10</sup>	X	8E-06	3E+5	X	X	I-128 <sup>10</sup>	X	8E-06	3E+5	X	X		
I-128 <sup>21</sup>	X	3E-05	1E+6	X	X	I-128 <sup>21</sup>	X	3E-05	1E+6	X	X		
I-129	4E-09	5E-09	2E+2	50	90	I-129	4E-09	5E-09	2E+2	50	90		
I-129 <sup>10</sup>	X	2E-09	1E+2	X	X	I-129 <sup>10</sup>	X	2E-09	1E+2	X	X		
I-129 <sup>21</sup>	X	3E-09	1E+2	X	X	I-129 <sup>21</sup>	X	3E-09	1E+2	X	X		
I-130	3E-07	3E-07	1E+4	4E+2	7E+2	I-130	3E-07	3E-07	1E+4	4E+2	7E+2		

84

84

10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi	
	uCi/mL	uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation		uCi/mL	uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation
I-130 <sup>10</sup>	X	1E-07	6E+3	X	X	I-130 <sup>10</sup>	X	1E-07	6E+3	X	X
I-130 <sup>21</sup>	X	2E-07	7E+3	X	X	I-130 <sup>21</sup>	X	2E-07	7E+3	X	X
I-131	2E-08	2E-08	9E+2	30	50	I-131	2E-08	2E-08	9E+2	30	50
I-131 <sup>10</sup>	X	1E-08	5E+2	X	X	I-131 <sup>10</sup>	X	1E-08	5E+2	X	X
I-131 <sup>21</sup>	X	1E-08	6E+2	X	X	I-131 <sup>21</sup>	X	1E-08	6E+2	X	X
I-132m <sup>38</sup>	4E-06	3E-06	1E+5	4E+3	8E+3	I-132m <sup>38</sup>	4E-06	3E-06	1E+5	4E+3	8E+3
I-132m <sup>10</sup>	X	1E-06	6E+4	X	X	I-132m <sup>10</sup>	X	1E-06	6E+4	X	X
I-132m <sup>21</sup>	X	1E-06	7E+4	X	X	I-132m <sup>21</sup>	X	1E-06	7E+4	X	X
I-132	3E-06	2E-06	7E+4	4E+3	8E+3	I-132	3E-06	2E-06	7E+4	4E+3	8E+3
I-132 <sup>10</sup>	X	1E-06	5E+4	X	X	I-132 <sup>10</sup>	X	1E-06	5E+4	X	X
I-132 <sup>21</sup>	X	1E-06	6E+4	X	X	I-132 <sup>21</sup>	X	1E-06	6E+4	X	X
I-133	1E-07	1E-07	5E+3	1E+2	3E+2	I-133	1E-07	1E-07	5E+3	1E+2	3E+2
I-133 <sup>10</sup>	X	7E-08	2E+3	X	X	I-133 <sup>10</sup>	X	7E-08	2E+3	X	X
I-133 <sup>21</sup>	X	9E-08	3E+3	X	X	I-133 <sup>21</sup>	X	9E-08	3E+3	X	X
I-134 <sup>38</sup>	2E-05	3E-06	1E+5	2E+4	5E+4	I-134 <sup>38</sup>	2E-05	3E-06	1E+5	2E+4	5E+4
I-134 <sup>10</sup>	X	3E-06	1E+5	X	X	I-134 <sup>10</sup>	X	3E-06	1E+5	X	X
I-134 <sup>21</sup>	X	8E-06	2E+5	X	X	I-134 <sup>21</sup>	X	8E-06	2E+5	X	X
I-135	7E-07	6E-07	2E+4	8E+2	2E+3	I-135	7E-07	6E-07	2E+4	8E+2	2E+3
I-135 <sup>10</sup>	X	3E-07	1E+4	X	X	I-135 <sup>10</sup>	X	3E-07	1E+4	X	X
I-135 <sup>21</sup>	X	4E-07	1E+4	X	X	I-135 <sup>21</sup>	X	4E-07	1E+4	X	X
Cs-125 <sup>38</sup>	6E-05	1E-05	4E+5	5E+4	1E+5	Cs-125 <sup>38</sup>	6E-05	1E-05	4E+5	5E+4	1E+5
Cs-127	4E-05	4E-06	1E+5	6E+4	9E+4	Cs-127	4E-05	4E-06	1E+5	6E+4	9E+4
Cs-129	1E-05	2E-06	9E+4	2E+4	3E+4	Cs-129	1E-05	2E-06	9E+4	2E+4	3E+4
Cs-130 <sup>38</sup>	8E-05	1E-05	6E+5	6E+4	2E+5	Cs-130 <sup>38</sup>	8E-05	1E-05	6E+5	6E+4	2E+5
Cs-131	1E-05	7E-06	2E+5	2E+4	3E+4	Cs-131	1E-05	7E-06	2E+5	2E+4	3E+4
Cs-132	2E-06	9E-07	3E+4	3E+3	4E+3	Cs-132	2E-06	9E-07	3E+4	3E+3	4E+3
Cs-134m	6E-05	8E-06	2E+5	1E+5	1E+5	Cs-134m	6E-05	8E-06	2E+5	1E+5	1E+5
Cs-134	4E-08	5E-08	2E+3	70	1E+2	Cs-134	4E-08	5E-08	2E+3	70	1E+2
Cs-135m <sup>38</sup>	8E-05	8E-06	2E+5	1E+5	2E+5	Cs-135m <sup>38</sup>	8E-05	8E-06	2E+5	1E+5	2E+5
Cs-135	5E-07	5E-07	2E+4	7E+2	1E+3	Cs-135	5E-07	5E-07	2E+4	7E+2	1E+3

85

85

10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi	
	uCi/mL	uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation		uCi/mL	uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation
I-130 <sup>10</sup>	X	1E-07	6E+3	X	X	I-130 <sup>10</sup>	X	1E-07	6E+3	X	X
I-130 <sup>21</sup>	X	2E-07	7E+3	X	X	I-130 <sup>21</sup>	X	2E-07	7E+3	X	X
I-131	2E-08	2E-08	9E+2	30	50	I-131	2E-08	2E-08	9E+2	30	50
I-131 <sup>10</sup>	X	1E-08	5E+2	X	X	I-131 <sup>10</sup>	X	1E-08	5E+2	X	X
I-131 <sup>21</sup>	X	1E-08	6E+2	X	X	I-131 <sup>21</sup>	X	1E-08	6E+2	X	X
I-132m <sup>38</sup>	4E-06	3E-06	1E+5	4E+3	8E+3	I-132m <sup>38</sup>	4E-06	3E-06	1E+5	4E+3	8E+3
I-132m <sup>10</sup>	X	1E-06	6E+4	X	X	I-132m <sup>10</sup>	X	1E-06	6E+4	X	X
I-132m <sup>21</sup>	X	1E-06	7E+4	X	X	I-132m <sup>21</sup>	X	1E-06	7E+4	X	X
I-132	3E-06	2E-06	7E+4	4E+3	8E+3	I-132	3E-06	2E-06	7E+4	4E+3	8E+3
I-132 <sup>10</sup>	X	1E-06	5E+4	X	X	I-132 <sup>10</sup>	X	1E-06	5E+4	X	X
I-132 <sup>21</sup>	X	1E-06	6E+4	X	X	I-132 <sup>21</sup>	X	1E-06	6E+4	X	X
I-133	1E-07	1E-07	5E+3	1E+2	3E+2	I-133	1E-07	1E-07	5E+3	1E+2	3E+2
I-133 <sup>10</sup>	X	7E-08	2E+3	X	X	I-133 <sup>10</sup>	X	7E-08	2E+3	X	X
I-133 <sup>21</sup>	X	9E-08	3E+3	X	X	I-133 <sup>21</sup>	X	9E-08	3E+3	X	X
I-134 <sup>38</sup>	2E-05	3E-06	1E+5	2E+4	5E+4	I-134 <sup>38</sup>	2E-05	3E-06	1E+5	2E+4	5E+4
I-134 <sup>10</sup>	X	3E-06	1E+5	X	X	I-134 <sup>10</sup>	X	3E-06	1E+5	X	X
I-134 <sup>21</sup>	X	8E-06	2E+5	X	X	I-134 <sup>21</sup>	X	8E-06	2E+5	X	X
I-135	7E-07	6E-07	2E+4	8E+2	2E+3	I-135	7E-07	6E-07	2E+4	8E+2	2E+3
I-135 <sup>10</sup>	X	3E-07	1E+4	X	X	I-135 <sup>10</sup>	X	3E-07	1E+4	X	X
I-135 <sup>21</sup>	X	4E-07	1E+4	X	X	I-135 <sup>21</sup>	X	4E-07	1E+4	X	X
Cs-125 <sup>38</sup>	6E-05	1E-05	4E+5	5E+4	1E+5	Cs-125 <sup>38</sup>	6E-05	1E-05	4E+5	5E+4	1E+5
Cs-127	4E-05	4E-06	1E+5	6E+4	9E+4	Cs-127	4E-05	4E-06	1E+5	6E+4	9E+4
Cs-129	1E-05	2E-06	9E+4	2E+4	3E+4	Cs-129	1E-05	2E-06	9E+4	2E+4	3E+4
Cs-130 <sup>38</sup>	8E-05	1E-05	6E+5	6E+4	2E+5	Cs-130 <sup>38</sup>	8E-05	1E-05	6E+5	6E+4	2E+5
Cs-131	1E-05	7E-06	2E+5	2E+4	3E+4	Cs-131	1E-05	7E-06	2E+5	2E+4	3E+4
Cs-132	2E-06	9E-07	3E+4	3E+3	4E+3	Cs-132	2E-06	9E-07	3E+4	3E+3	4E+3
Cs-134m	6E-05	8E-06	2E+5	1E+5	1E+5	Cs-134m	6E-05	8E-06	2E+5	1E+5	1E+5
Cs-134	4E-08	5E-08	2E+3	70	1E+2	Cs-134	4E-08	5E-08	2E+3	70	1E+2
Cs-135m <sup>38</sup>	8E-05	8E-06	2E+5	1E+5	2E+5	Cs-135m <sup>38</sup>	8E-05	8E-06	2E+5	1E+5	2E+5
Cs-135	5E-07	5E-07	2E+4	7E+2	1E+3	Cs-135	5E-07	5E-07	2E+4	7E+2	1E+3

85

85

10CFR20 DAC			10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC			10CFR835 DAC		10CFR20 ALIs uCi	
uCi/mL			uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	uCi/mL			uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation
Cs-136	3E-07	2E-07	1E+4	4E+2	7E+2	Cs-136	3E-07	2E-07	1E+4	4E+2	7E+2		
Cs-137	6E-08	8E-08	3E+3	1E+2	2E+2	Cs-137	6E-08	8E-08	3E+3	1E+2	2E+2		
Cs-138 <sup>38</sup>	2E-05	5E-06	2E+5	2E+4	6E+4	Cs-138 <sup>38</sup>	2E-05	5E-06	2E+5	2E+4	6E+4		
Ba-126 <sup>38</sup>	6E-06	4E-06	1E+5	6E+3	2E+4	Ba-126 <sup>38</sup>	6E-06	4E-06	1E+5	6E+3	2E+4		
Ba-128	7E-07	4E-07	1E+4	5E+2	2E+3	Ba-128	7E-07	4E-07	1E+4	5E+2	2E+3		
Ba-131m	6E-04	4E-05	1E+6	4E+5	1E+6	Ba-131m	6E-04	4E-05	1E+6	4E+5	1E+6		
Ba-131	3E-06	1E-06	4E+4	3E+3	8E+3	Ba-131	3E-06	1E-06	4E+4	3E+3	8E+3		
Ba-133m	4E-06	2E-06	7E+4	2E+3	9E+3	Ba-133m	4E-06	2E-06	7E+4	2E+3	9E+3		
Ba-133	3E-07	3E-07	1E+4	2E+3	7E+2	Ba-133	3E-07	3E-07	1E+4	2E+3	7E+2		
Ba-135m	5E-06	2E-06	9E+4	3E+3	1E+4	Ba-135m	5E-06	2E-06	9E+4	3E+3	1E+4		
Ba-139 <sup>38</sup>	1E-05	1E-05	3E+5	1E+4	3E+4	Ba-139 <sup>38</sup>	1E-05	1E-05	3E+5	1E+4	3E+4		
Ba-140	6E-07	3E-07	1E+4	5E+2	1E+3	Ba-140	6E-07	3E-07	1E+4	5E+2	1E+3		
Ba-141 <sup>38</sup>	3E-05	1E-05	4E+5	2E+4	7E+4	Ba-141 <sup>38</sup>	3E-05	1E-05	4E+5	2E+4	7E+4		
Ba-142 <sup>38</sup>	6E-05	9E-06	3E+5	5E+4	1E+5	Ba-142 <sup>38</sup>	6E-05	9E-06	3E+5	5E+4	1E+5		
La-131 <sup>38</sup>	5E-05	8E-06	3E+5	5E+4	1E+5	La-131 <sup>38</sup>	5E-05	8E-06	3E+5	5E+4	1E+5		
La-132	4E-06	1E-06	5E+4	3E+3	1E+4	La-132	4E-06	1E-06	5E+4	3E+3	1E+4		
La-135	4E-05	1E-05	4E+5	4E+4	9E+4	La-135	4E-05	1E-05	4E+5	4E+4	9E+4		
La-137	3E-08	4E-08	1E+3	1E+4	60	La-137	3E-08	4E-08	1E+3	1E+4	60		
La-138	1E-09	3E-09	1E+2	9E+2	4	La-138	1E-09	3E-09	1E+2	9E+2	4		
La-140	5E-07	3E-07	1E+4	6E+2	1E+3	La-140	5E-07	3E-07	1E+4	6E+2	1E+3		
La-141	4E-06	2E-06	9E+4	4E+3	9E+3	La-141	4E-06	2E-06	9E+4	4E+3	9E+3		
La-142 <sup>38</sup>	9E-06	2E-06	8E+4	8E+3	2E+4	La-142 <sup>38</sup>	9E-06	2E-06	8E+4	8E+3	2E+4		
La-143 <sup>38</sup>	4E-05	1E-05	4E+5	4E+4	9E+4	La-143 <sup>38</sup>	4E-05	1E-05	4E+5	4E+4	9E+4		
Ce-134	3E-07	3E-07	1E+4	5E+2	7E+2	Ce-134	3E-07	3E-07	1E+4	5E+2	7E+2		
Ce-135	2E-06	5E-07	2E+4	2E+3	4E+3	Ce-135	2E-06	5E-07	2E+4	2E+3	4E+3		
Ce-137m	2E-06	9E-07	3E+4	2E+3	4E+3	Ce-137m	2E-06	9E-07	3E+4	2E+3	4E+3		
Ce-137	5E-05	1E-05	7E+5	5E+4	1E+5	Ce-137	5E-05	1E-05	7E+5	5E+4	1E+5		
Ce-139	3E-07	4E-07	1E+4	5E+3	7E+2	Ce-139	3E-07	4E-07	1E+4	5E+3	7E+2		
Ce-141	2E-07	1E-07	6E+3	2E+3	6E+2	Ce-141	2E-07	1E-07	6E+3	2E+3	6E+2		
Ce-143	7E-07	5E-07	2E+4	1E+3	2E+3	Ce-143	7E-07	5E-07	2E+4	1E+3	2E+3		

86

86

10CFR20 DAC			10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC			10CFR835 DAC		10CFR20 ALIs uCi	
uCi/mL			uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	uCi/mL			uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation
Cs-136	3E-07	2E-07	1E+4	4E+2	7E+2	Cs-136	3E-07	2E-07	1E+4	4E+2	7E+2		
Cs-137	6E-08	8E-08	3E+3	1E+2	2E+2	Cs-137	6E-08	8E-08	3E+3	1E+2	2E+2		
Cs-138 <sup>38</sup>	2E-05	5E-06	2E+5	2E+4	6E+4	Cs-138 <sup>38</sup>	2E-05	5E-06	2E+5	2E+4	6E+4		
Ba-126 <sup>38</sup>	6E-06	4E-06	1E+5	6E+3	2E+4	Ba-126 <sup>38</sup>	6E-06	4E-06	1E+5	6E+3	2E+4		
Ba-128	7E-07	4E-07	1E+4	5E+2	2E+3	Ba-128	7E-07	4E-07	1E+4	5E+2	2E+3		
Ba-131m	6E-04	4E-05	1E+6	4E+5	1E+6	Ba-131m	6E-04	4E-05	1E+6	4E+5	1E+6		
Ba-131	3E-06	1E-06	4E+4	3E+3	8E+3	Ba-131	3E-06	1E-06	4E+4	3E+3	8E+3		
Ba-133m	4E-06	2E-06	7E+4	2E+3	9E+3	Ba-133m	4E-06	2E-06	7E+4	2E+3	9E+3		
Ba-133	3E-07	3E-07	1E+4	2E+3	7E+2	Ba-133	3E-07	3E-07	1E+4	2E+3	7E+2		
Ba-135m	5E-06	2E-06	9E+4	3E+3	1E+4	Ba-135m	5E-06	2E-06	9E+4	3E+3	1E+4		
Ba-139 <sup>38</sup>	1E-05	1E-05	3E+5	1E+4	3E+4	Ba-139 <sup>38</sup>	1E-05	1E-05	3E+5	1E+4	3E+4		
Ba-140	6E-07	3E-07	1E+4	5E+2	1E+3	Ba-140	6E-07	3E-07	1E+4	5E+2	1E+3		
Ba-141 <sup>38</sup>	3E-05	1E-05	4E+5	2E+4	7E+4	Ba-141 <sup>38</sup>	3E-05	1E-05	4E+5	2E+4	7E+4		
Ba-142 <sup>38</sup>	6E-05	9E-06	3E+5	5E+4	1E+5	Ba-142 <sup>38</sup>	6E-05	9E-06	3E+5	5E+4	1E+5		
La-131 <sup>38</sup>	5E-05	8E-06	3E+5	5E+4	1E+5	La-131 <sup>38</sup>	5E-05	8E-06	3E+5	5E+4	1E+5		
La-132	4E-06	1E-06	5E+4	3E+3	1E+4	La-132	4E-06	1E-06	5E+4	3E+3	1E+4		
La-135	4E-05	1E-05	4E+5	4E+4	9E+4	La-135	4E-05	1E-05	4E+5	4E+4	9E+4		
La-137	3E-08	4E-08	1E+3	1E+4	60	La-137	3E-08	4E-08	1E+3	1E+4	60		
La-138	1E-09	3E-09	1E+2	9E+2	4	La-138	1E-09	3E-09	1E+2	9E+2	4		
La-140	5E-07	3E-07	1E+4	6E+2	1E+3	La-140	5E-07	3E-07	1E+4	6E+2	1E+3		
La-141	4E-06	2E-06	9E+4	4E+3	9E+3	La-141	4E-06	2E-06	9E+4	4E+3	9E+3		
La-142 <sup>38</sup>	9E-06	2E-06	8E+4	8E+3	2E+4	La-142 <sup>38</sup>	9E-06	2E-06	8E+4	8E+3	2E+4		
La-143 <sup>38</sup>	4E-05	1E-05	4E+5	4E+4	9E+4	La-143 <sup>38</sup>	4E-05	1E-05	4E+5	4E+4	9E+4		
Ce-134	3E-07	3E-07	1E+4	5E+2	7E+2	Ce-134	3E-07	3E-07	1E+4	5E+2	7E+2		
Ce-135	2E-06	5E-07	2E+4	2E+3	4E+3	Ce-135	2E-06	5E-07	2E+4	2E+3	4E+3		
Ce-137m	2E-06	9E-07	3E+4	2E+3	4E+3	Ce-137m	2E-06	9E-07	3E+4	2E+3	4E+3		
Ce-137	5E-05	1E-05	7E+5	5E+4	1E+5	Ce-137	5E-05	1E-05	7E+5	5E+4	1E+5		
Ce-139	3E-07	4E-07	1E+4	5E+3	7E+2	Ce-139	3E-07	4E-07	1E+4	5E+3	7E+2		
Ce-141	2E-07	1E-07	6E+3	2E+3	6E+2	Ce-141	2E-07	1E-07	6E+3	2E+3	6E+2		
Ce-143	7E-07	5E-07	2E+4	1E+3	2E+3	Ce-143	7E-07	5E-07	2E+4	1E+3	2E+3		

86

86

10CFR20 DAC			10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC			10CFR835 DAC		10CFR20 ALIs uCi	
uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation		uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	
Ce-144	6E-09	1E-08	7E+2	2E+2	10		Ce-144	6E-09	1E-08	7E+2	2E+2	10	
Pr-136 <sup>38</sup>	9E-05	1E-05	3E+5	5E+4	2E+5		Pr-136 <sup>38</sup>	9E-05	1E-05	3E+5	5E+4	2E+5	
Pr-137 <sup>38</sup>	6E-05	9E-06	3E+5	4E4	1E+5		Pr-137 <sup>38</sup>	6E-05	9E-06	3E+5	4E4	1E+5	
Pr-138m	2E-05	2E-06	7E+4	1E+4	4E+4		Pr-138m	2E-05	2E-06	7E+4	1E+4	4E+4	
Pr-139	5E-05	1E-05	2E+5	4E+4	1E+5		Pr-139	5E-05	1E-05	2E+5	4E+4	1E+5	
Pr-142m <sup>38</sup>	6E-05	5E-05	2E+6	8E+4	1E+5		Pr-142m <sup>38</sup>	6E-05	5E-05	2E+6	8E+4	1E+5	
Pr-142	8E-07	7E-07	2E+4	1E+3	2E+3		Pr-142	8E-07	7E-07	2E+4	1E+3	2E+3	
Pr-143	3E-07	2E-07	9E+3	9E+2	7E+2		Pr-143	3E-07	2E-07	9E+3	9E+2	7E+2	
Pr-144 <sup>38</sup>	5E-05	1E-05	4E+5	3E+4	1E+5		Pr-144 <sup>38</sup>	5E-05	1E-05	4E+5	3E+4	1E+5	
Pr-145	3E-06	2E-06	8E+4	3E+3	8E+3		Pr-145	3E-06	2E-06	8E+4	3E+3	8E+3	
Pr-147 <sup>38</sup>	8E-05	9E-06	3E+5	5E+4	2E+5		Pr-147 <sup>38</sup>	8E-05	9E-06	3E+5	5E+4	2E+5	
Nd-136 <sup>38</sup>	2E-05	4E-06	1E+5	1E+4	5E+4		Nd-136 <sup>38</sup>	2E-05	4E-06	1E+5	1E+4	5E+4	
Nd-138	2E-06	1E-06	5E+4	2E+3	5E+3		Nd-138	2E-06	1E-06	5E+4	2E+3	5E+3	
Nd-139m	6E-06	1E-06	5E+4	5E+3	1E+4		Nd-139m	6E-06	1E-06	5E+4	5E+3	1E+4	
Nd-139 <sup>38</sup>	1E-04	1E-05	6E+5	9E+4	3E+5		Nd-139 <sup>38</sup>	1E-04	1E-05	6E+5	9E+4	3E+5	
Nd-141	3E-04	3E-05	1E+6	2E+5	6E+5		Nd-141	3E-04	3E-05	1E+6	2E+5	6E+5	
Nd-147	4E-07	2E-07	9E+3	1E+3	8E+2		Nd-147	4E-07	2E-07	9E+3	1E+3	8E+2	
Nd-149 <sup>38</sup>	1E-05	4E-06	1E+5	1E+4	2E+4		Nd-149 <sup>38</sup>	1E-05	4E-06	1E+5	1E+4	2E+4	
Nd-151 <sup>38</sup>	8E-05	9E-06	3E+5	7E+4	2E+5		Nd-151 <sup>38</sup>	8E-05	9E-06	3E+5	7E+4	2E+5	
Pm-141 <sup>38</sup>	7E-05	1E-05	4E+5	5E+4	2E+5		Pm-141 <sup>38</sup>	7E-05	1E-05	4E+5	5E+4	2E+5	
Pm-143	2E-07	5E-07	2E+4	5E+3	6E+2		Pm-143	2E-07	5E-07	2E+4	5E+3	6E+2	
Pm-144	5E-08	1E-07	3E+3	1E+3	1E+2		Pm-144	5E-08	1E-07	3E+3	1E+3	1E+2	
Pm-145	7E-08	1E-07	1E+4	1E+4	2E+2		Pm-145	7E-08	1E-07	1E+4	1E+4	2E+2	
Pm-146	2E-08	4E-08	1E+3	2E+3	40		Pm-146	2E-08	4E-08	1E+3	2E+3	40	
Pm-147	5E-08	1E-07	4E+3	4E+3	1E+2		Pm-147	5E-08	1E-07	4E+3	4E+3	1E+2	
Pm-148m	1E-07	1E-07	4E+3	7E+2	3E+2		Pm-148m	1E-07	1E-07	4E+3	7E+2	3E+2	
Pm-148	2E-07	2E-07	9E+3	4E+2	5E+2		Pm-148	2E-07	2E-07	9E+3	4E+2	5E+2	
Pm-149	8E-07	6E-07	2E+4	1E+3	2E+3		Pm-149	8E-07	6E-07	2E+4	1E+3	2E+3	
Pm-150	7E-06	2E-06	8E+4	5E+3	2E+4		Pm-150	7E-06	2E-06	8E+4	5E+3	2E+4	
Pm-151	1E-06	8E-07	3E+4	2E+3	3E+3		Pm-151	1E-06	8E-07	3E+4	2E+3	3E+3	

87

87

10CFR20 DAC			10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC			10CFR835 DAC		10CFR20 ALIs uCi	
uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation		uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	
Ce-144	6E-09	1E-08	7E+2	2E+2	10		Ce-144	6E-09	1E-08	7E+2	2E+2	10	
Pr-136 <sup>38</sup>	9E-05	1E-05	3E+5	5E+4	2E+5		Pr-136 <sup>38</sup>	9E-05	1E-05	3E+5	5E+4	2E+5	
Pr-137 <sup>38</sup>	6E-05	9E-06	3E+5	4E4	1E+5		Pr-137 <sup>38</sup>	6E-05	9E-06	3E+5	4E4	1E+5	
Pr-138m	2E-05	2E-06	7E+4	1E+4	4E+4		Pr-138m	2E-05	2E-06	7E+4	1E+4	4E+4	
Pr-139	5E-05	1E-05	2E+5	4E+4	1E+5		Pr-139	5E-05	1E-05	2E+5	4E+4	1E+5	
Pr-142m <sup>38</sup>	6E-05	5E-05	2E+6	8E+4	1E+5		Pr-142m <sup>38</sup>	6E-05	5E-05	2E+6	8E+4	1E+5	
Pr-142	8E-07	7E-07	2E+4	1E+3	2E+3		Pr-142	8E-07	7E-07	2E+4	1E+3	2E+3	
Pr-143	3E-07	2E-07	9E+3	9E+2	7E+2		Pr-143	3E-07	2E-07	9E+3	9E+2	7E+2	
Pr-144 <sup>38</sup>	5E-05	1E-05	4E+5	3E+4	1E+5		Pr-144 <sup>38</sup>	5E-05	1E-05	4E+5	3E+4	1E+5	
Pr-145	3E-06	2E-06	8E+4	3E+3	8E+3		Pr-145	3E-06	2E-06	8E+4	3E+3	8E+3	
Pr-147 <sup>38</sup>	8E-05	9E-06	3E+5	5E+4	2E+5		Pr-147 <sup>38</sup>	8E-05	9E-06	3E+5	5E+4	2E+5	
Nd-136 <sup>38</sup>	2E-05	4E-06	1E+5	1E+4	5E+4		Nd-136 <sup>38</sup>	2E-05	4E-06	1E+5	1E+4	5E+4	
Nd-138	2E-06	1E-06	5E+4	2E+3	5E+3		Nd-138	2E-06	1E-06	5E+4	2E+3	5E+3	
Nd-139m	6E-06	1E-06	5E+4	5E+3	1E+4		Nd-139m	6E-06	1E-06	5E+4	5E+3	1E+4	
Nd-139 <sup>38</sup>	1E-04	1E-05	6E+5	9E+4	3E+5		Nd-139 <sup>38</sup>	1E-04	1E-05	6E+5	9E+4	3E+5	
Nd-141	3E-04	3E-05	1E+6	2E+5	6E+5		Nd-141	3E-04	3E-05	1E+6	2E+5	6E+5	
Nd-147	4E-07	2E-07	9E+3	1E+3	8E+2		Nd-147	4E-07	2E-07	9E+3	1E+3	8E+2	
Nd-149 <sup>38</sup>	1E-05	4E-06	1E+5	1E+4	2E+4		Nd-149 <sup>38</sup>	1E-05	4E-06	1E+5	1E+4	2E+4	
Nd-151 <sup>38</sup>	8E-05	9E-06	3E+5	7E+4	2E+5		Nd-151 <sup>38</sup>	8E-05	9E-06	3E+5	7E+4	2E+5	
Pm-141 <sup>38</sup>	7E-05	1E-05	4E+5	5E+4	2E+5		Pm-141 <sup>38</sup>	7E-05	1E-05	4E+5	5E+4	2E+5	
Pm-143	2E-07	5E-07	2E+4	5E+3	6E+2		Pm-143	2E-07	5E-07	2E+4	5E+3	6E+2	
Pm-144	5E-08	1E-07	3E+3	1E+3	1E+2		Pm-144	5E-08	1E-07	3E+3	1E+3	1E+2	
Pm-145	7E-08	1E-07	1E+4	1E+4	2E+2		Pm-145	7E-08	1E-07	1E+4	1E+4	2E+2	
Pm-146	2E-08	4E-08	1E+3	2E+3	40		Pm-146	2E-08	4E-08	1E+3	2E+3	40	
Pm-147	5E-08	1E-07	4E+3	4E+3	1E+2		Pm-147	5E-08	1E-07	4E+3	4E+3	1E+2	
Pm-148m	1E-07	1E-07	4E+3	7E+2	3E+2		Pm-148m	1E-07	1E-07	4E+3	7E+2	3E+2	
Pm-148	2E-07	2E-07	9E+3	4E+2	5E+2		Pm-148	2E-07	2E-07	9E+3	4E+2	5E+2	
Pm-149	8E-07	6E-07	2E+4	1E+3	2E+3		Pm-149	8E-07	6E-07	2E+4	1E+3	2E+3	
Pm-150	7E-06	2E-06	8E+4	5E+3	2E+4		Pm-150	7E-06	2E-06	8E+4	5E+3	2E+4	
Pm-151	1E-06	8E-07	3E+4	2E+3	3E+3		Pm-151	1E-06	8E-07	3E+4	2E+3	3E+3	

87

87

10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs		10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs	
uCi/mL	uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	uCi/mL	uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	uCi/mL	uCi/mL
Sm-141m <sup>38</sup>	4E-05	5E-06	2E+5	3E+4	1E+5	Sm-141m <sup>38</sup>	4E-05	5E-06	2E+5	3E+4	1E+5
Sm-141 <sup>38</sup>	8E-05	1E-05	4E+5	5E+4	2E+5	Sm-141 <sup>38</sup>	8E-05	1E-05	4E+5	5E+4	2E+5
Sm-142 <sup>38</sup>	1E-05	4E-06	1E+5	8E+3	3E+4	Sm-142 <sup>38</sup>	1E-05	4E-06	1E+5	8E+3	3E+4
Sm-145	2E-07	4E-07	1E+4	6E+3	5E+2	Sm-145	2E-07	4E-07	1E+4	6E+3	5E+2
Sm-146	1E-11	2E-11	1	10	4E-2	Sm-146	1E-11	2E-11	1	10	4E-2
Sm-147	2E-11	2E-11	1	20	4E-2	Sm-147	2E-11	2E-11	1	20	4E-2
Sm-151	4E-08	7E-08	2E+3	1E+4	1E+2	Sm-151	4E-08	7E-08	2E+3	1E+4	1E+2
Sm-153	1E-06	8E-07	3E+4	2E+3	3E+3	Sm-153	1E-06	8E-07	3E+4	2E+3	3E+3
Sm-155 <sup>38</sup>	9E-05	1E-05	3E+5	6E+4	2E+5	Sm-155 <sup>38</sup>	9E-05	1E-05	3E+5	6E+4	2E+5
Sm-156	4E-06	2E-06	7E+4	5E+3	9E+3	Sm-156	4E-06	2E-06	7E+4	5E+3	9E+3
Eu-145	8E-07	5E-07	2E+4	2E+3	2E+3	Eu-145	8E-07	5E-07	2E+4	2E+3	2E+3
Eu-146	5E-07	3E-07	1E+4	1E+3	1E+3	Eu-146	5E-07	3E-07	1E+4	1E+3	1E+3
Eu-147	7E-07	5E-07	2E+4	3E+3	2E+3	Eu-147	7E-07	5E-07	2E+4	3E+3	2E+3
Eu-148	1E-07	2E-07	9E+3	1E+3	4E+2	Eu-148	1E-07	2E-07	9E+3	1E+3	4E+2
Eu-149	1E-06	2E-06	9E+4	1E+4	3E+3	Eu-149	1E-06	2E-06	9E+4	1E+4	3E+3
Eu-150 <sup>22</sup>	4E-06	2E-06	7E+4	3E+3	8E+3	Eu-150 <sup>22</sup>	4E-06	2E-06	7E+4	3E+3	8E+3
Eu-150 <sup>23</sup>	8E-09	1E-08	6E+2	8E+2	20	Eu-150 <sup>23</sup>	8E-09	1E-08	6E+2	8E+2	20
Eu-152m	3E-06	1E-06	6E+4	3E+3	6E+3	Eu-152m	3E-06	1E-06	6E+4	3E+3	6E+3
Eu-152	1E-08	2E-08	7E+2	8E+2	20	Eu-152	1E-08	2E-08	7E+2	8E+2	20
Eu-154	8E-09	1E-08	5E+2	5E+2	20	Eu-154	8E-09	1E-08	5E+2	5E+2	20
Eu-155	4E-08	7E-08	2E+3	4E+3	90	Eu-155	4E-08	7E-08	2E+3	4E+3	90
Eu-156	2E-07	1E-07	6E+3	6E+2	5E+2	Eu-156	2E-07	1E-07	6E+3	6E+2	5E+2
Eu-157	2E-06	1E-06	4E+4	2E+3	5E+3	Eu-157	2E-06	1E-06	4E+4	2E+3	5E+3
Eu-158 <sup>38</sup>	2E-05	5E-06	1E+5	2E+4	6E+4	Eu-158 <sup>38</sup>	2E-05	5E-06	1E+5	2E+4	6E+4
Gd-145 <sup>38</sup>	6E-05	7E-06	2E+5	5E+4	2E+5	Gd-145 <sup>38</sup>	6E-05	7E-06	2E+5	5E+4	2E+5
Gd-146	5E-08	1E-07	4E+3	1E+3	1E+2	Gd-146	5E-08	1E-07	4E+3	1E+3	1E+2
Gd-147	1E-06	6E-07	2E+4	2E+3	4E+3	Gd-147	1E-06	6E-07	2E+4	2E+3	4E+3
Gd-148	3E-12	5E-12	0.2	10	8E-3	Gd-148	3E-12	5E-12	0.2	10	8E-3
Gd-149	9E-07	7E-07	2E+4	3E+3	2E+3	Gd-149	9E-07	7E-07	2E+4	3E+3	2E+3
Gd-151	2E-07	2E-07	9E+3	6E+3	4E+2	Gd-151	2E-07	2E-07	9E+3	6E+3	4E+2

88

88

10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs		10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs	
uCi/mL	uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	uCi/mL	uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	uCi/mL	uCi/mL
Sm-141m <sup>38</sup>	4E-05	5E-06	2E+5	3E+4	1E+5	Sm-141m <sup>38</sup>	4E-05	5E-06	2E+5	3E+4	1E+5
Sm-141 <sup>38</sup>	8E-05	1E-05	4E+5	5E+4	2E+5	Sm-141 <sup>38</sup>	8E-05	1E-05	4E+5	5E+4	2E+5
Sm-142 <sup>38</sup>	1E-05	4E-06	1E+5	8E+3	3E+4	Sm-142 <sup>38</sup>	1E-05	4E-06	1E+5	8E+3	3E+4
Sm-145	2E-07	4E-07	1E+4	6E+3	5E+2	Sm-145	2E-07	4E-07	1E+4	6E+3	5E+2
Sm-146	1E-11	2E-11	1	10	4E-2	Sm-146	1E-11	2E-11	1	10	4E-2
Sm-147	2E-11	2E-11	1	20	4E-2	Sm-147	2E-11	2E-11	1	20	4E-2
Sm-151	4E-08	7E-08	2E+3	1E+4	1E+2	Sm-151	4E-08	7E-08	2E+3	1E+4	1E+2
Sm-153	1E-06	8E-07	3E+4	2E+3	3E+3	Sm-153	1E-06	8E-07	3E+4	2E+3	3E+3
Sm-155 <sup>38</sup>	9E-05	1E-05	3E+5	6E+4	2E+5	Sm-155 <sup>38</sup>	9E-05	1E-05	3E+5	6E+4	2E+5
Sm-156	4E-06	2E-06	7E+4	5E+3	9E+3	Sm-156	4E-06	2E-06	7E+4	5E+3	9E+3
Eu-145	8E-07	5E-07	2E+4	2E+3	2E+3	Eu-145	8E-07	5E-07	2E+4	2E+3	2E+3
Eu-146	5E-07	3E-07	1E+4	1E+3	1E+3	Eu-146	5E-07	3E-07	1E+4	1E+3	1E+3
Eu-147	7E-07	5E-07	2E+4	3E+3	2E+3	Eu-147	7E-07	5E-07	2E+4	3E+3	2E+3
Eu-148	1E-07	2E-07	9E+3	1E+3	4E+2	Eu-148	1E-07	2E-07	9E+3	1E+3	4E+2
Eu-149	1E-06	2E-06	9E+4	1E+4	3E+3	Eu-149	1E-06	2E-06	9E+4	1E+4	3E+3
Eu-150 <sup>22</sup>	4E-06	2E-06	7E+4	3E+3	8E+3	Eu-150 <sup>22</sup>	4E-06	2E-06	7E+4	3E+3	8E+3
Eu-150 <sup>23</sup>	8E-09	1E-08	6E+2	8E+2	20	Eu-150 <sup>23</sup>	8E-09	1E-08	6E+2	8E+2	20
Eu-152m	3E-06	1E-06	6E+4	3E+3	6E+3	Eu-152m	3E-06	1E-06	6E+4	3E+3	6E+3
Eu-152	1E-08	2E-08	7E+2	8E+2	20	Eu-152	1E-08	2E-08	7E+2	8E+2	20
Eu-154	8E-09	1E-08	5E+2	5E+2	20	Eu-154	8E-09	1E-08	5E+2	5E+2	20
Eu-155	4E-08	7E-08	2E+3	4E+3	90	Eu-155	4E-08	7E-08	2E+3	4E+3	90
Eu-156	2E-07	1E-07	6E+3	6E+2	5E+2	Eu-156	2E-07	1E-07	6E+3	6E+2	5E+2
Eu-157	2E-06	1E-06	4E+4	2E+3	5E+3	Eu-157	2E-06	1E-06	4E+4	2E+3	5E+3
Eu-158 <sup>38</sup>	2E-05	5E-06	1E+5	2E+4	6E+4	Eu-158 <sup>38</sup>	2E-05	5E-06	1E+5	2E+4	6E+4
Gd-145 <sup>38</sup>	6E-05	7E-06	2E+5	5E+4	2E+5	Gd-145 <sup>38</sup>	6E-05	7E-06	2E+5	5E+4	2E+5
Gd-146	5E-08	1E-07	4E+3	1E+3	1E+2	Gd-146	5E-08	1E-07	4E+3	1E+3	1E+2
Gd-147	1E-06	6E-07	2E+4	2E+3	4E+3	Gd-147	1E-06	6E-07	2E+4	2E+3	4E+3
Gd-148	3E-12	5E-12	0.2	10	8E-3	Gd-148	3E-12	5E-12	0.2	10	8E-3
Gd-149	9E-07	7E-07	2E+4	3E+3	2E+3	Gd-149	9E-07	7E-07	2E+4	3E+3	2E+3
Gd-151	2E-07	2E-07	9E+3	6E+3	4E+2	Gd-151	2E-07	2E-07	9E+3	6E+3	4E+2

88

88

10CFR20 DAC			10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC			10CFR835 DAC		10CFR20 ALIs uCi	
	uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	uCi/mL	uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation		
Gd-152	4E-12		7E-12	0.2	20	1E-2	Gd-152	4E-12	7E-12	0.2	20	1E-2	
Gd-153	6E-08		9E-08	3E+3	5E+3	1E+2	Gd-153	6E-08	9E-08	3E+3	5E+3	1E+2	
Gd-159	2E-06		1E-06	5E+4	3E+3	6E+3	Gd-159	2E-06	1E-06	5E+4	3E+3	6E+3	
Tb-147 <sup>38</sup>	1E-05		2E-06	1E+5	9E+3	3E+4	Tb-147 <sup>38</sup>	1E-05	2E-06	1E+5	9E+3	3E+4	
Tb-149	3E-07		1E-07	6E+3	5E+3	7E+2	Tb-149	3E-07	1E-07	6E+3	5E+3	7E+2	
Tb-150	9E-06		2E-06	8E+4	5E+3	2E+4	Tb-150	9E-06	2E-06	8E+4	5E+3	2E+4	
Tb-151	4E-06		1E-06	4E+4	4E+3	9E+3	Tb-151	4E-06	1E-06	4E+4	4E+3	9E+3	
Tb-153	3E-06		2E-06	8E+4	5E+3	7E+3	Tb-153	3E-06	2E-06	8E+4	5E+3	7E+3	
Tb-154	2E-06		5E-07	2E+4	2E+3	4E+3	Tb-154	2E-06	5E-07	2E+4	2E+3	4E+3	
Tb-155	3E-06		2E-06	8E+4	6E+3	8E+3	Tb-155	3E-06	2E-06	8E+4	6E+3	8E+3	
Tb-156m <sup>24</sup>	3E-06		2E-06	9E+4	2E+4	3E+4	Tb-156m <sup>24</sup>	3E-06	2E-06	9E+4	2E+4	3E+4	
Tb-156m <sup>25</sup>	1E-05		4E-06	1E+5	7E+3	8E+3	Tb-156m <sup>25</sup>	1E-05	4E-06	1E+5	7E+3	8E+3	
Tb-156	6E-07		4E-07	1E+4	1E+3	1E+3	Tb-156	6E-07	4E-07	1E+4	1E+3	1E+3	
Tb-157	1E-07		2E-07	8E+3	5E+4	3E+2	Tb-157	1E-07	2E-07	8E+3	5E+4	3E+2	
Tb-158	8E-09		1E-08	6E+2	1E+3	20	Tb-158	8E-09	1E-08	6E+2	1E+3	20	
Tb-160	9E-08		1E-07	3E+3	7E+2	2E+2	Tb-160	9E-08	1E-07	3E+3	7E+2	2E+2	
Tb-161	7E-07		4E-07	1E+4	2E+3	2E+3	Tb-161	7E-07	4E-07	1E+4	2E+3	2E+3	
Dy-155	1E-05		2E-06	1E+5	9E+3	3E+4	Dy-155	1E-05	2E-06	1E+5	9E+3	3E+4	
Dy-157	3E-05		5E-06	1E+5	2E+4	6E+4	Dy-157	3E-05	5E-06	1E+5	2E+4	6E+4	
Dy-159	1E-06		2E-06	8E+4	1E+4	2E+3	Dy-159	1E-06	2E-06	8E+4	1E+4	2E+3	
Dy-165	2E-05		6E-06	2E+5	1E+4	5E+4	Dy-165	2E-05	6E-06	2E+5	1E+4	5E+4	
Dy-166	3E-07		3E-07	1E+4	6E+2	7E+2	Dy-166	3E-07	3E-07	1E+4	6E+2	7E+2	
Ho-155 <sup>38</sup>	6E-05		1E-05	4E+5	4E+4	2E+5	Ho-155 <sup>38</sup>	6E-05	1E-05	4E+5	4E+4	2E+5	
Ho-157 <sup>38</sup>	6E-04		2E-05	1E+6	3E+5	1E+6	Ho-157 <sup>38</sup>	6E-04	2E-05	1E+6	3E+5	1E+6	
Ho-159 <sup>38</sup>	4E-04		2E-05	9E+5	2E+5	1E+6	Ho-159 <sup>38</sup>	4E-04	2E-05	9E+5	2E+5	1E+6	
Ho-161	2E-04		3E-05	1E+6	1E+5	4E+5	Ho-161	2E-04	3E-05	1E+6	1E+5	4E+5	
Ho-162m <sup>38</sup>	1E-04		9E-06	3E+5	5E+4	3E+5	Ho-162m <sup>38</sup>	1E-04	9E-06	3E+5	5E+4	3E+5	
Ho-162 <sup>38</sup>	1E-03		5E-05	2E+6	5E+5	2E+6	Ho-162 <sup>38</sup>	1E-03	5E-05	2E+6	5E+5	2E+6	
Ho-164m <sup>38</sup>	1E-04		3E-05	1E+6	1E+5	3E+5	Ho-164m <sup>38</sup>	1E-04	3E-05	1E+6	1E+5	3E+5	
Ho-164 <sup>38</sup>	3E-04		2E-05	8E+5	2E+5	6E+5	Ho-164 <sup>38</sup>	3E-04	2E-05	8E+5	2E+5	6E+5	

89

89

10CFR20 DAC			10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC			10CFR835 DAC		10CFR20 ALIs uCi	
	uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	uCi/mL	uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation		
Gd-152	4E-12		7E-12	0.2	20	1E-2	Gd-152	4E-12	7E-12	0.2	20	1E-2	
Gd-153	6E-08		9E-08	3E+3	5E+3	1E+2	Gd-153	6E-08	9E-08	3E+3	5E+3	1E+2	
Gd-159	2E-06		1E-06	5E+4	3E+3	6E+3	Gd-159	2E-06	1E-06	5E+4	3E+3	6E+3	
Tb-147 <sup>38</sup>	1E-05		2E-06	1E+5	9E+3	3E+4	Tb-147 <sup>38</sup>	1E-05	2E-06	1E+5	9E+3	3E+4	
Tb-149	3E-07		1E-07	6E+3	5E+3	7E+2	Tb-149	3E-07	1E-07	6E+3	5E+3	7E+2	
Tb-150	9E-06		2E-06	8E+4	5E+3	2E+4	Tb-150	9E-06	2E-06	8E+4	5E+3	2E+4	
Tb-151	4E-06		1E-06	4E+4	4E+3	9E+3	Tb-151	4E-06	1E-06	4E+4	4E+3	9E+3	
Tb-153	3E-06		2E-06	8E+4	5E+3	7E+3	Tb-153	3E-06	2E-06	8E+4	5E+3	7E+3	
Tb-154	2E-06		5E-07	2E+4	2E+3	4E+3	Tb-154	2E-06	5E-07	2E+4	2E+3	4E+3	
Tb-155	3E-06		2E-06	8E+4	6E+3	8E+3	Tb-155	3E-06	2E-06	8E+4	6E+3	8E+3	
Tb-156m <sup>24</sup>	3E-06		2E-06	9E+4	2E+4	3E+4	Tb-156m <sup>24</sup>	3E-06	2E-06	9E+4	2E+4	3E+4	
Tb-156m <sup>25</sup>	1E-05		4E-06	1E+5	7E+3	8E+3	Tb-156m <sup>25</sup>	1E-05	4E-06	1E+5	7E+3	8E+3	
Tb-156	6E-07		4E-07	1E+4	1E+3	1E+3	Tb-156	6E-07	4E-07	1E+4	1E+3	1E+3	
Tb-157	1E-07		2E-07	8E+3	5E+4	3E+2	Tb-157	1E-07	2E-07	8E+3	5E+4	3E+2	
Tb-158	8E-09		1E-08	6E+2	1E+3	20	Tb-158	8E-09	1E-08	6E+2	1E+3	20	
Tb-160	9E-08		1E-07	3E+3	7E+2	2E+2	Tb-160	9E-08	1E-07	3E+3	7E+2	2E+2	
Tb-161	7E-07		4E-07	1E+4	2E+3	2E+3	Tb-161	7E-07	4E-07	1E+4	2E+3	2E+3	
Dy-155	1E-05		2E-06	1E+5	9E+3	3E+4	Dy-155	1E-05	2E-06	1E+5	9E+3	3E+4	
Dy-157	3E-05		5E-06	1E+5	2E+4	6E+4	Dy-157	3E-05	5E-06	1E+5	2E+4	6E+4	
Dy-159	1E-06		2E-06	8E+4	1E+4	2E+3	Dy-159	1E-06	2E-06	8E+4	1E+4	2E+3	
Dy-165	2E-05		6E-06	2E+5	1E+4	5E+4	Dy-165	2E-05	6E-06	2E+5	1E+4	5E+4	
Dy-166	3E-07		3E-07	1E+4	6E+2	7E+2	Dy-166	3E-07	3E-07	1E+4	6E+2	7E+2	
Ho-155 <sup>38</sup>	6E-05		1E-05	4E+5	4E+4	2E+5	Ho-155 <sup>38</sup>	6E-05	1E-05	4E+5	4E+4	2E+5	
Ho-157 <sup>38</sup>	6E-04		2E-05	1E+6	3E+5	1E+6	Ho-157 <sup>38</sup>	6E-04	2E-05	1E+6	3E+5	1E+6	
Ho-159 <sup>38</sup>	4E-04		2E-05	9E+5	2E+5	1E+6	Ho-159 <sup>38</sup>	4E-04	2E-05	9E+5	2E+5	1E+6	
Ho-161	2E-04		3E-05	1E+6	1E+5	4E+5	Ho-161	2E-04	3E-05	1E+6	1E+5	4E+5	
Ho-162m <sup>38</sup>	1E-04		9E-06	3E+5	5E+4	3E+5	Ho-162m <sup>38</sup>	1E-04	9E-06	3E+5	5E+4	3E+5	
Ho-162 <sup>38</sup>	1E-03		5E-05	2E+6	5E+5	2E+6	Ho-162 <sup>38</sup>	1E-03	5E-05	2E+6	5E+5	2E+6	
Ho-164m <sup>38</sup>	1E-04		3E-05	1E+6	1E+5	3E+5	Ho-164m <sup>38</sup>	1E-04	3E-05	1E+6	1E+5	3E+5	
Ho-164 <sup>38</sup>	3E-04		2E-05	8E+5	2E+5	6E+5	Ho-164 <sup>38</sup>	3E-04	2E-05	8E+5	2E+5	6E+5	

89

89

10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi	
uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation
Ho-166m	3E-09	7E-09	2E+2	6E+2	70	Ho-166m	3E-09	7E-09	2E+2	6E+2	70
Ho-166	7E-07	6E-07	2E+4	9E+2	2E+3	Ho-166	7E-07	6E-07	2E+4	9E+2	2E+3
Ho-167	2E-05	4E-06	1E+5	2E+4	6E+4	Ho-167	2E-05	4E-06	1E+5	2E+4	6E+4
Er-161	3E-05	3E-06	1E+5	2E+4	6E+4	Er-161	3E-05	3E-06	1E+5	2E+4	6E+4
Er-165	8E-05	2E-05	1E+6	6E+4	2E+5	Er-165	8E-05	2E-05	1E+6	6E+4	2E+5
Er-169	1E-06	6E-07	2E+4	3E+3	3E+3	Er-169	1E-06	6E-07	2E+4	3E+3	3E+3
Er-171	4E-06	1E-06	6E+4	4E+3	1E+4	Er-171	4E-06	1E-06	6E+4	4E+3	1E+4
Er-172	6E-07	4E-07	1E+4	1E+3	1E+3	Er-172	6E-07	4E-07	1E+4	1E+3	1E+3
Tm-162 <sup>38</sup>	1E-04	9E-06	3E+5	7E+4	3E+5	Tm-162 <sup>38</sup>	1E-04	9E-06	3E+5	7E+4	3E+5
Tm-166	6E-06	1E-06	4E+4	4E+3	1E+4	Tm-166	6E-06	1E-06	4E+4	4E+3	1E+4
Tm-167	8E-07	5E-07	2E+4	2E+3	2E+3	Tm-167	8E-07	5E-07	2E+4	2E+3	2E+3
Tm-170	9E-08	1E-07	4E+3	8E+2	2E+2	Tm-170	9E-08	1E-07	4E+3	8E+2	2E+2
Tm-171	1E-07	2E-07	9E+3	1E+4	3E+2	Tm-171	1E-07	2E-07	9E+3	1E+4	3E+2
Tm-172	5E-07	4E-07	1E+4	7E+2	1E+3	Tm-172	5E-07	4E-07	1E+4	7E+2	1E+3
Tm-173	5E-06	2E-06	8E+4	4E+3	1E+4	Tm-173	5E-06	2E-06	8E+4	4E+3	1E+4
Tm-175 <sup>38</sup>	1E-04	8E-06	2E+5	7E+4	3E+5	Tm-175 <sup>38</sup>	1E-04	8E-06	2E+5	7E+4	3E+5
Yb-162 <sup>38</sup>	1E-04	1E-05	5E+5	7E+4	3E+5	Yb-162 <sup>38</sup>	1E-04	1E-05	5E+5	7E+4	3E+5
Yb-166	8E-07	5E-07	2E+4	1E+3	3E+3	Yb-166	8E-07	5E-07	2E+4	1E+3	3E+3
Yb-167 <sup>38</sup>	3E-04	3E-05	1E+6	3E+5	7E+5	Yb-167 <sup>38</sup>	3E-04	3E-05	1E+6	3E+5	7E+5
Yb-169	3E-07	2E-07	8E+3	2E+3	7E+2	Yb-169	3E-07	2E-07	8E+3	2E+3	7E+2
Yb-175	1E-06	8E-07	2E+4	3E+3	3E+3	Yb-175	1E-06	8E-07	2E+4	3E+3	3E+3
Yb-177 <sup>38</sup>	2E-05	5E-06	2E+5	2E+4	5E+4	Yb-177 <sup>38</sup>	2E-05	5E-06	2E+5	2E+4	5E+4
Yb-178 <sup>38</sup>	2E-05	5E-06	1E+5	1E+4	4E+4	Yb-178 <sup>38</sup>	2E-05	5E-06	1E+5	1E+4	4E+4
Lu-169	2E-06	9E-07	3E+4	3E+3	4E+3	Lu-169	2E-06	9E-07	3E+4	3E+3	4E+3
Lu-170	8E-07	4E-07	1E+4	1E+3	2E+3	Lu-170	8E-07	4E-07	1E+4	1E+3	2E+3
Lu-171	8E-07	6E-07	2E+4	2E+3	2E+3	Lu-171	8E-07	6E-07	2E+4	2E+3	2E+3
Lu-172	5E-07	3E-07	1E+4	1E+3	1E+3	Lu-172	5E-07	3E-07	1E+4	1E+3	1E+3
Lu-173	1E-07	2E-07	8E+3	5E+3	3E+2	Lu-173	1E-07	2E-07	8E+3	5E+3	3E+2
Lu-174m	9E-08	2E-07	7E+3	2E+3	2E+2	Lu-174m	9E-08	2E-07	7E+3	2E+3	2E+2
Lu-174	5E-08	9E-08	3E+3	5E+3	1E+2	Lu-174	5E-08	9E-08	3E+3	5E+3	1E+2

90

90

10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi	
uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation
Ho-166m	3E-09	7E-09	2E+2	6E+2	70	Ho-166m	3E-09	7E-09	2E+2	6E+2	70
Ho-166	7E-07	6E-07	2E+4	9E+2	2E+3	Ho-166	7E-07	6E-07	2E+4	9E+2	2E+3
Ho-167	2E-05	4E-06	1E+5	2E+4	6E+4	Ho-167	2E-05	4E-06	1E+5	2E+4	6E+4
Er-161	3E-05	3E-06	1E+5	2E+4	6E+4	Er-161	3E-05	3E-06	1E+5	2E+4	6E+4
Er-165	8E-05	2E-05	1E+6	6E+4	2E+5	Er-165	8E-05	2E-05	1E+6	6E+4	2E+5
Er-169	1E-06	6E-07	2E+4	3E+3	3E+3	Er-169	1E-06	6E-07	2E+4	3E+3	3E+3
Er-171	4E-06	1E-06	6E+4	4E+3	1E+4	Er-171	4E-06	1E-06	6E+4	4E+3	1E+4
Er-172	6E-07	4E-07	1E+4	1E+3	1E+3	Er-172	6E-07	4E-07	1E+4	1E+3	1E+3
Tm-162 <sup>38</sup>	1E-04	9E-06	3E+5	7E+4	3E+5	Tm-162 <sup>38</sup>	1E-04	9E-06	3E+5	7E+4	3E+5
Tm-166	6E-06	1E-06	4E+4	4E+3	1E+4	Tm-166	6E-06	1E-06	4E+4	4E+3	1E+4
Tm-167	8E-07	5E-07	2E+4	2E+3	2E+3	Tm-167	8E-07	5E-07	2E+4	2E+3	2E+3
Tm-170	9E-08	1E-07	4E+3	8E+2	2E+2	Tm-170	9E-08	1E-07	4E+3	8E+2	2E+2
Tm-171	1E-07	2E-07	9E+3	1E+4	3E+2	Tm-171	1E-07	2E-07	9E+3	1E+4	3E+2
Tm-172	5E-07	4E-07	1E+4	7E+2	1E+3	Tm-172	5E-07	4E-07	1E+4	7E+2	1E+3
Tm-173	5E-06	2E-06	8E+4	4E+3	1E+4	Tm-173	5E-06	2E-06	8E+4	4E+3	1E+4
Tm-175 <sup>38</sup>	1E-04	8E-06	2E+5	7E+4	3E+5	Tm-175 <sup>38</sup>	1E-04	8E-06	2E+5	7E+4	3E+5
Yb-162 <sup>38</sup>	1E-04	1E-05	5E+5	7E+4	3E+5	Yb-162 <sup>38</sup>	1E-04	1E-05	5E+5	7E+4	3E+5
Yb-166	8E-07	5E-07	2E+4	1E+3	3E+3	Yb-166	8E-07	5E-07	2E+4	1E+3	3E+3
Yb-167 <sup>38</sup>	3E-04	3E-05	1E+6	3E+5	7E+5	Yb-167 <sup>38</sup>	3E-04	3E-05	1E+6	3E+5	7E+5
Yb-169	3E-07	2E-07	8E+3	2E+3	7E+2	Yb-169	3E-07	2E-07	8E+3	2E+3	7E+2
Yb-175	1E-06	8E-07	2E+4	3E+3	3E+3	Yb-175	1E-06	8E-07	2E+4	3E+3	3E+3
Yb-177 <sup>38</sup>	2E-05	5E-06	2E+5	2E+4	5E+4	Yb-177 <sup>38</sup>	2E-05	5E-06	2E+5	2E+4	5E+4
Yb-178 <sup>38</sup>	2E-05	5E-06	1E+5	1E+4	4E+4	Yb-178 <sup>38</sup>	2E-05	5E-06	1E+5	1E+4	4E+4
Lu-169	2E-06	9E-07	3E+4	3E+3	4E+3	Lu-169	2E-06	9E-07	3E+4	3E+3	4E+3
Lu-170	8E-07	4E-07	1E+4	1E+3	2E+3	Lu-170	8E-07	4E-07	1E+4	1E+3	2E+3
Lu-171	8E-07	6E-07	2E+4	2E+3	2E+3	Lu-171	8E-07	6E-07	2E+4	2E+3	2E+3
Lu-172	5E-07	3E-07	1E+4	1E+3	1E+3	Lu-172	5E-07	3E-07	1E+4	1E+3	1E+3
Lu-173	1E-07	2E-07	8E+3	5E+3	3E+2	Lu-173	1E-07	2E-07	8E+3	5E+3	3E+2
Lu-174m	9E-08	2E-07	7E+3	2E+3	2E+2	Lu-174m	9E-08	2E-07	7E+3	2E+3	2E+2
Lu-174	5E-08	9E-08	3E+3	5E+3	1E+2	Lu-174	5E-08	9E-08	3E+3	5E+3	1E+2

90

90

10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi	
uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation
Lu-176m	9E-06	3E-06	1E+5	8E+3	2E+4	Lu-176m	9E-06	3E-06	1E+5	8E+3	2E+4
Lu-176	2E-09	3E-09	1E+2	7E+2	50	Lu-176	2E-09	3E-09	1E+2	7E+2	50
Lu-177m	3E-08	4E-08	1E+3	7E+2	80	Lu-177m	3E-08	4E-08	1E+3	7E+2	80
Lu-177	9E-07	5E-07	1E+4	2E+3	2E+3	Lu-177	9E-07	5E-07	1E+4	2E+3	2E+3
Lu-178m <sup>38</sup>	7E-05	4E-06	1E+5	5E+4	2E+5	Lu-178m <sup>38</sup>	7E-05	4E-06	1E+5	5E+4	2E+5
Lu-178	5E-05	8E-06	3E+5	4E+4	1E+5	Lu-178	5E-05	8E-06	3E+5	4E+4	1E+5
Lu-179	6E-06	3E-06	1E+5	6E+3	2E+4	Lu-179	6E-06	3E-06	1E+5	6E+3	2E+4
Hf-170	2E-06	1E-06	4E+4	3E+3	5E+3	Hf-170	2E-06	1E-06	4E+4	3E+3	5E+3
Hf-172	4E-09	6E-09	2E+2	1E+3	90	Hf-172	4E-09	6E-09	2E+2	1E+3	90
Hf-173	5E-06	2E-06	8E+4	5E+3	1E+4	Hf-173	5E-06	2E-06	8E+4	5E+3	1E+4
Hf-175	4E-07	5E-07	2E+4	3E+3	9E+2	Hf-175	4E-07	5E-07	2E+4	3E+3	9E+2
Hf-177m <sup>38</sup>	2E-05	1E-06	6E+4	2E+4	6E+4	Hf-177m <sup>38</sup>	2E-05	1E-06	6E+4	2E+4	6E+4
Hf-178m	5E-10	8E-10	30	3E+2	10	Hf-178m	5E-10	8E-10	30	3E+2	10
Hf-179m	1E-07	1E-07	6E+3	1E+3	3E+2	Hf-179m	1E-07	1E-07	6E+3	1E+3	3E+2
Hf-180m	9E-06	1E-06	6E+4	7E+3	2E+4	Hf-180m	9E-06	1E-06	6E+4	7E+3	2E+4
Hf-181	7E-08	1E-07	4E+3	1E+3	2E+2	Hf-181	7E-08	1E-07	4E+3	1E+3	2E+2
Hf-182m <sup>38</sup>	4E-05	4E-06	1E+5	4E+4	9E+4	Hf-182m <sup>38</sup>	4E-05	4E-06	1E+5	4E+4	9E+4
Hf-182	3E-10	5E-10	20	2E+2	0.8	Hf-182	3E-10	5E-10	20	2E+2	0.8
Hf-183 <sup>38</sup>	2E-05	4E-06	1E+5	2E+4	5E+4	Hf-183 <sup>38</sup>	2E-05	4E-06	1E+5	2E+4	5E+4
Hf-184	3E-06	1E-06	4E+4	2E+3	6E+3	Hf-184	3E-06	1E-06	4E+4	2E+3	6E+3
Ta-172 <sup>38</sup>	4E-05	5E-06	1E+5	4E+4	1E+5	Ta-172 <sup>38</sup>	4E-05	5E-06	1E+5	4E+4	1E+5
Ta-173	7E-06	3E-06	1E+5	7E+3	2E+4	Ta-173	7E-06	3E-06	1E+5	7E+3	2E+4
Ta-174 <sup>38</sup>	4E-05	5E-06	2E+5	3E+4	9E+4	Ta-174 <sup>38</sup>	4E-05	5E-06	2E+5	3E+4	9E+4
Ta-175	6E-06	1E-06	6E+4	6E+3	1E+4	Ta-175	6E-06	1E-06	6E+4	6E+3	1E+4
Ta-176	5E-06	1E-06	3E+4	4E+3	1E+4	Ta-176	5E-06	1E-06	3E+4	4E+3	1E+4
Ta-177	7E-06	4E-06	1E+5	1E+4	2E+4	Ta-177	7E-06	4E-06	1E+5	1E+4	2E+4
Ta-178	3E-05	3E-06	1E+5	2E+4	7E+4	Ta-178	3E-05	3E-06	1E+5	2E+4	7E+4
Ta-179	4E-07	1E-06	7E+4	2E+4	9E+2	Ta-179	4E-07	1E-06	7E+4	2E+4	9E+2
Ta-180m	2E-05	9E-06	3E+5	2E+4	6E+4	Ta-180m	2E-05	9E-06	3E+5	2E+4	6E+4
Ta-180	1E-08	4E-08	1E+3	1E+3	20	Ta-180	1E-08	4E-08	1E+3	1E+3	20

91

91

10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi	
uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation
Lu-176m	9E-06	3E-06	1E+5	8E+3	2E+4	Lu-176m	9E-06	3E-06	1E+5	8E+3	2E+4
Lu-176	2E-09	3E-09	1E+2	7E+2	50	Lu-176	2E-09	3E-09	1E+2	7E+2	50
Lu-177m	3E-08	4E-08	1E+3	7E+2	80	Lu-177m	3E-08	4E-08	1E+3	7E+2	80
Lu-177	9E-07	5E-07	1E+4	2E+3	2E+3	Lu-177	9E-07	5E-07	1E+4	2E+3	2E+3
Lu-178m <sup>38</sup>	7E-05	4E-06	1E+5	5E+4	2E+5	Lu-178m <sup>38</sup>	7E-05	4E-06	1E+5	5E+4	2E+5
Lu-178	5E-05	8E-06	3E+5	4E+4	1E+5	Lu-178	5E-05	8E-06	3E+5	4E+4	1E+5
Lu-179	6E-06	3E-06	1E+5	6E+3	2E+4	Lu-179	6E-06	3E-06	1E+5	6E+3	2E+4
Hf-170	2E-06	1E-06	4E+4	3E+3	5E+3	Hf-170	2E-06	1E-06	4E+4	3E+3	5E+3
Hf-172	4E-09	6E-09	2E+2	1E+3	90	Hf-172	4E-09	6E-09	2E+2	1E+3	90
Hf-173	5E-06	2E-06	8E+4	5E+3	1E+4	Hf-173	5E-06	2E-06	8E+4	5E+3	1E+4
Hf-175	4E-07	5E-07	2E+4	3E+3	9E+2	Hf-175	4E-07	5E-07	2E+4	3E+3	9E+2
Hf-177m <sup>38</sup>	2E-05	1E-06	6E+4	2E+4	6E+4	Hf-177m <sup>38</sup>	2E-05	1E-06	6E+4	2E+4	6E+4
Hf-178m	5E-10	8E-10	30	3E+2	10	Hf-178m	5E-10	8E-10	30	3E+2	10
Hf-179m	1E-07	1E-07	6E+3	1E+3	3E+2	Hf-179m	1E-07	1E-07	6E+3	1E+3	3E+2
Hf-180m	9E-06	1E-06	6E+4	7E+3	2E+4	Hf-180m	9E-06	1E-06	6E+4	7E+3	2E+4
Hf-181	7E-08	1E-07	4E+3	1E+3	2E+2	Hf-181	7E-08	1E-07	4E+3	1E+3	2E+2
Hf-182m <sup>38</sup>	4E-05	4E-06	1E+5	4E+4	9E+4	Hf-182m <sup>38</sup>	4E-05	4E-06	1E+5	4E+4	9E+4
Hf-182	3E-10	5E-10	20	2E+2	0.8	Hf-182	3E-10	5E-10	20	2E+2	0.8
Hf-183 <sup>38</sup>	2E-05	4E-06	1E+5	2E+4	5E+4	Hf-183 <sup>38</sup>	2E-05	4E-06	1E+5	2E+4	5E+4
Hf-184	3E-06	1E-06	4E+4	2E+3	6E+3	Hf-184	3E-06	1E-06	4E+4	2E+3	6E+3
Ta-172 <sup>38</sup>	4E-05	5E-06	1E+5	4E+4	1E+5	Ta-172 <sup>38</sup>	4E-05	5E-06	1E+5	4E+4	1E+5
Ta-173	7E-06	3E-06	1E+5	7E+3	2E+4	Ta-173	7E-06	3E-06	1E+5	7E+3	2E+4
Ta-174 <sup>38</sup>	4E-05	5E-06	2E+5	3E+4	9E+4	Ta-174 <sup>38</sup>	4E-05	5E-06	2E+5	3E+4	9E+4
Ta-175	6E-06	1E-06	6E+4	6E+3	1E+4	Ta-175	6E-06	1E-06	6E+4	6E+3	1E+4
Ta-176	5E-06	1E-06	3E+4	4E+3	1E+4	Ta-176	5E-06	1E-06	3E+4	4E+3	1E+4
Ta-177	7E-06	4E-06	1E+5	1E+4	2E+4	Ta-177	7E-06	4E-06	1E+5	1E+4	2E+4
Ta-178	3E-05	3E-06	1E+5	2E+4	7E+4	Ta-178	3E-05	3E-06	1E+5	2E+4	7E+4
Ta-179	4E-07	1E-06	7E+4	2E+4	9E+2	Ta-179	4E-07	1E-06	7E+4	2E+4	9E+2
Ta-180m	2E-05	9E-06	3E+5	2E+4	6E+4	Ta-180m	2E-05	9E-06	3E+5	2E+4	6E+4
Ta-180	1E-08	4E-08	1E+3	1E+3	20	Ta-180	1E-08	4E-08	1E+3	1E+3	20

91

91

10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi	
uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation
Ta-182m <sup>38</sup>	2E-04	6E-06	2E+5	2E+5	4E+5	Ta-182m <sup>38</sup>	2E-04	6E-06	2E+5	2E+5	4E+5
Ta-182	6E-08	7E-08	2E+3	8E+2	1E+2	Ta-182	6E-08	7E-08	2E+3	8E+2	1E+2
Ta-183	4E-07	2E-07	1E+4	9E+2	1E+3	Ta-183	4E-07	2E-07	1E+4	9E+2	1E+3
Ta-184	2E-06	8E-07	3E+4	2E+3	5E+3	Ta-184	2E-06	8E-07	3E+4	2E+3	5E+3
Ta-185 <sup>38</sup>	3E-05	5E-06	1E+5	3E+4	6E+4	Ta-185 <sup>38</sup>	3E-05	5E-06	1E+5	3E+4	6E+4
Ta-186 <sup>38</sup>	9E-05	7E-06	2E+5	5E+4	2E+5	Ta-186 <sup>38</sup>	9E-05	7E-06	2E+5	5E+4	2E+5
W-176	2E-05	3E-06	1E+5	1E+4	5E+4	W-176	2E-05	3E-06	1E+5	1E+4	5E+4
W-177	4E-05	5E-06	2E+5	2E+4	9E+4	W-177	4E-05	5E-06	2E+5	2E+4	9E+4
W-178	8E-06	3E-06	1E+5	5E+3	2E+4	W-178	8E-06	3E-06	1E+5	5E+3	2E+4
W-179 <sup>38</sup>	7E-04	1E-04	5E+6	5E+5	2E+6	W-179 <sup>38</sup>	7E-04	1E-04	5E+6	5E+5	2E+6
W-181	1E-05	1E-05	4E+5	2E+4	3E+4	W-181	1E-05	1E-05	4E+5	2E+4	3E+4
W-185	3E-06	2E-06	9E+4	2E+3	7E+3	W-185	3E-06	2E-06	9E+4	2E+3	7E+3
W-187	4E-06	1E-06	5E+4	2E+3	9E+3	W-187	4E-06	1E-06	5E+4	2E+3	9E+3
W-188	5E-07	6E-07	2E+4	4E+2	2E+3	W-188	5E-07	6E-07	2E+4	4E+2	2E+3
Re-177 <sup>38</sup>	1E-04	1E-05	4E+5	9E+4	3E+5	Re-177 <sup>38</sup>	1E-04	1E-05	4E+5	9E+4	3E+5
Re-178 <sup>38</sup>	1E-04	1E-05	3E+5	7E+4	3E+5	Re-178 <sup>38</sup>	1E-04	1E-05	3E+5	7E+4	3E+5
Re-181	4E-06	1E-06	4E+4	5E+3	8E+3	Re-181	4E-06	1E-06	4E+4	5E+3	8E+3
Re-182 <sup>26</sup>	9E-07	3E-07	1E+4	1E+3	1E+4	Re-182 <sup>26</sup>	9E-07	3E-07	1E+4	1E+3	1E+4
Re-182 <sup>27</sup>	5E-06	1E-06	4E+4	1E+3	2E+3	Re-182 <sup>27</sup>	5E-06	1E-06	4E+4	1E+3	2E+3
Re-184m	2E-07	1E-07	4E+3	2E+3	4E+2	Re-184m	2E-07	1E-07	4E+3	2E+3	4E+2
Re-184	6E-07	3E-07	1E+4	2E+3	2E+3	Re-184	6E-07	3E-07	1E+4	2E+3	2E+3
Re-186m	6E-08	7E-08	2E+3	1E+3	2E+2	Re-186m	6E-08	7E-08	2E+3	1E+3	2E+2
Re-186	7E-07	4E-07	1E+4	2E+3	2E+3	Re-186	7E-07	4E-07	1E+4	2E+3	2E+3
Re-187	4E-05	1E-04	4E+6	6E+5	1E+5	Re-187	4E-05	1E-04	4E+6	6E+5	1E+5
Re-188m	6E-05	2E-05	1E+6	8E+4	1E+5	Re-188m	6E-05	2E-05	1E+6	8E+4	1E+5
Re-188	2E-06	7E-07	2E+4	2E+3	3E+3	Re-188	2E-06	7E-07	2E+4	2E+3	3E+3
Re-189	2E-06	9E-07	3E+4	3E+3	4E+3	Re-189	2E-06	9E-07	3E+4	3E+3	4E+3
Os-180 <sup>38</sup>	2E-04	1E-05	3E+5	1E+5	4E+5	Os-180 <sup>38</sup>	2E-04	1E-05	3E+5	1E+5	4E+5
Os-181 <sup>38</sup>	2E-05	3E-06	1E+5	1E+4	4E+4	Os-181 <sup>38</sup>	2E-05	3E-06	1E+5	1E+4	4E+4
Os-182	2E-06	9E-07	3E+4	2E+3	4E+3	Os-182	2E-06	9E-07	3E+4	2E+3	4E+3

92

92

10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi	
uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation
Ta-182m <sup>38</sup>	2E-04	6E-06	2E+5	2E+5	4E+5	Ta-182m <sup>38</sup>	2E-04	6E-06	2E+5	2E+5	4E+5
Ta-182	6E-08	7E-08	2E+3	8E+2	1E+2	Ta-182	6E-08	7E-08	2E+3	8E+2	1E+2
Ta-183	4E-07	2E-07	1E+4	9E+2	1E+3	Ta-183	4E-07	2E-07	1E+4	9E+2	1E+3
Ta-184	2E-06	8E-07	3E+4	2E+3	5E+3	Ta-184	2E-06	8E-07	3E+4	2E+3	5E+3
Ta-185 <sup>38</sup>	3E-05	5E-06	1E+5	3E+4	6E+4	Ta-185 <sup>38</sup>	3E-05	5E-06	1E+5	3E+4	6E+4
Ta-186 <sup>38</sup>	9E-05	7E-06	2E+5	5E+4	2E+5	Ta-186 <sup>38</sup>	9E-05	7E-06	2E+5	5E+4	2E+5
W-176	2E-05	3E-06	1E+5	1E+4	5E+4	W-176	2E-05	3E-06	1E+5	1E+4	5E+4
W-177	4E-05	5E-06	2E+5	2E+4	9E+4	W-177	4E-05	5E-06	2E+5	2E+4	9E+4
W-178	8E-06	3E-06	1E+5	5E+3	2E+4	W-178	8E-06	3E-06	1E+5	5E+3	2E+4
W-179 <sup>38</sup>	7E-04	1E-04	5E+6	5E+5	2E+6	W-179 <sup>38</sup>	7E-04	1E-04	5E+6	5E+5	2E+6
W-181	1E-05	1E-05	4E+5	2E+4	3E+4	W-181	1E-05	1E-05	4E+5	2E+4	3E+4
W-185	3E-06	2E-06	9E+4	2E+3	7E+3	W-185	3E-06	2E-06	9E+4	2E+3	7E+3
W-187	4E-06	1E-06	5E+4	2E+3	9E+3	W-187	4E-06	1E-06	5E+4	2E+3	9E+3
W-188	5E-07	6E-07	2E+4	4E+2	2E+3	W-188	5E-07	6E-07	2E+4	4E+2	2E+3
Re-177 <sup>38</sup>	1E-04	1E-05	4E+5	9E+4	3E+5	Re-177 <sup>38</sup>	1E-04	1E-05	4E+5	9E+4	3E+5
Re-178 <sup>38</sup>	1E-04	1E-05	3E+5	7E+4	3E+5	Re-178 <sup>38</sup>	1E-04	1E-05	3E+5	7E+4	3E+5
Re-181	4E-06	1E-06	4E+4	5E+3	8E+3	Re-181	4E-06	1E-06	4E+4	5E+3	8E+3
Re-182 <sup>26</sup>	9E-07	3E-07	1E+4	1E+3	1E+4	Re-182 <sup>26</sup>	9E-07	3E-07	1E+4	1E+3	1E+4
Re-182 <sup>27</sup>	5E-06	1E-06	4E+4	1E+3	2E+3	Re-182 <sup>27</sup>	5E-06	1E-06	4E+4	1E+3	2E+3
Re-184m	2E-07	1E-07	4E+3	2E+3	4E+2	Re-184m	2E-07	1E-07	4E+3	2E+3	4E+2
Re-184	6E-07	3E-07	1E+4	2E+3	2E+3	Re-184	6E-07	3E-07	1E+4	2E+3	2E+3
Re-186m	6E-08	7E-08	2E+3	1E+3	2E+2	Re-186m	6E-08	7E-08	2E+3	1E+3	2E+2
Re-186	7E-07	4E-07	1E+4	2E+3	2E+3	Re-186	7E-07	4E-07	1E+4	2E+3	2E+3
Re-187	4E-05	1E-04	4E+6	6E+5	1E+5	Re-187	4E-05	1E-04	4E+6	6E+5	1E+5
Re-188m	6E-05	2E-05	1E+6	8E+4	1E+5	Re-188m	6E-05	2E-05	1E+6	8E+4	1E+5
Re-188	2E-06	7E-07	2E+4	2E+3	3E+3	Re-188	2E-06	7E-07	2E+4	2E+3	3E+3
Re-189	2E-06	9E-07	3E+4	3E+3	4E+3	Re-189	2E-06	9E-07	3E+4	3E+3	4E+3
Os-180 <sup>38</sup>	2E-04	1E-05	3E+5	1E+5	4E+5	Os-180 <sup>38</sup>	2E-04	1E-05	3E+5	1E+5	4E+5
Os-181 <sup>38</sup>	2E-05	3E-06	1E+5	1E+4	4E+4	Os-181 <sup>38</sup>	2E-05	3E-06	1E+5	1E+4	4E+4
Os-182	2E-06	9E-07	3E+4	2E+3	4E+3	Os-182	2E-06	9E-07	3E+4	2E+3	4E+3

92

92

10CFR20 DAC			10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC			10CFR835 DAC		10CFR20 ALIs uCi	
	uCi/mL	uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation		uCi/mL	uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation		
Os-185	2E-07	4E-07	1E+4	2E+3	5E+2	Os-185	2E-07	4E-07	1E+4	2E+3	5E+2		
Os-189m	7E-05	7E-05	2E+6	8E+4	2E+5	Os-189m	7E-05	7E-05	2E+6	8E+4	2E+5		
Os-191m	7E-06	4E-06	1E+5	1E+4	2E+4	Os-191m	7E-06	4E-06	1E+5	1E+4	2E+4		
Os-191	6E-07	3E-07	1E+4	2E+3	1E+3	Os-191	6E-07	3E-07	1E+4	2E+3	1E+3		
Os-193	1E-06	8E-07	3E+4	2E+3	3E+3	Os-193	1E-06	8E-07	3E+4	2E+3	3E+3		
Os-194	3E-09	1E-08	4E+2	4E+2	8	Os-194	3E-09	1E-08	4E+2	4E+2	8		
Ir-182 <sup>38</sup>	5E-05	7E-06	2E+5	4E+4	1E+5	Ir-182 <sup>38</sup>	5E-05	7E-06	2E+5	4E+4	1E+5		
Ir-184	1E-05	1E-06	6E+4	8E+3	2E+4	Ir-184	1E-05	1E-06	6E+4	8E+3	2E+4		
Ir-185	4E-06	1E-06	7E+4	5E+3	1E+4	Ir-185	4E-06	1E-06	7E+4	5E+3	1E+4		
Ir-186 <sup>28</sup>	X	7E-07	2E+4	X	X	Ir-186 <sup>28</sup>	X	7E-07	2E+4	X	X		
Ir-186 <sup>29</sup>	X	4E-06	1E+5	X	X	Ir-186 <sup>29</sup>	X	4E-06	1E+5	X	X		
Ir-186	2E-06	X	X	2E+3	6E+3	Ir-186	2E-06	X	X	2E+3	6E+3		
Ir-187	1E-05	3E-06	1E+5	1E+4	3E+4	Ir-187	1E-05	3E-06	1E+5	1E+4	3E+4		
Ir-188	1E-06	6E-07	2E+4	2E+3	3E+3	Ir-188	1E-06	6E-07	2E+4	2E+3	3E+3		
Ir-189	1E-06	1E-06	4E+4	5E+3	4E+3	Ir-189	1E-06	1E-06	4E+4	5E+3	4E+3		
Ir-190m <sup>38</sup>	8E-05	X	X	2E+5	2E+5	Ir-190m <sup>38</sup>	8E-05	X	X	2E+5	2E+5		
Ir-190m <sup>30</sup>	X	2E-06	7E+4	X	X	Ir-190m <sup>30</sup>	X	2E-06	7E+4	X	X		
Ir-190m <sup>31</sup>	X	5E-05	1E+6	X	X	Ir-190m <sup>31</sup>	X	5E-05	1E+6	X	X		
Ir-190	4E-07	2E-07	8E+3	1E+3	9E+2	Ir-190	4E-07	2E-07	8E+3	1E+3	9E+2		
Ir-192m	6E-09	1E-07	1E+3	3E+3	90	Ir-192m	6E-09	1E-07	1E+3	3E+3	90		
Ir-192	9E-08	1E-07	4E+3	3E+2	2E+2	Ir-192	9E-08	1E-07	4E+3	3E+2	2E+2		
Ir-194m	3E-08	8E-08	2E+3	6E+2	90	Ir-194m	3E-08	8E-08	2E+3	6E+2	90		
Ir-194	8E-07	7E-07	2E+4	1E+3	2E+3	Ir-194	8E-07	7E-07	2E+4	1E+3	2E+3		
Ir-195m	9E-06	2E-06	7E+4	8E+2	2E+4	Ir-195m	9E-06	2E-06	7E+4	8E+2	2E+4		
Ir-195	2E-05	4E-06	1E+5	1E+4	4E+4	Ir-195	2E-05	4E-06	1E+5	1E+4	4E+4		
Pt-186	2E-05	3E-06	1E+5	1E+4	4E+4	Pt-186	2E-05	3E-06	1E+5	1E+4	4E+4		
Pt-188	7E-07	8E-07	3E+4	2E+3	2E+3	Pt-188	7E-07	8E-07	3E+4	2E+3	2E+3		
Pt-189	1E-05	3E-06	1E+5	1E+4	3E+4	Pt-189	1E-05	3E-06	1E+5	1E+4	3E+4		
Pt-191	4E-06	1E-06	7E+4	4E+3	8E+3	Pt-191	4E-06	1E-06	7E+4	4E+3	8E+3		
Pt-193m	3E-06	2E-06	8E+4	3E+3	6E+3	Pt-193m	3E-06	2E-06	8E+4	3E+3	6E+3		

93

93

10CFR20 DAC			10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC			10CFR835 DAC		10CFR20 ALIs uCi	
	uCi/mL	uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation		uCi/mL	uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation		
Os-185	2E-07	4E-07	1E+4	2E+3	5E+2	Os-185	2E-07	4E-07	1E+4	2E+3	5E+2		
Os-189m	7E-05	7E-05	2E+6	8E+4	2E+5	Os-189m	7E-05	7E-05	2E+6	8E+4	2E+5		
Os-191m	7E-06	4E-06	1E+5	1E+4	2E+4	Os-191m	7E-06	4E-06	1E+5	1E+4	2E+4		
Os-191	6E-07	3E-07	1E+4	2E+3	1E+3	Os-191	6E-07	3E-07	1E+4	2E+3	1E+3		
Os-193	1E-06	8E-07	3E+4	2E+3	3E+3	Os-193	1E-06	8E-07	3E+4	2E+3	3E+3		
Os-194	3E-09	1E-08	4E+2	4E+2	8	Os-194	3E-09	1E-08	4E+2	4E+2	8		
Ir-182 <sup>38</sup>	5E-05	7E-06	2E+5	4E+4	1E+5	Ir-182 <sup>38</sup>	5E-05	7E-06	2E+5	4E+4	1E+5		
Ir-184	1E-05	1E-06	6E+4	8E+3	2E+4	Ir-184	1E-05	1E-06	6E+4	8E+3	2E+4		
Ir-185	4E-06	1E-06	7E+4	5E+3	1E+4	Ir-185	4E-06	1E-06	7E+4	5E+3	1E+4		
Ir-186 <sup>28</sup>	X	7E-07	2E+4	X	X	Ir-186 <sup>28</sup>	X	7E-07	2E+4	X	X		
Ir-186 <sup>29</sup>	X	4E-06	1E+5	X	X	Ir-186 <sup>29</sup>	X	4E-06	1E+5	X	X		
Ir-186	2E-06	X	X	2E+3	6E+3	Ir-186	2E-06	X	X	2E+3	6E+3		
Ir-187	1E-05	3E-06	1E+5	1E+4	3E+4	Ir-187	1E-05	3E-06	1E+5	1E+4	3E+4		
Ir-188	1E-06	6E-07	2E+4	2E+3	3E+3	Ir-188	1E-06	6E-07	2E+4	2E+3	3E+3		
Ir-189	1E-06	1E-06	4E+4	5E+3	4E+3	Ir-189	1E-06	1E-06	4E+4	5E+3	4E+3		
Ir-190m <sup>38</sup>	8E-05	X	X	2E+5	2E+5	Ir-190m <sup>38</sup>	8E-05	X	X	2E+5	2E+5		
Ir-190m <sup>30</sup>	X	2E-06	7E+4	X	X	Ir-190m <sup>30</sup>	X	2E-06	7E+4	X	X		
Ir-190m <sup>31</sup>	X	5E-05	1E+6	X	X	Ir-190m <sup>31</sup>	X	5E-05	1E+6	X	X		
Ir-190	4E-07	2E-07	8E+3	1E+3	9E+2	Ir-190	4E-07	2E-07	8E+3	1E+3	9E+2		
Ir-192m	6E-09	1E-07	1E+3	3E+3	90	Ir-192m	6E-09	1E-07	1E+3	3E+3	90		
Ir-192	9E-08	1E-07	4E+3	3E+2	2E+2	Ir-192	9E-08	1E-07	4E+3	3E+2	2E+2		
Ir-194m	3E-08	8E-08	2E+3	6E+2	90	Ir-194m	3E-08	8E-08	2E+3	6E+2	90		
Ir-194	8E-07	7E-07	2E+4	1E+3	2E+3	Ir-194	8E-07	7E-07	2E+4	1E+3	2E+3		
Ir-195m	9E-06	2E-06	7E+4	8E+2	2E+4	Ir-195m	9E-06	2E-06	7E+4	8E+2	2E+4		
Ir-195	2E-05	4E-06	1E+5	1E+4	4E+4	Ir-195	2E-05	4E-06	1E+5	1E+4	4E+4		
Pt-186	2E-05	3E-06	1E+5	1E+4	4E+4	Pt-186	2E-05	3E-06	1E+5	1E+4	4E+4		
Pt-188	7E-07	8E-07	3E+4	2E+3	2E+3	Pt-188	7E-07	8E-07	3E+4	2E+3	2E+3		
Pt-189	1E-05	3E-06	1E+5	1E+4	3E+4	Pt-189	1E-05	3E-06	1E+5	1E+4	3E+4		
Pt-191	4E-06	1E-06	7E+4	4E+3	8E+3	Pt-191	4E-06	1E-06	7E+4	4E+3	8E+3		
Pt-193m	3E-06	2E-06	8E+4	3E+3	6E+3	Pt-193m	3E-06	2E-06	8E+4	3E+3	6E+3		

93

93

10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi	
uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation
Pt-193	1E-05	2E-05	7E+5	4E+4	2E+4	Pt-193	1E-05	2E-05	7E+5	4E+4	2E+4
Pt-195m	2E-06	1E-06	5E+4	2E+3	4E+3	Pt-195m	2E-06	1E-06	5E+4	2E+3	4E+3
Pt-197m <sup>38</sup>	2E-05	7E-06	2E+5	2E+4	4E+4	Pt-197m <sup>38</sup>	2E-05	7E-06	2E+5	2E+4	4E+4
Pt-197	4E-06	3E-06	1E+5	3E+3	1E+4	Pt-197	4E-06	3E-06	1E+5	3E+3	1E+4
Pt-199 <sup>38</sup>	6E-05	1E-05	4E+5	5E+4	1E+5	Pt-199 <sup>38</sup>	6E-05	1E-05	4E+5	5E+4	1E+5
Pt-200	1E-06	1E-06	5E+4	1E+3	3E+3	Pt-200	1E-06	1E-06	5E+4	1E+3	3E+3
Au-193	8E-06	3E-06	1E+5	9E+3	2E+4	Au-193	8E-06	3E-06	1E+5	9E+3	2E+4
Au-194	2E-06	9E-07	3E+4	3E+3	5E+3	Au-194	2E-06	9E-07	3E+4	3E+3	5E+3
Au-195	2E-07	4E-07	1E+4	5E+3	4E+2	Au-195	2E-07	4E-07	1E+4	5E+3	4E+2
Au-198m	5E-07	2E-07	1E+4	1E+3	1E+3	Au-198m	5E-07	2E-07	1E+4	1E+3	1E+3
Au-198	7E-07	5E-07	1E+4	1E+3	2E+3	Au-198	7E-07	5E-07	1E+4	1E+3	2E+3
Au-199	2E-06	7E-07	2E+4	3E+3	4E+3	Au-199	2E-06	7E-07	2E+4	3E+3	4E+3
Au-200m	1E-06	4E-07	1E+4	1E+3	3E+3	Au-200m	1E-06	4E-07	1E+4	1E+3	3E+3
Au-200	3E-05	7E-06	2E+5	3E+4	6E+4	Au-200	3E-05	7E-06	2E+5	3E+4	6E+4
Au-201	9E-05	9E-06	3E+5	7E+4	2E+5	Au-201	9E-05	9E-06	3E+5	7E+4	2E+5
Hg-193m <sup>32</sup>	5E-06	1E-06	4E+4	4E+3	1E+4	Hg-193m <sup>32</sup>	5E-06	1E-06	4E+4	4E+3	1E+4
Hg-193m	3E-06	1E-06	4E+4	3E+3	8E+3	Hg-193m	3E-06	1E-06	4E+4	3E+3	8E+3
Hg-193m <sup>10</sup>	4E-06	1E-07	6E+3	X	8E+3	Hg-193m <sup>10</sup>	4E-06	1E-07	6E+3	X	8E+3
Hg-193 <sup>32</sup>	3E-05	5E-06	1E+5	2E+4	6E+4	Hg-193 <sup>32</sup>	3E-05	5E-06	1E+5	2E+4	6E+4
Hg-193	2E-05	4E-06	1E+5	2E+4	4E+4	Hg-193	2E-05	4E-06	1E+5	2E+4	4E+4
Hg-193 <sup>10</sup>	1E-05	5E-07	1E+4	X	3E+4	Hg-193 <sup>10</sup>	1E-05	5E-07	1E+4	X	3E+4
Hg-194 <sup>32</sup>	1E-08	2E-08	1E+3	20	30	Hg-194 <sup>32</sup>	1E-08	2E-08	1E+3	20	30
Hg-194	2E-05	3E-08	1E+3	8E+2	40	Hg-194	2E-05	3E-08	1E+3	8E+2	40
Hg-194 <sup>10</sup>	1E-08	1E-08	5E+2	X	30	Hg-194 <sup>10</sup>	1E-08	1E-08	5E+2	X	30
Hg-195m <sup>32</sup>	3E-06	1E-06	5E+4	3E+3	6E+3	Hg-195m <sup>32</sup>	3E-06	1E-06	5E+4	3E+3	6E+3
Hg-195m	2E-06	8E-07	3E+4	2E+3	4E+3	Hg-195m	2E-06	8E-07	3E+4	2E+3	4E+3
Hg-195m <sup>10</sup>	2E-06	6E-08	2E+3	X	4E+3	Hg-195m <sup>10</sup>	2E-06	6E-08	2E+3	X	4E+3
Hg-195 <sup>32</sup>	2E-05	6E-06	2E+5	2E+4	5E+4	Hg-195 <sup>32</sup>	2E-05	6E-06	2E+5	2E+4	5E+4
Hg-195	1E-05	6E-06	2E+5	1E+4	3E+4	Hg-195	1E-05	6E-06	2E+5	1E+4	3E+4
Hg-195 <sup>10</sup>	1E-05	4E-07	1E+4	X	3E+4	Hg-195 <sup>10</sup>	1E-05	4E-07	1E+4	X	3E+4

94

94

10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi	
uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation
Pt-193	1E-05	2E-05	7E+5	4E+4	2E+4	Pt-193	1E-05	2E-05	7E+5	4E+4	2E+4
Pt-195m	2E-06	1E-06	5E+4	2E+3	4E+3	Pt-195m	2E-06	1E-06	5E+4	2E+3	4E+3
Pt-197m <sup>38</sup>	2E-05	7E-06	2E+5	2E+4	4E+4	Pt-197m <sup>38</sup>	2E-05	7E-06	2E+5	2E+4	4E+4
Pt-197	4E-06	3E-06	1E+5	3E+3	1E+4	Pt-197	4E-06	3E-06	1E+5	3E+3	1E+4
Pt-199 <sup>38</sup>	6E-05	1E-05	4E+5	5E+4	1E+5	Pt-199 <sup>38</sup>	6E-05	1E-05	4E+5	5E+4	1E+5
Pt-200	1E-06	1E-06	5E+4	1E+3	3E+3	Pt-200	1E-06	1E-06	5E+4	1E+3	3E+3
Au-193	8E-06	3E-06	1E+5	9E+3	2E+4	Au-193	8E-06	3E-06	1E+5	9E+3	2E+4
Au-194	2E-06	9E-07	3E+4	3E+3	5E+3	Au-194	2E-06	9E-07	3E+4	3E+3	5E+3
Au-195	2E-07	4E-07	1E+4	5E+3	4E+2	Au-195	2E-07	4E-07	1E+4	5E+3	4E+2
Au-198m	5E-07	2E-07	1E+4	1E+3	1E+3	Au-198m	5E-07	2E-07	1E+4	1E+3	1E+3
Au-198	7E-07	5E-07	1E+4	1E+3	2E+3	Au-198	7E-07	5E-07	1E+4	1E+3	2E+3
Au-199	2E-06	7E-07	2E+4	3E+3	4E+3	Au-199	2E-06	7E-07	2E+4	3E+3	4E+3
Au-200m	1E-06	4E-07	1E+4	1E+3	3E+3	Au-200m	1E-06	4E-07	1E+4	1E+3	3E+3
Au-200	3E-05	7E-06	2E+5	3E+4	6E+4	Au-200	3E-05	7E-06	2E+5	3E+4	6E+4
Au-201	9E-05	9E-06	3E+5	7E+4	2E+5	Au-201	9E-05	9E-06	3E+5	7E+4	2E+5
Hg-193m <sup>32</sup>	5E-06	1E-06	4E+4	4E+3	1E+4	Hg-193m <sup>32</sup>	5E-06	1E-06	4E+4	4E+3	1E+4
Hg-193m	3E-06	1E-06	4E+4	3E+3	8E+3	Hg-193m	3E-06	1E-06	4E+4	3E+3	8E+3
Hg-193m <sup>10</sup>	4E-06	1E-07	6E+3	X	8E+3	Hg-193m <sup>10</sup>	4E-06	1E-07	6E+3	X	8E+3
Hg-193 <sup>32</sup>	3E-05	5E-06	1E+5	2E+4	6E+4	Hg-193 <sup>32</sup>	3E-05	5E-06	1E+5	2E+4	6E+4
Hg-193	2E-05	4E-06	1E+5	2E+4	4E+4	Hg-193	2E-05	4E-06	1E+5	2E+4	4E+4
Hg-193 <sup>10</sup>	1E-05	5E-07	1E+4	X	3E+4	Hg-193 <sup>10</sup>	1E-05	5E-07	1E+4	X	3E+4
Hg-194 <sup>32</sup>	1E-08	2E-08	1E+3	20	30	Hg-194 <sup>32</sup>	1E-08	2E-08	1E+3	20	30
Hg-194	2E-05	3E-08	1E+3	8E+2	40	Hg-194	2E-05	3E-08	1E+3	8E+2	40
Hg-194 <sup>10</sup>	1E-08	1E-08	5E+2	X	30	Hg-194 <sup>10</sup>	1E-08	1E-08	5E+2	X	30
Hg-195m <sup>32</sup>	3E-06	1E-06	5E+4	3E+3	6E+3	Hg-195m <sup>32</sup>	3E-06	1E-06	5E+4	3E+3	6E+3
Hg-195m	2E-06	8E-07	3E+4	2E+3	4E+3	Hg-195m	2E-06	8E-07	3E+4	2E+3	4E+3
Hg-195m <sup>10</sup>	2E-06	6E-08	2E+3	X	4E+3	Hg-195m <sup>10</sup>	2E-06	6E-08	2E+3	X	4E+3
Hg-195 <sup>32</sup>	2E-05	6E-06	2E+5	2E+4	5E+4	Hg-195 <sup>32</sup>	2E-05	6E-06	2E+5	2E+4	5E+4
Hg-195	1E-05	6E-06	2E+5	1E+4	3E+4	Hg-195	1E-05	6E-06	2E+5	1E+4	3E+4
Hg-195 <sup>10</sup>	1E-05	4E-07	1E+4	X	3E+4	Hg-195 <sup>10</sup>	1E-05	4E-07	1E+4	X	3E+4

94

94

10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi	
uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation
Hg-197m <sup>32</sup>	4E-06	1E-06	5E+4	4E+3	9E+3	Hg-197m <sup>32</sup>	4E-06	1E-06	5E+4	4E+3	9E+3
Hg-197m	2E-06	8E-07	3E+4	3E+3	5E+3	Hg-197m	2E-06	8E-07	3E+4	3E+3	5E+3
Hg-197m <sup>10</sup>	2E-06	9E-08	3E+3	X	5E+3	Hg-197m <sup>10</sup>	2E-06	9E-08	3E+3	X	5E+3
Hg-197 <sup>32</sup>	6E-06	4E-06	1E+5	7E+3	1E+4	Hg-197 <sup>32</sup>	6E-06	4E-06	1E+5	7E+3	1E+4
Hg-197	4E-06	2E-06	7E+4	6E+3	9E+3	Hg-197	4E-06	2E-06	7E+4	6E+3	9E+3
Hg-197 <sup>10</sup>	4E-06	1E-07	4E+3	X	8E+3	Hg-197 <sup>10</sup>	4E-06	1E-07	4E+3	X	8E+3
Hg-199m <sup>32</sup>	7E-05	8E-06	3E+5	6E+4	2E+5	Hg-199m <sup>32</sup>	7E-05	8E-06	3E+5	6E+4	2E+5
Hg-199m <sup>38</sup>	6E-05	5E-06	1E+5	6E+4	1E+5	Hg-199m <sup>38</sup>	6E-05	5E-06	1E+5	6E+4	1E+5
Hg-199m <sup>10</sup>	3E-05	3E-06	1E+5	X	8E+4	Hg-199m <sup>10</sup>	3E-05	3E-06	1E+5	X	8E+4
Hg-203 <sup>32</sup>	3E-07	7E-07	2E+4	5E+2	8E+2	Hg-203 <sup>32</sup>	3E-07	7E-07	2E+4	5E+2	8E+2
Hg-203	5E-07	2E-07	1E+4	2E+3	1E+3	Hg-203	5E-07	2E-07	1E+4	2E+3	1E+3
Hg-203 <sup>10</sup>	4E-07	8E-08	2E+3	X	8E+2	Hg-203 <sup>10</sup>	4E-07	8E-08	2E+3	X	8E+2
Tl-194m <sup>38</sup>	6E-05	5E-06	2E+5	5E+4	2E+5	Tl-194m <sup>38</sup>	6E-05	5E-06	2E+5	5E+4	2E+5
Tl-194 <sup>38</sup>	2E-04	2E-05	8E+5	3E+5	6E+5	Tl-194 <sup>38</sup>	2E-04	2E-05	8E+5	3E+5	6E+5
Tl-195 <sup>38</sup>	5E-05	6E-06	2E+5	6E+4	1E+5	Tl-195 <sup>38</sup>	5E-05	6E-06	2E+5	6E+4	1E+5
Tl-197	5E-05	8E-06	2E+5	7E+4	1E+5	Tl-197	5E-05	8E-06	2E+5	7E+4	1E+5
Tl-198m <sup>38</sup>	2E-05	2E-06	9E+4	3E+4	5E+4	Tl-198m <sup>38</sup>	2E-05	2E-06	9E+4	3E+4	5E+4
Tl-198	1E-05	1E-06	5E+4	2E+4	3E+4	Tl-198	1E-05	1E-06	5E+4	2E+4	3E+4
Tl-199	4E-05	5E-06	2E+5	6E+4	8E+4	Tl-199	4E-05	5E-06	2E+5	6E+4	8E+4
Tl-200	5E-06	8E-07	3E+4	8E+3	1E+4	Tl-200	5E-06	8E-07	3E+4	8E+3	1E+4
Tl-201	9E-06	4E-06	1E+5	2E+4	2E+4	Tl-201	9E-06	4E-06	1E+5	2E+4	2E+4
Tl-202	2E-06	1E-06	5E+4	4E+3	5E+3	Tl-202	2E-06	1E-06	5E+4	4E+3	5E+3
Tl-204	9E-07	9E-07	3E+4	2E+3	2E+3	Tl-204	9E-07	9E-07	3E+4	2E+3	2E+3
Pb-195m <sup>38</sup>	8E-05	7E-06	2E+5	6E+4	2E+5	Pb-195m <sup>38</sup>	8E-05	7E-06	2E+5	6E+4	2E+5
Pb-198	3E-05	2E-06	9E+4	3E+4	6E+4	Pb-198	3E-05	2E-06	9E+4	3E+4	6E+4
Pb-199 <sup>38</sup>	3E-05	4E-06	1E+5	2E+4	7E+4	Pb-199 <sup>38</sup>	3E-05	4E-06	1E+5	2E+4	7E+4
Pb-200	3E-06	1E-06	4E+4	3E+3	6E+3	Pb-200	3E-06	1E-06	4E+4	3E+3	6E+3
Pb-201	8E-06	2E-06	7E+4	7E+3	2E+4	Pb-201	8E-06	2E-06	7E+4	7E+3	2E+4
Pb-202m	1E-05	1E-06	6E+4	9E+3	3E+4	Pb-202m	1E-05	1E-06	6E+4	9E+3	3E+4
Pb-202	2E-08	4E-08	1E+3	1E+2	50	Pb-202	2E-08	4E-08	1E+3	1E+2	50

95

95

10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi	
uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation
Hg-197m <sup>32</sup>	4E-06	1E-06	5E+4	4E+3	9E+3	Hg-197m <sup>32</sup>	4E-06	1E-06	5E+4	4E+3	9E+3
Hg-197m	2E-06	8E-07	3E+4	3E+3	5E+3	Hg-197m	2E-06	8E-07	3E+4	3E+3	5E+3
Hg-197m <sup>10</sup>	2E-06	9E-08	3E+3	X	5E+3	Hg-197m <sup>10</sup>	2E-06	9E-08	3E+3	X	5E+3
Hg-197 <sup>32</sup>	6E-06	4E-06	1E+5	7E+3	1E+4	Hg-197 <sup>32</sup>	6E-06	4E-06	1E+5	7E+3	1E+4
Hg-197	4E-06	2E-06	7E+4	6E+3	9E+3	Hg-197	4E-06	2E-06	7E+4	6E+3	9E+3
Hg-197 <sup>10</sup>	4E-06	1E-07	4E+3	X	8E+3	Hg-197 <sup>10</sup>	4E-06	1E-07	4E+3	X	8E+3
Hg-199m <sup>32</sup>	7E-05	8E-06	3E+5	6E+4	2E+5	Hg-199m <sup>32</sup>	7E-05	8E-06	3E+5	6E+4	2E+5
Hg-199m <sup>38</sup>	6E-05	5E-06	1E+5	6E+4	1E+5	Hg-199m <sup>38</sup>	6E-05	5E-06	1E+5	6E+4	1E+5
Hg-199m <sup>10</sup>	3E-05	3E-06	1E+5	X	8E+4	Hg-199m <sup>10</sup>	3E-05	3E-06	1E+5	X	8E+4
Hg-203 <sup>32</sup>	3E-07	7E-07	2E+4	5E+2	8E+2	Hg-203 <sup>32</sup>	3E-07	7E-07	2E+4	5E+2	8E+2
Hg-203	5E-07	2E-07	1E+4	2E+3	1E+3	Hg-203	5E-07	2E-07	1E+4	2E+3	1E+3
Hg-203 <sup>10</sup>	4E-07	8E-08	2E+3	X	8E+2	Hg-203 <sup>10</sup>	4E-07	8E-08	2E+3	X	8E+2
Tl-194m <sup>38</sup>	6E-05	5E-06	2E+5	5E+4	2E+5	Tl-194m <sup>38</sup>	6E-05	5E-06	2E+5	5E+4	2E+5
Tl-194 <sup>38</sup>	2E-04	2E-05	8E+5	3E+5	6E+5	Tl-194 <sup>38</sup>	2E-04	2E-05	8E+5	3E+5	6E+5
Tl-195 <sup>38</sup>	5E-05	6E-06	2E+5	6E+4	1E+5	Tl-195 <sup>38</sup>	5E-05	6E-06	2E+5	6E+4	1E+5
Tl-197	5E-05	8E-06	2E+5	7E+4	1E+5	Tl-197	5E-05	8E-06	2E+5	7E+4	1E+5
Tl-198m <sup>38</sup>	2E-05	2E-06	9E+4	3E+4	5E+4	Tl-198m <sup>38</sup>	2E-05	2E-06	9E+4	3E+4	5E+4
Tl-198	1E-05	1E-06	5E+4	2E+4	3E+4	Tl-198	1E-05	1E-06	5E+4	2E+4	3E+4
Tl-199	4E-05	5E-06	2E+5	6E+4	8E+4	Tl-199	4E-05	5E-06	2E+5	6E+4	8E+4
Tl-200	5E-06	8E-07	3E+4	8E+3	1E+4	Tl-200	5E-06	8E-07	3E+4	8E+3	1E+4
Tl-201	9E-06	4E-06	1E+5	2E+4	2E+4	Tl-201	9E-06	4E-06	1E+5	2E+4	2E+4
Tl-202	2E-06	1E-06	5E+4	4E+3	5E+3	Tl-202	2E-06	1E-06	5E+4	4E+3	5E+3
Tl-204	9E-07	9E-07	3E+4	2E+3	2E+3	Tl-204	9E-07	9E-07	3E+4	2E+3	2E+3
Pb-195m <sup>38</sup>	8E-05	7E-06	2E+5	6E+4	2E+5	Pb-195m <sup>38</sup>	8E-05	7E-06	2E+5	6E+4	2E+5
Pb-198	3E-05	2E-06	9E+4	3E+4	6E+4	Pb-198	3E-05	2E-06	9E+4	3E+4	6E+4
Pb-199 <sup>38</sup>	3E-05	4E-06	1E+5	2E+4	7E+4	Pb-199 <sup>38</sup>	3E-05	4E-06	1E+5	2E+4	7E+4
Pb-200	3E-06	1E-06	4E+4	3E+3	6E+3	Pb-200	3E-06	1E-06	4E+4	3E+3	6E+3
Pb-201	8E-06	2E-06	7E+4	7E+3	2E+4	Pb-201	8E-06	2E-06	7E+4	7E+3	2E+4
Pb-202m	1E-05	1E-06	6E+4	9E+3	3E+4	Pb-202m	1E-05	1E-06	6E+4	9E+3	3E+4
Pb-202	2E-08	4E-08	1E+3	1E+2	50	Pb-202	2E-08	4E-08	1E+3	1E+2	50

95

95

10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs		10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs	
uCi/mL	uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	uCi/mL	uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	uCi/mL	uCi/mL
Pb-203	4E-06	2E-06	7E+4	5E+3	9E+3	Pb-203	4E-06	2E-06	7E+4	5E+3	9E+3
Pb-205	6E-07	9E-07	3E+4	4E+3	1E+3	Pb-205	6E-07	9E-07	3E+4	4E+3	1E+3
Pb-209	2E-05	9E-06	3E+5	2E+4	6E+4	Pb-209	2E-05	9E-06	3E+5	2E+4	6E+4
Pb-210	1E-10	1E-10	5	0.6	0.2	Pb-210	1E-10	1E-10	5	0.6	0.2
Pb-211 <sup>38</sup>	3E-07	4E-08	1E+3	1E+4	6E+2	Pb-211 <sup>38</sup>	3E-07	4E-08	1E+3	1E+4	6E+2
Pb-212	2E-08	5E-09	2E+2	80	30	Pb-212	2E-08	5E-09	2E+2	80	30
Pb-214 <sup>38</sup>	3E-07	4E-08	1E+3	9E+3	8E+2	Pb-214 <sup>38</sup>	3E-07	4E-08	1E+3	9E+3	8E+2
Bi-200 <sup>38</sup>	4E-05	4E-06	1E+5	3E+4	8E+4	Bi-200 <sup>38</sup>	4E-05	4E-06	1E+5	3E+4	8E+4
Bi-201 <sup>38</sup>	1E-05	2E-06	1E+5	1E+4	3E+4	Bi-201 <sup>38</sup>	1E-05	2E-06	1E+5	1E+4	3E+4
Bi-202 <sup>38</sup>	2E-05	2E-06	9E+4	1E+4	4E+4	Bi-202 <sup>38</sup>	2E-05	2E-06	9E+4	1E+4	4E+4
Bi-203	3E-06	7E-07	2E+4	2E+3	6E+3	Bi-203	3E-06	7E-07	2E+4	2E+3	6E+3
Bi-205	5E-07	4E-07	1E+4	1E+3	1E+3	Bi-205	5E-07	4E-07	1E+4	1E+3	1E+3
Bi-206	4E-07	2E-07	8E+3	6E+2	9E+2	Bi-206	4E-07	2E-07	8E+3	6E+2	9E+2
Bi-207	1E-07	1E-07	6E+3	1E+3	4E+2	Bi-207	1E-07	1E-07	6E+3	1E+3	4E+2
Bi-210m	3E-10	2E-10	9	40	0.7	Bi-210m	3E-10	2E-10	9	40	0.7
Bi-210	1E-08	9E-09	3E+2	8E+2	30	Bi-210	1E-08	9E-09	3E+2	8E+2	30
Bi-212 <sup>38</sup>	1E-07	8E-09	3E+2	5E+3	2E+2	Bi-212 <sup>38</sup>	1E-07	8E-09	3E+2	5E+3	2E+2
Bi-213 <sup>38</sup>	1E-07	7E-09	2E+2	7E+3	3E+2	Bi-213 <sup>38</sup>	1E-07	7E-09	2E+2	7E+3	3E+2
Bi-214 <sup>38</sup>	3E-07	1E-08	4E+2	2E+4	8E+2	Bi-214 <sup>38</sup>	3E-07	1E-08	4E+2	2E+4	8E+2
Po-203 <sup>38</sup>	3E-05	4E-06	1E+5	3E+4	6E+4	Po-203 <sup>38</sup>	3E-05	4E-06	1E+5	3E+4	6E+4
Po-205 <sup>38</sup>	2E-05	3E-06	1E+5	2E+4	4E+4	Po-205 <sup>38</sup>	2E-05	3E-06	1E+5	2E+4	4E+4
Po-207	1E-05	1E-06	6E+4	8E+3	3E+4	Po-207	1E-05	1E-06	6E+4	8E+3	3E+4
Po-210	3E-10	2E-10	9	3	0.6	Po-210	3E-10	2E-10	9	3	0.6
At-207 <sup>38</sup>	2E-08	2E-07	1E+4	6E+3	2E+3	At-207 <sup>38</sup>	2E-08	2E-07	1E+4	6E+3	2E+3
At-211	2E-08	5E-09	1E+2	1E+2	50	At-211	2E-08	5E-09	1E+2	1E+2	50
Rn-220 <sup>33</sup>	X	1E-08	6E+2	X	X	Rn-220 <sup>33</sup>	X	1E-08	6E+2	X	X
Rn-220 <sup>34</sup>	7E-06	X	X	X	2E+4	Rn-220 <sup>34</sup>	7E-06	X	X	X	2E+4
Rn-220 <sup>35</sup>	9E-09	X	X	X	20	Rn-220 <sup>35</sup>	9E-09	X	X	X	20
Rn-222 <sup>33</sup>	X	8E-08	3E+3	X	X	Rn-222 <sup>33</sup>	X	8E-08	3E+3	X	X
Rn-222 <sup>34</sup>	4E-06	X	X	X	1E+4	Rn-222 <sup>34</sup>	4E-06	X	X	X	1E+4

96

96

10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs		10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs	
uCi/mL	uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	uCi/mL	uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	uCi/mL	uCi/mL
Pb-203	4E-06	2E-06	7E+4	5E+3	9E+3	Pb-203	4E-06	2E-06	7E+4	5E+3	9E+3
Pb-205	6E-07	9E-07	3E+4	4E+3	1E+3	Pb-205	6E-07	9E-07	3E+4	4E+3	1E+3
Pb-209	2E-05	9E-06	3E+5	2E+4	6E+4	Pb-209	2E-05	9E-06	3E+5	2E+4	6E+4
Pb-210	1E-10	1E-10	5	0.6	0.2	Pb-210	1E-10	1E-10	5	0.6	0.2
Pb-211 <sup>38</sup>	3E-07	4E-08	1E+3	1E+4	6E+2	Pb-211 <sup>38</sup>	3E-07	4E-08	1E+3	1E+4	6E+2
Pb-212	2E-08	5E-09	2E+2	80	30	Pb-212	2E-08	5E-09	2E+2	80	30
Pb-214 <sup>38</sup>	3E-07	4E-08	1E+3	9E+3	8E+2	Pb-214 <sup>38</sup>	3E-07	4E-08	1E+3	9E+3	8E+2
Bi-200 <sup>38</sup>	4E-05	4E-06	1E+5	3E+4	8E+4	Bi-200 <sup>38</sup>	4E-05	4E-06	1E+5	3E+4	8E+4
Bi-201 <sup>38</sup>	1E-05	2E-06	1E+5	1E+4	3E+4	Bi-201 <sup>38</sup>	1E-05	2E-06	1E+5	1E+4	3E+4
Bi-202 <sup>38</sup>	2E-05	2E-06	9E+4	1E+4	4E+4	Bi-202 <sup>38</sup>	2E-05	2E-06	9E+4	1E+4	4E+4
Bi-203	3E-06	7E-07	2E+4	2E+3	6E+3	Bi-203	3E-06	7E-07	2E+4	2E+3	6E+3
Bi-205	5E-07	4E-07	1E+4	1E+3	1E+3	Bi-205	5E-07	4E-07	1E+4	1E+3	1E+3
Bi-206	4E-07	2E-07	8E+3	6E+2	9E+2	Bi-206	4E-07	2E-07	8E+3	6E+2	9E+2
Bi-207	1E-07	1E-07	6E+3	1E+3	4E+2	Bi-207	1E-07	1E-07	6E+3	1E+3	4E+2
Bi-210m	3E-10	2E-10	9	40	0.7	Bi-210m	3E-10	2E-10	9	40	0.7
Bi-210	1E-08	9E-09	3E+2	8E+2	30	Bi-210	1E-08	9E-09	3E+2	8E+2	30
Bi-212 <sup>38</sup>	1E-07	8E-09	3E+2	5E+3	2E+2	Bi-212 <sup>38</sup>	1E-07	8E-09	3E+2	5E+3	2E+2
Bi-213 <sup>38</sup>	1E-07	7E-09	2E+2	7E+3	3E+2	Bi-213 <sup>38</sup>	1E-07	7E-09	2E+2	7E+3	3E+2
Bi-214 <sup>38</sup>	3E-07	1E-08	4E+2	2E+4	8E+2	Bi-214 <sup>38</sup>	3E-07	1E-08	4E+2	2E+4	8E+2
Po-203 <sup>38</sup>	3E-05	4E-06	1E+5	3E+4	6E+4	Po-203 <sup>38</sup>	3E-05	4E-06	1E+5	3E+4	6E+4
Po-205 <sup>38</sup>	2E-05	3E-06	1E+5	2E+4	4E+4	Po-205 <sup>38</sup>	2E-05	3E-06	1E+5	2E+4	4E+4
Po-207	1E-05	1E-06	6E+4	8E+3	3E+4	Po-207	1E-05	1E-06	6E+4	8E+3	3E+4
Po-210	3E-10	2E-10	9	3	0.6	Po-210	3E-10	2E-10	9	3	0.6
At-207 <sup>38</sup>	2E-08	2E-07	1E+4	6E+3	2E+3	At-207 <sup>38</sup>	2E-08	2E-07	1E+4	6E+3	2E+3
At-211	2E-08	5E-09	1E+2	1E+2	50	At-211	2E-08	5E-09	1E+2	1E+2	50
Rn-220 <sup>33</sup>	X	1E-08	6E+2	X	X	Rn-220 <sup>33</sup>	X	1E-08	6E+2	X	X
Rn-220 <sup>34</sup>	7E-06	X	X	X	2E+4	Rn-220 <sup>34</sup>	7E-06	X	X	X	2E+4
Rn-220 <sup>35</sup>	9E-09	X	X	X	20	Rn-220 <sup>35</sup>	9E-09	X	X	X	20
Rn-222 <sup>33</sup>	X	8E-08	3E+3	X	X	Rn-222 <sup>33</sup>	X	8E-08	3E+3	X	X
Rn-222 <sup>34</sup>	4E-06	X	X	X	1E+4	Rn-222 <sup>34</sup>	4E-06	X	X	X	1E+4

96

96

10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi	
	uCi/mL	uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	uCi/mL	uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	
Rn-222 <sup>35</sup>	3E-08	X	X	X	1E+2	Rn-222 <sup>35</sup>	3E-08	X	X	X	1E+2
Fr-222 <sup>38</sup>	2E-07	1E-08	3E+2	2E+3	5E+2	Fr-222 <sup>38</sup>	2E-07	1E-08	3E+2	2E+3	5E+2
Fr-223 <sup>38</sup>	3E-07	4E-07	1E+4	6E+2	8E+2	Fr-223 <sup>38</sup>	3E-07	4E-07	1E+4	6E+2	8E+2
Ra-223	3E-10	9E-11	3	50	0.7	Ra-223	3E-10	9E-11	3	50	0.7
Ra-224	7E-10	2E-10	8	8	2	Ra-224	7E-10	2E-10	8	8	2
Ra-225	3E-10	1E-10	4	8	0.7	Ra-225	3E-10	1E-10	4	8	0.7
Ra-226	3E-10	2E-10	9	2	0.6	Ra-226	3E-10	2E-10	9	2	0.6
Ra-227 <sup>38</sup>	6E-06	8E-07	3E+4	2E+4	1E+4	Ra-227 <sup>38</sup>	6E-06	8E-07	3E+4	2E+4	1E+4
Ra-228	5E-10	1E-10	5	2	1	Ra-228	5E-10	1E-10	5	2	1
Ac-224	1E-08	5E-09	2E+2	2E+3	30	Ac-224	1E-08	5E-09	2E+2	2E+3	30
Ac-225	1E-10	8E-11	3	50	0.3	Ac-225	1E-10	8E-11	3	50	0.3
Ac-226	1E-09	5E-10	20	1E+2	3	Ac-226	1E-09	5E-10	20	1E+2	3
Ac-227	2E-13	2E-13	1E-2	0.2	4E-4	Ac-227	2E-13	2E-13	1E-2	0.2	4E-4
Ac-228	4E-09	6E-09	2E+2	2E+3	9	Ac-228	4E-09	6E-09	2E+2	2E+3	9
Th-226 <sup>38</sup>	6E-08	4E-09	1E+2	5E+3	1E+2	Th-226 <sup>38</sup>	6E-08	4E-09	1E+2	5E+3	1E+2
Th-227	1E-10	7E-11	2	1E+2	0.3	Th-227	1E-10	7E-11	2	1E+2	0.3
Th-228	4E-12	2E-11	0.7	6	1E-2	Th-228	4E-12	2E-11	0.7	6	1E-2
Th-229	4E-13	2E-12	7E-2	0.6	9E-4	Th-229	4E-13	2E-12	7E-2	0.6	9E-4
Th-230	3E-12	3E-12	0.1	4	6E-3	Th-230	3E-12	3E-12	0.1	4	6E-3
Th-231	3E-06	1E-06	5E+4	4E+3	6E+3	Th-231	3E-06	1E-06	5E+4	4E+3	6E+3
Th-232	5E-13	3E-12	0.1	0.7	1E-3	Th-232	5E-13	3E-12	0.1	0.7	1E-3
Th-234	6E-08	9E-08	3E+3	3E+2	2E+2	Th-234	6E-08	9E-08	3E+3	3E+2	2E+2
Pa-227 <sup>38</sup>	4E-08	4E-09	1E+2	4E+3	1E+2	Pa-227 <sup>38</sup>	4E-08	4E-09	1E+2	4E+3	1E+2
Pa-228	5E-09	1E-08	3E+2	1E+3	10	Pa-228	5E-09	1E-08	3E+2	1E+3	10
Pa-230	1E-09	9E-10	30	6E+2	40	Pa-230	1E-09	9E-10	30	6E+2	40
Pa-231	6E-13	1E-12	4E-2	0.2	2E-3	Pa-231	6E-13	1E-12	4E-2	0.2	2E-3
Pa-232	9E-09	1E-08	6E+2	1E+3	20	Pa-232	9E-09	1E-08	6E+2	1E+3	20
Pa-233	2E-07	1E-07	6E+3	1E+3	6E+2	Pa-233	2E-07	1E-07	6E+3	1E+3	6E+2
Pa-234	3E-06	7E-07	2E+4	2E+3	7E+3	Pa-234	3E-06	7E-07	2E+4	2E+3	7E+3
U-230	1E-10	4E-11	1	4	0.3	U-230	1E-10	4E-11	1	4	0.3

97

97

10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi	
	uCi/mL	uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	uCi/mL	uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	
Rn-222 <sup>35</sup>	3E-08	X	X	X	1E+2	Rn-222 <sup>35</sup>	3E-08	X	X	X	1E+2
Fr-222 <sup>38</sup>	2E-07	1E-08	3E+2	2E+3	5E+2	Fr-222 <sup>38</sup>	2E-07	1E-08	3E+2	2E+3	5E+2
Fr-223 <sup>38</sup>	3E-07	4E-07	1E+4	6E+2	8E+2	Fr-223 <sup>38</sup>	3E-07	4E-07	1E+4	6E+2	8E+2
Ra-223	3E-10	9E-11	3	50	0.7	Ra-223	3E-10	9E-11	3	50	0.7
Ra-224	7E-10	2E-10	8	8	2	Ra-224	7E-10	2E-10	8	8	2
Ra-225	3E-10	1E-10	4	8	0.7	Ra-225	3E-10	1E-10	4	8	0.7
Ra-226	3E-10	2E-10	9	2	0.6	Ra-226	3E-10	2E-10	9	2	0.6
Ra-227 <sup>38</sup>	6E-06	8E-07	3E+4	2E+4	1E+4	Ra-227 <sup>38</sup>	6E-06	8E-07	3E+4	2E+4	1E+4
Ra-228	5E-10	1E-10	5	2	1	Ra-228	5E-10	1E-10	5	2	1
Ac-224	1E-08	5E-09	2E+2	2E+3	30	Ac-224	1E-08	5E-09	2E+2	2E+3	30
Ac-225	1E-10	8E-11	3	50	0.3	Ac-225	1E-10	8E-11	3	50	0.3
Ac-226	1E-09	5E-10	20	1E+2	3	Ac-226	1E-09	5E-10	20	1E+2	3
Ac-227	2E-13	2E-13	1E-2	0.2	4E-4	Ac-227	2E-13	2E-13	1E-2	0.2	4E-4
Ac-228	4E-09	6E-09	2E+2	2E+3	9	Ac-228	4E-09	6E-09	2E+2	2E+3	9
Th-226 <sup>38</sup>	6E-08	4E-09	1E+2	5E+3	1E+2	Th-226 <sup>38</sup>	6E-08	4E-09	1E+2	5E+3	1E+2
Th-227	1E-10	7E-11	2	1E+2	0.3	Th-227	1E-10	7E-11	2	1E+2	0.3
Th-228	4E-12	2E-11	0.7	6	1E-2	Th-228	4E-12	2E-11	0.7	6	1E-2
Th-229	4E-13	2E-12	7E-2	0.6	9E-4	Th-229	4E-13	2E-12	7E-2	0.6	9E-4
Th-230	3E-12	3E-12	0.1	4	6E-3	Th-230	3E-12	3E-12	0.1	4	6E-3
Th-231	3E-06	1E-06	5E+4	4E+3	6E+3	Th-231	3E-06	1E-06	5E+4	4E+3	6E+3
Th-232	5E-13	3E-12	0.1	0.7	1E-3	Th-232	5E-13	3E-12	0.1	0.7	1E-3
Th-234	6E-08	9E-08	3E+3	3E+2	2E+2	Th-234	6E-08	9E-08	3E+3	3E+2	2E+2
Pa-227 <sup>38</sup>	4E-08	4E-09	1E+2	4E+3	1E+2	Pa-227 <sup>38</sup>	4E-08	4E-09	1E+2	4E+3	1E+2
Pa-228	5E-09	1E-08	3E+2	1E+3	10	Pa-228	5E-09	1E-08	3E+2	1E+3	10
Pa-230	1E-09	9E-10	30	6E+2	40	Pa-230	1E-09	9E-10	30	6E+2	40
Pa-231	6E-13	1E-12	4E-2	0.2	2E-3	Pa-231	6E-13	1E-12	4E-2	0.2	2E-3
Pa-232	9E-09	1E-08	6E+2	1E+3	20	Pa-232	9E-09	1E-08	6E+2	1E+3	20
Pa-233	2E-07	1E-07	6E+3	1E+3	6E+2	Pa-233	2E-07	1E-07	6E+3	1E+3	6E+2
Pa-234	3E-06	7E-07	2E+4	2E+3	7E+3	Pa-234	3E-06	7E-07	2E+4	2E+3	7E+3
U-230	1E-10	4E-11	1	4	0.3	U-230	1E-10	4E-11	1	4	0.3

97

97

10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi	
uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation
U-231	2E-06	1E-06	4E+4	4E+3	5E+3	U-231	2E-06	1E-06	4E+4	4E+3	5E+3
U-232	3E-12	2E-11	0.7	2	8E-3	U-232	3E-12	2E-11	0.7	2	8E-3
U-233	2E-11	7E-11	2	10	4E-2	U-233	2E-11	7E-11	2	10	4E-2
U-234	2E-11	7E-11	2	10	4E-2	U-234	2E-11	7E-11	2	10	4E-2
U-235	2E-11	8E-11	3	10	4E-2	U-235	2E-11	8E-11	3	10	4E-2
U-236	2E-11	7E-11	2	10	4E-2	U-236	2E-11	7E-11	2	10	4E-2
U-237	6E-07	3E-07	1E+4	2E+3	2E+3	U-237	6E-07	3E-07	1E+4	2E+3	2E+3
U-238	2E-11	8E-11	3	10	4E-2	U-238	2E-11	8E-11	3	10	4E-2
U-239 <sup>38</sup>	7E-05	9E-06	3E+5	7E+4	2E+5	U-239 <sup>38</sup>	7E-05	9E-06	3E+5	7E+4	2E+5
U-240	1E-06	6E-07	2E+4	1E+3	2E+3	U-240	1E-06	6E-07	2E+4	1E+3	2E+3
U-Natural	2E-11	X	X	10	5E-2	U-Natural	2E-11	X	X	10	5E-2
Np-232 <sup>38</sup>	7E-07	3E-06	1E+5	1E+5	5E+2	Np-232 <sup>38</sup>	7E-07	3E-06	1E+5	1E+5	5E+2
Np-233 <sup>38</sup>	1E-03	7E-05	2E+6	8E+5	3E+6	Np-233 <sup>38</sup>	1E-03	7E-05	2E+6	8E+5	3E+6
Np-234	1E-06	5E-07	2E+4	2E+3	3E+3	Np-234	1E-06	5E-07	2E+4	2E+3	3E+3
Np-235	3E-07	1E-06	4E+4	2E+4	8E+2	Np-235	3E-07	1E-06	4E+4	2E+4	8E+2
Np-236 <sup>36</sup>	9E-12	4E-11	1	3	5E-2	Np-236 <sup>36</sup>	9E-12	4E-11	1	3	5E-2
Np-236m <sup>37</sup>	1E-08	5E-08	1E+3	3E+3	30	Np-236m <sup>37</sup>	1E-08	5E-08	1E+3	3E+3	30
Np-237	2E-12	8E-12	0.3	0.5	4E-3	Np-237	2E-12	8E-12	0.3	0.5	4E-3
Np-238	3E-08	1E-07	4E+3	1E+3	60	Np-238	3E-08	1E-07	4E+3	1E+3	60
Np-239	9E-07	5E-07	1E+4	2E+3	2E+3	Np-239	9E-07	5E-07	1E+4	2E+3	2E+3
Np-240 <sup>38</sup>	3E-05	2E-06	8E+4	2E+4	6E+4	Np-240 <sup>38</sup>	3E-05	2E-06	8E+4	2E+4	6E+4
Pu-234	8E-08	3E-08	1E+3	8E+3	2E+2	Pu-234	8E-08	3E-08	1E+3	8E+3	2E+2
Pu-235 <sup>38</sup>	1E-03	8E-05	3E+6	9E+5	3E+6	Pu-235 <sup>38</sup>	1E-03	8E-05	3E+6	9E+5	3E+6
Pu-236	8E-12	1E-11	0.6	20	2E-2	Pu-236	8E-12	1E-11	0.6	20	2E-2
Pu-237	1E-06	1E-06	6E+4	1E+4	3E+3	Pu-237	1E-06	1E-06	6E+4	1E+4	3E+3
Pu-238	3E-12	6E-12	0.2	0.9	7E-3	Pu-238	3E-12	6E-12	0.2	0.9	7E-3
Pu-239	3E-12	5E-12	0.2	0.83	6E-3	Pu-239	3E-12	5E-12	0.2	0.83	6E-3
Pu-240	3E-12	5E-12	0.2	0.8	6E-3	Pu-240	3E-12	5E-12	0.2	0.8	6E-3
Pu-241	1E-10	2E-10	10	40	0.3	Pu-241	1E-10	2E-10	10	40	0.3
Pu-242	3E-12	5E-12	0.2	0.8	7E-3	Pu-242	3E-12	5E-12	0.2	0.8	7E-3

98

98

10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi	
uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation
U-231	2E-06	1E-06	4E+4	4E+3	5E+3	U-231	2E-06	1E-06	4E+4	4E+3	5E+3
U-232	3E-12	2E-11	0.7	2	8E-3	U-232	3E-12	2E-11	0.7	2	8E-3
U-233	2E-11	7E-11	2	10	4E-2	U-233	2E-11	7E-11	2	10	4E-2
U-234	2E-11	7E-11	2	10	4E-2	U-234	2E-11	7E-11	2	10	4E-2
U-235	2E-11	8E-11	3	10	4E-2	U-235	2E-11	8E-11	3	10	4E-2
U-236	2E-11	7E-11	2	10	4E-2	U-236	2E-11	7E-11	2	10	4E-2
U-237	6E-07	3E-07	1E+4	2E+3	2E+3	U-237	6E-07	3E-07	1E+4	2E+3	2E+3
U-238	2E-11	8E-11	3	10	4E-2	U-238	2E-11	8E-11	3	10	4E-2
U-239 <sup>38</sup>	7E-05	9E-06	3E+5	7E+4	2E+5	U-239 <sup>38</sup>	7E-05	9E-06	3E+5	7E+4	2E+5
U-240	1E-06	6E-07	2E+4	1E+3	2E+3	U-240	1E-06	6E-07	2E+4	1E+3	2E+3
U-Natural	2E-11	X	X	10	5E-2	U-Natural	2E-11	X	X	10	5E-2
Np-232 <sup>38</sup>	7E-07	3E-06	1E+5	1E+5	5E+2	Np-232 <sup>38</sup>	7E-07	3E-06	1E+5	1E+5	5E+2
Np-233 <sup>38</sup>	1E-03	7E-05	2E+6	8E+5	3E+6	Np-233 <sup>38</sup>	1E-03	7E-05	2E+6	8E+5	3E+6
Np-234	1E-06	5E-07	2E+4	2E+3	3E+3	Np-234	1E-06	5E-07	2E+4	2E+3	3E+3
Np-235	3E-07	1E-06	4E+4	2E+4	8E+2	Np-235	3E-07	1E-06	4E+4	2E+4	8E+2
Np-236 <sup>36</sup>	9E-12	4E-11	1	3	5E-2	Np-236 <sup>36</sup>	9E-12	4E-11	1	3	5E-2
Np-236m <sup>37</sup>	1E-08	5E-08	1E+3	3E+3	30	Np-236m <sup>37</sup>	1E-08	5E-08	1E+3	3E+3	30
Np-237	2E-12	8E-12	0.3	0.5	4E-3	Np-237	2E-12	8E-12	0.3	0.5	4E-3
Np-238	3E-08	1E-07	4E+3	1E+3	60	Np-238	3E-08	1E-07	4E+3	1E+3	60
Np-239	9E-07	5E-07	1E+4	2E+3	2E+3	Np-239	9E-07	5E-07	1E+4	2E+3	2E+3
Np-240 <sup>38</sup>	3E-05	2E-06	8E+4	2E+4	6E+4	Np-240 <sup>38</sup>	3E-05	2E-06	8E+4	2E+4	6E+4
Pu-234	8E-08	3E-08	1E+3	8E+3	2E+2	Pu-234	8E-08	3E-08	1E+3	8E+3	2E+2
Pu-235 <sup>38</sup>	1E-03	8E-05	3E+6	9E+5	3E+6	Pu-235 <sup>38</sup>	1E-03	8E-05	3E+6	9E+5	3E+6
Pu-236	8E-12	1E-11	0.6	20	2E-2	Pu-236	8E-12	1E-11	0.6	20	2E-2
Pu-237	1E-06	1E-06	6E+4	1E+4	3E+3	Pu-237	1E-06	1E-06	6E+4	1E+4	3E+3
Pu-238	3E-12	6E-12	0.2	0.9	7E-3	Pu-238	3E-12	6E-12	0.2	0.9	7E-3
Pu-239	3E-12	5E-12	0.2	0.83	6E-3	Pu-239	3E-12	5E-12	0.2	0.83	6E-3
Pu-240	3E-12	5E-12	0.2	0.8	6E-3	Pu-240	3E-12	5E-12	0.2	0.8	6E-3
Pu-241	1E-10	2E-10	10	40	0.3	Pu-241	1E-10	2E-10	10	40	0.3
Pu-242	3E-12	5E-12	0.2	0.8	7E-3	Pu-242	3E-12	5E-12	0.2	0.8	7E-3

98

98

10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi	
uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation
Pu-243	2E-05	5E-06	1E+5	2E+4	4E+4	Pu-243	2E-05	5E-06	1E+5	2E+4	4E+4
Pu-244	3E-12	5E-12	0.2	0.8	7E-3	Pu-244	3E-12	5E-12	0.2	0.8	7E-3
Pu-245	2E-06	8E-07	3E+4	2E+3	4E+3	Pu-245	2E-06	8E-07	3E+4	2E+3	4E+3
Pu-246	1E-07	8E-08	3E+3	4E+2	3E+2	Pu-246	1E-07	8E-08	3E+3	4E+2	3E+2
Am-237 <sup>38</sup>	1E-04	8E-06	3E+5	8E+4	3E+5	Am-237 <sup>38</sup>	1E-04	8E-06	3E+5	8E+4	3E+5
Am-238 <sup>38</sup>	1E-06	2E-06	9E+4	4E+4	3E+3	Am-238 <sup>38</sup>	1E-06	2E-06	9E+4	4E+4	3E+3
Am-239	5E-06	1E-06	6E+4	5E+3	1E+4	Am-239	5E-06	1E-06	6E+4	5E+3	1E+4
Am-240	1E-06	7E-07	2E+4	2E+3	3E+3	Am-240	1E-06	7E-07	2E+4	2E+3	3E+3
Am-241	3E-12	5E-12	0.1	0.8	6E-3	Am-241	3E-12	5E-12	0.1	0.8	6E-3
Am-242m	3E-12	5E-12	0.1	0.8	6E-3	Am-242m	3E-12	5E-12	0.1	0.8	6E-3
Am-242	4E-08	4E-08	1E+3	4E+3	80	Am-242	4E-08	4E-08	1E+3	4E+3	80
Am-243	3E-12	5E-12	0.1	0.8	6E-3	Am-243	3E-12	5E-12	0.1	0.8	6E-3
Am-244m <sup>38</sup>	2E-06	3E-06	1E+5	6E+4	4E+3	Am-244m <sup>38</sup>	2E-06	3E-06	1E+5	6E+4	4E+3
Am-244	8E-08	1E-07	5E+3	3E+3	2E+2	Am-244	8E-08	1E-07	5E+3	3E+3	2E+2
Am-245	3E-05	5E-06	2E+5	3E+4	8E+4	Am-245	3E-05	5E-06	2E+5	3E+4	8E+4
Am-246m <sup>38</sup>	8E-05	6E-06	2E+5	5E+4	2E+5	Am-246m <sup>38</sup>	8E-05	6E-06	2E+5	5E+4	2E+5
Am-246 <sup>38</sup>	4E-05	2E-06	9E+4	3E+4	1E+5	Am-246 <sup>38</sup>	4E-05	2E-06	9E+4	3E+4	1E+5
Cm-238	5E-07	1E-07	4E+3	2E+4	1E+3	Cm-238	5E-07	1E-07	4E+3	2E+4	1E+3
Cm-240	2E-10	2E-10	7	60	0.6	Cm-240	2E-10	2E-10	7	60	0.6
Cm-241	1E-08	2E-08	8E+2	1E+3	30	Cm-241	1E-08	2E-08	8E+2	1E+3	30
Cm-242	1E-10	1E-10	5	30	0.3	Cm-242	1E-10	1E-10	5	30	0.3
Cm-243	4E-12	7E-12	0.2	10	9E-3	Cm-243	4E-12	7E-12	0.2	10	9E-3
Cm-244	5E-12	9E-12	0.3	10	1E-2	Cm-244	5E-12	9E-12	0.3	10	1E-2
Cm-245	3E-12	5E-12	0.1	0.7	6E-3	Cm-245	3E-12	5E-12	0.1	0.7	6E-3
Cm-246	3E-12	5E-12	0.1	0.7	6E-3	Cm-246	3E-12	5E-12	0.1	0.7	6E-3
Cm-247	3E-12	5E-12	0.2	0.8	6E-3	Cm-247	3E-12	5E-12	0.2	0.8	6E-3
Cm-248	7E-13	1E-12	5E-2	0.2	2E-3	Cm-248	7E-13	1E-12	5E-2	0.2	2E-3
Cm-249 <sup>38</sup>	7E-06	8E-06	3E+5	5E+4	2E+4	Cm-249 <sup>38</sup>	7E-06	8E-06	3E+5	5E+4	2E+4
Cm-250	1E-13	2E-13	8E-3	4E-2	3E-4	Cm-250	1E-13	2E-13	8E-3	4E-2	3E-4
Bk-245	5E-07	3E-07	1E+4	2E+3	1E+3	Bk-245	5E-07	3E-07	1E+4	2E+3	1E+3

99

99

10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi		10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi	
uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	uCi/mL		uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation
Pu-243	2E-05	5E-06	1E+5	2E+4	4E+4	Pu-243	2E-05	5E-06	1E+5	2E+4	4E+4
Pu-244	3E-12	5E-12	0.2	0.8	7E-3	Pu-244	3E-12	5E-12	0.2	0.8	7E-3
Pu-245	2E-06	8E-07	3E+4	2E+3	4E+3	Pu-245	2E-06	8E-07	3E+4	2E+3	4E+3
Pu-246	1E-07	8E-08	3E+3	4E+2	3E+2	Pu-246	1E-07	8E-08	3E+3	4E+2	3E+2
Am-237 <sup>38</sup>	1E-04	8E-06	3E+5	8E+4	3E+5	Am-237 <sup>38</sup>	1E-04	8E-06	3E+5	8E+4	3E+5
Am-238 <sup>38</sup>	1E-06	2E-06	9E+4	4E+4	3E+3	Am-238 <sup>38</sup>	1E-06	2E-06	9E+4	4E+4	3E+3
Am-239	5E-06	1E-06	6E+4	5E+3	1E+4	Am-239	5E-06	1E-06	6E+4	5E+3	1E+4
Am-240	1E-06	7E-07	2E+4	2E+3	3E+3	Am-240	1E-06	7E-07	2E+4	2E+3	3E+3
Am-241	3E-12	5E-12	0.1	0.8	6E-3	Am-241	3E-12	5E-12	0.1	0.8	6E-3
Am-242m	3E-12	5E-12	0.1	0.8	6E-3	Am-242m	3E-12	5E-12	0.1	0.8	6E-3
Am-242	4E-08	4E-08	1E+3	4E+3	80	Am-242	4E-08	4E-08	1E+3	4E+3	80
Am-243	3E-12	5E-12	0.1	0.8	6E-3	Am-243	3E-12	5E-12	0.1	0.8	6E-3
Am-244m <sup>38</sup>	2E-06	3E-06	1E+5	6E+4	4E+3	Am-244m <sup>38</sup>	2E-06	3E-06	1E+5	6E+4	4E+3
Am-244	8E-08	1E-07	5E+3	3E+3	2E+2	Am-244	8E-08	1E-07	5E+3	3E+3	2E+2
Am-245	3E-05	5E-06	2E+5	3E+4	8E+4	Am-245	3E-05	5E-06	2E+5	3E+4	8E+4
Am-246m <sup>38</sup>	8E-05	6E-06	2E+5	5E+4	2E+5	Am-246m <sup>38</sup>	8E-05	6E-06	2E+5	5E+4	2E+5
Am-246 <sup>38</sup>	4E-05	2E-06	9E+4	3E+4	1E+5	Am-246 <sup>38</sup>	4E-05	2E-06	9E+4	3E+4	1E+5
Cm-238	5E-07	1E-07	4E+3	2E+4	1E+3	Cm-238	5E-07	1E-07	4E+3	2E+4	1E+3
Cm-240	2E-10	2E-10	7	60	0.6	Cm-240	2E-10	2E-10	7	60	0.6
Cm-241	1E-08	2E-08	8E+2	1E+3	30	Cm-241	1E-08	2E-08	8E+2	1E+3	30
Cm-242	1E-10	1E-10	5	30	0.3	Cm-242	1E-10	1E-10	5	30	0.3
Cm-243	4E-12	7E-12	0.2	10	9E-3	Cm-243	4E-12	7E-12	0.2	10	9E-3
Cm-244	5E-12	9E-12	0.3	10	1E-2	Cm-244	5E-12	9E-12	0.3	10	1E-2
Cm-245	3E-12	5E-12	0.1	0.7	6E-3	Cm-245	3E-12	5E-12	0.1	0.7	6E-3
Cm-246	3E-12	5E-12	0.1	0.7	6E-3	Cm-246	3E-12	5E-12	0.1	0.7	6E-3
Cm-247	3E-12	5E-12	0.2	0.8	6E-3	Cm-247	3E-12	5E-12	0.2	0.8	6E-3
Cm-248	7E-13	1E-12	5E-2	0.2	2E-3	Cm-248	7E-13	1E-12	5E-2	0.2	2E-3
Cm-249 <sup>38</sup>	7E-06	8E-06	3E+5	5E+4	2E+4	Cm-249 <sup>38</sup>	7E-06	8E-06	3E+5	5E+4	2E+4
Cm-250	1E-13	2E-13	8E-3	4E-2	3E-4	Cm-250	1E-13	2E-13	8E-3	4E-2	3E-4
Bk-245	5E-07	3E-07	1E+4	2E+3	1E+3	Bk-245	5E-07	3E-07	1E+4	2E+3	1E+3

99

99

	10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi	
	uCi/mL	uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	
Bk-246	1E-06	8E-07	3E+4	3E+3	3E+3	
Bk-247	2E-12	3E-12	0.1	0.5	4E-3	
Bk-249	7E-10	1E-09	50	2E+2	20	
Bk-250	1E-07	2E-07	9E+3	9E+3	3E+2	
Cf-244 <sup>38</sup>	2E-07	1E-08	5E+2	3E+4	6E+2	
Cf-246	4E-09	1E-09	50	4E+2	90	
Cf-248	3E-11	5E-11	2	80	6E-2	
Cf-249	2E-12	3E-12	0.1	0.5	4E-3	
Cf-250	4E-12	7E-12	0.2	10	9E-3	
Cf-251	2E-12	3E-12	0.1	0.5	4E-3	
Cf-252	8E-12	1E-11	0.6	20	2E-2	
Cf-253	7E-10	5E-10	20	2E+2	20	
Cf-254	7E-12	2E-11	0.8	20	2E-2	
Es-250	2E-07	4E-07	1E+4	4E+4	5E+2	
Es-251	4E-07	3E-07	1E+4	7E+3	9E+2	
Es-253	6E-10	2E-10	9	2E+2	10	
Es-254m	4E-09	1E-09	50	3E+2	10	
Es-254	3E-11	6E-11	2	80	7E-2	
Fm-252	5E-09	2E-09	80	5E+2	10	
Fm-253	4E-09	1E-09	60	1E+3	10	
Fm-254	4E-08	6E-09	2E+2	3E+3	90	
Fm-255	9E-09	2E-09	80	5E+2	20	
Fm-257	7E-11	1E-10	4	20	0.2	
Md-257	4E-08	2E-08	1E+3	7E+3	80	
Md-258	1E-10	1E-10	4	30	0.2	

100

	10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi	
	uCi/mL	uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	
Bk-246	1E-06	8E-07	3E+4	3E+3	3E+3	
Bk-247	2E-12	3E-12	0.1	0.5	4E-3	
Bk-249	7E-10	1E-09	50	2E+2	20	
Bk-250	1E-07	2E-07	9E+3	9E+3	3E+2	
Cf-244 <sup>38</sup>	2E-07	1E-08	5E+2	3E+4	6E+2	
Cf-246	4E-09	1E-09	50	4E+2	90	
Cf-248	3E-11	5E-11	2	80	6E-2	
Cf-249	2E-12	3E-12	0.1	0.5	4E-3	
Cf-250	4E-12	7E-12	0.2	10	9E-3	
Cf-251	2E-12	3E-12	0.1	0.5	4E-3	
Cf-252	8E-12	1E-11	0.6	20	2E-2	
Cf-253	7E-10	5E-10	20	2E+2	20	
Cf-254	7E-12	2E-11	0.8	20	2E-2	
Es-250	2E-07	4E-07	1E+4	4E+4	5E+2	
Es-251	4E-07	3E-07	1E+4	7E+3	9E+2	
Es-253	6E-10	2E-10	9	2E+2	10	
Es-254m	4E-09	1E-09	50	3E+2	10	
Es-254	3E-11	6E-11	2	80	7E-2	
Fm-252	5E-09	2E-09	80	5E+2	10	
Fm-253	4E-09	1E-09	60	1E+3	10	
Fm-254	4E-08	6E-09	2E+2	3E+3	90	
Fm-255	9E-09	2E-09	80	5E+2	20	
Fm-257	7E-11	1E-10	4	20	0.2	
Md-257	4E-08	2E-08	1E+3	7E+3	80	
Md-258	1E-10	1E-10	4	30	0.2	

100

	10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi	
	uCi/mL	uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	
Bk-246	1E-06	8E-07	3E+4	3E+3	3E+3	
Bk-247	2E-12	3E-12	0.1	0.5	4E-3	
Bk-249	7E-10	1E-09	50	2E+2	20	
Bk-250	1E-07	2E-07	9E+3	9E+3	3E+2	
Cf-244 <sup>38</sup>	2E-07	1E-08	5E+2	3E+4	6E+2	
Cf-246	4E-09	1E-09	50	4E+2	90	
Cf-248	3E-11	5E-11	2	80	6E-2	
Cf-249	2E-12	3E-12	0.1	0.5	4E-3	
Cf-250	4E-12	7E-12	0.2	10	9E-3	
Cf-251	2E-12	3E-12	0.1	0.5	4E-3	
Cf-252	8E-12	1E-11	0.6	20	2E-2	
Cf-253	7E-10	5E-10	20	2E+2	20	
Cf-254	7E-12	2E-11	0.8	20	2E-2	
Es-250	2E-07	4E-07	1E+4	4E+4	5E+2	
Es-251	4E-07	3E-07	1E+4	7E+3	9E+2	
Es-253	6E-10	2E-10	9	2E+2	10	
Es-254m	4E-09	1E-09	50	3E+2	10	
Es-254	3E-11	6E-11	2	80	7E-2	
Fm-252	5E-09	2E-09	80	5E+2	10	
Fm-253	4E-09	1E-09	60	1E+3	10	
Fm-254	4E-08	6E-09	2E+2	3E+3	90	
Fm-255	9E-09	2E-09	80	5E+2	20	
Fm-257	7E-11	1E-10	4	20	0.2	
Md-257	4E-08	2E-08	1E+3	7E+3	80	
Md-258	1E-10	1E-10	4	30	0.2	

100

	10CFR20 DAC		10CFR835 DAC		10CFR20 ALIs uCi	
	uCi/mL	uCi/mL	Bq/M <sup>3</sup>	Ingestion	Inhalation	
Bk-246	1E-06	8E-07	3E+4	3E+3	3E+3	
Bk-247	2E-12	3E-12	0.1	0.5	4E-3	
Bk-249	7E-10	1E-09	50	2E+2	20	
Bk-250	1E-07	2E-07	9E+3	9E+3	3E+2	
Cf-244 <sup>38</sup>	2E-07	1E-08	5E+2	3E+4	6E+2	
Cf-246	4E-09	1E-09	50	4E+2	90	
Cf-248	3E-11	5E-11	2	80	6E-2	
Cf-249	2E-12	3E-12	0.1	0.5	4E-3	
Cf-250	4E-12	7E-12	0.2	10	9E-3	
Cf-251	2E-12	3E-12	0.1	0.5	4E-3	
Cf-252	8E-12	1E-11	0.6	20	2E-2	
Cf-253	7E-10	5E-10	20	2E+2	20	
Cf-254	7E-12	2E-11	0.8	20	2E-2	
Es-250	2E-07	4E-07	1E+4	4E+4	5E+2	
Es-251	4E-07	3E-07	1E+4	7E+3	9E+2	
Es-253	6E-10	2E-10	9	2E+2	10	
Es-254m	4E-09	1E-09	50	3E+2	10	
Es-254	3E-11	6E-11	2	80	7E-2	
Fm-252	5E-09	2E-09	80	5E+2	10	
Fm-253	4E-09	1E-09	60	1E+3	10	
Fm-254	4E-08	6E-09	2E+2	3E+3	90	
Fm-255	9E-09	2E-09	80	5E+2	20	
Fm-257	7E-11	1E-10	4	20	0.2	
Md-257	4E-08	2E-08	1E+3	7E+3	80	
Md-258	1E-10	1E-10	4	30	0.2	

100

**External Exposure in a Cloud of Airborne Material**

	10CFR835		10CFR20
	uCi/mL	Bq/M <sup>3</sup>	uCi/mL
Ar-37	10	4E+10	10
Ar-39	4E-04	1E+07	4E-04
Ar-41	1E-06	3E+04	3E-06
Kr-74	1E-06	4E+04	3E-06
Kr-76	3E-06	1E+05	9E-06
Kr-77	1E-06	5E+04	4E-06
Kr-79	5E-06	2E+05	2E-05
Kr-81	2E-04	9E+06	7E-04
Kr-83m	2E-02	9E+08	1E-02
Kr-85	2E-04	9E+06	1E-04
Kr-85m	9E-06	3E+05	2E-05
Kr-87	1E-06	5E+04	5E-06
Kr-88	6E-07	2E+04	2E-06
Xe-120	3E-06	1E+05	1E-05
Xe-121	7E-07	2E+04	2E-06
Xe-122	2E-05	1E+06	7E-05
Xe-123	2E-06	8E+04	6E-06
Xe-125	5E-06	2E+05	2E-05
Xe-127	5E-06	2E+05	1E-05
Xe-129m	6E-05	2E+06	2E-04
Xe-131m	1E-04	6E+06	4E-04
Xe-133	4E-05	1E+06	1E-04
Xe-133m	4E-05	1E+06	1E-04
Xe-135	5E-06	2E+05	1E-05
Xe-135m	3E-06	1E+05	9E-06
Xe-138	1E-06	4E+04	4E-06

**External Exposure in a Cloud of Airborne Material**

	10CFR835		10CFR20
	uCi/mL	Bq/M <sup>3</sup>	uCi/mL
Ar-37	10	4E+10	10
Ar-39	4E-04	1E+07	4E-04
Ar-41	1E-06	3E+04	3E-06
Kr-74	1E-06	4E+04	3E-06
Kr-76	3E-06	1E+05	9E-06
Kr-77	1E-06	5E+04	4E-06
Kr-79	5E-06	2E+05	2E-05
Kr-81	2E-04	9E+06	7E-04
Kr-83m	2E-02	9E+08	1E-02
Kr-85	2E-04	9E+06	1E-04
Kr-85m	9E-06	3E+05	2E-05
Kr-87	1E-06	5E+04	5E-06
Kr-88	6E-07	2E+04	2E-06
Xe-120	3E-06	1E+05	1E-05
Xe-121	7E-07	2E+04	2E-06
Xe-122	2E-05	1E+06	7E-05
Xe-123	2E-06	8E+04	6E-06
Xe-125	5E-06	2E+05	2E-05
Xe-127	5E-06	2E+05	1E-05
Xe-129m	6E-05	2E+06	2E-04
Xe-131m	1E-04	6E+06	4E-04
Xe-133	4E-05	1E+06	1E-04
Xe-133m	4E-05	1E+06	1E-04
Xe-135	5E-06	2E+05	1E-05
Xe-135m	3E-06	1E+05	9E-06
Xe-138	1E-06	4E+04	4E-06

**External Exposure in a Cloud of Airborne Material**

	10CFR835		10CFR20
	uCi/mL	Bq/M <sup>3</sup>	uCi/mL
Ar-37	10	4E+10	10
Ar-39	4E-04	1E+07	4E-04
Ar-41	1E-06	3E+04	3E-06
Kr-74	1E-06	4E+04	3E-06
Kr-76	3E-06	1E+05	9E-06
Kr-77	1E-06	5E+04	4E-06
Kr-79	5E-06	2E+05	2E-05
Kr-81	2E-04	9E+06	7E-04
Kr-83m	2E-02	9E+08	1E-02
Kr-85	2E-04	9E+06	1E-04
Kr-85m	9E-06	3E+05	2E-05
Kr-87	1E-06	5E+04	5E-06
Kr-88	6E-07	2E+04	2E-06
Xe-120	3E-06	1E+05	1E-05
Xe-121	7E-07	2E+04	2E-06
Xe-122	2E-05	1E+06	7E-05
Xe-123	2E-06	8E+04	6E-06
Xe-125	5E-06	2E+05	2E-05
Xe-127	5E-06	2E+05	1E-05
Xe-129m	6E-05	2E+06	2E-04
Xe-131m	1E-04	6E+06	4E-04
Xe-133	4E-05	1E+06	1E-04
Xe-133m	4E-05	1E+06	1E-04
Xe-135	5E-06	2E+05	1E-05
Xe-135m	3E-06	1E+05	9E-06
Xe-138	1E-06	4E+04	4E-06

**External Exposure in a Cloud of Airborne Material**

	10CFR835		10CFR20
	uCi/mL	Bq/M <sup>3</sup>	uCi/mL
Ar-37	10	4E+10	10
Ar-39	4E-04	1E+07	4E-04
Ar-41	1E-06	3E+04	3E-06
Kr-74	1E-06	4E+04	3E-06
Kr-76	3E-06	1E+05	9E-06
Kr-77	1E-06	5E+04	4E-06
Kr-79	5E-06	2E+05	2E-05
Kr-81	2E-04	9E+06	7E-04
Kr-83m	2E-02	9E+08	1E-02
Kr-85	2E-04	9E+06	1E-04
Kr-85m	9E-06	3E+05	2E-05
Kr-87	1E-06	5E+04	5E-06
Kr-88	6E-07	2E+04	2E-06
Xe-120	3E-06	1E+05	1E-05
Xe-121	7E-07	2E+04	2E-06
Xe-122	2E-05	1E+06	7E-05
Xe-123	2E-06	8E+04	6E-06
Xe-125	5E-06	2E+05	2E-05
Xe-127	5E-06	2E+05	1E-05
Xe-129m	6E-05	2E+06	2E-04
Xe-131m	1E-04	6E+06	4E-04
Xe-133	4E-05	1E+06	1E-04
Xe-133m	4E-05	1E+06	1E-04
Xe-135	5E-06	2E+05	1E-05
Xe-135m	3E-06	1E+05	9E-06
Xe-138	1E-06	4E+04	4E-06

STCs = Special Tritium Compounds

1 = Water (HTO) form	21 = Methyl
2 = Elemental (HT form)	22 = 12 h half-life
3 = water and elemental	23 = 34 yr half-life
4 = Insoluble	24 = 24 h half-life
5 = Soluble	25 = 5 h half-life
6 = Vapor form	26 = 64 h half-life
7 = As CO	27 = 12 h half-life
8 = As CO <sub>2</sub>	28 = 16 h half-life
9 = compounds	29 = 2 h half-life
10 = Vapor	30 = 3 h half-life
11 = Inorganic	31 = 1 h half-life
12 = Carbonyl	32 = Organic
13 = 66 min half-life	33 = radon-220/222 with short-lived progeny
14 = 122 min half-life	34 = with progeny removed
15 = 69 min half-life	35 = with progeny present
16 = 5 h half-life	36 = 1E+05 yr half-life
17 = 16 min half-life	37 = 22 h half-life
18 = 6 d half-life	38 = half-life less than 2 hours
19 = 9 h half-life	
20 = 10 min half-life	

For any radionuclide not listed in these tables with decay mode other than alpha emission or spontaneous fission and with radioactive half-life less than two hours, the DAC value shall be 6E-06 uCi/mL (2E+04 Bq/M<sup>3</sup>).

The DAC values listed for both 10CFR20 and 10CFR835 were truncated after being calculated from the appropriate ALI values. For 10CFR835 the ALI values were taken from ICRP 68.

STCs = Special Tritium Compounds

1 = Water (HTO) form	21 = Methyl
2 = Elemental (HT form)	22 = 12 h half-life
3 = water and elemental	23 = 34 yr half-life
4 = Insoluble	24 = 24 h half-life
5 = Soluble	25 = 5 h half-life
6 = Vapor form	26 = 64 h half-life
7 = As CO	27 = 12 h half-life
8 = As CO <sub>2</sub>	28 = 16 h half-life
9 = compounds	29 = 2 h half-life
10 = Vapor	30 = 3 h half-life
11 = Inorganic	31 = 1 h half-life
12 = Carbonyl	32 = Organic
13 = 66 min half-life	33 = radon-220/222 with short-lived progeny
14 = 122 min half-life	34 = with progeny removed
15 = 69 min half-life	35 = with progeny present
16 = 5 h half-life	36 = 1E+05 yr half-life
17 = 16 min half-life	37 = 22 h half-life
18 = 6 d half-life	38 = half-life less than 2 hours
19 = 9 h half-life	
20 = 10 min half-life	

For any radionuclide not listed in these tables with decay mode other than alpha emission or spontaneous fission and with radioactive half-life less than two hours, the DAC value shall be 6E-06 uCi/mL (2E+04 Bq/M<sup>3</sup>).

The DAC values listed for both 10CFR20 and 10CFR835 were truncated after being calculated from the appropriate ALI values. For 10CFR835 the ALI values were taken from ICRP 68.

STCs = Special Tritium Compounds

1 = Water (HTO) form	21 = Methyl
2 = Elemental (HT form)	22 = 12 h half-life
3 = water and elemental	23 = 34 yr half-life
4 = Insoluble	24 = 24 h half-life
5 = Soluble	25 = 5 h half-life
6 = Vapor form	26 = 64 h half-life
7 = As CO	27 = 12 h half-life
8 = As CO <sub>2</sub>	28 = 16 h half-life
9 = compounds	29 = 2 h half-life
10 = Vapor	30 = 3 h half-life
11 = Inorganic	31 = 1 h half-life
12 = Carbonyl	32 = Organic
13 = 66 min half-life	33 = radon-220/222 with short-lived progeny
14 = 122 min half-life	34 = with progeny removed
15 = 69 min half-life	35 = with progeny present
16 = 5 h half-life	36 = 1E+05 yr half-life
17 = 16 min half-life	37 = 22 h half-life
18 = 6 d half-life	38 = half-life less than 2 hours
19 = 9 h half-life	
20 = 10 min half-life	

For any radionuclide not listed in these tables with decay mode other than alpha emission or spontaneous fission and with radioactive half-life less than two hours, the DAC value shall be 6E-06 uCi/mL (2E+04 Bq/M<sup>3</sup>).

The DAC values listed for both 10CFR20 and 10CFR835 were truncated after being calculated from the appropriate ALI values. For 10CFR835 the ALI values were taken from ICRP 68.

STCs = Special Tritium Compounds

1 = Water (HTO) form	21 = Methyl
2 = Elemental (HT form)	22 = 12 h half-life
3 = water and elemental	23 = 34 yr half-life
4 = Insoluble	24 = 24 h half-life
5 = Soluble	25 = 5 h half-life
6 = Vapor form	26 = 64 h half-life
7 = As CO	27 = 12 h half-life
8 = As CO <sub>2</sub>	28 = 16 h half-life
9 = compounds	29 = 2 h half-life
10 = Vapor	30 = 3 h half-life
11 = Inorganic	31 = 1 h half-life
12 = Carbonyl	32 = Organic
13 = 66 min half-life	33 = radon-220/222 with short-lived progeny
14 = 122 min half-life	34 = with progeny removed
15 = 69 min half-life	35 = with progeny present
16 = 5 h half-life	36 = 1E+05 yr half-life
17 = 16 min half-life	37 = 22 h half-life
18 = 6 d half-life	38 = half-life less than 2 hours
19 = 9 h half-life	
20 = 10 min half-life	

For any radionuclide not listed in these tables with decay mode other than alpha emission or spontaneous fission and with radioactive half-life less than two hours, the DAC value shall be 6E-06 uCi/mL (2E+04 Bq/M<sup>3</sup>).

The DAC values listed for both 10CFR20 and 10CFR835 were truncated after being calculated from the appropriate ALI values. For 10CFR835 the ALI values were taken from ICRP 68.

### Characteristic X-Rays (KeV) of the Elements

These characteristic x-rays originate in the shell of the atom and can be used to identify specific elements but not a specific isotope. These characteristic x-rays are emitted from the shell of the atom after sufficient energy in the form of thermal heat, laser, micro- waves, or other type of energy is directed into the atom shell.

Z #		K $\alpha$	K $\beta$	L $\alpha$	L $\beta$
89	Ac	90.89	102.85	12.65	15.71
47	Ag	22.16	24.94	2.98	3.15
13	Al	1.49	1.55	X	X
95	Am	106.35	120.16	14.62	18.83
18	Ar	2.96	3.19	X	X
33	As	10.54	11.73	1.28	1.32
85	At	81.53	92.32	11.42	13.87
79	Au	68.79	77.97	9.71	11.44
5	B	0.185	X	X	X
56	Ba	32.19	36.38	4.47	4.83
4	Be	0.110	X	X	X
83	Bi	77.10	87.34	10.84	13.02
97	Bk	111.90	126.36	15.31	19.97
35	Br	11.92	13.29	1.48	1.53
6	C	0.282	X	X	X
20	Ca	3.69	4.01	0.34	X
48	Cd	23.17	26.09	3.13	3.32
58	Ce	34.72	39.26	4.84	5.26
98	Cf	114.75	129.54	15.66	20.56
17	Cl	2.62	2.82	X	X

103

### Characteristic X-Rays (KeV) of the Elements

These characteristic x-rays originate in the shell of the atom and can be used to identify specific elements but not a specific isotope. These characteristic x-rays are emitted from the shell of the atom after sufficient energy in the form of thermal heat, laser, micro- waves, or other type of energy is directed into the atom shell.

Z #		K $\alpha$	K $\beta$	L $\alpha$	L $\beta$
89	Ac	90.89	102.85	12.65	15.71
47	Ag	22.16	24.94	2.98	3.15
13	Al	1.49	1.55	X	X
95	Am	106.35	120.16	14.62	18.83
18	Ar	2.96	3.19	X	X
33	As	10.54	11.73	1.28	1.32
85	At	81.53	92.32	11.42	13.87
79	Au	68.79	77.97	9.71	11.44
5	B	0.185	X	X	X
56	Ba	32.19	36.38	4.47	4.83
4	Be	0.110	X	X	X
83	Bi	77.10	87.34	10.84	13.02
97	Bk	111.90	126.36	15.31	19.97
35	Br	11.92	13.29	1.48	1.53
6	C	0.282	X	X	X
20	Ca	3.69	4.01	0.34	X
48	Cd	23.17	26.09	3.13	3.32
58	Ce	34.72	39.26	4.84	5.26
98	Cf	114.75	129.54	15.66	20.56
17	Cl	2.62	2.82	X	X

103

### Characteristic X-Rays (KeV) of the Elements

These characteristic x-rays originate in the shell of the atom and can be used to identify specific elements but not a specific isotope. These characteristic x-rays are emitted from the shell of the atom after sufficient energy in the form of thermal heat, laser, micro- waves, or other type of energy is directed into the atom shell.

Z #		K $\alpha$	K $\beta$	L $\alpha$	L $\beta$
89	Ac	90.89	102.85	12.65	15.71
47	Ag	22.16	24.94	2.98	3.15
13	Al	1.49	1.55	X	X
95	Am	106.35	120.16	14.62	18.83
18	Ar	2.96	3.19	X	X
33	As	10.54	11.73	1.28	1.32
85	At	81.53	92.32	11.42	13.87
79	Au	68.79	77.97	9.71	11.44
5	B	0.185	X	X	X
56	Ba	32.19	36.38	4.47	4.83
4	Be	0.110	X	X	X
83	Bi	77.10	87.34	10.84	13.02
97	Bk	111.90	126.36	15.31	19.97
35	Br	11.92	13.29	1.48	1.53
6	C	0.282	X	X	X
20	Ca	3.69	4.01	0.34	X
48	Cd	23.17	26.09	3.13	3.32
58	Ce	34.72	39.26	4.84	5.26
98	Cf	114.75	129.54	15.66	20.56
17	Cl	2.62	2.82	X	X

103

### Characteristic X-Rays (KeV) of the Elements

These characteristic x-rays originate in the shell of the atom and can be used to identify specific elements but not a specific isotope. These characteristic x-rays are emitted from the shell of the atom after sufficient energy in the form of thermal heat, laser, micro- waves, or other type of energy is directed into the atom shell.

Z #		K $\alpha$	K $\beta$	L $\alpha$	L $\beta$
89	Ac	90.89	102.85	12.65	15.71
47	Ag	22.16	24.94	2.98	3.15
13	Al	1.49	1.55	X	X
95	Am	106.35	120.16	14.62	18.83
18	Ar	2.96	3.19	X	X
33	As	10.54	11.73	1.28	1.32
85	At	81.53	92.32	11.42	13.87
79	Au	68.79	77.97	9.71	11.44
5	B	0.185	X	X	X
56	Ba	32.19	36.38	4.47	4.83
4	Be	0.110	X	X	X
83	Bi	77.10	87.34	10.84	13.02
97	Bk	111.90	126.36	15.31	19.97
35	Br	11.92	13.29	1.48	1.53
6	C	0.282	X	X	X
20	Ca	3.69	4.01	0.34	X
48	Cd	23.17	26.09	3.13	3.32
58	Ce	34.72	39.26	4.84	5.26
98	Cf	114.75	129.54	15.66	20.56
17	Cl	2.62	2.82	X	X

103

Z #		K $\alpha$	K $\beta$	L $\alpha$	L $\beta$
96	Cm	109.10	123.24	14.96	19.39
27	Co	6.93	7.65	0.78	0.79
24	Cr	5.41	5.43	0.57	0.58
55	Cs	30.97	34.98	4.29	4.62
29	Cu	8.05	8.90	0.93	0.95
66	Dy	45.99	52.18	6.50	7.25
68	Er	49.10	55.69	6.95	7.81
99	Es	117.65	132.78	16.02	21.17
63	Eu	41.53	47.03	5.85	6.46
9	F	0.677	X	X	X
26	Fe	6.40	7.06	0.70	0.72
100	Fm	120.60	136.08	16.38	21.79
87	Fr	86.12	97.48	12.03	14.77
64	Gd	42.98	48.97	6.06	6.71
31	Ga	9.25	10.26	1.10	1.12
32	Ge	9.89	10.98	1.19	1.21
1	H				
105	Ha				
2	He				
72	Hf	55.76	63.21	7.90	9.02
80	Hg	70.82	80.26	9.99	11.82
67	Ho	47.53	53.93	6.72	7.53
53	I	28.61	32.29	3.94	4.22
49	In	24.21	27.27	3.29	3.49
77	Ir	64.89	73.55	9.19	10.71
19	K	3.31	3.59	X	X
36	Kr	12.65	14.11	1.59	1.64
57	La	33.44	37.80	4.65	5.04
3	Li	0.052	X	X	X

104

Z #		K $\alpha$	K $\beta$	L $\alpha$	L $\beta$
96	Cm	109.10	123.24	14.96	19.39
27	Co	6.93	7.65	0.78	0.79
24	Cr	5.41	5.43	0.57	0.58
55	Cs	30.97	34.98	4.29	4.62
29	Cu	8.05	8.90	0.93	0.95
66	Dy	45.99	52.18	6.50	7.25
68	Er	49.10	55.69	6.95	7.81
99	Es	117.65	132.78	16.02	21.17
63	Eu	41.53	47.03	5.85	6.46
9	F	0.677	X	X	X
26	Fe	6.40	7.06	0.70	0.72
100	Fm	120.60	136.08	16.38	21.79
87	Fr	86.12	97.48	12.03	14.77
64	Gd	42.98	48.97	6.06	6.71
31	Ga	9.25	10.26	1.10	1.12
32	Ge	9.89	10.98	1.19	1.21
1	H				
105	Ha				
2	He				
72	Hf	55.76	63.21	7.90	9.02
80	Hg	70.82	80.26	9.99	11.82
67	Ho	47.53	53.93	6.72	7.53
53	I	28.61	32.29	3.94	4.22
49	In	24.21	27.27	3.29	3.49
77	Ir	64.89	73.55	9.19	10.71
19	K	3.31	3.59	X	X
36	Kr	12.65	14.11	1.59	1.64
57	La	33.44	37.80	4.65	5.04
3	Li	0.052	X	X	X

104

Z #		K $\alpha$	K $\beta$	L $\alpha$	L $\beta$
96	Cm	109.10	123.24	14.96	19.39
27	Co	6.93	7.65	0.78	0.79
24	Cr	5.41	5.43	0.57	0.58
55	Cs	30.97	34.98	4.29	4.62
29	Cu	8.05	8.90	0.93	0.95
66	Dy	45.99	52.18	6.50	7.25
68	Er	49.10	55.69	6.95	7.81
99	Es	117.65	132.78	16.02	21.17
63	Eu	41.53	47.03	5.85	6.46
9	F	0.677	X	X	X
26	Fe	6.40	7.06	0.70	0.72
100	Fm	120.60	136.08	16.38	21.79
87	Fr	86.12	97.48	12.03	14.77
64	Gd	42.98	48.97	6.06	6.71
31	Ga	9.25	10.26	1.10	1.12
32	Ge	9.89	10.98	1.19	1.21
1	H				
105	Ha				
2	He				
72	Hf	55.76	63.21	7.90	9.02
80	Hg	70.82	80.26	9.99	11.82
67	Ho	47.53	53.93	6.72	7.53
53	I	28.61	32.29	3.94	4.22
49	In	24.21	27.27	3.29	3.49
77	Ir	64.89	73.55	9.19	10.71
19	K	3.31	3.59	X	X
36	Kr	12.65	14.11	1.59	1.64
57	La	33.44	37.80	4.65	5.04
3	Li	0.052	X	X	X

104

Z #		K $\alpha$	K $\beta$	L $\alpha$	L $\beta$
96	Cm	109.10	123.24	14.96	19.39
27	Co	6.93	7.65	0.78	0.79
24	Cr	5.41	5.43	0.57	0.58
55	Cs	30.97	34.98	4.29	4.62
29	Cu	8.05	8.90	0.93	0.95
66	Dy	45.99	52.18	6.50	7.25
68	Er	49.10	55.69	6.95	7.81
99	Es	117.65	132.78	16.02	21.17
63	Eu	41.53	47.03	5.85	6.46
9	F	0.677	X	X	X
26	Fe	6.40	7.06	0.70	0.72
100	Fm	120.60	136.08	16.38	21.79
87	Fr	86.12	97.48	12.03	14.77
64	Gd	42.98	48.97	6.06	6.71
31	Ga	9.25	10.26	1.10	1.12
32	Ge	9.89	10.98	1.19	1.21
1	H				
105	Ha				
2	He				
72	Hf	55.76	63.21	7.90	9.02
80	Hg	70.82	80.26	9.99	11.82
67	Ho	47.53	53.93	6.72	7.53
53	I	28.61	32.29	3.94	4.22
49	In	24.21	27.27	3.29	3.49
77	Ir	64.89	73.55	9.19	10.71
19	K	3.31	3.59	X	X
36	Kr	12.65	14.11	1.59	1.64
57	La	33.44	37.80	4.65	5.04
3	Li	0.052	X	X	X

104

Z #		K $\alpha$	K $\beta$	L $\alpha$	L $\beta$	Z #		K $\alpha$	K $\beta$	L $\alpha$	L $\beta$
103	Lr					103	Lr				
71	Lu	54.06	61.28	7.65	8.71	71	Lu	54.06	61.28	7.65	8.71
101	Md					101	Md				
12	Mg	1.25	1.30	X	X	12	Mg	1.25	1.30	X	X
25	Mn	5.90	6.49	0.64	0.65	25	Mn	5.90	6.49	0.64	0.65
42	Mo	17.48	19.61	2.29	2.40	42	Mo	17.48	19.61	2.29	2.40
7	N	0.392	X	X	X	7	N	0.392	X	X	X
11	Na	1.04	1.07	X	X	11	Na	1.04	1.07	X	X
41	Nb	16.61	18.62	2.17	2.26	41	Nb	16.61	18.62	2.17	2.26
60	Nd	37.36	42.27	5.23	5.72	60	Nd	37.36	42.27	5.23	5.72
10	Ne	0.851	X	X	X	10	Ne	0.851	X	X	X
28	Ni	7.48	8.26	0.85	0.87	28	Ni	7.48	8.26	0.85	0.87
102	No					102	No				
93	Np	101.00	114.18	13.95	17.74	93	Np	101.00	114.18	13.95	17.74
8	O	0.526	X	X	X	8	O	0.526	X	X	X
76	Os	62.99	71.40	8.91	10.36	76	Os	62.99	71.40	8.91	10.36
15	P	2.02	2.14	X	X	15	P	2.02	2.14	X	X
91	Pa	95.85	108.41	13.29	19.70	91	Pa	95.85	108.41	13.29	19.70
82	Pb	74.96	84.92	10.55	12.61	82	Pb	74.96	84.92	10.55	12.61
46	Pd	21.18	23.82	2.84	2.99	46	Pd	21.18	23.82	2.84	2.99
61	Pm	38.65	43.96	5.43	5.96	61	Pm	38.65	43.96	5.43	5.96
84	Po	79.30	89.81	11.13	13.44	84	Po	79.30	89.81	11.13	13.44
59	Pr	36.02	40.75	5.03	5.49	59	Pr	36.02	40.75	5.03	5.49
78	Pt	66.82	75.74	9.44	11.07	78	Pt	66.82	75.74	9.44	11.07
94	Pu	103.65	117.15	14.28	18.28	94	Pu	103.65	117.15	14.28	18.28
88	Ra	88.46	100.14	12.34	15.23	88	Ra	88.46	100.14	12.34	15.23
37	Rb	13.39	14.96	1.69	1.75	37	Rb	13.39	14.96	1.69	1.75
75	Re	61.13	69.30	8.65	10.01	75	Re	61.13	69.30	8.65	10.01
104	Rf					104	Rf				

105

105

Z #		K $\alpha$	K $\beta$	L $\alpha$	L $\beta$	Z #		K $\alpha$	K $\beta$	L $\alpha$	L $\beta$
103	Lr					103	Lr				
71	Lu	54.06	61.28	7.65	8.71	71	Lu	54.06	61.28	7.65	8.71
101	Md					101	Md				
12	Mg	1.25	1.30	X	X	12	Mg	1.25	1.30	X	X
25	Mn	5.90	6.49	0.64	0.65	25	Mn	5.90	6.49	0.64	0.65
42	Mo	17.48	19.61	2.29	2.40	42	Mo	17.48	19.61	2.29	2.40
7	N	0.392	X	X	X	7	N	0.392	X	X	X
11	Na	1.04	1.07	X	X	11	Na	1.04	1.07	X	X
41	Nb	16.61	18.62	2.17	2.26	41	Nb	16.61	18.62	2.17	2.26
60	Nd	37.36	42.27	5.23	5.72	60	Nd	37.36	42.27	5.23	5.72
10	Ne	0.851	X	X	X	10	Ne	0.851	X	X	X
28	Ni	7.48	8.26	0.85	0.87	28	Ni	7.48	8.26	0.85	0.87
102	No					102	No				
93	Np	101.00	114.18	13.95	17.74	93	Np	101.00	114.18	13.95	17.74
8	O	0.526	X	X	X	8	O	0.526	X	X	X
76	Os	62.99	71.40	8.91	10.36	76	Os	62.99	71.40	8.91	10.36
15	P	2.02	2.14	X	X	15	P	2.02	2.14	X	X
91	Pa	95.85	108.41	13.29	19.70	91	Pa	95.85	108.41	13.29	19.70
82	Pb	74.96	84.92	10.55	12.61	82	Pb	74.96	84.92	10.55	12.61
46	Pd	21.18	23.82	2.84	2.99	46	Pd	21.18	23.82	2.84	2.99
61	Pm	38.65	43.96	5.43	5.96	61	Pm	38.65	43.96	5.43	5.96
84	Po	79.30	89.81	11.13	13.44	84	Po	79.30	89.81	11.13	13.44
59	Pr	36.02	40.75	5.03	5.49	59	Pr	36.02	40.75	5.03	5.49
78	Pt	66.82	75.74	9.44	11.07	78	Pt	66.82	75.74	9.44	11.07
94	Pu	103.65	117.15	14.28	18.28	94	Pu	103.65	117.15	14.28	18.28
88	Ra	88.46	100.14	12.34	15.23	88	Ra	88.46	100.14	12.34	15.23
37	Rb	13.39	14.96	1.69	1.75	37	Rb	13.39	14.96	1.69	1.75
75	Re	61.13	69.30	8.65	10.01	75	Re	61.13	69.30	8.65	10.01
104	Rf					104	Rf				

105

105

Z #		K $\alpha$	K $\beta$	L $\alpha$	L $\beta$
45	Rh	20.21	22.72	2.70	2.83
86	Rn	83.80	94.88	11.72	14.32
44	Ru	19.28	21.66	2.56	2.68
16	S	2.31	2.46	X	X
51	Sb	26.36	29.72	3.61	3.84
21	Sc	4.09	4.46	0.40	X
34	Se	11.22	12.50	1.38	1.42
106	Sg				
14	Si	1.74	1.83	X	X
62	Sm	40.12	45.40	5.64	6.21
50	Sn	25.27	28.48	3.44	3.66
38	Sr	14.16	15.83	1.81	1.87
73	Ta	57.52	65.21	8.15	9.34
65	Tb	44.47	50.39	6.28	6.98
43	Tc	18.41	19.61	2.42	2.54
52	Te	27.47	30.99	3.77	4.03
90	Th	93.33	105.59	12.97	16.20
22	Ti	4.51	4.93	0.45	0.46
81	Tl	72.86	82.56	10.27	12.21
69	Tm	50.73	57.58	7.18	8.10
74	W	59.31	67.23	8.40	9.67
92	U	98.43	111.29	13.61	17.22
23	V	4.95	5.43	0.51	0.52
54	Xe	29.80	33.64	4.11	4.42
39	Y	14.96	16.74	1.92	2.00
70	Yb	52.36	59.35	7.41	8.40
30	Zn	8.64	9.57	1.01	1.03
40	Zr	15.77	17.67	2.04	2.12

106

Z #		K $\alpha$	K $\beta$	L $\alpha$	L $\beta$
45	Rh	20.21	22.72	2.70	2.83
86	Rn	83.80	94.88	11.72	14.32
44	Ru	19.28	21.66	2.56	2.68
16	S	2.31	2.46	X	X
51	Sb	26.36	29.72	3.61	3.84
21	Sc	4.09	4.46	0.40	X
34	Se	11.22	12.50	1.38	1.42
106	Sg				
14	Si	1.74	1.83	X	X
62	Sm	40.12	45.40	5.64	6.21
50	Sn	25.27	28.48	3.44	3.66
38	Sr	14.16	15.83	1.81	1.87
73	Ta	57.52	65.21	8.15	9.34
65	Tb	44.47	50.39	6.28	6.98
43	Tc	18.41	19.61	2.42	2.54
52	Te	27.47	30.99	3.77	4.03
90	Th	93.33	105.59	12.97	16.20
22	Ti	4.51	4.93	0.45	0.46
81	Tl	72.86	82.56	10.27	12.21
69	Tm	50.73	57.58	7.18	8.10
74	W	59.31	67.23	8.40	9.67
92	U	98.43	111.29	13.61	17.22
23	V	4.95	5.43	0.51	0.52
54	Xe	29.80	33.64	4.11	4.42
39	Y	14.96	16.74	1.92	2.00
70	Yb	52.36	59.35	7.41	8.40
30	Zn	8.64	9.57	1.01	1.03
40	Zr	15.77	17.67	2.04	2.12

106

Z #		K $\alpha$	K $\beta$	L $\alpha$	L $\beta$
45	Rh	20.21	22.72	2.70	2.83
86	Rn	83.80	94.88	11.72	14.32
44	Ru	19.28	21.66	2.56	2.68
16	S	2.31	2.46	X	X
51	Sb	26.36	29.72	3.61	3.84
21	Sc	4.09	4.46	0.40	X
34	Se	11.22	12.50	1.38	1.42
106	Sg				
14	Si	1.74	1.83	X	X
62	Sm	40.12	45.40	5.64	6.21
50	Sn	25.27	28.48	3.44	3.66
38	Sr	14.16	15.83	1.81	1.87
73	Ta	57.52	65.21	8.15	9.34
65	Tb	44.47	50.39	6.28	6.98
43	Tc	18.41	19.61	2.42	2.54
52	Te	27.47	30.99	3.77	4.03
90	Th	93.33	105.59	12.97	16.20
22	Ti	4.51	4.93	0.45	0.46
81	Tl	72.86	82.56	10.27	12.21
69	Tm	50.73	57.58	7.18	8.10
74	W	59.31	67.23	8.40	9.67
92	U	98.43	111.29	13.61	17.22
23	V	4.95	5.43	0.51	0.52
54	Xe	29.80	33.64	4.11	4.42
39	Y	14.96	16.74	1.92	2.00
70	Yb	52.36	59.35	7.41	8.40
30	Zn	8.64	9.57	1.01	1.03
40	Zr	15.77	17.67	2.04	2.12

106

Z #		K $\alpha$	K $\beta$	L $\alpha$	L $\beta$
45	Rh	20.21	22.72	2.70	2.83
86	Rn	83.80	94.88	11.72	14.32
44	Ru	19.28	21.66	2.56	2.68
16	S	2.31	2.46	X	X
51	Sb	26.36	29.72	3.61	3.84
21	Sc	4.09	4.46	0.40	X
34	Se	11.22	12.50	1.38	1.42
106	Sg				
14	Si	1.74	1.83	X	X
62	Sm	40.12	45.40	5.64	6.21
50	Sn	25.27	28.48	3.44	3.66
38	Sr	14.16	15.83	1.81	1.87
73	Ta	57.52	65.21	8.15	9.34
65	Tb	44.47	50.39	6.28	6.98
43	Tc	18.41	19.61	2.42	2.54
52	Te	27.47	30.99	3.77	4.03
90	Th	93.33	105.59	12.97	16.20
22	Ti	4.51	4.93	0.45	0.46
81	Tl	72.86	82.56	10.27	12.21
69	Tm	50.73	57.58	7.18	8.10
74	W	59.31	67.23	8.40	9.67
92	U	98.43	111.29	13.61	17.22
23	V	4.95	5.43	0.51	0.52
54	Xe	29.80	33.64	4.11	4.42
39	Y	14.96	16.74	1.92	2.00
70	Yb	52.36	59.35	7.41	8.40
30	Zn	8.64	9.57	1.01	1.03
40	Zr	15.77	17.67	2.04	2.12

106

## COUNTING STATISTICS

$$\text{Minimum Detectable Activity (MDA) MDA} = \frac{k^2 + 2k\sqrt{R_B \times t_{S+B} \times (1+t_{S+B}/t_B)}}{t_{S+B} \times \text{Eff}}$$

$$\text{Minimum Detectable Count Rate LLD} = L_D = \text{MDCR} \frac{k^2 + 2k\sqrt{R_B \times t_{S+B} \times (1+t_{S+B}/t_B)}}{t_{S+B}}$$

$$L_C = k \times \sqrt{R_B \times t_{S+B} + R_B \times t_B}$$

$k = 1.645$  (for 95% Confidence Level)  
 $t_{S+B}$  = sample count time  
 $t_B$  = background count time  
 $R_B$  = background count rate  
 $\text{Eff}$  = efficiency of the detector (expressed as a decimal)  
 $R_{S+B}$  = sample count rate  
 LLD is Lower Limit of Detection  
 $L_D$  is the Decision Level  
 $L_C$  is the Critical Level and generally expressed as counts (or signal level) above background

K	0.674	1	1.645	1.96	2.58	3.00
% C.L.	50	68.3	90	95	99	99.7

If  $R_B$  is in DPM it must be converted to CPM before using the above equations.

A 'k' of 1.645 is used as the 95% confidence level for a two-tailed distribution.

Gaussian statistics should be used for  $\geq 30$  counts and Poisson statistics for  $< 30$  counts. The typical formulas such as those above are an attempt to blend the two statistical models.

107

## COUNTING STATISTICS

$$\text{Minimum Detectable Activity (MDA) MDA} = \frac{k^2 + 2k\sqrt{R_B \times t_{S+B} \times (1+t_{S+B}/t_B)}}{t_{S+B} \times \text{Eff}}$$

$$\text{Minimum Detectable Count Rate LLD} = L_D = \text{MDCR} \frac{k^2 + 2k\sqrt{R_B \times t_{S+B} \times (1+t_{S+B}/t_B)}}{t_{S+B}}$$

$$L_C = k \times \sqrt{R_B \times t_{S+B} + R_B \times t_B}$$

$k = 1.645$  (for 95% Confidence Level)  
 $t_{S+B}$  = sample count time  
 $t_B$  = background count time  
 $R_B$  = background count rate  
 $\text{Eff}$  = efficiency of the detector (expressed as a decimal)  
 $R_{S+B}$  = sample count rate  
 LLD is Lower Limit of Detection  
 $L_D$  is the Decision Level  
 $L_C$  is the Critical Level and generally expressed as counts (or signal level) above background

K	0.674	1	1.645	1.96	2.58	3.00
% C.L.	50	68.3	90	95	99	99.7

If  $R_B$  is in DPM it must be converted to CPM before using the above equations.

A 'k' of 1.645 is used as the 95% confidence level for a two-tailed distribution.

Gaussian statistics should be used for  $\geq 30$  counts and Poisson statistics for  $< 30$  counts. The typical formulas such as those above are an attempt to blend the two statistical models.

107

## COUNTING STATISTICS

$$\text{Minimum Detectable Activity (MDA) MDA} = \frac{k^2 + 2k\sqrt{R_B \times t_{S+B} \times (1+t_{S+B}/t_B)}}{t_{S+B} \times \text{Eff}}$$

$$\text{Minimum Detectable Count Rate LLD} = L_D = \text{MDCR} \frac{k^2 + 2k\sqrt{R_B \times t_{S+B} \times (1+t_{S+B}/t_B)}}{t_{S+B}}$$

$$L_C = k \times \sqrt{R_B \times t_{S+B} + R_B \times t_B}$$

$k = 1.645$  (for 95% Confidence Level)  
 $t_{S+B}$  = sample count time  
 $t_B$  = background count time  
 $R_B$  = background count rate  
 $\text{Eff}$  = efficiency of the detector (expressed as a decimal)  
 $R_{S+B}$  = sample count rate  
 LLD is Lower Limit of Detection  
 $L_D$  is the Decision Level  
 $L_C$  is the Critical Level and generally expressed as counts (or signal level) above background

K	0.674	1	1.645	1.96	2.58	3.00
% C.L.	50	68.3	90	95	99	99.7

If  $R_B$  is in DPM it must be converted to CPM before using the above equations.

A 'k' of 1.645 is used as the 95% confidence level for a two-tailed distribution.

Gaussian statistics should be used for  $\geq 30$  counts and Poisson statistics for  $< 30$  counts. The typical formulas such as those above are an attempt to blend the two statistical models.

107

## COUNTING STATISTICS

$$\text{Minimum Detectable Activity (MDA) MDA} = \frac{k^2 + 2k\sqrt{R_B \times t_{S+B} \times (1+t_{S+B}/t_B)}}{t_{S+B} \times \text{Eff}}$$

$$\text{Minimum Detectable Count Rate LLD} = L_D = \text{MDCR} \frac{k^2 + 2k\sqrt{R_B \times t_{S+B} \times (1+t_{S+B}/t_B)}}{t_{S+B}}$$

$$L_C = k \times \sqrt{R_B \times t_{S+B} + R_B \times t_B}$$

$k = 1.645$  (for 95% Confidence Level)  
 $t_{S+B}$  = sample count time  
 $t_B$  = background count time  
 $R_B$  = background count rate  
 $\text{Eff}$  = efficiency of the detector (expressed as a decimal)  
 $R_{S+B}$  = sample count rate  
 LLD is Lower Limit of Detection  
 $L_D$  is the Decision Level  
 $L_C$  is the Critical Level and generally expressed as counts (or signal level) above background

K	0.674	1	1.645	1.96	2.58	3.00
% C.L.	50	68.3	90	95	99	99.7

If  $R_B$  is in DPM it must be converted to CPM before using the above equations.

A 'k' of 1.645 is used as the 95% confidence level for a two-tailed distribution.

Gaussian statistics should be used for  $\geq 30$  counts and Poisson statistics for  $< 30$  counts. The typical formulas such as those above are an attempt to blend the two statistical models.

107

MDA when background and sample count times are one minute and k is 1.645.  $\frac{3 + 4.65 \sqrt{R_B}}{\text{Eff}}$

MDA when background count time is ten minutes and sample count time is one minute and k is 1.645.  $\frac{3 + 3.45 \sqrt{R_B}}{\text{Eff}}$

**POISSON STATISTICS**

For Poisson distributions the following logic applies.


$P_n$  is the probability of getting count "n"

$P_n = \mu^n e^{-\mu} / n!$

n = the hypothetical count

$\mu$  = true mean counts

If the true mean,  $\mu$ , is 3, then there is a 5% probability that we will get a zero count and a 95% probability that we will get greater than zero counts. There is a 65% probability that we will get 3 or more counts.



MDA when background and sample count times are one minute and k is 1.645.  $\frac{3 + 4.65 \sqrt{R_B}}{\text{Eff}}$

MDA when background count time is ten minutes and sample count time is one minute and k is 1.645.  $\frac{3 + 3.45 \sqrt{R_B}}{\text{Eff}}$

**POISSON STATISTICS**

For Poisson distributions the following logic applies.


$P_n$  is the probability of getting count "n"

$P_n = \mu^n e^{-\mu} / n!$

n = the hypothetical count

$\mu$  = true mean counts

If the true mean,  $\mu$ , is 3, then there is a 5% probability that we will get a zero count and a 95% probability that we will get greater than zero counts. There is a 65% probability that we will get 3 or more counts.



MDA when background and sample count times are one minute and k is 1.645.  $\frac{3 + 4.65 \sqrt{R_B}}{\text{Eff}}$

MDA when background count time is ten minutes and sample count time is one minute and k is 1.645.  $\frac{3 + 3.45 \sqrt{R_B}}{\text{Eff}}$

**POISSON STATISTICS**

For Poisson distributions the following logic applies.


$P_n$  is the probability of getting count "n"

$P_n = \mu^n e^{-\mu} / n!$

n = the hypothetical count

$\mu$  = true mean counts

If the true mean,  $\mu$ , is 3, then there is a 5% probability that we will get a zero count and a 95% probability that we will get greater than zero counts. There is a 65% probability that we will get 3 or more counts.



MDA when background and sample count times are one minute and k is 1.645.  $\frac{3 + 4.65 \sqrt{R_B}}{\text{Eff}}$

MDA when background count time is ten minutes and sample count time is one minute and k is 1.645.  $\frac{3 + 3.45 \sqrt{R_B}}{\text{Eff}}$

**POISSON STATISTICS**

For Poisson distributions the following logic applies.


$P_n$  is the probability of getting count "n"

$P_n = \mu^n e^{-\mu} / n!$

n = the hypothetical count

$\mu$  = true mean counts

If the true mean,  $\mu$ , is 3, then there is a 5% probability that we will get a zero count and a 95% probability that we will get greater than zero counts. There is a 65% probability that we will get 3 or more counts.



**ELEVATION VS AIR PRESSURE**

Elevation		Barometric Pressure		Boiling Point of Water		Speed of Sound	
FT	M	mm Hg	kPa	°C	°F	M/S	MPH
-500	-152	774	103.2	100.5	212.9	340.9	763
0	0	760	101.3	100	212.0	340.3	761
500	152	746	99.5	99.5	211.1	339.7	760
1,000	305	732	97.6	99.0	210.2	339.1	759
1,500	457	720	96.0	98.4	209.2	338.6	757
2,000	610	707	94.3	97.9	208.3	338.0	756
2,500	762	694	92.5	97.4	207.4	337.4	755
3,000	914	681	90.8	97.0	206.6	336.7	753
3,500	1,067	668	89.1	96.4	205.6	336.2	752
4,000	1,219	656	87.5	95.9	204.6	335.6	751
4,500	1,372	644	85.9	95.4	203.7	334.8	749
5,000	1,524	632	84.3	94.9	202.9	334.4	748
5,500	1,676	619	82.5	94.4	202.0	333.8	747
6,000	1,829	609	81.2	93.9	201.1	333.2	745
6,500	1,981	597	79.6	93.3	200.0	332.6	744
7,000	2,134	586	78.1	92.8	199.1	332.2	743
7,500	2,286	575	76.7	92.4	198.3	331.4	741
8,000	2,438	564	75.2	91.8	197.4	330.8	740
9,000	2,743	543	72.4	90.9	195.6	330.1	738
10,000	3,048	523	69.7	89.8	193.7	328.5	735
11,000	3,353	504	67.1	88.8	191.4	327.3	732
12,000	3,658	484	64.5	87.8	190.1	326.0	729
13,000	3,962	464	62.0	86.8	188.2	324.6	726
14,000	4,267	444	59.5	85.8	186.4	323.2	723
15,000	4,572	424	57.0	84.8	184.6	321.8	720
16,000	4,877	404	54.6	83.7	182.7	320.4	717

**ELEVATION VS AIR PRESSURE**

Elevation		Barometric Pressure		Boiling Point of Water		Speed of Sound	
FT	M	mm Hg	kPa	°C	°F	M/S	MPH
-500	-152	774	103.2	100.5	212.9	340.9	763
0	0	760	101.3	100	212.0	340.3	761
500	152	746	99.5	99.5	211.1	339.7	760
1,000	305	732	97.6	99.0	210.2	339.1	759
1,500	457	720	96.0	98.4	209.2	338.6	757
2,000	610	707	94.3	97.9	208.3	338.0	756
2,500	762	694	92.5	97.4	207.4	337.4	755
3,000	914	681	90.8	97.0	206.6	336.7	753
3,500	1,067	668	89.1	96.4	205.6	336.2	752
4,000	1,219	656	87.5	95.9	204.6	335.6	751
4,500	1,372	644	85.9	95.4	203.7	334.8	749
5,000	1,524	632	84.3	94.9	202.9	334.4	748
5,500	1,676	619	82.5	94.4	202.0	333.8	747
6,000	1,829	609	81.2	93.9	201.1	333.2	745
6,500	1,981	597	79.6	93.3	200.0	332.6	744
7,000	2,134	586	78.1	92.8	199.1	332.2	743
7,500	2,286	575	76.7	92.4	198.3	331.4	741
8,000	2,438	564	75.2	91.8	197.4	330.8	740
9,000	2,743	543	72.4	90.9	195.6	330.1	738
10,000	3,048	523	69.7	89.8	193.7	328.5	735
11,000	3,353	504	67.1	88.8	191.4	327.3	732
12,000	3,658	484	64.5	87.8	190.1	326.0	729
13,000	3,962	464	62.0	86.8	188.2	324.6	726
14,000	4,267	444	59.5	85.8	186.4	323.2	723
15,000	4,572	424	57.0	84.8	184.6	321.8	720
16,000	4,877	404	54.6	83.7	182.7	320.4	717

**ELEVATION VS AIR PRESSURE**

Elevation		Barometric Pressure		Boiling Point of Water		Speed of Sound	
FT	M	mm Hg	kPa	°C	°F	M/S	MPH
-500	-152	774	103.2	100.5	212.9	340.9	763
0	0	760	101.3	100	212.0	340.3	761
500	152	746	99.5	99.5	211.1	339.7	760
1,000	305	732	97.6	99.0	210.2	339.1	759
1,500	457	720	96.0	98.4	209.2	338.6	757
2,000	610	707	94.3	97.9	208.3	338.0	756
2,500	762	694	92.5	97.4	207.4	337.4	755
3,000	914	681	90.8	97.0	206.6	336.7	753
3,500	1,067	668	89.1	96.4	205.6	336.2	752
4,000	1,219	656	87.5	95.9	204.6	335.6	751
4,500	1,372	644	85.9	95.4	203.7	334.8	749
5,000	1,524	632	84.3	94.9	202.9	334.4	748
5,500	1,676	619	82.5	94.4	202.0	333.8	747
6,000	1,829	609	81.2	93.9	201.1	333.2	745
6,500	1,981	597	79.6	93.3	200.0	332.6	744
7,000	2,134	586	78.1	92.8	199.1	332.2	743
7,500	2,286	575	76.7	92.4	198.3	331.4	741
8,000	2,438	564	75.2	91.8	197.4	330.8	740
9,000	2,743	543	72.4	90.9	195.6	330.1	738
10,000	3,048	523	69.7	89.8	193.7	328.5	735
11,000	3,353	504	67.1	88.8	191.4	327.3	732
12,000	3,658	484	64.5	87.8	190.1	326.0	729
13,000	3,962	464	62.0	86.8	188.2	324.6	726
14,000	4,267	444	59.5	85.8	186.4	323.2	723
15,000	4,572	424	57.0	84.8	184.6	321.8	720
16,000	4,877	404	54.6	83.7	182.7	320.4	717

**ELEVATION VS AIR PRESSURE**

Elevation		Barometric Pressure		Boiling Point of Water		Speed of Sound	
FT	M	mm Hg	kPa	°C	°F	M/S	MPH
-500	-152	774	103.2	100.5	212.9	340.9	763
0	0	760	101.3	100	212.0	340.3	761
500	152	746	99.5	99.5	211.1	339.7	760
1,000	305	732	97.6	99.0	210.2	339.1	759
1,500	457	720	96.0	98.4	209.2	338.6	757
2,000	610	707	94.3	97.9	208.3	338.0	756
2,500	762	694	92.5	97.4	207.4	337.4	755
3,000	914	681	90.8	97.0	206.6	336.7	753
3,500	1,067	668	89.1	96.4	205.6	336.2	752
4,000	1,219	656	87.5	95.9	204.6	335.6	751
4,500	1,372	644	85.9	95.4	203.7	334.8	749
5,000	1,524	632	84.3	94.9	202.9	334.4	748
5,500	1,676	619	82.5	94.4	202.0	333.8	747
6,000	1,829	609	81.2	93.9	201.1	333.2	745
6,500	1,981	597	79.6	93.3	200.0	332.6	744
7,000	2,134	586	78.1	92.8	199.1	332.2	743
7,500	2,286	575	76.7	92.4	198.3	331.4	741
8,000	2,438	564	75.2	91.8	197.4	330.8	740
9,000	2,743	543	72.4	90.9	195.6	330.1	738
10,000	3,048	523	69.7	89.8	193.7	328.5	735
11,000	3,353	504	67.1	88.8	191.4	327.3	732
12,000	3,658	484	64.5	87.8	190.1	326.0	729
13,000	3,962	464	62.0	86.8	188.2	324.6	726
14,000	4,267	444	59.5	85.8	186.4	323.2	723
15,000	4,572	424	57.0	84.8	184.6	321.8	720
16,000	4,877	404	54.6	83.7	182.7	320.4	717

**ELEVATIONS OF MAJOR AIRPORTS AND FACILITIES**

	Feet		Feet
AK Anchorage	144	IL Bloomington	875
AK Fairbanks	434	IL Moline	589
AL Birmingham	644	IN Bloomington	845
AL Dothan	401	IN Evansville	416
AL Huntsville	630	KS Wichita	1,332
AR Little Rock	260	KY Lexington	980
AR Fort Smith	469	KY Paducah	410
AZ Flagstaff	7,011	LA New Orleans	6
AZ Phoenix	1,133	LA Shreveport	248
AZ Tucson	2,641	MA Boston	20
CA Imperial	-24	MA Worcester	1,009
CA Lake Tahoe	6,264	MD Hagerstown	704
CA Sacramento	24	MD Salisbury	52
CA Los Angeles	126	ME Portland	74
CO Denver	5,431	ME Presque Island	534
CO Leadville	9,927	MI Detroit	626
CO Pueblo	4,726	MI Hancock	1,095
CT Bridgeport	10	MN Duluth	1,428
CT New Haven	14	MN Minneapolis	841
DC Washington	313	MO Saint Louis	605
FL Gainesville	152	MO Springfield	1,267
FL Miami	11	MS Biloxi	28
GA Atlanta	1,026	MS Tupelo	346
GA Savannah	51	MT Yellowstone	6,644
HI Honolulu	13	MT Wolf Point	1,986
HI Lanai City	1,308	NC Asheville	2,165
IA Burlington	698	NC New Bern	19
IA Mason City	1,213	ND Grand Forks	844
ID Idaho Falls	4,741	ND Williston	1,962
ID Lewiston	1,438	NE Lincoln	1,214

110

**ELEVATIONS OF MAJOR AIRPORTS AND FACILITIES**

	Feet		Feet
AK Anchorage	144	IL Bloomington	875
AK Fairbanks	434	IL Moline	589
AL Birmingham	644	IN Bloomington	845
AL Dothan	401	IN Evansville	416
AL Huntsville	630	KS Wichita	1,332
AR Little Rock	260	KY Lexington	980
AR Fort Smith	469	KY Paducah	410
AZ Flagstaff	7,011	LA New Orleans	6
AZ Phoenix	1,133	LA Shreveport	248
AZ Tucson	2,641	MA Boston	20
CA Imperial	-24	MA Worcester	1,009
CA Lake Tahoe	6,264	MD Hagerstown	704
CA Sacramento	24	MD Salisbury	52
CA Los Angeles	126	ME Portland	74
CO Denver	5,431	ME Presque Island	534
CO Leadville	9,927	MI Detroit	626
CO Pueblo	4,726	MI Hancock	1,095
CT Bridgeport	10	MN Duluth	1,428
CT New Haven	14	MN Minneapolis	841
DC Washington	313	MO Saint Louis	605
FL Gainesville	152	MO Springfield	1,267
FL Miami	11	MS Biloxi	28
GA Atlanta	1,026	MS Tupelo	346
GA Savannah	51	MT Yellowstone	6,644
HI Honolulu	13	MT Wolf Point	1,986
HI Lanai City	1,308	NC Asheville	2,165
IA Burlington	698	NC New Bern	19
IA Mason City	1,213	ND Grand Forks	844
ID Idaho Falls	4,741	ND Williston	1,962
ID Lewiston	1,438	NE Lincoln	1,214

110

**ELEVATIONS OF MAJOR AIRPORTS AND FACILITIES**

	Feet		Feet
AK Anchorage	144	IL Bloomington	875
AK Fairbanks	434	IL Moline	589
AL Birmingham	644	IN Bloomington	845
AL Dothan	401	IN Evansville	416
AL Huntsville	630	KS Wichita	1,332
AR Little Rock	260	KY Lexington	980
AR Fort Smith	469	KY Paducah	410
AZ Flagstaff	7,011	LA New Orleans	6
AZ Phoenix	1,133	LA Shreveport	248
AZ Tucson	2,641	MA Boston	20
CA Imperial	-24	MA Worcester	1,009
CA Lake Tahoe	6,264	MD Hagerstown	704
CA Sacramento	24	MD Salisbury	52
CA Los Angeles	126	ME Portland	74
CO Denver	5,431	ME Presque Island	534
CO Leadville	9,927	MI Detroit	626
CO Pueblo	4,726	MI Hancock	1,095
CT Bridgeport	10	MN Duluth	1,428
CT New Haven	14	MN Minneapolis	841
DC Washington	313	MO Saint Louis	605
FL Gainesville	152	MO Springfield	1,267
FL Miami	11	MS Biloxi	28
GA Atlanta	1,026	MS Tupelo	346
GA Savannah	51	MT Yellowstone	6,644
HI Honolulu	13	MT Wolf Point	1,986
HI Lanai City	1,308	NC Asheville	2,165
IA Burlington	698	NC New Bern	19
IA Mason City	1,213	ND Grand Forks	844
ID Idaho Falls	4,741	ND Williston	1,962
ID Lewiston	1,438	NE Lincoln	1,214

110

**ELEVATIONS OF MAJOR AIRPORTS AND FACILITIES**

	Feet		Feet
AK Anchorage	144	IL Bloomington	875
AK Fairbanks	434	IL Moline	589
AL Birmingham	644	IN Bloomington	845
AL Dothan	401	IN Evansville	416
AL Huntsville	630	KS Wichita	1,332
AR Little Rock	260	KY Lexington	980
AR Fort Smith	469	KY Paducah	410
AZ Flagstaff	7,011	LA New Orleans	6
AZ Phoenix	1,133	LA Shreveport	248
AZ Tucson	2,641	MA Boston	20
CA Imperial	-24	MA Worcester	1,009
CA Lake Tahoe	6,264	MD Hagerstown	704
CA Sacramento	24	MD Salisbury	52
CA Los Angeles	126	ME Portland	74
CO Denver	5,431	ME Presque Island	534
CO Leadville	9,927	MI Detroit	626
CO Pueblo	4,726	MI Hancock	1,095
CT Bridgeport	10	MN Duluth	1,428
CT New Haven	14	MN Minneapolis	841
DC Washington	313	MO Saint Louis	605
FL Gainesville	152	MO Springfield	1,267
FL Miami	11	MS Biloxi	28
GA Atlanta	1,026	MS Tupelo	346
GA Savannah	51	MT Yellowstone	6,644
HI Honolulu	13	MT Wolf Point	1,986
HI Lanai City	1,308	NC Asheville	2,165
IA Burlington	698	NC New Bern	19
IA Mason City	1,213	ND Grand Forks	844
ID Idaho Falls	4,741	ND Williston	1,962
ID Lewiston	1,438	NE Lincoln	1,214

110

NE Omaha	983	UT Cedar City	5,623
NH Lebanon	598	UT Saint George	2,936
NH Manchester	234	UT Salt Lake City	4,227
NJ Atlantic City	76	VA Norfolk	27
NJ Trenton	213	VA Roanoake	1,176
NM Albuquerque	5,352	VT Burlington	334
NM Carlsbad	3,293	WA Bellingham	166
NM Los Alamos	7,200	WA Pullman	2,551
NM White Sands	4,197	WA Richland	195
NV Ely	6,255	WI La Crosse	654
NV Las Vegas	2,175	WI Oshkosh	808
NY Jamestown	1,724	WI Rhinelander	1,623
NY New York	13	WV Bluefield	2,857
OH Akron	1,228	WV Huntington	828
OH Cincinnati	897	WY Laramie	7,276
OH Cleveland	584	WY Sheridan	4,021
OK Oklahoma City	1,295		
OK Tulsa	677		
OR Portland	27		
OR Redmond	3,077		
PA Johnstown	2,284		
PA Philadelphia	21		
RI Providence	55		
SC Columbia	236		
SC Myrtle Beach	28		
SD Huron	1,288		
SD Rapid City	3,202		
TN Bristol	1,519		
TN Memphis	332		
TX Dallas	487		
TX El Paso	3,956		

111

NE Omaha	983	UT Cedar City	5,623
NH Lebanon	598	UT Saint George	2,936
NH Manchester	234	UT Salt Lake City	4,227
NJ Atlantic City	76	VA Norfolk	27
NJ Trenton	213	VA Roanoake	1,176
NM Albuquerque	5,352	VT Burlington	334
NM Carlsbad	3,293	WA Bellingham	166
NM Los Alamos	7,200	WA Pullman	2,551
NM White Sands	4,197	WA Richland	195
NV Ely	6,255	WI La Crosse	654
NV Las Vegas	2,175	WI Oshkosh	808
NY Jamestown	1,724	WI Rhinelander	1,623
NY New York	13	WV Bluefield	2,857
OH Akron	1,228	WV Huntington	828
OH Cincinnati	897	WY Laramie	7,276
OH Cleveland	584	WY Sheridan	4,021
OK Oklahoma City	1,295		
OK Tulsa	677		
OR Portland	27		
OR Redmond	3,077		
PA Johnstown	2,284		
PA Philadelphia	21		
RI Providence	55		
SC Columbia	236		
SC Myrtle Beach	28		
SD Huron	1,288		
SD Rapid City	3,202		
TN Bristol	1,519		
TN Memphis	332		
TX Dallas	487		
TX El Paso	3,956		

111

NE Omaha	983	UT Cedar City	5,623
NH Lebanon	598	UT Saint George	2,936
NH Manchester	234	UT Salt Lake City	4,227
NJ Atlantic City	76	VA Norfolk	27
NJ Trenton	213	VA Roanoake	1,176
NM Albuquerque	5,352	VT Burlington	334
NM Carlsbad	3,293	WA Bellingham	166
NM Los Alamos	7,200	WA Pullman	2,551
NM White Sands	4,197	WA Richland	195
NV Ely	6,255	WI La Crosse	654
NV Las Vegas	2,175	WI Oshkosh	808
NY Jamestown	1,724	WI Rhinelander	1,623
NY New York	13	WV Bluefield	2,857
OH Akron	1,228	WV Huntington	828
OH Cleveland	897	WY Laramie	7,276
OH Cleveland	584	WY Sheridan	4,021
OK Oklahoma City	1,295		
OK Tulsa	677		
OR Portland	27		
OR Redmond	3,077		
PA Johnstown	2,284		
PA Philadelphia	21		
RI Providence	55		
SC Columbia	236		
SC Myrtle Beach	28		
SD Huron	1,288		
SD Rapid City	3,202		
TN Bristol	1,519		
TN Memphis	332		
TX Dallas	487		
TX El Paso	3,956		

111

NE Omaha	983	UT Cedar City	5,623
NH Lebanon	598	UT Saint George	2,936
NH Manchester	234	UT Salt Lake City	4,227
NJ Atlantic City	76	VA Norfolk	27
NJ Trenton	213	VA Roanoake	1,176
NM Albuquerque	5,352	VT Burlington	334
NM Carlsbad	3,293	WA Bellingham	166
NM Los Alamos	7,200	WA Pullman	2,551
NM White Sands	4,197	WA Richland	195
NV Ely	6,255	WI La Crosse	654
NV Las Vegas	2,175	WI Oshkosh	808
NY Jamestown	1,724	WI Rhinelander	1,623
NY New York	13	WV Bluefield	2,857
OH Akron	1,228	WV Huntington	828
OH Cincinnati	897	WY Laramie	7,276
OH Cleveland	584	WY Sheridan	4,021
OK Oklahoma City	1,295		
OK Tulsa	677		
OR Portland	27		
OR Redmond	3,077		
PA Johnstown	2,284		
PA Philadelphia	21		
RI Providence	55		
SC Columbia	236		
SC Myrtle Beach	28		
SD Huron	1,288		
SD Rapid City	3,202		
TN Bristol	1,519		
TN Memphis	332		
TX Dallas	487		
TX El Paso	3,956		

111

**INTERNATIONAL AIRPORT ELEVATIONS (FEET)**

Addis-Ababa, Ethiopia	7,625	Montreal, Canada	117
Algiers, Algeria	826	Moscow, Russia	623
Amsterdam, Netherlands	-13	Nairobi, Kenya	5,327
Athens, Greece	90	New Delhi, India	776
Bagdad, Iraq	113	Osaka, Japan	39
Beijing, China	15	Panama Cty, Panama	135
Berlin, Germany	164	Paris, France	292
Bogota, Columbia	8,355	Perth, Australia	53
Bombay, India	27	Port Moresby,	
Buenos Aires, Argentina	66	Papua NG	125
Cairo, Egypt	366	Quito, Ecuador	9,228
Calgary, Canada	3,557	Recife, Brazil	36
Cape Town, South Africa	151	Reykjavik, Iceland	169
Casablanca, Morocco	656	Rio de Janeiro, Brazil	16
Damascus, Syria	2,020	Rome, Italy	7
Darwin, Australia	94	Santiago, Chili	1,554
Dublin, Ireland	222	Seoul, South Korea	58
Geneva, Switzerland	1,411	Shanghai, China	15
Helsinki, Finland	167	Shannon, Ireland	47
Istanbul, Turkey	92	Singapore, Singapore	65
Jakarta, Indonesia	86	Stockholm, Sweden	123
Jo'burg, South Africa	5,557	Sydney, Australia	6
Karachi, Pakistan	100	Taipei, Taiwan	21
Khartoum, Sudan	1,256	Tehran, Iran	3,949
La Paz, Bolivia	13,354	Tel Aviv, Israel	135
Lima, Peru	105	Tokyo, Japan	8
Lisbon, Portugal	374	Toronto, Canada	569
London, England	80	Tunis, Tunisia	20
Madrid, Spain	1,998	Vancouver, Canada	8
Manila, Phillipines	74	Warsaw, Poland	361
Melbourne, Australia	392	Zurich, Switzerland	1,416
Mexico City, Mexico	7,341		

**INTERNATIONAL AIRPORT ELEVATIONS (FEET)**

Addis-Ababa, Ethiopia	7,625	Montreal, Canada	117
Algiers, Algeria	826	Moscow, Russia	623
Amsterdam, Netherlands	-13	Nairobi, Kenya	5,327
Athens, Greece	90	New Delhi, India	776
Bagdad, Iraq	113	Osaka, Japan	39
Beijing, China	15	Panama Cty, Panama	135
Berlin, Germany	164	Paris, France	292
Bogota, Columbia	8,355	Perth, Australia	53
Bombay, India	27	Port Moresby,	
Buenos Aires, Argentina	66	Papua NG	125
Cairo, Egypt	366	Quito, Ecuador	9,228
Calgary, Canada	3,557	Recife, Brazil	36
Cape Town, South Africa	151	Reykjavik, Iceland	169
Casablanca, Morocco	656	Rio de Janeiro, Brazil	16
Damascus, Syria	2,020	Rome, Italy	7
Darwin, Australia	94	Santiago, Chili	1,554
Dublin, Ireland	222	Seoul, South Korea	58
Geneva, Switzerland	1,411	Shanghai, China	15
Helsinki, Finland	167	Shannon, Ireland	47
Istanbul, Turkey	92	Singapore, Singapore	65
Jakarta, Indonesia	86	Stockholm, Sweden	123
Jo'burg, South Africa	5,557	Sydney, Australia	6
Karachi, Pakistan	100	Taipei, Taiwan	21
Khartoum, Sudan	1,256	Tehran, Iran	3,949
La Paz, Bolivia	13,354	Tel Aviv, Israel	135
Lima, Peru	105	Tokyo, Japan	8
Lisbon, Portugal	374	Toronto, Canada	569
London, England	80	Tunis, Tunisia	20
Madrid, Spain	1,998	Vancouver, Canada	8
Manila, Phillipines	74	Warsaw, Poland	361
Melbourne, Australia	392	Zurich, Switzerland	1,416
Mexico City, Mexico	7,341		

**INTERNATIONAL AIRPORT ELEVATIONS (FEET)**

Addis-Ababa, Ethiopia	7,625	Montreal, Canada	117
Algiers, Algeria	826	Moscow, Russia	623
Amsterdam, Netherlands	-13	Nairobi, Kenya	5,327
Athens, Greece	90	New Delhi, India	776
Bagdad, Iraq	113	Osaka, Japan	39
Beijing, China	15	Panama Cty, Panama	135
Berlin, Germany	164	Paris, France	292
Bogota, Columbia	8,355	Perth, Australia	53
Bombay, India	27	Port Moresby,	
Buenos Aires, Argentina	66	Papua NG	125
Cairo, Egypt	366	Quito, Ecuador	9,228
Calgary, Canada	3,557	Recife, Brazil	36
Cape Town, South Africa	151	Reykjavik, Iceland	169
Casablanca, Morocco	656	Rio de Janeiro, Brazil	16
Damascus, Syria	2,020	Rome, Italy	7
Darwin, Australia	94	Santiago, Chili	1,554
Dublin, Ireland	222	Seoul, South Korea	58
Geneva, Switzerland	1,411	Shanghai, China	15
Helsinki, Finland	167	Shannon, Ireland	47
Istanbul, Turkey	92	Singapore, Singapore	65
Jakarta, Indonesia	86	Stockholm, Sweden	123
Jo'burg, South Africa	5,557	Sydney, Australia	6
Karachi, Pakistan	100	Taipei, Taiwan	21
Khartoum, Sudan	1,256	Tehran, Iran	3,949
La Paz, Bolivia	13,354	Tel Aviv, Israel	135
Lima, Peru	105	Tokyo, Japan	8
Lisbon, Portugal	374	Toronto, Canada	569
London, England	80	Tunis, Tunisia	20
Madrid, Spain	1,998	Vancouver, Canada	8
Manila, Phillipines	74	Warsaw, Poland	361
Melbourne, Australia	392	Zurich, Switzerland	1,416
Mexico City, Mexico	7,341		

**INTERNATIONAL AIRPORT ELEVATIONS (FEET)**

Addis-Ababa, Ethiopia	7,625	Montreal, Canada	117
Algiers, Algeria	826	Moscow, Russia	623
Amsterdam, Netherlands	-13	Nairobi, Kenya	5,327
Athens, Greece	90	New Delhi, India	776
Bagdad, Iraq	113	Osaka, Japan	39
Beijing, China	15	Panama Cty, Panama	135
Berlin, Germany	164	Paris, France	292
Bogota, Columbia	8,355	Perth, Australia	53
Bombay, India	27	Port Moresby,	
Buenos Aires, Argentina	66	Papua NG	125
Cairo, Egypt	366	Quito, Ecuador	9,228
Calgary, Canada	3,557	Recife, Brazil	36
Cape Town, South Africa	151	Reykjavik, Iceland	169
Casablanca, Morocco	656	Rio de Janeiro, Brazil	16
Damascus, Syria	2,020	Rome, Italy	7
Darwin, Australia	94	Santiago, Chili	1,554
Dublin, Ireland	222	Seoul, South Korea	58
Geneva, Switzerland	1,411	Shanghai, China	15
Helsinki, Finland	167	Shannon, Ireland	47
Istanbul, Turkey	92	Singapore, Singapore	65
Jakarta, Indonesia	86	Stockholm, Sweden	123
Jo'burg, South Africa	5,557	Sydney, Australia	6
Karachi, Pakistan	100	Taipei, Taiwan	21
Khartoum, Sudan	1,256	Tehran, Iran	3,949
La Paz, Bolivia	13,354	Tel Aviv, Israel	135
Lima, Peru	105	Tokyo, Japan	8
Lisbon, Portugal	374	Toronto, Canada	569
London, England	80	Tunis, Tunisia	20
Madrid, Spain	1,998	Vancouver, Canada	8
Manila, Phillipines	74	Warsaw, Poland	361
Melbourne, Australia	392	Zurich, Switzerland	1,416
Mexico City, Mexico	7,341		

**COMPOSITION OF AIR**

	<b>Symbol</b>	<b>% Volume</b>	<b>Density of Gases g / l</b>
Air	-	100.00	1.2928
Nitrogen	N <sub>2</sub>	78.084	1.2506
Oxygen	O <sub>2</sub>	20.947	1.4290
Argon	Ar	0.934	1.7840
Carbon Dioxide	CO <sub>2</sub>	0.033	1.9770
Neon	Ne	18.2 PPM	0.9002
Helium	He	5.2 PPM	0.1785
Methane	CH <sub>4</sub>	2.0 PPM	-
Krypton	Kr	1.1 PPM	3.7
Sulfur Dioxide	SO <sub>2</sub>	1.0 PPM	2.927
Hydrogen	H <sub>2</sub>	0.5 PPM	0.0899
Nitrous Oxide	N <sub>2</sub> O	0.5 PPM	1.977
Xenon	Xe	0.09 PPM	5.9
Ozone	O <sub>3</sub>	0.0 to 0.07 PPM	2.144
Ozone - winter	O <sub>3</sub>	0.0 to 0.02 PPM	2.144
Nitrogen Dioxide	NO <sub>2</sub>	0.02 PPM	1.4494
Iodine	I <sub>2</sub>	0.01 PPM	-
Carbon Monoxide	CO	0.0 to trace	1.2500
Ammonia	NH <sub>3</sub>	0.0 to trace	0.7710

**COMPOSITION OF AIR**

	<b>Symbol</b>	<b>% Volume</b>	<b>Density of Gases g / l</b>
Air	-	100.00	1.2928
Nitrogen	N <sub>2</sub>	78.084	1.2506
Oxygen	O <sub>2</sub>	20.947	1.4290
Argon	Ar	0.934	1.7840
Carbon Dioxide	CO <sub>2</sub>	0.033	1.9770
Neon	Ne	18.2 PPM	0.9002
Helium	He	5.2 PPM	0.1785
Methane	CH <sub>4</sub>	2.0 PPM	-
Krypton	Kr	1.1 PPM	3.7
Sulfur Dioxide	SO <sub>2</sub>	1.0 PPM	2.927
Hydrogen	H <sub>2</sub>	0.5 PPM	0.0899
Nitrous Oxide	N <sub>2</sub> O	0.5 PPM	1.977
Xenon	Xe	0.09 PPM	5.9
Ozone	O <sub>3</sub>	0.0 to 0.07 PPM	2.144
Ozone - winter	O <sub>3</sub>	0.0 to 0.02 PPM	2.144
Nitrogen Dioxide	NO <sub>2</sub>	0.02 PPM	1.4494
Iodine	I <sub>2</sub>	0.01 PPM	-
Carbon Monoxide	CO	0.0 to trace	1.2500
Ammonia	NH <sub>3</sub>	0.0 to trace	0.7710

**COMPOSITION OF AIR**

	<b>Symbol</b>	<b>% Volume</b>	<b>Density of Gases g / l</b>
Air	-	100.00	1.2928
Nitrogen	N <sub>2</sub>	78.084	1.2506
Oxygen	O <sub>2</sub>	20.947	1.4290
Argon	Ar	0.934	1.7840
Carbon Dioxide	CO <sub>2</sub>	0.033	1.9770
Neon	Ne	18.2 PPM	0.9002
Helium	He	5.2 PPM	0.1785
Methane	CH <sub>4</sub>	2.0 PPM	-
Krypton	Kr	1.1 PPM	3.7
Sulfur Dioxide	SO <sub>2</sub>	1.0 PPM	2.927
Hydrogen	H <sub>2</sub>	0.5 PPM	0.0899
Nitrous Oxide	N <sub>2</sub> O	0.5 PPM	1.977
Xenon	Xe	0.09 PPM	5.9
Ozone	O <sub>3</sub>	0.0 to 0.07 PPM	2.144
Ozone - winter	O <sub>3</sub>	0.0 to 0.02 PPM	2.144
Nitrogen Dioxide	NO <sub>2</sub>	0.02 PPM	1.4494
Iodine	I <sub>2</sub>	0.01 PPM	-
Carbon Monoxide	CO	0.0 to trace	1.2500
Ammonia	NH <sub>3</sub>	0.0 to trace	0.7710

**COMPOSITION OF AIR**

	<b>Symbol</b>	<b>% Volume</b>	<b>Density of Gases g / l</b>
Air	-	100.00	1.2928
Nitrogen	N <sub>2</sub>	78.084	1.2506
Oxygen	O <sub>2</sub>	20.947	1.4290
Argon	Ar	0.934	1.7840
Carbon Dioxide	CO <sub>2</sub>	0.033	1.9770
Neon	Ne	18.2 PPM	0.9002
Helium	He	5.2 PPM	0.1785
Methane	CH <sub>4</sub>	2.0 PPM	-
Krypton	Kr	1.1 PPM	3.7
Sulfur Dioxide	SO <sub>2</sub>	1.0 PPM	2.927
Hydrogen	H <sub>2</sub>	0.5 PPM	0.0899
Nitrous Oxide	N <sub>2</sub> O	0.5 PPM	1.977
Xenon	Xe	0.09 PPM	5.9
Ozone	O <sub>3</sub>	0.0 to 0.07 PPM	2.144
Ozone - winter	O <sub>3</sub>	0.0 to 0.02 PPM	2.144
Nitrogen Dioxide	NO <sub>2</sub>	0.02 PPM	1.4494
Iodine	I <sub>2</sub>	0.01 PPM	-
Carbon Monoxide	CO	0.0 to trace	1.2500
Ammonia	NH <sub>3</sub>	0.0 to trace	0.7710

**SI and US "Traditional" Units**

<b>Activity</b>		<b>Dose Equivalent</b>	
1 TBq	= 27 Ci	1 Sv	= 100 rem
1 GBq	= 27 mCi	1 mSv	= 100 mrem
1 Mbq	= 27 $\mu$ Ci	1 mSv	= 0.10 rem
1 kBq	= 27 nCi	1 $\mu$ Sv	= 100 $\mu$ rem
1 Bq	= 27 pCi	1 $\mu$ Sv	= 0.10 mrem
1 Bq	= 1 dps	1 nSv	= 0.10 $\mu$ rem
1 Bq	= 60 dpm		
1 kCi	= 37 TBq	1 krem	= 10 Sv
1 Ci	= 37 Gbq	1 rem	= 10 mSv
1 mCi	= 37 MBq	1 mrem	= 10 $\mu$ Sv
1 $\mu$ Ci	= 37 kBq	1 mrem	= 0.01 mSv
1 nCi	= 37 Bq	1 $\mu$ rem	= 0.01 $\mu$ Sv
1 nCi	= 37 dps	1 $\mu$ rem	= 10 nSv
1 nCi	= 2220 dpm		
1 pCi	= 0.037 Bq		
1 pCi	= 2.22 dpm		

<b>Absorbed Dose</b>		<b>Dose Rate</b>	
1 kGy	= 100 krad	1 Sv/h	= 100 rem/h
1 Gy	= 100 rad	1 mSv/h	= 100 mrem/h
1 mGy	= 100 mrad	1 mSv/h	= 0.10 rem/h
1 $\mu$ Gy	= 100 $\mu$ rad	1 $\mu$ Sv/h	= 100 $\mu$ rem/h
		1 $\mu$ Sv/h	= 0.1 mrem/h
1 krad	= 10 Gy	1 krem/h	= 10 Sv/h
1 rad	= 10 mGy	1 rem/h	= 10 mSv/h
1 mrad	= 10 $\mu$ Gy	1 mrem/h	= 10 $\mu$ Sv/h
1 $\mu$ rad	= 10 nGy	1 mrem/h	= 0.01 mSv/h
		1 $\mu$ rem/h	= 0.01 $\mu$ Sv/h

**SI and US "Traditional" Units**

<b>Activity</b>		<b>Dose Equivalent</b>	
1 TBq	= 27 Ci	1 Sv	= 100 rem
1 GBq	= 27 mCi	1 mSv	= 100 mrem
1 Mbq	= 27 $\mu$ Ci	1 mSv	= 0.10 rem
1 kBq	= 27 nCi	1 $\mu$ Sv	= 100 $\mu$ rem
1 Bq	= 27 pCi	1 $\mu$ Sv	= 0.10 mrem
1 Bq	= 1 dps	1 nSv	= 0.10 $\mu$ rem
1 Bq	= 60 dpm		
1 kCi	= 37 TBq	1 krem	= 10 Sv
1 Ci	= 37 Gbq	1 rem	= 10 mSv
1 mCi	= 37 MBq	1 mrem	= 10 $\mu$ Sv
1 $\mu$ Ci	= 37 kBq	1 mrem	= 0.01 mSv
1 nCi	= 37 Bq	1 $\mu$ rem	= 0.01 $\mu$ Sv
1 nCi	= 37 dps	1 $\mu$ rem	= 10 nSv
1 nCi	= 2220 dpm		
1 pCi	= 0.037 Bq		
1 pCi	= 2.22 dpm		

<b>Absorbed Dose</b>		<b>Dose Rate</b>	
1 kGy	= 100 krad	1 Sv/h	= 100 rem/h
1 Gy	= 100 rad	1 mSv/h	= 100 mrem/h
1 mGy	= 100 mrad	1 mSv/h	= 0.10 rem/h
1 $\mu$ Gy	= 100 $\mu$ rad	1 $\mu$ Sv/h	= 100 $\mu$ rem/h
		1 $\mu$ Sv/h	= 0.1 mrem/h
1 krad	= 10 Gy	1 krem/h	= 10 Sv/h
1 rad	= 10 mGy	1 rem/h	= 10 mSv/h
1 mrad	= 10 $\mu$ Gy	1 mrem/h	= 10 $\mu$ Sv/h
1 $\mu$ rad	= 10 nGy	1 mrem/h	= 0.01 mSv/h
		1 $\mu$ rem/h	= 0.01 $\mu$ Sv/h

**SI and US "Traditional" Units**

<b>Activity</b>		<b>Dose Equivalent</b>	
1 TBq	= 27 Ci	1 Sv	= 100 rem
1 GBq	= 27 mCi	1 mSv	= 100 mrem
1 Mbq	= 27 $\mu$ Ci	1 mSv	= 0.10 rem
1 kBq	= 27 nCi	1 $\mu$ Sv	= 100 $\mu$ rem
1 Bq	= 27 pCi	1 $\mu$ Sv	= 0.10 mrem
1 Bq	= 1 dps	1 nSv	= 0.10 $\mu$ rem
1 Bq	= 60 dpm		
1 kCi	= 37 TBq	1 krem	= 10 Sv
1 Ci	= 37 Gbq	1 rem	= 10 mSv
1 mCi	= 37 MBq	1 mrem	= 10 $\mu$ Sv
1 $\mu$ Ci	= 37 kBq	1 mrem	= 0.01 mSv
1 nCi	= 37 Bq	1 $\mu$ rem	= 0.01 $\mu$ Sv
1 nCi	= 37 dps	1 $\mu$ rem	= 10 nSv
1 nCi	= 2220 dpm		
1 pCi	= 0.037 Bq		
1 pCi	= 2.22 dpm		

<b>Absorbed Dose</b>		<b>Dose Rate</b>	
1 kGy	= 100 krad	1 Sv/h	= 100 rem/h
1 Gy	= 100 rad	1 mSv/h	= 100 mrem/h
1 mGy	= 100 mrad	1 mSv/h	= 0.10 rem/h
1 $\mu$ Gy	= 100 $\mu$ rad	1 $\mu$ Sv/h	= 100 $\mu$ rem/h
		1 $\mu$ Sv/h	= 0.1 mrem/h
1 krad	= 10 Gy	1 krem/h	= 10 Sv/h
1 rad	= 10 mGy	1 rem/h	= 10 mSv/h
1 mrad	= 10 $\mu$ Gy	1 mrem/h	= 10 $\mu$ Sv/h
1 $\mu$ rad	= 10 nGy	1 mrem/h	= 0.01 mSv/h
		1 $\mu$ rem/h	= 0.01 $\mu$ Sv/h

**SI and US "Traditional" Units**

<b>Activity</b>		<b>Dose Equivalent</b>	
1 TBq	= 27 Ci	1 Sv	= 100 rem
1 GBq	= 27 mCi	1 mSv	= 100 mrem
1 Mbq	= 27 $\mu$ Ci	1 mSv	= 0.10 rem
1 kBq	= 27 nCi	1 $\mu$ Sv	= 100 $\mu$ rem
1 Bq	= 27 pCi	1 $\mu$ Sv	= 0.10 mrem
1 Bq	= 1 dps	1 nSv	= 0.10 $\mu$ rem
1 Bq	= 60 dpm		
1 kCi	= 37 TBq	1 krem	= 10 Sv
1 Ci	= 37 Gbq	1 rem	= 10 mSv
1 mCi	= 37 MBq	1 mrem	= 10 $\mu$ Sv
1 $\mu$ Ci	= 37 kBq	1 mrem	= 0.01 mSv
1 nCi	= 37 Bq	1 $\mu$ rem	= 0.01 $\mu$ Sv
1 nCi	= 37 dps	1 $\mu$ rem	= 10 nSv
1 nCi	= 2220 dpm		
1 pCi	= 0.037 Bq		
1 pCi	= 2.22 dpm		

<b>Absorbed Dose</b>		<b>Dose Rate</b>	
1 kGy	= 100 krad	1 Sv/h	= 100 rem/h
1 Gy	= 100 rad	1 mSv/h	= 100 mrem/h
1 mGy	= 100 mrad	1 mSv/h	= 0.10 rem/h
1 $\mu$ Gy	= 100 $\mu$ rad	1 $\mu$ Sv/h	= 100 $\mu$ rem/h
		1 $\mu$ Sv/h	= 0.1 mrem/h
1 krad	= 10 Gy	1 krem/h	= 10 Sv/h
1 rad	= 10 mGy	1 rem/h	= 10 mSv/h
1 mrad	= 10 $\mu$ Gy	1 mrem/h	= 10 $\mu$ Sv/h
1 $\mu$ rad	= 10 nGy	1 mrem/h	= 0.01 mSv/h
		1 $\mu$ rem/h	= 0.01 $\mu$ Sv/h

**ABBREVIATIONS**

ampere	A, or amp
angstrom unit	Å, or Å
atmosphere	atm
atomic weight	at. wt.
becquerel	Bq
cubic foot	ft <sup>3</sup> , or cu ft
cubic feet per minute	ft <sup>3</sup> /min, or cfm
cubic inch	in <sup>3</sup> , or cu. in.
cubic meter	m <sup>3</sup> , or cu m
curie	Ci
day	day, or d
degree	deg, or °
disintegrations per minute	dpm
foot	ft
gallon	gal
gallons per minute	gpm
gram	g or gm
hour	h, or hr
inch	in.
liter	liter, or L
meter	m
micron	μ, μm, or mu
minute	min, or m
pounds per square inch	lb/in <sup>2</sup> , or psi
roentgen	R
second	sec, or s
square centimeter	cm <sup>2</sup> , or sq cm
square foot	ft <sup>2</sup> , sq ft
square meter	m <sup>2</sup> , or sq m
volt	V, or v
watt	W, or w
year	yr, or y

**ABBREVIATIONS**

ampere	A, or amp
angstrom unit	Å, or Å
atmosphere	atm
atomic weight	at. wt.
becquerel	Bq
cubic foot	ft <sup>3</sup> , or cu ft
cubic feet per minute	ft <sup>3</sup> /min, or cfm
cubic inch	in <sup>3</sup> , or cu. in.
cubic meter	m <sup>3</sup> , or cu m
curie	Ci
day	day, or d
degree	deg, or °
disintegrations per minute	dpm
foot	ft
gallon	gal
gallons per minute	gpm
gram	g or gm
hour	h, or hr
inch	in.
liter	liter, or L
meter	m
micron	μ, μm, or mu
minute	min, or m
pounds per square inch	lb/in <sup>2</sup> , or psi
roentgen	R
second	sec, or s
square centimeter	cm <sup>2</sup> , or sq cm
square foot	ft <sup>2</sup> , sq ft
square meter	m <sup>2</sup> , or sq m
volt	V, or v
watt	W, or w
year	yr, or y

**ABBREVIATIONS**

ampere	A, or amp
angstrom unit	Å, or Å
atmosphere	atm
atomic weight	at. wt.
becquerel	Bq
cubic foot	ft <sup>3</sup> , or cu ft
cubic feet per minute	ft <sup>3</sup> /min, or cfm
cubic inch	in <sup>3</sup> , or cu. in.
cubic meter	m <sup>3</sup> , or cu m
curie	Ci
day	day, or d
degree	deg, or °
disintegrations per minute	dpm
foot	ft
gallon	gal
gallons per minute	gpm
gram	g or gm
hour	h, or hr
inch	in.
liter	liter, or L
meter	m
micron	μ, μm, or mu
minute	min, or m
pounds per square inch	lb/in <sup>2</sup> , or psi
roentgen	R
second	sec, or s
square centimeter	cm <sup>2</sup> , or sq cm
square foot	ft <sup>2</sup> , sq ft
square meter	m <sup>2</sup> , or sq m
volt	V, or v
watt	W, or w
year	yr, or y

**ABBREVIATIONS**

ampere	A, or amp
angstrom unit	Å, or Å
atmosphere	atm
atomic weight	at. wt.
becquerel	Bq
cubic foot	ft <sup>3</sup> , or cu ft
cubic feet per minute	ft <sup>3</sup> /min, or cfm
cubic inch	in <sup>3</sup> , or cu. in.
cubic meter	m <sup>3</sup> , or cu m
curie	Ci
day	day, or d
degree	deg, or °
disintegrations per minute	dpm
foot	ft
gallon	gal
gallons per minute	gpm
gram	g or gm
hour	h, or hr
inch	in.
liter	liter, or L
meter	m
micron	μ, μm, or mu
minute	min, or m
pounds per square inch	lb/in <sup>2</sup> , or psi
roentgen	R
second	sec, or s
square centimeter	cm <sup>2</sup> , or sq cm
square foot	ft <sup>2</sup> , sq ft
square meter	m <sup>2</sup> , or sq m
volt	V, or v
watt	W, or w
year	yr, or y

**CONVERSION OF UNITS**

<b>Length</b>		
1 angstrom ( Å ) = 1E-8 cm	1 cm = 1E8 Å	
1 inch = 2.54 cm	1 cm = 0.3937 in	
1 meter = 3.2808 feet	1 foot = 0.3048 m	
1 kilometer = 0.6214 miles	1 mile = 1.609 km	
1 mile = 5,280 feet	1 foot = 1.894E-4 mile	
1 micron (µm) = 1E-6 meters	1 m = 1E6 µm	
1 mil = 1E-3 inches	1 inch = 1E3 mil	
1 thousandth of an inch (0.001") = 2.54E-2 mm	1 mm = 0.03937 in	
1 yard = 0.9144 meters	1 m = 1.0936 yard	
<b>Area</b>		
1 acre = 43,560 ft <sup>2</sup>	1 ft <sup>2</sup> = 2.296E-5 acre	
1 barn = 1E-24 cm <sup>2</sup>	1 cm <sup>2</sup> = 1E24 barn	
1 cm <sup>2</sup> = 0.1550 in <sup>2</sup>	1 in <sup>2</sup> = 6.452 cm <sup>2</sup>	
1 m <sup>2</sup> = 10.764 ft <sup>2</sup>	1 ft <sup>2</sup> = 0.0929 m <sup>2</sup>	
1 m <sup>2</sup> = 3.861E-7 mile <sup>2</sup>	1 mile <sup>2</sup> = 2.59E6 m <sup>2</sup>	
1 mile <sup>2</sup> = 640 acres	1 acre = 1.5625E-3 mile <sup>2</sup>	
<b>Volume</b>		
1 cm <sup>3</sup> (cc) = 3.5315E-5 ft <sup>3</sup>	1 ft <sup>3</sup> = 28,316 cm <sup>3</sup>	
1 cm <sup>3</sup> = 1E-6 m <sup>3</sup>	1 m <sup>3</sup> = 1E6 cm <sup>3</sup>	
1 cm <sup>3</sup> = 0.03381 ounces	1 ounce = 29.58 cm <sup>3</sup>	
1 ft <sup>3</sup> = 28.316 liters	1 liter = 0.035315 ft <sup>3</sup>	
1 ft <sup>3</sup> = 7.481 gallons	1 gal = 0.1337 ft <sup>3</sup>	
1 liter = 1.057 quarts	1 quart = 0.946 liter	
1 liter = 0.2642 gallons	1 gal = 3.785 liter	
1 liter = 61.0237 in <sup>3</sup>	1 in <sup>3</sup> = 0.016387 liter	
1 m <sup>3</sup> = 35.315 ft <sup>3</sup>	1 ft <sup>3</sup> = 0.028316 m <sup>3</sup>	
1 m <sup>3</sup> = 1,000 liters	1 liter = 1E-3 m <sup>3</sup>	
1 milliliter (ml) = 1 cm <sup>3</sup>	1 cm <sup>3</sup> = 1 ml	

**CONVERSION OF UNITS**

<b>Length</b>		
1 angstrom ( Å ) = 1E-8 cm	1 cm = 1E8 Å	
1 inch = 2.54 cm	1 cm = 0.3937 in	
1 meter = 3.2808 feet	1 foot = 0.3048 m	
1 kilometer = 0.6214 miles	1 mile = 1.609 km	
1 mile = 5,280 feet	1 foot = 1.894E-4 mile	
1 micron (µm) = 1E-6 meters	1 m = 1E6 µm	
1 mil = 1E-3 inches	1 inch = 1E3 mil	
1 thousandth of an inch (0.001") = 2.54E-2 mm	1 mm = 0.03937 in	
1 yard = 0.9144 meters	1 m = 1.0936 yard	
<b>Area</b>		
1 acre = 43,560 ft <sup>2</sup>	1 ft <sup>2</sup> = 2.296E-5 acre	
1 barn = 1E-24 cm <sup>2</sup>	1 cm <sup>2</sup> = 1E24 barn	
1 cm <sup>2</sup> = 0.1550 in <sup>2</sup>	1 in <sup>2</sup> = 6.452 cm <sup>2</sup>	
1 m <sup>2</sup> = 10.764 ft <sup>2</sup>	1 ft <sup>2</sup> = 0.0929 m <sup>2</sup>	
1 m <sup>2</sup> = 3.861E-7 mile <sup>2</sup>	1 mile <sup>2</sup> = 2.59E6 m <sup>2</sup>	
1 mile <sup>2</sup> = 640 acres	1 acre = 1.5625E-3 mile <sup>2</sup>	
<b>Volume</b>		
1 cm <sup>3</sup> (cc) = 3.5315E-5 ft <sup>3</sup>	1 ft <sup>3</sup> = 28,316 cm <sup>3</sup>	
1 cm <sup>3</sup> = 1E-6 m <sup>3</sup>	1 m <sup>3</sup> = 1E6 cm <sup>3</sup>	
1 cm <sup>3</sup> = 0.03381 ounces	1 ounce = 29.58 cm <sup>3</sup>	
1 ft <sup>3</sup> = 28.316 liters	1 liter = 0.035315 ft <sup>3</sup>	
1 ft <sup>3</sup> = 7.481 gallons	1 gal = 0.1337 ft <sup>3</sup>	
1 liter = 1.057 quarts	1 quart = 0.946 liter	
1 liter = 0.2642 gallons	1 gal = 3.785 liter	
1 liter = 61.0237 in <sup>3</sup>	1 in <sup>3</sup> = 0.016387 liter	
1 m <sup>3</sup> = 35.315 ft <sup>3</sup>	1 ft <sup>3</sup> = 0.028316 m <sup>3</sup>	
1 m <sup>3</sup> = 1,000 liters	1 liter = 1E-3 m <sup>3</sup>	
1 milliliter (ml) = 1 cm <sup>3</sup>	1 cm <sup>3</sup> = 1 ml	

**CONVERSION OF UNITS**

<b>Length</b>		
1 angstrom ( Å ) = 1E-8 cm	1 cm = 1E8 Å	
1 inch = 2.54 cm	1 cm = 0.3937 in	
1 meter = 3.2808 feet	1 foot = 0.3048 m	
1 kilometer = 0.6214 miles	1 mile = 1.609 km	
1 mile = 5,280 feet	1 foot = 1.894E-4 mile	
1 micron (µm) = 1E-6 meters	1 m = 1E6 µm	
1 mil = 1E-3 inches	1 inch = 1E3 mil	
1 thousandth of an inch (0.001") = 2.54E-2 mm	1 mm = 0.03937 in	
1 yard = 0.9144 meters	1 m = 1.0936 yard	
<b>Area</b>		
1 acre = 43,560 ft <sup>2</sup>	1 ft <sup>2</sup> = 2.296E-5 acre	
1 barn = 1E-24 cm <sup>2</sup>	1 cm <sup>2</sup> = 1E24 barn	
1 cm <sup>2</sup> = 0.1550 in <sup>2</sup>	1 in <sup>2</sup> = 6.452 cm <sup>2</sup>	
1 m <sup>2</sup> = 10.764 ft <sup>2</sup>	1 ft <sup>2</sup> = 0.0929 m <sup>2</sup>	
1 m <sup>2</sup> = 3.861E-7 mile <sup>2</sup>	1 mile <sup>2</sup> = 2.59E6 m <sup>2</sup>	
1 mile <sup>2</sup> = 640 acres	1 acre = 1.5625E-3 mile <sup>2</sup>	
<b>Volume</b>		
1 cm <sup>3</sup> (cc) = 3.5315E-5 ft <sup>3</sup>	1 ft <sup>3</sup> = 28,316 cm <sup>3</sup>	
1 cm <sup>3</sup> = 1E-6 m <sup>3</sup>	1 m <sup>3</sup> = 1E6 cm <sup>3</sup>	
1 cm <sup>3</sup> = 0.03381 ounces	1 ounce = 29.58 cm <sup>3</sup>	
1 ft <sup>3</sup> = 28.316 liters	1 liter = 0.035315 ft <sup>3</sup>	
1 ft <sup>3</sup> = 7.481 gallons	1 gal = 0.1337 ft <sup>3</sup>	
1 liter = 1.057 quarts	1 quart = 0.946 liter	
1 liter = 0.2642 gallons	1 gal = 3.785 liter	
1 liter = 61.0237 in <sup>3</sup>	1 in <sup>3</sup> = 0.016387 liter	
1 m <sup>3</sup> = 35.315 ft <sup>3</sup>	1 ft <sup>3</sup> = 0.028316 m <sup>3</sup>	
1 m <sup>3</sup> = 1,000 liters	1 liter = 1E-3 m <sup>3</sup>	
1 milliliter (ml) = 1 cm <sup>3</sup>	1 cm <sup>3</sup> = 1 ml	

**CONVERSION OF UNITS**

<b>Length</b>		
1 angstrom ( Å ) = 1E-8 cm	1 cm = 1E8 Å	
1 inch = 2.54 cm	1 cm = 0.3937 in	
1 meter = 3.2808 feet	1 foot = 0.3048 m	
1 kilometer = 0.6214 miles	1 mile = 1.609 km	
1 mile = 5,280 feet	1 foot = 1.894E-4 mile	
1 micron (µm) = 1E-6 meters	1 m = 1E6 µm	
1 mil = 1E-3 inches	1 inch = 1E3 mil	
1 thousandth of an inch (0.001") = 2.54E-2 mm	1 mm = 0.03937 in	
1 yard = 0.9144 meters	1 m = 1.0936 yard	
<b>Area</b>		
1 acre = 43,560 ft <sup>2</sup>	1 ft <sup>2</sup> = 2.296E-5 acre	
1 barn = 1E-24 cm <sup>2</sup>	1 cm <sup>2</sup> = 1E24 barn	
1 cm <sup>2</sup> = 0.1550 in <sup>2</sup>	1 in <sup>2</sup> = 6.452 cm <sup>2</sup>	
1 m <sup>2</sup> = 10.764 ft <sup>2</sup>	1 ft <sup>2</sup> = 0.0929 m <sup>2</sup>	
1 m <sup>2</sup> = 3.861E-7 mile <sup>2</sup>	1 mile <sup>2</sup> = 2.59E6 m <sup>2</sup>	
1 mile <sup>2</sup> = 640 acres	1 acre = 1.5625E-3 mile <sup>2</sup>	
<b>Volume</b>		
1 cm <sup>3</sup> (cc) = 3.5315E-5 ft <sup>3</sup>	1 ft <sup>3</sup> = 28,316 cm <sup>3</sup>	
1 cm <sup>3</sup> = 1E-6 m <sup>3</sup>	1 m <sup>3</sup> = 1E6 cm <sup>3</sup>	
1 cm <sup>3</sup> = 0.03381 ounces	1 ounce = 29.58 cm <sup>3</sup>	
1 ft <sup>3</sup> = 28.316 liters	1 liter = 0.035315 ft <sup>3</sup>	
1 ft <sup>3</sup> = 7.481 gallons	1 gal = 0.1337 ft <sup>3</sup>	
1 liter = 1.057 quarts	1 quart = 0.946 liter	
1 liter = 0.2642 gallons	1 gal = 3.785 liter	
1 liter = 61.0237 in <sup>3</sup>	1 in <sup>3</sup> = 0.016387 liter	
1 m <sup>3</sup> = 35.315 ft <sup>3</sup>	1 ft <sup>3</sup> = 0.028316 m <sup>3</sup>	
1 m <sup>3</sup> = 1,000 liters	1 liter = 1E-3 m <sup>3</sup>	
1 milliliter (ml) = 1 cm <sup>3</sup>	1 cm <sup>3</sup> = 1 ml	

<b>Mass</b>			
1 gram	= 0.03527 ounces	1 ounce	= 28.35 g
1 kilogram	= 2.2046 pounds	1 lbs	= 0.4536 kg
1 pound	= 16 ounces	1 ounce	= 0.0625 lb
1 pound	= 453.59 grams	1 gram	= 2.2046E-3 lb

<b>Density</b>			
1 gram / cm <sup>3</sup>	= 62.428 lbs / ft <sup>3</sup>	1 lb/ft <sup>3</sup>	= 0.016018 g/cm <sup>3</sup>
1 gram / cm <sup>3</sup>	= 8.345 lbs / gal	1 lb/gal	= 0.1198 g/cm <sup>3</sup>

<b>Concentration</b>			
1 Bq / M <sup>3</sup>	= 60 DPM / M <sup>3</sup>	1 DPM/M <sup>3</sup>	= 0.0167 Bq/M <sup>3</sup>
1 Bq / M <sup>3</sup>	= 0.027027pCi/L	1 pCi / L	= 37 Bq / M <sup>3</sup>
1 pCi / L	= 1E-9 μCi / cc	1 μCi / cc	= 1E9 pCi / L
1 μCi / cc	= 2.22E12 DPM/M <sup>3</sup>		
1 DPM / M <sup>3</sup>	= 4.5045E-13μCi/cc		
1 μCi / cc	= 3.7E10 Bq / M <sup>3</sup>		
1 Bq / M <sup>3</sup>	= 2.7027E-11 μCi/cc		
1 pCi / ft <sup>3</sup>	= 3.5315E-11 μCi / cc		
1 μCi / cc	= 2.8316E10 pCi / ft <sup>3</sup>		

<b>Pressure</b>			
1 atmosphere	= 1.01325 bars	1 bar	= 0.9869 atm
1 atmosphere	= 101.325 kPa	1 kPa	= 0.009869 atm
1 atmosphere	= 14.696 lbs / in <sup>2</sup>	1 lbs / in <sup>2</sup>	= 0.06805 atm
1 atmosphere	= 760 mm Hg	1 mm Hg	= 0.001316 atm
1 atmosphere	= 29.9213 "Hg	1 "Hg	= 0.033421 atm
1 atmosphere	= 33.8995 feet H <sub>2</sub> O	1 ft H <sub>2</sub> O	= 0.0295 atm
1 bar	= 1E6 dynes / cm <sup>2</sup>	1 dyne/cm <sup>2</sup>	= 1E-6 bar
1 dyne/cm <sup>2</sup>	= 0.1 Pascals	1 Pascal	= 10 dyne/cm <sup>2</sup>
1 Torr	= 1 mm Hg	1 mm Hg	= 1 Torr
1 dyne/cm <sup>2</sup>	= 1.0197E-3 g/cm <sup>2</sup>	1 g/cm <sup>2</sup>	= 980.68 dyne/cm <sup>2</sup>

117

<b>Mass</b>			
1 gram	= 0.03527 ounces	1 ounce	= 28.35 g
1 kilogram	= 2.2046 pounds	1 lbs	= 0.4536 kg
1 pound	= 16 ounces	1 ounce	= 0.0625 lb
1 pound	= 453.59 grams	1 gram	= 2.2046E-3 lb

<b>Density</b>			
1 gram / cm <sup>3</sup>	= 62.428 lbs / ft <sup>3</sup>	1 lb/ft <sup>3</sup>	= 0.016018 g/cm <sup>3</sup>
1 gram / cm <sup>3</sup>	= 8.345 lbs / gal	1 lb/gal	= 0.1198 g/cm <sup>3</sup>

<b>Concentration</b>			
1 Bq / M <sup>3</sup>	= 60 DPM / M <sup>3</sup>	1 DPM/M <sup>3</sup>	= 0.0167 Bq/M <sup>3</sup>
1 Bq / M <sup>3</sup>	= 0.027027pCi/L	1 pCi / L	= 37 Bq / M <sup>3</sup>
1 pCi / L	= 1E-9 μCi / cc	1 μCi / cc	= 1E9 pCi / L
1 μCi / cc	= 2.22E12 DPM/M <sup>3</sup>		
1 DPM / M <sup>3</sup>	= 4.5045E-13μCi/cc		
1 μCi / cc	= 3.7E10 Bq / M <sup>3</sup>		
1 Bq / M <sup>3</sup>	= 2.7027E-11 μCi/cc		
1 pCi / ft <sup>3</sup>	= 3.5315E-11 μCi / cc		
1 μCi / cc	= 2.8316E10 pCi / ft <sup>3</sup>		

<b>Pressure</b>			
1 atmosphere	= 1.01325 bars	1 bar	= 0.9869 atm
1 atmosphere	= 101.325 kPa	1 kPa	= 0.009869 atm
1 atmosphere	= 14.696 lbs / in <sup>2</sup>	1 lbs / in <sup>2</sup>	= 0.06805 atm
1 atmosphere	= 760 mm Hg	1 mm Hg	= 0.001316 atm
1 atmosphere	= 29.9213 "Hg	1 "Hg	= 0.033421 atm
1 atmosphere	= 33.8995 feet H <sub>2</sub> O	1 ft H <sub>2</sub> O	= 0.0295 atm
1 bar	= 1E6 dynes / cm <sup>2</sup>	1 dyne/cm <sup>2</sup>	= 1E-6 bar
1 dyne/cm <sup>2</sup>	= 0.1 Pascals	1 Pascal	= 10 dyne/cm <sup>2</sup>
1 Torr	= 1 mm Hg	1 mm Hg	= 1 Torr
1 dyne/cm <sup>2</sup>	= 1.0197E-3 g/cm <sup>2</sup>	1 g/cm <sup>2</sup>	= 980.68 dyne/cm <sup>2</sup>

117

<b>Mass</b>			
1 gram	= 0.03527 ounces	1 ounce	= 28.35 g
1 kilogram	= 2.2046 pounds	1 lbs	= 0.4536 kg
1 pound	= 16 ounces	1 ounce	= 0.0625 lb
1 pound	= 453.59 grams	1 gram	= 2.2046E-3 lb

<b>Density</b>			
1 gram / cm <sup>3</sup>	= 62.428 lbs / ft <sup>3</sup>	1 lb/ft <sup>3</sup>	= 0.016018 g/cm <sup>3</sup>
1 gram / cm <sup>3</sup>	= 8.345 lbs / gal	1 lb/gal	= 0.1198 g/cm <sup>3</sup>

<b>Concentration</b>			
1 Bq / M <sup>3</sup>	= 60 DPM / M <sup>3</sup>	1 DPM/M <sup>3</sup>	= 0.0167 Bq/M <sup>3</sup>
1 Bq / M <sup>3</sup>	= 0.027027pCi/L	1 pCi / L	= 37 Bq / M <sup>3</sup>
1 pCi / L	= 1E-9 μCi / cc	1 μCi / cc	= 1E9 pCi / L
1 μCi / cc	= 2.22E12 DPM/M <sup>3</sup>		
1 DPM / M <sup>3</sup>	= 4.5045E-13μCi/cc		
1 μCi / cc	= 3.7E10 Bq / M <sup>3</sup>		
1 Bq / M <sup>3</sup>	= 2.7027E-11 μCi/cc		
1 pCi / ft <sup>3</sup>	= 3.5315E-11 μCi / cc		
1 μCi / cc	= 2.8316E10 pCi / ft <sup>3</sup>		

<b>Pressure</b>			
1 atmosphere	= 1.01325 bars	1 bar	= 0.9869 atm
1 atmosphere	= 101.325 kPa	1 kPa	= 0.009869 atm
1 atmosphere	= 14.696 lbs / in <sup>2</sup>	1 lbs / in <sup>2</sup>	= 0.06805 atm
1 atmosphere	= 760 mm Hg	1 mm Hg	= 0.001316 atm
1 atmosphere	= 29.9213 "Hg	1 "Hg	= 0.033421 atm
1 atmosphere	= 33.8995 feet H <sub>2</sub> O	1 ft H <sub>2</sub> O	= 0.0295 atm
1 bar	= 1E6 dynes / cm <sup>2</sup>	1 dyne/cm <sup>2</sup>	= 1E-6 bar
1 dyne/cm <sup>2</sup>	= 0.1 Pascals	1 Pascal	= 10 dyne/cm <sup>2</sup>
1 Torr	= 1 mm Hg	1 mm Hg	= 1 Torr
1 dyne/cm <sup>2</sup>	= 1.0197E-3 g/cm <sup>2</sup>	1 g/cm <sup>2</sup>	= 980.68 dyne/cm <sup>2</sup>

117

<b>Mass</b>			
1 gram	= 0.03527 ounces	1 ounce	= 28.35 g
1 kilogram	= 2.2046 pounds	1 lbs	= 0.4536 kg
1 pound	= 16 ounces	1 ounce	= 0.0625 lb
1 pound	= 453.59 grams	1 gram	= 2.2046E-3 lb

<b>Density</b>			
1 gram / cm <sup>3</sup>	= 62.428 lbs / ft <sup>3</sup>	1 lb/ft <sup>3</sup>	= 0.016018 g/cm <sup>3</sup>
1 gram / cm <sup>3</sup>	= 8.345 lbs / gal	1 lb/gal	= 0.1198 g/cm <sup>3</sup>

<b>Concentration</b>			
1 Bq / M <sup>3</sup>	= 60 DPM / M <sup>3</sup>	1 DPM/M <sup>3</sup>	= 0.0167 Bq/M <sup>3</sup>
1 Bq / M <sup>3</sup>	= 0.027027pCi/L	1 pCi / L	= 37 Bq / M <sup>3</sup>
1 pCi / L	= 1E-9 μCi / cc	1 μCi / cc	= 1E9 pCi / L
1 μCi / cc	= 2.22E12 DPM/M <sup>3</sup>		
1 DPM / M <sup>3</sup>	= 4.5045E-13μCi/cc		
1 μCi / cc	= 3.7E10 Bq / M <sup>3</sup>		
1 Bq / M <sup>3</sup>	= 2.7027E-11 μCi/cc		
1 pCi / ft <sup>3</sup>	= 3.5315E-11 μCi / cc		
1 μCi / cc	= 2.8316E10 pCi / ft <sup>3</sup>		

<b>Pressure</b>			
1 atmosphere	= 1.01325 bars	1 bar	= 0.9869 atm
1 atmosphere	= 101.325 kPa	1 kPa	= 0.009869 atm
1 atmosphere	= 14.696 lbs / in <sup>2</sup>	1 lbs / in <sup>2</sup>	= 0.06805 atm
1 atmosphere	= 760 mm Hg	1 mm Hg	= 0.001316 atm
1 atmosphere	= 29.9213 "Hg	1 "Hg	= 0.033421 atm
1 atmosphere	= 33.8995 feet H <sub>2</sub> O	1 ft H <sub>2</sub> O	= 0.0295 atm
1 bar	= 1E6 dynes / cm <sup>2</sup>	1 dyne/cm <sup>2</sup>	= 1E-6 bar
1 dyne/cm <sup>2</sup>	= 0.1 Pascals	1 Pascal	= 10 dyne/cm <sup>2</sup>
1 Torr	= 1 mm Hg	1 mm Hg	= 1 Torr
1 dyne/cm <sup>2</sup>	= 1.0197E-3 g/cm <sup>2</sup>	1 g/cm <sup>2</sup>	= 980.68 dyne/cm <sup>2</sup>

117

**Radiological**

1 rad	=	100 ergs / g
1 erg / g	=	0.01 rad
1 rad	=	6.242E13 eV / g
1 eV / g	=	1.602E-13 roentgen
1 roentgen	=	87.7 ergs / g of air
1 erg / g of air	=	0.0114 roentgen
1 roentgen	=	1.61E12 ion pairs/g of air
1 ion pair / g of air	=	6.21E-13 roentgen
1 roentgen	=	5.47E13 eV / g of air
1 eV / g of air	=	1.828E-14 roentgen
1 roentgen	=	0.98 rads (in soft tissue)
1 rad (in soft tissue)	=	1.02 roentgen
1 rem	=	100 ergs / g in tissue
1 erg / g in tissue	=	0.01 rem
1 sievert (Sv)	=	100 rem
1 rem	=	0.01 Sv
1 sievert	=	1 J / kg
1 curie (Ci)	=	3.7E10 dps
1 dps	=	2.7027E-11 Ci
1 curie	=	2.22E12 dpm
1 dpm	=	4.5045E-13 Ci
1 $\mu$ Ci / m <sup>2</sup>	=	222 dpm / cm <sup>2</sup>
1 dpm / cm <sup>2</sup>	=	0.0045 $\mu$ Ci / m <sup>2</sup>
1 megaCi / sq mile	=	0.386 Ci / m <sup>2</sup>
1 Ci / m <sup>2</sup>	=	2.59 megaCi/sq mile
1 dpm / m <sup>3</sup>	=	4.5E-13 $\mu$ Ci / cm <sup>3</sup>
1 $\mu$ Ci / cm <sup>3</sup>	=	2.22E12 dpm / m <sup>3</sup>
1 becquerel (Bq)	=	2.7027E-11 Ci
1 Ci	=	3.7E10 Bq
1 becquerel	=	1 dps
1 dps	=	1 Bq

118

**Radiological**

1 rad	=	100 ergs / g
1 erg / g	=	0.01 rad
1 rad	=	6.242E13 eV / g
1 eV / g	=	1.602E-13 roentgen
1 roentgen	=	87.7 ergs / g of air
1 erg / g of air	=	0.0114 roentgen
1 roentgen	=	1.61E12 ion pairs/g of air
1 ion pair / g of air	=	6.21E-13 roentgen
1 roentgen	=	5.47E13 eV / g of air
1 eV / g of air	=	1.828E-14 roentgen
1 roentgen	=	0.98 rads (in soft tissue)
1 rad (in soft tissue)	=	1.02 roentgen
1 rem	=	100 ergs / g in tissue
1 erg / g in tissue	=	0.01 rem
1 sievert (Sv)	=	100 rem
1 rem	=	0.01 Sv
1 sievert	=	1 J / kg
1 curie (Ci)	=	3.7E10 dps
1 dps	=	2.7027E-11 Ci
1 curie	=	2.22E12 dpm
1 dpm	=	4.5045E-13 Ci
1 $\mu$ Ci / m <sup>2</sup>	=	222 dpm / cm <sup>2</sup>
1 dpm / cm <sup>2</sup>	=	0.0045 $\mu$ Ci / m <sup>2</sup>
1 megaCi / sq mile	=	0.386 Ci / m <sup>2</sup>
1 Ci / m <sup>2</sup>	=	2.59 megaCi/sq mile
1 dpm / m <sup>3</sup>	=	4.5E-13 $\mu$ Ci / cm <sup>3</sup>
1 $\mu$ Ci / cm <sup>3</sup>	=	2.22E12 dpm / m <sup>3</sup>
1 becquerel (Bq)	=	2.7027E-11 Ci
1 Ci	=	3.7E10 Bq
1 becquerel	=	1 dps
1 dps	=	1 Bq

118

**Radiological**

1 rad	=	100 ergs / g
1 erg / g	=	0.01 rad
1 rad	=	6.242E13 eV / g
1 eV / g	=	1.602E-13 roentgen
1 roentgen	=	87.7 ergs / g of air
1 erg / g of air	=	0.0114 roentgen
1 roentgen	=	1.61E12 ion pairs/g of air
1 ion pair / g of air	=	6.21E-13 roentgen
1 roentgen	=	5.47E13 eV / g of air
1 eV / g of air	=	1.828E-14 roentgen
1 roentgen	=	0.98 rads (in soft tissue)
1 rad (in soft tissue)	=	1.02 roentgen
1 rem	=	100 ergs / g in tissue
1 erg / g in tissue	=	0.01 rem
1 sievert (Sv)	=	100 rem
1 rem	=	0.01 Sv
1 sievert	=	1 J / kg
1 curie (Ci)	=	3.7E10 dps
1 dps	=	2.7027E-11 Ci
1 curie	=	2.22E12 dpm
1 dpm	=	4.5045E-13 Ci
1 $\mu$ Ci / m <sup>2</sup>	=	222 dpm / cm <sup>2</sup>
1 dpm / cm <sup>2</sup>	=	0.0045 $\mu$ Ci / m <sup>2</sup>
1 megaCi / sq mile	=	0.386 Ci / m <sup>2</sup>
1 Ci / m <sup>2</sup>	=	2.59 megaCi/sq mile
1 dpm / m <sup>3</sup>	=	4.5E-13 $\mu$ Ci / cm <sup>3</sup>
1 $\mu$ Ci / cm <sup>3</sup>	=	2.22E12 dpm / m <sup>3</sup>
1 becquerel (Bq)	=	2.7027E-11 Ci
1 Ci	=	3.7E10 Bq
1 becquerel	=	1 dps
1 dps	=	1 Bq

118

**Radiological**

1 rad	=	100 ergs / g
1 erg / g	=	0.01 rad
1 rad	=	6.242E13 eV / g
1 eV / g	=	1.602E-13 roentgen
1 roentgen	=	87.7 ergs / g of air
1 erg / g of air	=	0.0114 roentgen
1 roentgen	=	1.61E12 ion pairs/g of air
1 ion pair / g of air	=	6.21E-13 roentgen
1 roentgen	=	5.47E13 eV / g of air
1 eV / g of air	=	1.828E-14 roentgen
1 roentgen	=	0.98 rads (in soft tissue)
1 rad (in soft tissue)	=	1.02 roentgen
1 rem	=	100 ergs / g in tissue
1 erg / g in tissue	=	0.01 rem
1 sievert (Sv)	=	100 rem
1 rem	=	0.01 Sv
1 sievert	=	1 J / kg
1 curie (Ci)	=	3.7E10 dps
1 dps	=	2.7027E-11 Ci
1 curie	=	2.22E12 dpm
1 dpm	=	4.5045E-13 Ci
1 $\mu$ Ci / m <sup>2</sup>	=	222 dpm / cm <sup>2</sup>
1 dpm / cm <sup>2</sup>	=	0.0045 $\mu$ Ci / m <sup>2</sup>
1 megaCi / sq mile	=	0.386 Ci / m <sup>2</sup>
1 Ci / m <sup>2</sup>	=	2.59 megaCi/sq mile
1 dpm / m <sup>3</sup>	=	4.5E-13 $\mu$ Ci / cm <sup>3</sup>
1 $\mu$ Ci / cm <sup>3</sup>	=	2.22E12 dpm / m <sup>3</sup>
1 becquerel (Bq)	=	2.7027E-11 Ci
1 Ci	=	3.7E10 Bq
1 becquerel	=	1 dps
1 dps	=	1 Bq

118

<b>Radiological</b>	
1 BTU	= 1.28E-8 g <sup>235</sup> U fissioned
1 g <sup>235</sup> U fissioned	= 7.81E7 BTU
1 BTU	= 3.29E13 fissions
1 fission	= 3.04E-14 BTU
1 g <sup>235</sup> U fissioned	= 1 megawatt-days
1 MW-days	= 1 g <sup>235</sup> U fissioned
1 g <sup>235</sup> U fissioned	= 1.8E-2 kilotons TNT
1 kilotons TNT	= 55.6 g <sup>235</sup> U fissioned
1 fission	= 8.9058E-18 kW-hours
1 kW-hrs	= 1.123E17 fissions
1 fission	= 3.204E-4 ergs
1 erg	= 3.121E3 fissions
1 fission	= 6.9E-21 Megatons TNT
1 Megatons TNT	= 1.45E20 fissions
1 gray	= 100 rads
1 rad	= 0.01 gray
1 joule (J)	= 6.24E18 eV
1 eV	= 1.602E-19 joule

<b>Others</b>	
1 ampere	= 2.998 E9 electrostatic units/sec
3.336E-10 amp	= 1 electrostatic unit/sec
1 ampere	= 6.242 E18 electronic charges/sec
1.602E-19 amp	= 1 electronic charge/sec
1 coulomb	= 6.242 E18 electronic charges
1 electronic charge	= 1.602E-19 coulomb

119

<b>Radiological</b>	
1 BTU	= 1.28E-8 g <sup>235</sup> U fissioned
1 g <sup>235</sup> U fissioned	= 7.81E7 BTU
1 BTU	= 3.29E13 fissions
1 fission	= 3.04E-14 BTU
1 g <sup>235</sup> U fissioned	= 1 megawatt-days
1 MW-days	= 1 g <sup>235</sup> U fissioned
1 g <sup>235</sup> U fissioned	= 1.8E-2 kilotons TNT
1 kilotons TNT	= 55.6 g <sup>235</sup> U fissioned
1 fission	= 8.9058E-18 kW-hours
1 kW-hrs	= 1.123E17 fissions
1 fission	= 3.204E-4 ergs
1 erg	= 3.121E3 fissions
1 fission	= 6.9E-21 Megatons TNT
1 Megatons TNT	= 1.45E20 fissions
1 gray	= 100 rads
1 rad	= 0.01 gray
1 joule (J)	= 6.24E18 eV
1 eV	= 1.602E-19 joule

<b>Others</b>	
1 ampere	= 2.998 E9 electrostatic units/sec
3.336E-10 amp	= 1 electrostatic unit/sec
1 ampere	= 6.242 E18 electronic charges/sec
1.602E-19 amp	= 1 electronic charge/sec
1 coulomb	= 6.242 E18 electronic charges
1 electronic charge	= 1.602E-19 coulomb

119

<b>Radiological</b>	
1 BTU	= 1.28E-8 g <sup>235</sup> U fissioned
1 g <sup>235</sup> U fissioned	= 7.81E7 BTU
1 BTU	= 3.29E13 fissions
1 fission	= 3.04E-14 BTU
1 g <sup>235</sup> U fissioned	= 1 megawatt-days
1 MW-days	= 1 g <sup>235</sup> U fissioned
1 g <sup>235</sup> U fissioned	= 1.8E-2 kilotons TNT
1 kilotons TNT	= 55.6 g <sup>235</sup> U fissioned
1 fission	= 8.9058E-18 kW-hours
1 kW-hrs	= 1.123E17 fissions
1 fission	= 3.204E-4 ergs
1 erg	= 3.121E3 fissions
1 fission	= 6.9E-21 Megatons TNT
1 Megatons TNT	= 1.45E20 fissions
1 gray	= 100 rads
1 rad	= 0.01 gray
1 joule (J)	= 6.24E18 eV
1 eV	= 1.602E-19 joule

<b>Others</b>	
1 ampere	= 2.998 E9 electrostatic units/sec
3.336E-10 amp	= 1 electrostatic unit/sec
1 ampere	= 6.242 E18 electronic charges/sec
1.602E-19 amp	= 1 electronic charge/sec
1 coulomb	= 6.242 E18 electronic charges
1 electronic charge	= 1.602E-19 coulomb

119

<b>Radiological</b>	
1 BTU	= 1.28E-8 g <sup>235</sup> U fissioned
1 g <sup>235</sup> U fissioned	= 7.81E7 BTU
1 BTU	= 3.29E13 fissions
1 fission	= 3.04E-14 BTU
1 g <sup>235</sup> U fissioned	= 1 megawatt-days
1 MW-days	= 1 g <sup>235</sup> U fissioned
1 g <sup>235</sup> U fissioned	= 1.8E-2 kilotons TNT
1 kilotons TNT	= 55.6 g <sup>235</sup> U fissioned
1 fission	= 8.9058E-18 kW-hours
1 kW-hrs	= 1.123E17 fissions
1 fission	= 3.204E-4 ergs
1 erg	= 3.121E3 fissions
1 fission	= 6.9E-21 Megatons TNT
1 Megatons TNT	= 1.45E20 fissions
1 gray	= 100 rads
1 rad	= 0.01 gray
1 joule (J)	= 6.24E18 eV
1 eV	= 1.602E-19 joule

<b>Others</b>	
1 ampere	= 2.998 E9 electrostatic units/sec
3.336E-10 amp	= 1 electrostatic unit/sec
1 ampere	= 6.242 E18 electronic charges/sec
1.602E-19 amp	= 1 electronic charge/sec
1 coulomb	= 6.242 E18 electronic charges
1 electronic charge	= 1.602E-19 coulomb

119

Power					
1 joule/sec	=	1E7 ergs/sec	1 erg/sec	=	1E-7 joule/sec
1 watt	=	1E7 ergs/sec	1 erg/sec	=	1E-7 watt
1 watt	=	1 joule/sec	1 joule/sec	=	1 watt
1 watt	=	0.001341 hp	1 hp	=	745.7 watts
1 BTU/min	=	0.01757 kW	1 kW	=	56.9 BTU/min
1 BTU/min	=	0.023575 hp	1 hp	=	42.4 BTU/min
1 joule	=	9.478E-4 BTU	1 BTU	=	1.055E3 joules
1 joule	=	1E7 ergs	1 erg	=	1E-7 joule
1 calorie, g	=	0.003971 BTU	1 BTU	=	251.8 calories, g

#### MULTIPLES AND SUBMULTIPLES

1E18	Exa	E	1E2	hecto	h	1E-6	micro	μ
1E15	Peta	P	1E1	deka	da	1E-9	nano	n
1E12	tera	T	1E0	1	1	1E-12	pico	p
1E9	giga	G	1E-1	deci	d	1E-15	femto	f
1E6	mega	M	1E-2	centi	c	1E-18	atto	a
1E3	kilo	k	1E-3	milli	m			

#### GREEK ALPHABET

A α	Alpha	ι	Iota	ρ	Rho
β	Beta	κ	Kappa	σ	Sigma
γ	Gamma	λ	Lambda	τ	Tau
δ	Delta	Μ μ	Mu	υ	Upsilon
ε	Epsilon	ν	Nu	φ	Phi
ζ	Zeta	ξ	Xi	χ	Chi
η	Eta	ο	Omicron	ψ	Psi
θ	Theta	π	Pi	Ω ω	Omega

120

Power					
1 joule/sec	=	1E7 ergs/sec	1 erg/sec	=	1E-7 joule/sec
1 watt	=	1E7 ergs/sec	1 erg/sec	=	1E-7 watt
1 watt	=	1 joule/sec	1 joule/sec	=	1 watt
1 watt	=	0.001341 hp	1 hp	=	745.7 watts
1 BTU/min	=	0.01757 kW	1 kW	=	56.9 BTU/min
1 BTU/min	=	0.023575 hp	1 hp	=	42.4 BTU/min
1 joule	=	9.478E-4 BTU	1 BTU	=	1.055E3 joules
1 joule	=	1E7 ergs	1 erg	=	1E-7 joule
1 calorie, g	=	0.003971 BTU	1 BTU	=	251.8 calories, g

#### MULTIPLES AND SUBMULTIPLES

1E18	Exa	E	1E2	hecto	h	1E-6	micro	μ
1E15	Peta	P	1E1	deka	da	1E-9	nano	n
1E12	tera	T	1E0	1	1	1E-12	pico	p
1E9	giga	G	1E-1	deci	d	1E-15	femto	f
1E6	mega	M	1E-2	centi	c	1E-18	atto	a
1E3	kilo	k	1E-3	milli	m			

#### GREEK ALPHABET

A α	Alpha	ι	Iota	ρ	Rho
β	Beta	κ	Kappa	σ	Sigma
γ	Gamma	λ	Lambda	τ	Tau
δ	Delta	Μ μ	Mu	υ	Upsilon
ε	Epsilon	ν	Nu	φ	Phi
ζ	Zeta	ξ	Xi	χ	Chi
η	Eta	ο	Omicron	ψ	Psi
θ	Theta	π	Pi	Ω ω	Omega

120

Power					
1 joule/sec	=	1E7 ergs/sec	1 erg/sec	=	1E-7 joule/sec
1 watt	=	1E7 ergs/sec	1 erg/sec	=	1E-7 watt
1 watt	=	1 joule/sec	1 joule/sec	=	1 watt
1 watt	=	0.001341 hp	1 hp	=	745.7 watts
1 BTU/min	=	0.01757 kW	1 kW	=	56.9 BTU/min
1 BTU/min	=	0.023575 hp	1 hp	=	42.4 BTU/min
1 joule	=	9.478E-4 BTU	1 BTU	=	1.055E3 joules
1 joule	=	1E7 ergs	1 erg	=	1E-7 joule
1 calorie, g	=	0.003971 BTU	1 BTU	=	251.8 calories, g

#### MULTIPLES AND SUBMULTIPLES

1E18	Exa	E	1E2	hecto	h	1E-6	micro	μ
1E15	Peta	P	1E1	deka	da	1E-9	nano	n
1E12	tera	T	1E0	1	1	1E-12	pico	p
1E9	giga	G	1E-1	deci	d	1E-15	femto	f
1E6	mega	M	1E-2	centi	c	1E-18	atto	a
1E3	kilo	k	1E-3	milli	m			

#### GREEK ALPHABET

A α	Alpha	ι	Iota	ρ	Rho
β	Beta	κ	Kappa	σ	Sigma
γ	Gamma	λ	Lambda	τ	Tau
δ	Delta	Μ μ	Mu	υ	Upsilon
ε	Epsilon	ν	Nu	φ	Phi
ζ	Zeta	ξ	Xi	χ	Chi
η	Eta	ο	Omicron	ψ	Psi
θ	Theta	π	Pi	Ω ω	Omega

120

Power					
1 joule/sec	=	1E7 ergs/sec	1 erg/sec	=	1E-7 joule/sec
1 watt	=	1E7 ergs/sec	1 erg/sec	=	1E-7 watt
1 watt	=	1 joule/sec	1 joule/sec	=	1 watt
1 watt	=	0.001341 hp	1 hp	=	745.7 watts
1 BTU/min	=	0.01757 kW	1 kW	=	56.9 BTU/min
1 BTU/min	=	0.023575 hp	1 hp	=	42.4 BTU/min
1 joule	=	9.478E-4 BTU	1 BTU	=	1.055E3 joules
1 joule	=	1E7 ergs	1 erg	=	1E-7 joule
1 calorie, g	=	0.003971 BTU	1 BTU	=	251.8 calories, g

#### MULTIPLES AND SUBMULTIPLES

1E18	Exa	E	1E2	hecto	h	1E-6	micro	μ
1E15	Peta	P	1E1	deka	da	1E-9	nano	n
1E12	tera	T	1E0	1	1	1E-12	pico	p
1E9	giga	G	1E-1	deci	d	1E-15	femto	f
1E6	mega	M	1E-2	centi	c	1E-18	atto	a
1E3	kilo	k	1E-3	milli	m			

#### GREEK ALPHABET

A α	Alpha	ι	Iota	ρ	Rho
β	Beta	κ	Kappa	σ	Sigma
γ	Gamma	λ	Lambda	τ	Tau
δ	Delta	Μ μ	Mu	υ	Upsilon
ε	Epsilon	ν	Nu	φ	Phi
ζ	Zeta	ξ	Xi	χ	Chi
η	Eta	ο	Omicron	ψ	Psi
θ	Theta	π	Pi	Ω ω	Omega

120

**CONSTANTS**

Avogadro's number ( $N_0$ )	6.02252E23
electron charge (e)	4.80298E-10 esu
electron rest mass ( $m_e$ )	9.1091 E-28 g
acceleration of gravity (g) @ sea level & 45° latitude	32.1725 ft / sec <sup>2</sup> 980.621 cm / sec <sup>2</sup>
Planck's constant (h)	6.625E-27 erg-sec
velocity of light (c)	2.9979E10 cm / sec 186,280 miles / sec
ideal gas volume ( $V_0$ )	22,414 cm <sup>3</sup> / mole (STP)
neutron mass	1.67482E-24 g
proton mass	1.67252E-24 g
ratio of proton to electron mass	1836.13
natural base of logarithms (e)	2.71828 3.14159
1C	6.2418E18 esus
1A	1 C/sec
1 barn (b)	1E-24 cm <sup>2</sup>
charge (e <sup>-1</sup> )	1.6E-19 C
W for air	33.8 eV / ion pair
Universal gas constant (R)	8.32E7 ergs/°C gram mol
A gram-molecular weight of any gas contains Avogadro's number, $N_0$ (6.02252 E23) atoms and occupies a volume of 22,414 cm <sup>3</sup> at STP.	

**Temperature**

$$^{\circ}\text{C} = (^{\circ}\text{F} - 32)(5/9)$$

$$^{\circ}\text{K} = ^{\circ}\text{C} + 273.1$$

$$^{\circ}\text{F} = ^{\circ}\text{C} \times 1.8 + 32$$

$$^{\circ}\text{R} = ^{\circ}\text{F} + 459.58$$

121

**CONSTANTS**

Avogadro's number ( $N_0$ )	6.02252E23
electron charge (e)	4.80298E-10 esu
electron rest mass ( $m_e$ )	9.1091 E-28 g
acceleration of gravity (g) @ sea level & 45° latitude	32.1725 ft / sec <sup>2</sup> 980.621 cm / sec <sup>2</sup>
Planck's constant (h)	6.625E-27 erg-sec
velocity of light (c)	2.9979E10 cm / sec 186,280 miles / sec
ideal gas volume ( $V_0$ )	22,414 cm <sup>3</sup> / mole (STP)
neutron mass	1.67482E-24 g
proton mass	1.67252E-24 g
ratio of proton to electron mass	1836.13
natural base of logarithms (e)	2.71828 3.14159
1C	6.2418E18 esus
1A	1 C/sec
1 barn (b)	1E-24 cm <sup>2</sup>
charge (e <sup>-1</sup> )	1.6E-19 C
W for air	33.8 eV / ion pair
Universal gas constant (R)	8.32E7 ergs/°C gram mol
A gram-molecular weight of any gas contains Avogadro's number, $N_0$ (6.02252 E23) atoms and occupies a volume of 22,414 cm <sup>3</sup> at STP.	

**Temperature**

$$^{\circ}\text{C} = (^{\circ}\text{F} - 32)(5/9)$$

$$^{\circ}\text{K} = ^{\circ}\text{C} + 273.1$$

$$^{\circ}\text{F} = ^{\circ}\text{C} \times 1.8 + 32$$

$$^{\circ}\text{R} = ^{\circ}\text{F} + 459.58$$

121

**CONSTANTS**

Avogadro's number ( $N_0$ )	6.02252E23
electron charge (e)	4.80298E-10 esu
electron rest mass ( $m_e$ )	9.1091 E-28 g
acceleration of gravity (g) @ sea level & 45° latitude	32.1725 ft / sec <sup>2</sup> 980.621 cm / sec <sup>2</sup>
Planck's constant (h)	6.625E-27 erg-sec
velocity of light (c)	2.9979E10 cm / sec 186,280 miles / sec
ideal gas volume ( $V_0$ )	22,414 cm <sup>3</sup> / mole (STP)
neutron mass	1.67482E-24 g
proton mass	1.67252E-24 g
ratio of proton to electron mass	1836.13
natural base of logarithms (e)	2.71828 3.14159
1C	6.2418E18 esus
1A	1 C/sec
1 barn (b)	1E-24 cm <sup>2</sup>
charge (e <sup>-1</sup> )	1.6E-19 C
W for air	33.8 eV / ion pair
Universal gas constant (R)	8.32E7 ergs/°C gram mol
A gram-molecular weight of any gas contains Avogadro's number, $N_0$ (6.02252 E23) atoms and occupies a volume of 22,414 cm <sup>3</sup> at STP.	

**Temperature**

$$^{\circ}\text{C} = (^{\circ}\text{F} - 32)(5/9)$$

$$^{\circ}\text{K} = ^{\circ}\text{C} + 273.1$$

$$^{\circ}\text{F} = ^{\circ}\text{C} \times 1.8 + 32$$

$$^{\circ}\text{R} = ^{\circ}\text{F} + 459.58$$

121

**CONSTANTS**

Avogadro's number ( $N_0$ )	6.02252E23
electron charge (e)	4.80298E-10 esu
electron rest mass ( $m_e$ )	9.1091 E-28 g
acceleration of gravity (g) @ sea level & 45° latitude	32.1725 ft / sec <sup>2</sup> 980.621 cm / sec <sup>2</sup>
Planck's constant (h)	6.625E-27 erg-sec
velocity of light (c)	2.9979E10 cm / sec 186,280 miles / sec
ideal gas volume ( $V_0$ )	22,414 cm <sup>3</sup> / mole (STP)
neutron mass	1.67482E-24 g
proton mass	1.67252E-24 g
ratio of proton to electron mass	1836.13
natural base of logarithms (e)	2.71828 3.14159
1C	6.2418E18 esus
1A	1 C/sec
1 barn (b)	1E-24 cm <sup>2</sup>
charge (e <sup>-1</sup> )	1.6E-19 C
W for air	33.8 eV / ion pair
Universal gas constant (R)	8.32E7 ergs/°C gram mol
A gram-molecular weight of any gas contains Avogadro's number, $N_0$ (6.02252 E23) atoms and occupies a volume of 22,414 cm <sup>3</sup> at STP.	

**Temperature**

$$^{\circ}\text{C} = (^{\circ}\text{F} - 32)(5/9)$$

$$^{\circ}\text{K} = ^{\circ}\text{C} + 273.1$$

$$^{\circ}\text{F} = ^{\circ}\text{C} \times 1.8 + 32$$

$$^{\circ}\text{R} = ^{\circ}\text{F} + 459.58$$

121

## SURFACE AREA AND VOLUME CALCULATIONS

**Triangle**  $A (\text{area}) = \frac{1}{2} \times b \times h$ ;  
 where  $b$  is the base and  $h$  is the height of the triangle  
**Rectangle**  $A (\text{area}) = a \times b$ ;  
 where  $a$  and  $b$  are the lengths of the sides  
**Rectangular Box**  $V (\text{volume}) = w \times l \times h$ ;  
 where  $w$  is the width,  $l$  is the length, and  $h$  is the height  
**Parallelogram** (a 4-sided figure with opposite sides parallel)  
 $A (\text{area}) = a \times h$ ; or  $a \times b \times \sin \theta$  ;  
 where  $a$  and  $b$  are the length of the sides,  $h$  is the altitude (or vertical height), and  $\theta$  is the angle between the sides  
**Trapezoid** (a 4-sided figure with two sides parallel)  
 $A (\text{area}) = \frac{1}{2} \times h (a + b)$ ;  
 where  $a$  and  $b$  are the length of the sides and  $h$  is the height  
**Regular polygon of  $n$  sides**  
 $A (\text{area}) = \frac{1}{4} \times n \times a^2 \times \cotangent (180^\circ / n)$ ;  
 where  $a$  is the length of a side and  $n$  is the number of sides  
**Circle**  $A (\text{area}) = \pi r^2$ ; or  $\frac{1}{4} \pi d^2$ ;  
 where  $r$  is the radius and  $d$  is the diameter  
**Cube**  $A (\text{area}) = 6 \times a^2$ ;  
 $V (\text{volume}) = a^3$ ;  
 where  $a$  is the length of a side  
**Cylinder**  $A (\text{area}) = 2 \pi r \times h$ ;  
 $V (\text{volume}) = \pi r^2 \times h$ ;  
 where  $r$  is the radius and  $h$  is the length of the height  
**Sphere**  $A (\text{area}) = 4 \pi r^2$ ; or  $\pi d^2$ ;  
 $V (\text{volume}) = \frac{4}{3} \pi r^3$  or  $\frac{1}{6} \pi d^3$   
 where  $r$  is the radius and  $d$  is the diameter

122

## SURFACE AREA AND VOLUME CALCULATIONS

**Triangle**  $A (\text{area}) = \frac{1}{2} \times b \times h$ ;  
 where  $b$  is the base and  $h$  is the height of the triangle  
**Rectangle**  $A (\text{area}) = a \times b$ ;  
 where  $a$  and  $b$  are the lengths of the sides  
**Rectangular Box**  $V (\text{volume}) = w \times l \times h$ ;  
 where  $w$  is the width,  $l$  is the length, and  $h$  is the height  
**Parallelogram** (a 4-sided figure with opposite sides parallel)  
 $A (\text{area}) = a \times h$ ; or  $a \times b \times \sin \theta$  ;  
 where  $a$  and  $b$  are the length of the sides,  $h$  is the altitude (or vertical height), and  $\theta$  is the angle between the sides  
**Trapezoid** (a 4-sided figure with two sides parallel)  
 $A (\text{area}) = \frac{1}{2} \times h (a + b)$ ;  
 where  $a$  and  $b$  are the length of the sides and  $h$  is the height  
**Regular polygon of  $n$  sides**  
 $A (\text{area}) = \frac{1}{4} \times n \times a^2 \times \cotangent (180^\circ / n)$ ;  
 where  $a$  is the length of a side and  $n$  is the number of sides  
**Circle**  $A (\text{area}) = \pi r^2$ ; or  $\frac{1}{4} \pi d^2$ ;  
 where  $r$  is the radius and  $d$  is the diameter  
**Cube**  $A (\text{area}) = 6 \times a^2$ ;  
 $V (\text{volume}) = a^3$ ;  
 where  $a$  is the length of a side  
**Cylinder**  $A (\text{area}) = 2 \pi r \times h$ ;  
 $V (\text{volume}) = \pi r^2 \times h$ ;  
 where  $r$  is the radius and  $h$  is the length of the height  
**Sphere**  $A (\text{area}) = 4 \pi r^2$ ; or  $\pi d^2$ ;  
 $V (\text{volume}) = \frac{4}{3} \pi r^3$  or  $\frac{1}{6} \pi d^3$   
 where  $r$  is the radius and  $d$  is the diameter

122

## SURFACE AREA AND VOLUME CALCULATIONS

**Triangle**  $A (\text{area}) = \frac{1}{2} \times b \times h$ ;  
 where  $b$  is the base and  $h$  is the height of the triangle  
**Rectangle**  $A (\text{area}) = a \times b$ ;  
 where  $a$  and  $b$  are the lengths of the sides  
**Rectangular Box**  $V (\text{volume}) = w \times l \times h$ ;  
 where  $w$  is the width,  $l$  is the length, and  $h$  is the height  
**Parallelogram** (a 4-sided figure with opposite sides parallel)  
 $A (\text{area}) = a \times h$ ; or  $a \times b \times \sin \theta$  ;  
 where  $a$  and  $b$  are the length of the sides,  $h$  is the altitude (or vertical height), and  $\theta$  is the angle between the sides  
**Trapezoid** (a 4-sided figure with two sides parallel)  
 $A (\text{area}) = \frac{1}{2} \times h (a + b)$ ;  
 where  $a$  and  $b$  are the length of the sides and  $h$  is the height  
**Regular polygon of  $n$  sides**  
 $A (\text{area}) = \frac{1}{4} \times n \times a^2 \times \cotangent (180^\circ / n)$ ;  
 where  $a$  is the length of a side and  $n$  is the number of sides  
**Circle**  $A (\text{area}) = \pi r^2$ ; or  $\frac{1}{4} \pi d^2$ ;  
 where  $r$  is the radius and  $d$  is the diameter  
**Cube**  $A (\text{area}) = 6 \times a^2$ ;  
 $V (\text{volume}) = a^3$ ;  
 where  $a$  is the length of a side  
**Cylinder**  $A (\text{area}) = 2 \pi r \times h$ ;  
 $V (\text{volume}) = \pi r^2 \times h$ ;  
 where  $r$  is the radius and  $h$  is the length of the height  
**Sphere**  $A (\text{area}) = 4 \pi r^2$ ; or  $\pi d^2$ ;  
 $V (\text{volume}) = \frac{4}{3} \pi r^3$  or  $\frac{1}{6} \pi d^3$   
 where  $r$  is the radius and  $d$  is the diameter


122

## SURFACE AREA AND VOLUME CALCULATIONS


**Triangle**  $A (\text{area}) = \frac{1}{2} \times b \times h$ ;  
 where  $b$  is the base and  $h$  is the height of the triangle  
**Rectangle**  $A (\text{area}) = a \times b$ ;  
 where  $a$  and  $b$  are the lengths of the sides  
**Rectangular Box**  $V (\text{volume}) = w \times l \times h$ ;  
 where  $w$  is the width,  $l$  is the length, and  $h$  is the height  
**Parallelogram** (a 4-sided figure with opposite sides parallel)  
 $A (\text{area}) = a \times h$ ; or  $a \times b \times \sin \theta$  ;  
 where  $a$  and  $b$  are the length of the sides,  $h$  is the altitude (or vertical height), and  $\theta$  is the angle between the sides  
**Trapezoid** (a 4-sided figure with two sides parallel)  
 $A (\text{area}) = \frac{1}{2} \times h (a + b)$ ;  
 where  $a$  and  $b$  are the length of the sides and  $h$  is the height  
**Regular polygon of  $n$  sides**  
 $A (\text{area}) = \frac{1}{4} \times n \times a^2 \times \cotangent (180^\circ / n)$ ;  
 where  $a$  is the length of a side and  $n$  is the number of sides  
**Circle**  $A (\text{area}) = \pi r^2$ ; or  $\frac{1}{4} \pi d^2$ ;  
 where  $r$  is the radius and  $d$  is the diameter  
**Cube**  $A (\text{area}) = 6 \times a^2$ ;  
 $V (\text{volume}) = a^3$ ;  
 where  $a$  is the length of a side  
**Cylinder**  $A (\text{area}) = 2 \pi r \times h$ ;  
 $V (\text{volume}) = \pi r^2 \times h$ ;  
 where  $r$  is the radius and  $h$  is the length of the height  
**Sphere**  $A (\text{area}) = 4 \pi r^2$ ; or  $\pi d^2$ ;  
 $V (\text{volume}) = \frac{4}{3} \pi r^3$  or  $\frac{1}{6} \pi d^3$   
 where  $r$  is the radius and  $d$  is the diameter

122


**ELECTROMAGNETIC SPECTRUM**




**ELECTROMAGNETIC SPECTRUM**



**ELECTROMAGNETIC SPECTRUM**



**ELECTROMAGNETIC SPECTRUM**



### RULES OF THUMB FOR ALPHA PARTICLES

1. An alpha particle of at least 7.5 MeV energy is needed to penetrate the nominal protective layer of the skin (7 mg / cm<sup>2</sup> or 0.07 mm).

2. The alpha emissions and energies of the predominant particles from 1 µg of several common materials are:

	DPM per µg	Alpha Energy (MeV)
<sup>238</sup> Pu	39,000,000	5.50 (72%)
<sup>239</sup> Pu	140,000	5.15 (72.5%)
<sup>240</sup> Pu	500,000	5.16 (76%)
<sup>242</sup> Pu	8,700	4.90 (76%)
<sup>a</sup> Natural U	1.5	4.20 (37%), 4.77 (36%)
Oralloy (93% <sup>235</sup> U)	160	4.39 (~ 80%)
<sup>b</sup> Natural Th	0.5	4.01 (38%), 5.43 (36%)
D-38 (DU, tuballoy)	1	4.20 (~ 60%)

<sup>a</sup> Includes <sup>234</sup>U in equilibrium.

<sup>b</sup> Includes <sup>228</sup>Th in equilibrium. Depending upon the time since chemical separation, <sup>228</sup>Th can decrease to give a net disintegration rate lower than 0.5.

<sup>c</sup> With 2p (50%) geometry, the surface of a thick uranium metal (tuballoy) source gives ~ 2400 alpha counts/min per cm<sup>2</sup>. Depleted uranium (D-38) gives ~ 800 alpha cpm/cm<sup>2</sup>.

3. Alpha particles lose about 0.8 MeV per mg/cm<sup>2</sup> density thickness of the attenuating material.

4. Detector window thicknesses cause alpha particles to lose energy at about 0.8 MeV per mg/cm<sup>2</sup> of window thickness. Therefore, a detector with a window thickness of 3 mg/cm<sup>2</sup> (such as sealed gas-proportional pancake alpha/beta detectors and pancake GM detectors) will not detect alpha emitters of less than 3 MeV.

### RULES OF THUMB FOR ALPHA PARTICLES

1. An alpha particle of at least 7.5 MeV energy is needed to penetrate the nominal protective layer of the skin (7 mg / cm<sup>2</sup> or 0.07 mm).

2. The alpha emissions and energies of the predominant particles from 1 µg of several common materials are:

	DPM per µg	Alpha Energy (MeV)
<sup>238</sup> Pu	39,000,000	5.50 (72%)
<sup>239</sup> Pu	140,000	5.15 (72.5%)
<sup>240</sup> Pu	500,000	5.16 (76%)
<sup>242</sup> Pu	8,700	4.90 (76%)
<sup>a</sup> Natural U	1.5	4.20 (37%), 4.77 (36%)
Oralloy (93% <sup>235</sup> U)	160	4.39 (~ 80%)
<sup>b</sup> Natural Th	0.5	4.01 (38%), 5.43 (36%)
D-38 (DU, tuballoy)	1	4.20 (~ 60%)

<sup>a</sup> Includes <sup>234</sup>U in equilibrium.

<sup>b</sup> Includes <sup>228</sup>Th in equilibrium. Depending upon the time since chemical separation, <sup>228</sup>Th can decrease to give a net disintegration rate lower than 0.5.

<sup>c</sup> With 2p (50%) geometry, the surface of a thick uranium metal (tuballoy) source gives ~ 2400 alpha counts/min per cm<sup>2</sup>. Depleted uranium (D-38) gives ~ 800 alpha cpm/cm<sup>2</sup>.

3. Alpha particles lose about 0.8 MeV per mg/cm<sup>2</sup> density thickness of the attenuating material.

4. Detector window thicknesses cause alpha particles to lose energy at about 0.8 MeV per mg/cm<sup>2</sup> of window thickness. Therefore, a detector with a window thickness of 3 mg/cm<sup>2</sup> (such as sealed gas-proportional pancake alpha/beta detectors and pancake GM detectors) will not detect alpha emitters of less than 3 MeV.

### RULES OF THUMB FOR ALPHA PARTICLES

1. An alpha particle of at least 7.5 MeV energy is needed to penetrate the nominal protective layer of the skin (7 mg / cm<sup>2</sup> or 0.07 mm).

2. The alpha emissions and energies of the predominant particles from 1 µg of several common materials are:

	DPM per µg	Alpha Energy (MeV)
<sup>238</sup> Pu	39,000,000	5.50 (72%)
<sup>239</sup> Pu	140,000	5.15 (72.5%)
<sup>240</sup> Pu	500,000	5.16 (76%)
<sup>242</sup> Pu	8,700	4.90 (76%)
<sup>a</sup> Natural U	1.5	4.20 (37%), 4.77 (36%)
Oralloy (93% <sup>235</sup> U)	160	4.39 (~ 80%)
<sup>b</sup> Natural Th	0.5	4.01 (38%), 5.43 (36%)
D-38 (DU, tuballoy)	1	4.20 (~ 60%)

<sup>a</sup> Includes <sup>234</sup>U in equilibrium.

<sup>b</sup> Includes <sup>228</sup>Th in equilibrium. Depending upon the time since chemical separation, <sup>228</sup>Th can decrease to give a net disintegration rate lower than 0.5.

<sup>c</sup> With 2p (50%) geometry, the surface of a thick uranium metal (tuballoy) source gives ~ 2400 alpha counts/min per cm<sup>2</sup>. Depleted uranium (D-38) gives ~ 800 alpha cpm/cm<sup>2</sup>.

3. Alpha particles lose about 0.8 MeV per mg/cm<sup>2</sup> density thickness of the attenuating material.

4. Detector window thicknesses cause alpha particles to lose energy at about 0.8 MeV per mg/cm<sup>2</sup> of window thickness. Therefore, a detector with a window thickness of 3 mg/cm<sup>2</sup> (such as sealed gas-proportional pancake alpha/beta detectors and pancake GM detectors) will not detect alpha emitters of less than 3 MeV.

### RULES OF THUMB FOR ALPHA PARTICLES

1. An alpha particle of at least 7.5 MeV energy is needed to penetrate the nominal protective layer of the skin (7 mg / cm<sup>2</sup> or 0.07 mm).

2. The alpha emissions and energies of the predominant particles from 1 µg of several common materials are:

	DPM per µg	Alpha Energy (MeV)
<sup>238</sup> Pu	39,000,000	5.50 (72%)
<sup>239</sup> Pu	140,000	5.15 (72.5%)
<sup>240</sup> Pu	500,000	5.16 (76%)
<sup>242</sup> Pu	8,700	4.90 (76%)
<sup>a</sup> Natural U	1.5	4.20 (37%), 4.77 (36%)
Oralloy (93% <sup>235</sup> U)	160	4.39 (~ 80%)
<sup>b</sup> Natural Th	0.5	4.01 (38%), 5.43 (36%)
D-38 (DU, tuballoy)	1	4.20 (~ 60%)

<sup>a</sup> Includes <sup>234</sup>U in equilibrium.

<sup>b</sup> Includes <sup>228</sup>Th in equilibrium. Depending upon the time since chemical separation, <sup>228</sup>Th can decrease to give a net disintegration rate lower than 0.5.

<sup>c</sup> With 2p (50%) geometry, the surface of a thick uranium metal (tuballoy) source gives ~ 2400 alpha counts/min per cm<sup>2</sup>. Depleted uranium (D-38) gives ~ 800 alpha cpm/cm<sup>2</sup>.

3. Alpha particles lose about 0.8 MeV per mg/cm<sup>2</sup> density thickness of the attenuating material.

4. Detector window thicknesses cause alpha particles to lose energy at about 0.8 MeV per mg/cm<sup>2</sup> of window thickness. Therefore, a detector with a window thickness of 3 mg/cm<sup>2</sup> (such as sealed gas-proportional pancake alpha/beta detectors and pancake GM detectors) will not detect alpha emitters of less than 3 MeV.

5. Air-proportional alpha detectors have a flatter energy vs efficiency response than sealed gas-proportional, alpha scintillator, alpha/beta scintillator, or GM detectors. This is due to several factors. One factor is the typically thinner entrance windows on air-proportional alpha detectors compared to beta detectors and alpha and beta scintillator detectors whereby more of the initial alpha particle energy enters the active volume of the air-proportional compared to other detectors. A second factor is the relatively shallow depth of the air-proportional detector compared to the path length of the alpha particle in air which leads to the alpha pulses being of similar height for any alpha particle energy above a threshold.

**6. Alpha particle energy transfer to air**

6 MeV alpha particles produce 40,000 Ion Pairs per cm  
4 MeV alpha particles produce 55,000 Ion Pairs per cm

$\omega$  for air is 34 eV per Ion Pair  
therefore;

6 MeV alpha particles lose 1.18 MeV per cm of air  
4 MeV alpha particles lose 1.87 MeV per cm of air

Alpha particle range in cm of air at 1 atmosphere

$R_a = 0.56 E$  ( $E < 4$  MeV)  
 $R_a = 1.24 E - 2.62$  ( $E > 4$  MeV)

Alpha particles lose about 60 KeV of energy per mm of air at STP.

125

5. Air-proportional alpha detectors have a flatter energy vs efficiency response than sealed gas-proportional, alpha scintillator, alpha/beta scintillator, or GM detectors. This is due to several factors. One factor is the typically thinner entrance windows on air-proportional alpha detectors compared to beta detectors and alpha and beta scintillator detectors whereby more of the initial alpha particle energy enters the active volume of the air-proportional compared to other detectors. A second factor is the relatively shallow depth of the air-proportional detector compared to the path length of the alpha particle in air which leads to the alpha pulses being of similar height for any alpha particle energy above a threshold.

**6. Alpha particle energy transfer to air**

6 MeV alpha particles produce 40,000 Ion Pairs per cm  
4 MeV alpha particles produce 55,000 Ion Pairs per cm

$\omega$  for air is 34 eV per Ion Pair  
therefore;

6 MeV alpha particles lose 1.18 MeV per cm of air  
4 MeV alpha particles lose 1.87 MeV per cm of air

Alpha particle range in cm of air at 1 atmosphere

$R_a = 0.56 E$  ( $E < 4$  MeV)  
 $R_a = 1.24 E - 2.62$  ( $E > 4$  MeV)

Alpha particles lose about 60 KeV of energy per mm of air at STP.

125

5. Air-proportional alpha detectors have a flatter energy vs efficiency response than sealed gas-proportional, alpha scintillator, alpha/beta scintillator, or GM detectors. This is due to several factors. One factor is the typically thinner entrance windows on air-proportional alpha detectors compared to beta detectors and alpha and beta scintillator detectors whereby more of the initial alpha particle energy enters the active volume of the air-proportional compared to other detectors. A second factor is the relatively shallow depth of the air-proportional detector compared to the path length of the alpha particle in air which leads to the alpha pulses being of similar height for any alpha particle energy above a threshold.

**6. Alpha particle energy transfer to air**

6 MeV alpha particles produce 40,000 Ion Pairs per cm  
4 MeV alpha particles produce 55,000 Ion Pairs per cm

$\omega$  for air is 34 eV per Ion Pair  
therefore;

6 MeV alpha particles lose 1.18 MeV per cm of air  
4 MeV alpha particles lose 1.87 MeV per cm of air

Alpha particle range in cm of air at 1 atmosphere

$R_a = 0.56 E$  ( $E < 4$  MeV)  
 $R_a = 1.24 E - 2.62$  ( $E > 4$  MeV)

Alpha particles lose about 60 KeV of energy per mm of air at STP.

125

5. Air-proportional alpha detectors have a flatter energy vs efficiency response than sealed gas-proportional, alpha scintillator, alpha/beta scintillator, or GM detectors. This is due to several factors. One factor is the typically thinner entrance windows on air-proportional alpha detectors compared to beta detectors and alpha and beta scintillator detectors whereby more of the initial alpha particle energy enters the active volume of the air-proportional compared to other detectors. A second factor is the relatively shallow depth of the air-proportional detector compared to the path length of the alpha particle in air which leads to the alpha pulses being of similar height for any alpha particle energy above a threshold.

**6. Alpha particle energy transfer to air**

6 MeV alpha particles produce 40,000 Ion Pairs per cm  
4 MeV alpha particles produce 55,000 Ion Pairs per cm

$\omega$  for air is 34 eV per Ion Pair  
therefore;

6 MeV alpha particles lose 1.18 MeV per cm of air  
4 MeV alpha particles lose 1.87 MeV per cm of air

Alpha particle range in cm of air at 1 atmosphere

$R_a = 0.56 E$  ( $E < 4$  MeV)  
 $R_a = 1.24 E - 2.62$  ( $E > 4$  MeV)

Alpha particles lose about 60 KeV of energy per mm of air at STP.

125

### RULES OF THUMB FOR BETA PARTICLES

1. Beta particles of at least 70 keV energy are required to penetrate the nominal protective layer of the skin.
2. The average energy of a beta-ray spectrum is approximately one-third the maximum energy.
3. The range of beta particles in air is ~12 ft (3.6 m) / MeV.
4. The range of beta particles (or electrons) in grams / cm<sup>2</sup> (thickness in cm multiplied by the density in g / cm<sup>3</sup>) is approximately half the maximum energy in MeV. This rule overestimates the range for low energies (0.5 MeV) and low atomic numbers, and underestimates for high energies and high atomic numbers.
5. The exposure rate in rads per hour in an infinite medium uniformly contaminated by a beta emitter is  $2.12 EC /$  where E is the average beta energy per disintegration in MeV, C is the concentration in  $\mu\text{Ci} / \text{cm}^3$ , and  $\rho$  is the density of the medium in grams/cm<sup>3</sup>. The dose rate at the surface of the mass is one half the value given by this relation. In such a large mass, the relative beta and gamma dose rates are in the ratio of the average energies released per disintegration.
6. The surface dose rate through 7 mg / cm<sup>2</sup> from a uniform thin deposition of 1 Ci / cm<sup>2</sup> is about 9 rads/h (90 mGy/h) for energies above about 0.6 MeV. Note that in a thin layer, the beta dose rate exceeds the gamma dose rate for equal energies released by ~100.

126

### RULES OF THUMB FOR BETA PARTICLES

1. Beta particles of at least 70 keV energy are required to penetrate the nominal protective layer of the skin.
2. The average energy of a beta-ray spectrum is approximately one-third the maximum energy.
3. The range of beta particles in air is ~12 ft (3.6 m) / MeV.
4. The range of beta particles (or electrons) in grams / cm<sup>2</sup> (thickness in cm multiplied by the density in g / cm<sup>3</sup>) is approximately half the maximum energy in MeV. This rule overestimates the range for low energies (0.5 MeV) and low atomic numbers, and underestimates for high energies and high atomic numbers.
5. The exposure rate in rads per hour in an infinite medium uniformly contaminated by a beta emitter is  $2.12 EC /$  where E is the average beta energy per disintegration in MeV, C is the concentration in  $\mu\text{Ci} / \text{cm}^3$ , and  $\rho$  is the density of the medium in grams/cm<sup>3</sup>. The dose rate at the surface of the mass is one half the value given by this relation. In such a large mass, the relative beta and gamma dose rates are in the ratio of the average energies released per disintegration.
6. The surface dose rate through 7 mg / cm<sup>2</sup> from a uniform thin deposition of 1 Ci / cm<sup>2</sup> is about 9 rads/h (90 mGy/h) for energies above about 0.6 MeV. Note that in a thin layer, the beta dose rate exceeds the gamma dose rate for equal energies released by ~100.

126

### RULES OF THUMB FOR BETA PARTICLES

1. Beta particles of at least 70 keV energy are required to penetrate the nominal protective layer of the skin.
2. The average energy of a beta-ray spectrum is approximately one-third the maximum energy.
3. The range of beta particles in air is ~12 ft (3.6 m) / MeV.
4. The range of beta particles (or electrons) in grams / cm<sup>2</sup> (thickness in cm multiplied by the density in g / cm<sup>3</sup>) is approximately half the maximum energy in MeV. This rule overestimates the range for low energies (0.5 MeV) and low atomic numbers, and underestimates for high energies and high atomic numbers.
5. The exposure rate in rads per hour in an infinite medium uniformly contaminated by a beta emitter is  $2.12 EC /$  where E is the average beta energy per disintegration in MeV, C is the concentration in  $\mu\text{Ci} / \text{cm}^3$ , and  $\rho$  is the density of the medium in grams/cm<sup>3</sup>. The dose rate at the surface of the mass is one half the value given by this relation. In such a large mass, the relative beta and gamma dose rates are in the ratio of the average energies released per disintegration.
6. The surface dose rate through 7 mg / cm<sup>2</sup> from a uniform thin deposition of 1 Ci / cm<sup>2</sup> is about 9 rads/h (90 mGy/h) for energies above about 0.6 MeV. Note that in a thin layer, the beta dose rate exceeds the gamma dose rate for equal energies released by ~100.

126

### RULES OF THUMB FOR BETA PARTICLES

1. Beta particles of at least 70 keV energy are required to penetrate the nominal protective layer of the skin.
2. The average energy of a beta-ray spectrum is approximately one-third the maximum energy.
3. The range of beta particles in air is ~12 ft (3.6 m) / MeV.
4. The range of beta particles (or electrons) in grams / cm<sup>2</sup> (thickness in cm multiplied by the density in g / cm<sup>3</sup>) is approximately half the maximum energy in MeV. This rule overestimates the range for low energies (0.5 MeV) and low atomic numbers, and underestimates for high energies and high atomic numbers.
5. The exposure rate in rads per hour in an infinite medium uniformly contaminated by a beta emitter is  $2.12 EC /$  where E is the average beta energy per disintegration in MeV, C is the concentration in  $\mu\text{Ci} / \text{cm}^3$ , and  $\rho$  is the density of the medium in grams/cm<sup>3</sup>. The dose rate at the surface of the mass is one half the value given by this relation. In such a large mass, the relative beta and gamma dose rates are in the ratio of the average energies released per disintegration.
6. The surface dose rate through 7 mg / cm<sup>2</sup> from a uniform thin deposition of 1 Ci / cm<sup>2</sup> is about 9 rads/h (90 mGy/h) for energies above about 0.6 MeV. Note that in a thin layer, the beta dose rate exceeds the gamma dose rate for equal energies released by ~100.

126

7. The bremsstrahlung from a 1 Ci  $P^{32}$  aqueous solution in a glass bottle is  $\sim 3$  mrad/h (30  $\mu$ Gy/h) at 1 m.

**8. Half-value thickness vs beta energy**

Isotope	$\beta$ max energy (KeV)	Half-Value Thickness
Tc <sup>99</sup>	292	7.5 mg / cm <sup>2</sup>
Cl <sup>36</sup>	714	15 mg / cm <sup>2</sup>
Sr/Y <sup>90</sup>	546 / 2270	150 mg / cm <sup>2</sup>
U <sup>238</sup>	Betas from short lived progeny	
	191 / 2290	130 mg / cm <sup>2</sup>

**9. Estimating beta energy using a paper shield**

- The density thickness of typical notepaper of 20 pound weight is 7.5 mg/cm<sup>2</sup>.
- Take a reading with your beta detector of the surface contamination you wish to estimate the energy of.
- A single sheet of notepaper will stop all but the most energetic of alpha particles, will have virtually no effect on gamma radiation, and will only stop very low energy beta particles such as C<sup>14</sup>.
- A single sheet of notepaper will reduce the count rate from Tc<sup>99</sup> by 1/2.
- Continue adding more sheet of notepaper until the net count rate is less than 1/2 the unshielded count rate.
- Multiply the number of sheet of notepaper necessary to reduce the count rate to 1/2 by 7.5 mg/cm<sup>2</sup>. That density thickness is your half-value layer and you can compare the required density thickness with the table in step 8 or some other reference.

7. The bremsstrahlung from a 1 Ci  $P^{32}$  aqueous solution in a glass bottle is  $\sim 3$  mrad/h (30  $\mu$ Gy/h) at 1 m.

**8. Half-value thickness vs beta energy**

Isotope	$\beta$ max energy (KeV)	Half-Value Thickness
Tc <sup>99</sup>	292	7.5 mg / cm <sup>2</sup>
Cl <sup>36</sup>	714	15 mg / cm <sup>2</sup>
Sr/Y <sup>90</sup>	546 / 2270	150 mg / cm <sup>2</sup>
U <sup>238</sup>	Betas from short lived progeny	
	191 / 2290	130 mg / cm <sup>2</sup>

**9. Estimating beta energy using a paper shield**

- The density thickness of typical notepaper of 20 pound weight is 7.5 mg/cm<sup>2</sup>.
- Take a reading with your beta detector of the surface contamination you wish to estimate the energy of.
- A single sheet of notepaper will stop all but the most energetic of alpha particles, will have virtually no effect on gamma radiation, and will only stop very low energy beta particles such as C<sup>14</sup>.
- A single sheet of notepaper will reduce the count rate from Tc<sup>99</sup> by 1/2.
- Continue adding more sheet of notepaper until the net count rate is less than 1/2 the unshielded count rate.
- Multiply the number of sheet of notepaper necessary to reduce the count rate to 1/2 by 7.5 mg/cm<sup>2</sup>. That density thickness is your half-value layer and you can compare the required density thickness with the table in step 8 or some other reference.

7. The bremsstrahlung from a 1 Ci  $P^{32}$  aqueous solution in a glass bottle is  $\sim 3$  mrad/h (30  $\mu$ Gy/h) at 1 m.

**8. Half-value thickness vs beta energy**

Isotope	$\beta$ max energy (KeV)	Half-Value Thickness
Tc <sup>99</sup>	292	7.5 mg / cm <sup>2</sup>
Cl <sup>36</sup>	714	15 mg / cm <sup>2</sup>
Sr/Y <sup>90</sup>	546 / 2270	150 mg / cm <sup>2</sup>
U <sup>238</sup>	Betas from short lived progeny	
	191 / 2290	130 mg / cm <sup>2</sup>

**9. Estimating beta energy using a paper shield**

- The density thickness of typical notepaper of 20 pound weight is 7.5 mg/cm<sup>2</sup>.
- Take a reading with your beta detector of the surface contamination you wish to estimate the energy of.
- A single sheet of notepaper will stop all but the most energetic of alpha particles, will have virtually no effect on gamma radiation, and will only stop very low energy beta particles such as C<sup>14</sup>.
- A single sheet of notepaper will reduce the count rate from Tc<sup>99</sup> by 1/2.
- Continue adding more sheet of notepaper until the net count rate is less than 1/2 the unshielded count rate.
- Multiply the number of sheet of notepaper necessary to reduce the count rate to 1/2 by 7.5 mg/cm<sup>2</sup>. That density thickness is your half-value layer and you can compare the required density thickness with the table in step 8 or some other reference.

7. The bremsstrahlung from a 1 Ci  $P^{32}$  aqueous solution in a glass bottle is  $\sim 3$  mrad/h (30  $\mu$ Gy/h) at 1 m.

**8. Half-value thickness vs beta energy**

Isotope	$\beta$ max energy (KeV)	Half-Value Thickness
Tc <sup>99</sup>	292	7.5 mg / cm <sup>2</sup>
Cl <sup>36</sup>	714	15 mg / cm <sup>2</sup>
Sr/Y <sup>90</sup>	546 / 2270	150 mg / cm <sup>2</sup>
U <sup>238</sup>	Betas from short lived progeny	
	191 / 2290	130 mg / cm <sup>2</sup>

**9. Estimating beta energy using a paper shield**

- The density thickness of typical notepaper of 20 pound weight is 7.5 mg/cm<sup>2</sup>.
- Take a reading with your beta detector of the surface contamination you wish to estimate the energy of.
- A single sheet of notepaper will stop all but the most energetic of alpha particles, will have virtually no effect on gamma radiation, and will only stop very low energy beta particles such as C<sup>14</sup>.
- A single sheet of notepaper will reduce the count rate from Tc<sup>99</sup> by 1/2.
- Continue adding more sheet of notepaper until the net count rate is less than 1/2 the unshielded count rate.
- Multiply the number of sheet of notepaper necessary to reduce the count rate to 1/2 by 7.5 mg/cm<sup>2</sup>. That density thickness is your half-value layer and you can compare the required density thickness with the table in step 8 or some other reference.

## RULES OF THUMB FOR GAMMA RADIATION

1. The range of gamma rays (any photon) for energies from eV to 10 MeV in air is from a few mm to 100 meters. The range of those photons in water is from a few mm to several cm.
2. The dose rate 1 m above a flat, infinite plane contaminated with a thin layer (1 Ci / m<sup>2</sup>) of gamma emitters is:

Energy (MeV)	Dose Rate	
	rem/h	mSv/h
0.4	7.2	72
0.6	10	100
0.8	13	130
1.0	16	160
1.2	19	190

3. The dose rate in rem/h per hour in an infinite medium uniformly contaminated by a gamma emitter is  $2.12 EC / \rho$ , where C is the number of microcuries per cubic centimeter, E is the average gamma energy per disintegration in MeV, and  $\rho$  is the density of the medium. At the surface of a large body, the dose rate is about half of this. At ground level (one-half of an infinite cloud), the dose rate from a uniformly contaminated atmosphere is 1,600 EC rem/h per Ci / cm<sup>3</sup>.
4. The radiation scattered from the air (skyshine) from a 100 Ci <sup>60</sup>Co source 30 cm behind a 1 m high shield is ~ 100 mR/h (1 mSv/h) at 15 cm from the outside of the shield.

## RULES OF THUMB FOR GAMMA RADIATION

1. The range of gamma rays (any photon) for energies from eV to 10 MeV in air is from a few mm to 100 meters. The range of those photons in water is from a few mm to several cm.
2. The dose rate 1 m above a flat, infinite plane contaminated with a thin layer (1 Ci / m<sup>2</sup>) of gamma emitters is:

Energy (MeV)	Dose Rate	
	rem/h	mSv/h
0.4	7.2	72
0.6	10	100
0.8	13	130
1.0	16	160
1.2	19	190

3. The dose rate in rem/h per hour in an infinite medium uniformly contaminated by a gamma emitter is  $2.12 EC / \rho$ , where C is the number of microcuries per cubic centimeter, E is the average gamma energy per disintegration in MeV, and  $\rho$  is the density of the medium. At the surface of a large body, the dose rate is about half of this. At ground level (one-half of an infinite cloud), the dose rate from a uniformly contaminated atmosphere is 1,600 EC rem/h per Ci / cm<sup>3</sup>.
4. The radiation scattered from the air (skyshine) from a 100 Ci <sup>60</sup>Co source 30 cm behind a 1 m high shield is ~ 100 mR/h (1 mSv/h) at 15 cm from the outside of the shield.

## RULES OF THUMB FOR GAMMA RADIATION

1. The range of gamma rays (any photon) for energies from eV to 10 MeV in air is from a few mm to 100 meters. The range of those photons in water is from a few mm to several cm.
2. The dose rate 1 m above a flat, infinite plane contaminated with a thin layer (1 Ci / m<sup>2</sup>) of gamma emitters is:

Energy (MeV)	Dose Rate	
	rem/h	mSv/h
0.4	7.2	72
0.6	10	100
0.8	13	130
1.0	16	160
1.2	19	190

3. The dose rate in rem/h per hour in an infinite medium uniformly contaminated by a gamma emitter is  $2.12 EC / \rho$ , where C is the number of microcuries per cubic centimeter, E is the average gamma energy per disintegration in MeV, and  $\rho$  is the density of the medium. At the surface of a large body, the dose rate is about half of this. At ground level (one-half of an infinite cloud), the dose rate from a uniformly contaminated atmosphere is 1,600 EC rem/h per Ci / cm<sup>3</sup>.
4. The radiation scattered from the air (skyshine) from a 100 Ci <sup>60</sup>Co source 30 cm behind a 1 m high shield is ~ 100 mR/h (1 mSv/h) at 15 cm from the outside of the shield

## RULES OF THUMB FOR GAMMA RADIATION

1. The range of gamma rays (any photon) for energies from eV to 10 MeV in air is from a few mm to 100 meters. The range of those photons in water is from a few mm to several cm.
2. The dose rate 1 m above a flat, infinite plane contaminated with a thin layer (1 Ci / m<sup>2</sup>) of gamma emitters is:

Energy (MeV)	Dose Rate	
	rem/h	mSv/h
0.4	7.2	72
0.6	10	100
0.8	13	130
1.0	16	160
1.2	19	190

3. The dose rate in rem/h per hour in an infinite medium uniformly contaminated by a gamma emitter is  $2.12 EC / \rho$ , where C is the number of microcuries per cubic centimeter, E is the average gamma energy per disintegration in MeV, and  $\rho$  is the density of the medium. At the surface of a large body, the dose rate is about half of this. At ground level (one-half of an infinite cloud), the dose rate from a uniformly contaminated atmosphere is 1,600 EC rem/h per Ci / cm<sup>3</sup>.
4. The radiation scattered from the air (skyshine) from a 100 Ci <sup>60</sup>Co source 30 cm behind a 1 m high shield is ~ 100 mR/h (1 mSv/h) at 15 cm from the outside of the shield.

### RULES OF THUMB FOR NEUTRONS

1. The number of neutrons per square centimeter per second at distance R from a small source emitting Q neutrons per second without shielding is given by;  
$$n / \text{cm}^2\text{-sec} = Q / 4 R^2 = 0.08Q / R^2$$
2. For  $\alpha$ ,  $\eta$  sources use the following equation to approximate the number of neutrons per second per Ci (Q).  
$$Q = 5.6E3 \times (\text{alpha particle energy in MeV})^{3.65}$$
  
This holds true for Be; multiply by 0.16 for B targets, by 0.05 for F, by 0.015 for Li, and 0.003 for O targets.
3. For neutron energies from 1 to 10 MeV the neutron exposure rate is approximately equal to 1 mrem/hr at 1 meter for each 1E6 neutrons per second emission rate. Multiply the neutron mrem/hr at 1 meter by 11.1 to calculate the neutron exposure rate for the same source at a distance of 30 cm.
4. For spontaneous fission the gamma exposure rate for an unshielded source is approximately twice the neutron exposure rate.
5. The range of neutrons in air for energies from 0 to 10 MeV is from a few centimeters to 100 meters.
6. The range of neutrons in water (or tissue) for energies from 0 to 10 MeV is from a few millimeters to 1 meter.
7. Neutron flux to dose rate conversion:  
Fast: 1 mrem (0.01 mSv) / hr per 6 n /  $\text{cm}^2\text{-sec}$   
Slow: 1 mrem (0.01 mSv) / hr per 272 n /  $\text{cm}^2\text{-sec}$

### RULES OF THUMB FOR NEUTRONS

1. The number of neutrons per square centimeter per second at distance R from a small source emitting Q neutrons per second without shielding is given by;  
$$n / \text{cm}^2\text{-sec} = Q / 4 R^2 = 0.08Q / R^2$$
2. For  $\alpha$ ,  $\eta$  sources use the following equation to approximate the number of neutrons per second per Ci (Q).  
$$Q = 5.6E3 \times (\text{alpha particle energy in MeV})^{3.65}$$
  
This holds true for Be; multiply by 0.16 for B targets, by 0.05 for F, by 0.015 for Li, and 0.003 for O targets.
3. For neutron energies from 1 to 10 MeV the neutron exposure rate is approximately equal to 1 mrem/hr at 1 meter for each 1E6 neutrons per second emission rate. Multiply the neutron mrem/hr at 1 meter by 11.1 to calculate the neutron exposure rate for the same source at a distance of 30 cm.
4. For spontaneous fission the gamma exposure rate for an unshielded source is approximately twice the neutron exposure rate.
5. The range of neutrons in air for energies from 0 to 10 MeV is from a few centimeters to 100 meters.
6. The range of neutrons in water (or tissue) for energies from 0 to 10 MeV is from a few millimeters to 1 meter.
7. Neutron flux to dose rate conversion:  
Fast: 1 mrem (0.01 mSv) / hr per 6 n /  $\text{cm}^2\text{-sec}$   
Slow: 1 mrem (0.01 mSv) / hr per 272 n /  $\text{cm}^2\text{-sec}$

### RULES OF THUMB FOR NEUTRONS

1. The number of neutrons per square centimeter per second at distance R from a small source emitting Q neutrons per second without shielding is given by;  
$$n / \text{cm}^2\text{-sec} = Q / 4 R^2 = 0.08Q / R^2$$
2. For  $\alpha$ ,  $\eta$  sources use the following equation to approximate the number of neutrons per second per Ci (Q).  
$$Q = 5.6E3 \times (\text{alpha particle energy in MeV})^{3.65}$$
  
This holds true for Be; multiply by 0.16 for B targets, by 0.05 for F, by 0.015 for Li, and 0.003 for O targets.
3. For neutron energies from 1 to 10 MeV the neutron exposure rate is approximately equal to 1 mrem/hr at 1 meter for each 1E6 neutrons per second emission rate. Multiply the neutron mrem/hr at 1 meter by 11.1 to calculate the neutron exposure rate for the same source at a distance of 30 cm.
4. For spontaneous fission the gamma exposure rate for an unshielded source is approximately twice the neutron exposure rate.
5. The range of neutrons in air for energies from 0 to 10 MeV is from a few centimeters to 100 meters.
6. The range of neutrons in water (or tissue) for energies from 0 to 10 MeV is from a few millimeters to 1 meter.
7. Neutron flux to dose rate conversion:  
Fast: 1 mrem (0.01 mSv) / hr per 6 n /  $\text{cm}^2\text{-sec}$   
Slow: 1 mrem (0.01 mSv) / hr per 272 n /  $\text{cm}^2\text{-sec}$

### RULES OF THUMB FOR NEUTRONS

1. The number of neutrons per square centimeter per second at distance R from a small source emitting Q neutrons per second without shielding is given by;  
$$n / \text{cm}^2\text{-sec} = Q / 4 R^2 = 0.08Q / R^2$$
2. For  $\alpha$ ,  $\eta$  sources use the following equation to approximate the number of neutrons per second per Ci (Q).  
$$Q = 5.6E3 \times (\text{alpha particle energy in MeV})^{3.65}$$
  
This holds true for Be; multiply by 0.16 for B targets, by 0.05 for F, by 0.015 for Li, and 0.003 for O targets.
3. For neutron energies from 1 to 10 MeV the neutron exposure rate is approximately equal to 1 mrem/hr at 1 meter for each 1E6 neutrons per second emission rate. Multiply the neutron mrem/hr at 1 meter by 11.1 to calculate the neutron exposure rate for the same source at a distance of 30 cm.
4. For spontaneous fission the gamma exposure rate for an unshielded source is approximately twice the neutron exposure rate.
5. The range of neutrons in air for energies from 0 to 10 MeV is from a few centimeters to 100 meters.
6. The range of neutrons in water (or tissue) for energies from 0 to 10 MeV is from a few millimeters to 1 meter.
7. Neutron flux to dose rate conversion:  
Fast: 1 mrem (0.01 mSv) / hr per 6 n /  $\text{cm}^2\text{-sec}$   
Slow: 1 mrem (0.01 mSv) / hr per 272 n /  $\text{cm}^2\text{-sec}$

**APPROXIMATE NEUTRON ENERGIES**

cold neutrons	0 - 0.025 eV
thermal	0.025 eV
epithermal	0.025 - 0.4 eV
cadmium	0.4 - 0.6 eV
epicadmium	0.6 - 1 eV
slow	1 eV - 10 eV
resonance	10 eV - 300 eV
intermediate	300 eV - 1 MeV
fast	1 MeV - 20 MeV
relativistic	> 20 MeV

Note: A thermal neutron is one which has the same energy and moves at the same velocity as a gas molecule does at a temperature of 20 degrees C. The velocity of a thermal neutron is 2200 m / sec (~5,000 mph).

**Neutron Fluence per mrem (10CFR20)**

MeV	n/cm <sup>2</sup>	n/cm <sup>2</sup> /s	MeV	n/cm <sup>2</sup>	n/cm <sup>2</sup> /s
	per mrem	per mrem/hr		per mrem	per mrem/hr
thermal	.....	.....	10	2.4E4	6.7
to	9E5	250	14	1.7E4	4.7
1E-2	.....	.....	20	1.6E4	4.4
1E-1	1.7E5	47	40	1.4E4	6.7
5E-1	3.9E4	11	60	1.6E4	4.4
1	2.7E4	7.5	100	2E4	5.6
2.5	2.9E4	8	200	1.9E4	5.3
5	2.3E4	6.4	300	1.6E4	4.4
7	2.4E4	6.7	400	1.4E4	6.7

**APPROXIMATE NEUTRON ENERGIES**

cold neutrons	0 - 0.025 eV
thermal	0.025 eV
epithermal	0.025 - 0.4 eV
cadmium	0.4 - 0.6 eV
epicadmium	0.6 - 1 eV
slow	1 eV - 10 eV
resonance	10 eV - 300 eV
intermediate	300 eV - 1 MeV
fast	1 MeV - 20 MeV
relativistic	> 20 MeV

Note: A thermal neutron is one which has the same energy and moves at the same velocity as a gas molecule does at a temperature of 20 degrees C. The velocity of a thermal neutron is 2200 m / sec (~5,000 mph).

**Neutron Fluence per mrem (10CFR20)**

MeV	n/cm <sup>2</sup>	n/cm <sup>2</sup> /s	MeV	n/cm <sup>2</sup>	n/cm <sup>2</sup> /s
	per mrem	per mrem/hr		per mrem	per mrem/hr
thermal	.....	.....	10	2.4E4	6.7
to	9E5	250	14	1.7E4	4.7
1E-2	.....	.....	20	1.6E4	4.4
1E-1	1.7E5	47	40	1.4E4	6.7
5E-1	3.9E4	11	60	1.6E4	4.4
1	2.7E4	7.5	100	2E4	5.6
2.5	2.9E4	8	200	1.9E4	5.3
5	2.3E4	6.4	300	1.6E4	4.4
7	2.4E4	6.7	400	1.4E4	6.7

**APPROXIMATE NEUTRON ENERGIES**

cold neutrons	0 - 0.025 eV
thermal	0.025 eV
epithermal	0.025 - 0.4 eV
cadmium	0.4 - 0.6 eV
epicadmium	0.6 - 1 eV
slow	1 eV - 10 eV
resonance	10 eV - 300 eV
intermediate	300 eV - 1 MeV
fast	1 MeV - 20 MeV
relativistic	> 20 MeV

Note: A thermal neutron is one which has the same energy and moves at the same velocity as a gas molecule does at a temperature of 20 degrees C. The velocity of a thermal neutron is 2200 m / sec (~5,000 mph).

**Neutron Fluence per mrem (10CFR20)**

MeV	n/cm <sup>2</sup>	n/cm <sup>2</sup> /s	MeV	n/cm <sup>2</sup>	n/cm <sup>2</sup> /s
	per mrem	per mrem/hr		per mrem	per mrem/hr
thermal	.....	.....	10	2.4E4	6.7
to	9E5	250	14	1.7E4	4.7
1E-2	.....	.....	20	1.6E4	4.4
1E-1	1.7E5	47	40	1.4E4	6.7
5E-1	3.9E4	11	60	1.6E4	4.4
1	2.7E4	7.5	100	2E4	5.6
2.5	2.9E4	8	200	1.9E4	5.3
5	2.3E4	6.4	300	1.6E4	4.4
7	2.4E4	6.7	400	1.4E4	6.7

**APPROXIMATE NEUTRON ENERGIES**

cold neutrons	0 - 0.025 eV
thermal	0.025 eV
epithermal	0.025 - 0.4 eV
cadmium	0.4 - 0.6 eV
epicadmium	0.6 - 1 eV
slow	1 eV - 10 eV
resonance	10 eV - 300 eV
intermediate	300 eV - 1 MeV
fast	1 MeV - 20 MeV
relativistic	> 20 MeV

Note: A thermal neutron is one which has the same energy and moves at the same velocity as a gas molecule does at a temperature of 20 degrees C. The velocity of a thermal neutron is 2200 m / sec (~5,000 mph).

**Neutron Fluence per mrem (10CFR20)**

MeV	n/cm <sup>2</sup>	n/cm <sup>2</sup> /s	MeV	n/cm <sup>2</sup>	n/cm <sup>2</sup> /s
	per mrem	per mrem/hr		per mrem	per mrem/hr
thermal	.....	.....	10	2.4E4	6.7
to	9E5	250	14	1.7E4	4.7
1E-2	.....	.....	20	1.6E4	4.4
1E-1	1.7E5	47	40	1.4E4	6.7
5E-1	3.9E4	11	60	1.6E4	4.4
1	2.7E4	7.5	100	2E4	5.6
2.5	2.9E4	8	200	1.9E4	5.3
5	2.3E4	6.4	300	1.6E4	4.4
7	2.4E4	6.7	400	1.4E4	6.7

**Spontaneous Fission Neutron and Gamma Yields**

mrem / hr

	SF (years)		per Ci @ 30 cm		
	half-life	n/s/Ci	n/s/GBq	neutron	gamma
Es <sup>253</sup>	6.7E5	7.14E3	1.92E2	0.1	0.1
Cf <sup>252</sup>	85	2.64E9	7.14E7	2.93E4	1E4
Bk <sup>249</sup>	6E8	1.25E2	3.38	<0.1	<0.1
Cm <sup>244</sup>	1.38E7	1.11E5	3.0E3	1.2	0.4
Cm <sup>242</sup>	7.2E6	5.28E3	1.43E2	<0.1	0.1
Am <sup>241</sup>	2E14	0.18	4.86E-3	<0.1	<0.1
Pu <sup>242</sup>	7E10	4.56E5	1.23E4	5.0	2.0
Pu <sup>240</sup>	1.39E11	4.01E3	1.08E2	<0.1	0.1
Pu <sup>239</sup>	5.5E15	0.37	1.0E-2	<0.1	<0.1
Pu <sup>238</sup>	4.9E10	1.52E2	4.1	<0.1	<0.1
Pu <sup>236</sup>	3.5E9	69.7	1.88	<0.1	<0.1
Np <sup>237</sup>	1E18	0.18	4.86E-3	<0.1	<0.1
U <sup>238</sup>	7E15	5.44E4	1.47E3	0.6	0.2
U <sup>235</sup>	1.9E17	3.15E2	8.51	<0.1	<0.1
U <sup>234</sup>	2E16	1.05	2.84E-2	<0.1	<0.1
U <sup>232</sup>	8E13	0.07	1.89E-3	<0.1	<0.1
Th <sup>232</sup>	1E21	1.18	3.19E-2	<0.1	<0.1

These neutron and gamma exposure rates are approximate values for the spontaneous fission process. When you are making exposure rate measurements you should take into account shielding of the source (including self-shielding), individual instrument response to both neutron and gamma radiation, isotopic mixtures, age of the material (for both decay and ingrowth), homogeneity of the material, and impurities. Refer to the Specific Activity and Characteristic Radiations of Commonly Encountered Radionuclides sections for information on gamma exposure rates and radiations from primary decay modes of these isotopes.

**Spontaneous Fission Neutron and Gamma Yields**

mrem / hr

	SF (years)		per Ci @ 30 cm		
	half-life	n/s/Ci	n/s/GBq	neutron	gamma
Es <sup>253</sup>	6.7E5	7.14E3	1.92E2	0.1	0.1
Cf <sup>252</sup>	85	2.64E9	7.14E7	2.93E4	1E4
Bk <sup>249</sup>	6E8	1.25E2	3.38	<0.1	<0.1
Cm <sup>244</sup>	1.38E7	1.11E5	3.0E3	1.2	0.4
Cm <sup>242</sup>	7.2E6	5.28E3	1.43E2	<0.1	0.1
Am <sup>241</sup>	2E14	0.18	4.86E-3	<0.1	<0.1
Pu <sup>242</sup>	7E10	4.56E5	1.23E4	5.0	2.0
Pu <sup>240</sup>	1.39E11	4.01E3	1.08E2	<0.1	0.1
Pu <sup>239</sup>	5.5E15	0.37	1.0E-2	<0.1	<0.1
Pu <sup>238</sup>	4.9E10	1.52E2	4.1	<0.1	<0.1
Pu <sup>236</sup>	3.5E9	69.7	1.88	<0.1	<0.1
Np <sup>237</sup>	1E18	0.18	4.86E-3	<0.1	<0.1
U <sup>238</sup>	7E15	5.44E4	1.47E3	0.6	0.2
U <sup>235</sup>	1.9E17	3.15E2	8.51	<0.1	<0.1
U <sup>234</sup>	2E16	1.05	2.84E-2	<0.1	<0.1
U <sup>232</sup>	8E13	0.07	1.89E-3	<0.1	<0.1
Th <sup>232</sup>	1E21	1.18	3.19E-2	<0.1	<0.1

These neutron and gamma exposure rates are approximate values for the spontaneous fission process. When you are making exposure rate measurements you should take into account shielding of the source (including self-shielding), individual instrument response to both neutron and gamma radiation, isotopic mixtures, age of the material (for both decay and ingrowth), homogeneity of the material, and impurities. Refer to the Specific Activity and Characteristic Radiations of Commonly Encountered Radionuclides sections for information on gamma exposure rates and radiations from primary decay modes of these isotopes.

**Spontaneous Fission Neutron and Gamma Yields**

mrem / hr

	SF (years)		per Ci @ 30 cm		
	half-life	n/s/Ci	n/s/GBq	neutron	gamma
Es <sup>253</sup>	6.7E5	7.14E3	1.92E2	0.1	0.1
Cf <sup>252</sup>	85	2.64E9	7.14E7	2.93E4	1E4
Bk <sup>249</sup>	6E8	1.25E2	3.38	<0.1	<0.1
Cm <sup>244</sup>	1.38E7	1.11E5	3.0E3	1.2	0.4
Cm <sup>242</sup>	7.2E6	5.28E3	1.43E2	<0.1	0.1
Am <sup>241</sup>	2E14	0.18	4.86E-3	<0.1	<0.1
Pu <sup>242</sup>	7E10	4.56E5	1.23E4	5.0	2.0
Pu <sup>240</sup>	1.39E11	4.01E3	1.08E2	<0.1	0.1
Pu <sup>239</sup>	5.5E15	0.37	1.0E-2	<0.1	<0.1
Pu <sup>238</sup>	4.9E10	1.52E2	4.1	<0.1	<0.1
Pu <sup>236</sup>	3.5E9	69.7	1.88	<0.1	<0.1
Np <sup>237</sup>	1E18	0.18	4.86E-3	<0.1	<0.1
U <sup>238</sup>	7E15	5.44E4	1.47E3	0.6	0.2
U <sup>235</sup>	1.9E17	3.15E2	8.51	<0.1	<0.1
U <sup>234</sup>	2E16	1.05	2.84E-2	<0.1	<0.1
U <sup>232</sup>	8E13	0.07	1.89E-3	<0.1	<0.1
Th <sup>232</sup>	1E21	1.18	3.19E-2	<0.1	<0.1

These neutron and gamma exposure rates are approximate values for the spontaneous fission process. When you are making exposure rate measurements you should take into account shielding of the source (including self-shielding), individual instrument response to both neutron and gamma radiation, isotopic mixtures, age of the material (for both decay and ingrowth), homogeneity of the material, and impurities. Refer to the Specific Activity and Characteristic Radiations of Commonly Encountered Radionuclides sections for information on gamma exposure rates and radiations from primary decay modes of these isotopes.

**Spontaneous Fission Neutron and Gamma Yields**

mrem / hr

	SF (years)		per Ci @ 30 cm		
	half-life	n/s/Ci	n/s/GBq	neutron	gamma
Es <sup>253</sup>	6.7E5	7.14E3	1.92E2	0.1	0.1
Cf <sup>252</sup>	85	2.64E9	7.14E7	2.93E4	1E4
Bk <sup>249</sup>	6E8	1.25E2	3.38	<0.1	<0.1
Cm <sup>244</sup>	1.38E7	1.11E5	3.0E3	1.2	0.4
Cm <sup>242</sup>	7.2E6	5.28E3	1.43E2	<0.1	0.1
Am <sup>241</sup>	2E14	0.18	4.86E-3	<0.1	<0.1
Pu <sup>242</sup>	7E10	4.56E5	1.23E4	5.0	2.0
Pu <sup>240</sup>	1.39E11	4.01E3	1.08E2	<0.1	0.1
Pu <sup>239</sup>	5.5E15	0.37	1.0E-2	<0.1	<0.1
Pu <sup>238</sup>	4.9E10	1.52E2	4.1	<0.1	<0.1
Pu <sup>236</sup>	3.5E9	69.7	1.88	<0.1	<0.1
Np <sup>237</sup>	1E18	0.18	4.86E-3	<0.1	<0.1
U <sup>238</sup>	7E15	5.44E4	1.47E3	0.6	0.2
U <sup>235</sup>	1.9E17	3.15E2	8.51	<0.1	<0.1
U <sup>234</sup>	2E16	1.05	2.84E-2	<0.1	<0.1
U <sup>232</sup>	8E13	0.07	1.89E-3	<0.1	<0.1
Th <sup>232</sup>	1E21	1.18	3.19E-2	<0.1	<0.1

These neutron and gamma exposure rates are approximate values for the spontaneous fission process. When you are making exposure rate measurements you should take into account shielding of the source (including self-shielding), individual instrument response to both neutron and gamma radiation, isotopic mixtures, age of the material (for both decay and ingrowth), homogeneity of the material, and impurities. Refer to the Specific Activity and Characteristic Radiations of Commonly Encountered Radionuclides sections for information on gamma exposure rates and radiations from primary decay modes of these isotopes.

**Energy & Yield of neutrons from the alpha, n reaction  
neutron**

	η energy		mrem/hr per Ci	
	MeV	n/s/GBq	n/s/Ci	@ 30 cm
Cf <sup>252</sup> O	4.5	8.73E6	3.23E8	3,600
Cm <sup>244</sup> Be	4	1.0E5	3.7E6	41.1
Cm <sup>244</sup> O	1.9	1.0E5	3.7E6	41.1
Cm <sup>242</sup> Be	4	1.12E5	4.1E6	45.5
Cm <sup>242</sup> O	1.9	1.12E5	4.1E6	45.5
Am <sup>241</sup> Be	4.5	7.6E4	2.8E6	34.7
Am <sup>241</sup> B	2.8	1.3E4	4.8E5	5.9
Am <sup>241</sup> F	1.3	4.1E3	1.5E4	0.17
Am <sup>241</sup> Li	0.7	1.4E3	5.2E4	0.29
Am <sup>241</sup> O	1.9	250	9.23E3	0.1
Pu <sup>242</sup> O	1.7	2.13E-4	7.88E-3	8.7E-8
Pu <sup>240</sup> O	1.9	0.86	32	3.6E-4
Pu <sup>239</sup> Be	4.5	6.1E4	2.3E6	28.5
Pu <sup>239</sup> O	1.9	0.06	2.36	2.6E-5
Pu <sup>238</sup> Be	4.5	7.9E4	2.9E6	32.2
Pu <sup>238</sup> O	1.9	6.19E3	2.29E5	2.5
Pu <sup>239</sup> F	1.4	5.4E3	2E5	2.2
Pu <sup>238</sup> Li	0.6	38	1.4E3	0.008
Pu <sup>238</sup> C <sup>13</sup>	3.6	1.1E4	4.1E4	0.46
Pu <sup>236</sup> O	2.0	54	2E3	0.02
Np <sup>237</sup> O	1.2	54	2E3	0.02

U<sup>238</sup>O, U<sup>235</sup>O, U<sup>234</sup>O, U<sup>233</sup>O, and U<sup>232</sup>O have similar alpha particle energies, therefore the energy and yield of the neutrons from the uranium oxide alpha, n reactions are similar.

	1.2	54	2E3	0.02
Th <sup>232</sup> O	1.2	54	2E3	0.02

132

**Energy & Yield of neutrons from the alpha, n reaction  
neutron**

	η energy		mrem/hr per Ci	
	MeV	n/s/GBq	n/s/Ci	@ 30 cm
Cf <sup>252</sup> O	4.5	8.73E6	3.23E8	3,600
Cm <sup>244</sup> Be	4	1.0E5	3.7E6	41.1
Cm <sup>244</sup> O	1.9	1.0E5	3.7E6	41.1
Cm <sup>242</sup> Be	4	1.12E5	4.1E6	45.5
Cm <sup>242</sup> O	1.9	1.12E5	4.1E6	45.5
Am <sup>241</sup> Be	4.5	7.6E4	2.8E6	34.7
Am <sup>241</sup> B	2.8	1.3E4	4.8E5	5.9
Am <sup>241</sup> F	1.3	4.1E3	1.5E4	0.17
Am <sup>241</sup> Li	0.7	1.4E3	5.2E4	0.29
Am <sup>241</sup> O	1.9	250	9.23E3	0.1
Pu <sup>242</sup> O	1.7	2.13E-4	7.88E-3	8.7E-8
Pu <sup>240</sup> O	1.9	0.86	32	3.6E-4
Pu <sup>239</sup> Be	4.5	6.1E4	2.3E6	28.5
Pu <sup>239</sup> O	1.9	0.06	2.36	2.6E-5
Pu <sup>238</sup> Be	4.5	7.9E4	2.9E6	32.2
Pu <sup>238</sup> O	1.9	6.19E3	2.29E5	2.5
Pu <sup>239</sup> F	1.4	5.4E3	2E5	2.2
Pu <sup>238</sup> Li	0.6	38	1.4E3	0.008
Pu <sup>238</sup> C <sup>13</sup>	3.6	1.1E4	4.1E4	0.46
Pu <sup>236</sup> O	2.0	54	2E3	0.02
Np <sup>237</sup> O	1.2	54	2E3	0.02

U<sup>238</sup>O, U<sup>235</sup>O, U<sup>234</sup>O, U<sup>233</sup>O, and U<sup>232</sup>O have similar alpha particle energies, therefore the energy and yield of the neutrons from the uranium oxide alpha, n reactions are similar.

	1.2	54	2E3	0.02
Th <sup>232</sup> O	1.2	54	2E3	0.02

132

**Energy & Yield of neutrons from the alpha, n reaction  
neutron**

	η energy		mrem/hr per Ci	
	MeV	n/s/GBq	n/s/Ci	@ 30 cm
Cf <sup>252</sup> O	4.5	8.73E6	3.23E8	3,600
Cm <sup>244</sup> Be	4	1.0E5	3.7E6	41.1
Cm <sup>244</sup> O	1.9	1.0E5	3.7E6	41.1
Cm <sup>242</sup> Be	4	1.12E5	4.1E6	45.5
Cm <sup>242</sup> O	1.9	1.12E5	4.1E6	45.5
Am <sup>241</sup> Be	4.5	7.6E4	2.8E6	34.7
Am <sup>241</sup> B	2.8	1.3E4	4.8E5	5.9
Am <sup>241</sup> F	1.3	4.1E3	1.5E4	0.17
Am <sup>241</sup> Li	0.7	1.4E3	5.2E4	0.29
Am <sup>241</sup> O	1.9	250	9.23E3	0.1
Pu <sup>242</sup> O	1.7	2.13E-4	7.88E-3	8.7E-8
Pu <sup>240</sup> O	1.9	0.86	32	3.6E-4
Pu <sup>239</sup> Be	4.5	6.1E4	2.3E6	28.5
Pu <sup>239</sup> O	1.9	0.06	2.36	2.6E-5
Pu <sup>238</sup> Be	4.5	7.9E4	2.9E6	32.2
Pu <sup>238</sup> O	1.9	6.19E3	2.29E5	2.5
Pu <sup>239</sup> F	1.4	5.4E3	2E5	2.2
Pu <sup>238</sup> Li	0.6	38	1.4E3	0.008
Pu <sup>238</sup> C <sup>13</sup>	3.6	1.1E4	4.1E4	0.46
Pu <sup>236</sup> O	2.0	54	2E3	0.02
Np <sup>237</sup> O	1.2	54	2E3	0.02

U<sup>238</sup>O, U<sup>235</sup>O, U<sup>234</sup>O, U<sup>233</sup>O, and U<sup>232</sup>O have similar alpha particle energies, therefore the energy and yield of the neutrons from the uranium oxide alpha, n reactions are similar.

	1.2	54	2E3	0.02
Th <sup>232</sup> O	1.2	54	2E3	0.02

132

**Energy & Yield of neutrons from the alpha, n reaction  
neutron**

	η energy		mrem/hr per Ci	
	MeV	n/s/GBq	n/s/Ci	@ 30 cm
Cf <sup>252</sup> O	4.5	8.73E6	3.23E8	3,600
Cm <sup>244</sup> Be	4	1.0E5	3.7E6	41.1
Cm <sup>244</sup> O	1.9	1.0E5	3.7E6	41.1
Cm <sup>242</sup> Be	4	1.12E5	4.1E6	45.5
Cm <sup>242</sup> O	1.9	1.12E5	4.1E6	45.5
Am <sup>241</sup> Be	4.5	7.6E4	2.8E6	34.7
Am <sup>241</sup> B	2.8	1.3E4	4.8E5	5.9
Am <sup>241</sup> F	1.3	4.1E3	1.5E4	0.17
Am <sup>241</sup> Li	0.7	1.4E3	5.2E4	0.29
Am <sup>241</sup> O	1.9	250	9.23E3	0.1
Pu <sup>242</sup> O	1.7	2.13E-4	7.88E-3	8.7E-8
Pu <sup>240</sup> O	1.9	0.86	32	3.6E-4
Pu <sup>239</sup> Be	4.5	6.1E4	2.3E6	28.5
Pu <sup>239</sup> O	1.9	0.06	2.36	2.6E-5
Pu <sup>238</sup> Be	4.5	7.9E4	2.9E6	32.2
Pu <sup>238</sup> O	1.9	6.19E3	2.29E5	2.5
Pu <sup>239</sup> F	1.4	5.4E3	2E5	2.2
Pu <sup>238</sup> Li	0.6	38	1.4E3	0.008
Pu <sup>238</sup> C <sup>13</sup>	3.6	1.1E4	4.1E4	0.46
Pu <sup>236</sup> O	2.0	54	2E3	0.02
Np <sup>237</sup> O	1.2	54	2E3	0.02

U<sup>238</sup>O, U<sup>235</sup>O, U<sup>234</sup>O, U<sup>233</sup>O, and U<sup>232</sup>O have similar alpha particle energies, therefore the energy and yield of the neutrons from the uranium oxide alpha, n reactions are similar.

	1.2	54	2E3	0.02
Th <sup>232</sup> O	1.2	54	2E3	0.02

132

**Energy & Yield of neutrons from the alpha, n reaction  
neutron**

	$\eta$ energy MeV	n/s/GBq	n/s/Ci	mrem/hr per Ci @ 30 cm
Ac <sup>227</sup> Be	av 5	7.02E5	2.6E7	289
Ra <sup>226</sup> Be	av 4.5	5.02E5	1.9E7	211
Ra <sup>226</sup> B	3.0	8.0E4	3.0E5	3.3
Po <sup>210</sup> Be	4.2	7.1E4	2.6E6	28.9
Po <sup>210</sup> Li	0.48	1.2E3	4.4E4	0.49
Po <sup>210</sup> B	2.5	1.0E3	3.7E5	4.1
Po <sup>210</sup> F	0.42	3E3	1.1E5	1.2

Ra<sup>226</sup> and Ac<sup>227</sup> include progeny effects

**Energy & Yield for 5.2 MeV  
alpha particles for various elements**

$\alpha$ , $\eta$ sources	$\eta$ energy (MeV)	n/s/GBq	n/s/Ci
Li	0.3	1.13E3	4.2E4
Be	4.2	6.5E4	2.4E6
B	2.9	1.75E4	6.5E5
C	4.4	7.8E1	2.9E3
O	1.9	5.9E1	2.2E3
F	1.2	5.9E3	2.2E5
Na	?	1.1E3	4.1E4
Mg	2.7	8.9E2	3.3E4
Al	1.0	4.1E2	1.5E4
Si	1.2	7.6E1	2.8E3
Cl	?	7E1	2.6E3

133

**Energy & Yield of neutrons from the alpha, n reaction  
neutron**

	$\eta$ energy MeV	n/s/GBq	n/s/Ci	mrem/hr per Ci @ 30 cm
Ac <sup>227</sup> Be	av 5	7.02E5	2.6E7	289
Ra <sup>226</sup> Be	av 4.5	5.02E5	1.9E7	211
Ra <sup>226</sup> B	3.0	8.0E4	3.0E5	3.3
Po <sup>210</sup> Be	4.2	7.1E4	2.6E6	28.9
Po <sup>210</sup> Li	0.48	1.2E3	4.4E4	0.49
Po <sup>210</sup> B	2.5	1.0E3	3.7E5	4.1
Po <sup>210</sup> F	0.42	3E3	1.1E5	1.2

Ra<sup>226</sup> and Ac<sup>227</sup> include progeny effects

**Energy & Yield for 5.2 MeV  
alpha particles for various elements**

$\alpha$ , $\eta$ sources	$\eta$ energy (MeV)	n/s/GBq	n/s/Ci
Li	0.3	1.13E3	4.2E4
Be	4.2	6.5E4	2.4E6
B	2.9	1.75E4	6.5E5
C	4.4	7.8E1	2.9E3
O	1.9	5.9E1	2.2E3
F	1.2	5.9E3	2.2E5
Na	?	1.1E3	4.1E4
Mg	2.7	8.9E2	3.3E4
Al	1.0	4.1E2	1.5E4
Si	1.2	7.6E1	2.8E3
Cl	?	7E1	2.6E3

133

**Energy & Yield of neutrons from the alpha, n reaction  
neutron**

	$\eta$ energy MeV	n/s/GBq	n/s/Ci	mrem/hr per Ci @ 30 cm
Ac <sup>227</sup> Be	av 5	7.02E5	2.6E7	289
Ra <sup>226</sup> Be	av 4.5	5.02E5	1.9E7	211
Ra <sup>226</sup> B	3.0	8.0E4	3.0E5	3.3
Po <sup>210</sup> Be	4.2	7.1E4	2.6E6	28.9
Po <sup>210</sup> Li	0.48	1.2E3	4.4E4	0.49
Po <sup>210</sup> B	2.5	1.0E3	3.7E5	4.1
Po <sup>210</sup> F	0.42	3E3	1.1E5	1.2

Ra<sup>226</sup> and Ac<sup>227</sup> include progeny effects

**Energy & Yield for 5.2 MeV  
alpha particles for various elements**

$\alpha$ , $\eta$ sources	$\eta$ energy (MeV)	n/s/GBq	n/s/Ci
Li	0.3	1.13E3	4.2E4
Be	4.2	6.5E4	2.4E6
B	2.9	1.75E4	6.5E5
C	4.4	7.8E1	2.9E3
O	1.9	5.9E1	2.2E3
F	1.2	5.9E3	2.2E5
Na	?	1.1E3	4.1E4
Mg	2.7	8.9E2	3.3E4
Al	1.0	4.1E2	1.5E4
Si	1.2	7.6E1	2.8E3
Cl	?	7E1	2.6E3

133

**Energy & Yield of neutrons from the alpha, n reaction  
neutron**

	$\eta$ energy MeV	n/s/GBq	n/s/Ci	mrem/hr per Ci @ 30 cm
Ac <sup>227</sup> Be	av 5	7.02E5	2.6E7	289
Ra <sup>226</sup> Be	av 4.5	5.02E5	1.9E7	211
Ra <sup>226</sup> B	3.0	8.0E4	3.0E5	3.3
Po <sup>210</sup> Be	4.2	7.1E4	2.6E6	28.9
Po <sup>210</sup> Li	0.48	1.2E3	4.4E4	0.49
Po <sup>210</sup> B	2.5	1.0E3	3.7E5	4.1
Po <sup>210</sup> F	0.42	3E3	1.1E5	1.2

Ra<sup>226</sup> and Ac<sup>227</sup> include progeny effects

**Energy & Yield for 5.2 MeV  
alpha particles for various elements**

$\alpha$ , $\eta$ sources	$\eta$ energy (MeV)	n/s/GBq	n/s/Ci
Li	0.3	1.13E3	4.2E4
Be	4.2	6.5E4	2.4E6
B	2.9	1.75E4	6.5E5
C	4.4	7.8E1	2.9E3
O	1.9	5.9E1	2.2E3
F	1.2	5.9E3	2.2E5
Na	?	1.1E3	4.1E4
Mg	2.7	8.9E2	3.3E4
Al	1.0	4.1E2	1.5E4
Si	1.2	7.6E1	2.8E3
Cl	?	7E1	2.6E3

133

**Isotopic Mix of WG Pu**

	Pu <sup>238</sup>	Pu <sup>239</sup>	Pu <sup>240</sup>	Pu <sup>241</sup>	Pu <sup>242</sup>
% Weight	0.02	93.16	6.43	0.33	0.06
% Activity	0.82	13.87	3.49	81.82	0.0006
Curies for a 1 kilo-gram mixture of WG Pu	3.42	57.9	14.6	339.9	2.36E-3
exposure rates in rem/hr at 30 cm					
γ	5.5E-4	7.5E-3	0.017	---	1.2E-5
η	---	---	---	---	2.4E-5
Total γ + η	0.025				

**Isotopic Mix of Heat Source (RTG) Pu<sup>238</sup>**

	Pu <sup>238</sup>	Pu <sup>239</sup>	Pu <sup>240</sup>	Pu <sup>241</sup>	Pu <sup>242</sup>
% Weight	90.0	9.10	0.60	0.30	<0.01
% Activity	97.99	0.036	0.009	1.972	3.6E-6
Curies for a 1 kilo-gram mixture of RTG Pu <sup>238</sup>	1.54E4	5.65	1.36	309	6.48E-3
exposure rates in rem/hr at 30 cm					
γ	2.46	7.3E-4	1.6E-3	---	3.2E-5
η	---	---	---	---	6.4E-5
Total γ + η	2.46				

**Isotopic Mix of Reactor Grade Pu**

	Pu <sup>238</sup>	Pu <sup>239</sup>	Pu <sup>240</sup>	Pu <sup>241</sup>	Pu <sup>242</sup>
% Weight	1.50	58.1	24.1	11.4	4.90
% Activity	2.12	0.30	0.45	97.13	1.6E-3
Curies for a 1 kilo-gram mixture of reactor grade Pu	256.5	36.1	54.7	1.17E4	0.19
exposure rates in rem/hr at 30 cm					
γ	0.041	4.7E-3	0.063	---	9.5E-4
η	---	---	---	---	1.9E-3
Total γ + η	0.109				

**Isotopic Mix of WG Pu**

	Pu <sup>238</sup>	Pu <sup>239</sup>	Pu <sup>240</sup>	Pu <sup>241</sup>	Pu <sup>242</sup>
% Weight	0.02	93.16	6.43	0.33	0.06
% Activity	0.82	13.87	3.49	81.82	0.0006
Curies for a 1 kilo-gram mixture of WG Pu	3.42	57.9	14.6	339.9	2.36E-3
exposure rates in rem/hr at 30 cm					
γ	5.5E-4	7.5E-3	0.017	---	1.2E-5
η	---	---	---	---	2.4E-5
Total γ + η	0.025				

**Isotopic Mix of Heat Source (RTG) Pu<sup>238</sup>**

	Pu <sup>238</sup>	Pu <sup>239</sup>	Pu <sup>240</sup>	Pu <sup>241</sup>	Pu <sup>242</sup>
% Weight	90.0	9.10	0.60	0.30	<0.01
% Activity	97.99	0.036	0.009	1.972	3.6E-6
Curies for a 1 kilo-gram mixture of RTG Pu <sup>238</sup>	1.54E4	5.65	1.36	309	6.48E-3
exposure rates in rem/hr at 30 cm					
γ	2.46	7.3E-4	1.6E-3	---	3.2E-5
η	---	---	---	---	6.4E-5
Total γ + η	2.46				

**Isotopic Mix of Reactor Grade Pu**

	Pu <sup>238</sup>	Pu <sup>239</sup>	Pu <sup>240</sup>	Pu <sup>241</sup>	Pu <sup>242</sup>
% Weight	1.50	58.1	24.1	11.4	4.90
% Activity	2.12	0.30	0.45	97.13	1.6E-3
Curies for a 1 kilo-gram mixture of reactor grade Pu	256.5	36.1	54.7	1.17E4	0.19
exposure rates in rem/hr at 30 cm					
γ	0.041	4.7E-3	0.063	---	9.5E-4
η	---	---	---	---	1.9E-3
Total γ + η	0.109				

**Isotopic Mix of WG Pu**

	Pu <sup>238</sup>	Pu <sup>239</sup>	Pu <sup>240</sup>	Pu <sup>241</sup>	Pu <sup>242</sup>
% Weight	0.02	93.16	6.43	0.33	0.06
% Activity	0.82	13.87	3.49	81.82	0.0006
Curies for a 1 kilo-gram mixture of WG Pu	3.42	57.9	14.6	339.9	2.36E-3
exposure rates in rem/hr at 30 cm					
γ	5.5E-4	7.5E-3	0.017	---	1.2E-5
η	---	---	---	---	2.4E-5
Total γ + η	0.025				

**Isotopic Mix of Heat Source (RTG) Pu<sup>238</sup>**

	Pu <sup>238</sup>	Pu <sup>239</sup>	Pu <sup>240</sup>	Pu <sup>241</sup>	Pu <sup>242</sup>
% Weight	90.0	9.10	0.60	0.30	<0.01
% Activity	97.99	0.036	0.009	1.972	3.6E-6
Curies for a 1 kilo-gram mixture of RTG Pu <sup>238</sup>	1.54E4	5.65	1.36	309	6.48E-3
exposure rates in rem/hr at 30 cm					
γ	2.46	7.3E-4	1.6E-3	---	3.2E-5
η	---	---	---	---	6.4E-5
Total γ + η	2.46				

**Isotopic Mix of Reactor Grade Pu**

	Pu <sup>238</sup>	Pu <sup>239</sup>	Pu <sup>240</sup>	Pu <sup>241</sup>	Pu <sup>242</sup>
% Weight	1.50	58.1	24.1	11.4	4.90
% Activity	2.12	0.30	0.45	97.13	1.6E-3
Curies for a 1 kilo-gram mixture of reactor grade Pu	256.5	36.1	54.7	1.17E4	0.19
exposure rates in rem/hr at 30 cm					
γ	0.041	4.7E-3	0.063	---	9.5E-4
η	---	---	---	---	1.9E-3
Total γ + η	0.109				

**Isotopic Mix of WG Pu**

	Pu <sup>238</sup>	Pu <sup>239</sup>	Pu <sup>240</sup>	Pu <sup>241</sup>	Pu <sup>242</sup>
% Weight	0.02	93.16	6.43	0.33	0.06
% Activity	0.82	13.87	3.49	81.82	0.0006
Curies for a 1 kilo-gram mixture of WG Pu	3.42	57.9	14.6	339.9	2.36E-3
exposure rates in rem/hr at 30 cm					
γ	5.5E-4	7.5E-3	0.017	---	1.2E-5
η	---	---	---	---	2.4E-5
Total γ + η	0.025				

**Isotopic Mix of Heat Source (RTG) Pu<sup>238</sup>**

	Pu <sup>238</sup>	Pu <sup>239</sup>	Pu <sup>240</sup>	Pu <sup>241</sup>	Pu <sup>242</sup>
% Weight	90.0	9.10	0.60	0.30	<0.01
% Activity	97.99	0.036	0.009	1.972	3.6E-6
Curies for a 1 kilo-gram mixture of RTG Pu <sup>238</sup>	1.54E4	5.65	1.36	309	6.48E-3
exposure rates in rem/hr at 30 cm					
γ	2.46	7.3E-4	1.6E-3	---	3.2E-5
η	---	---	---	---	6.4E-5
Total γ + η	2.46				

**Isotopic Mix of Reactor Grade Pu**

	Pu <sup>238</sup>	Pu <sup>239</sup>	Pu <sup>240</sup>	Pu <sup>241</sup>	Pu <sup>242</sup>
% Weight	1.50	58.1	24.1	11.4	4.90
% Activity	2.12	0.30	0.45	97.13	1.6E-3
Curies for a 1 kilo-gram mixture of reactor grade Pu	256.5	36.1	54.7	1.17E4	0.19
exposure rates in rem/hr at 30 cm					
γ	0.041	4.7E-3	0.063	---	9.5E-4
η	---	---	---	---	1.9E-3
Total γ + η	0.109				

**WG Pu 15 years after fabrication**

	Pu <sup>238</sup>	U <sup>234</sup>	Pu <sup>239</sup>	Pu <sup>240</sup>	Pu <sup>241</sup>	Pu <sup>242</sup>	Am <sup>241</sup>
% Wt	0.018	0.002	93.16	6.43	0.16	0.06	0.17
% Act	1.22	2.8E-4	23.43	5.86	67.24	6.0E-4	2.25
Curies for a 1 kilo-gram mixture of 15 years-old WG Pu							
	3.08	1.2E-4	57.85	14.6	164.8	2.4E-3	5.83
exposure rates in rem/hr at 30 cm							
γ	4.9E-4	3.6E-8	7.5E-3	0.017	---	1.2E-5	0.991
η	---	---	---	---	---	2.4E-5	---
Total γ + η 1.17							

**Heat Source (RTG) Pu<sup>238</sup> 15 years after fabrication**

	Pu <sup>238</sup>	U <sup>234</sup>	Pu <sup>239</sup>	Pu <sup>240</sup>	Pu <sup>241</sup>	Pu <sup>242</sup>	Am <sup>241</sup>
% Wt	79.94	10.06	9.10	0.60	0.14	<0.01	0.16
% Act	99.00	1.2E-3	3.7E-5	9.1E-5	0.99	3.7E-8	3.7E-4
Curies for a 1 kilo-gram mixture of 15 years-old RTG Pu <sup>238</sup>							
	1.37E4	0.626	5.65	1.36	144.2	6.5E-3	5.49
exposure rates in rem/hr at 30 cm							
γ	2.19	1.9E-4	7.3E-4	1.6E-3	---	3.3E-5	0.933
η	---	---	---	---	---	6.6E-5	---
Total γ + η 3.13							

**Reactor Grade Pu 15 years after fabrication**

	Pu <sup>238</sup>	U <sup>234</sup>	Pu <sup>239</sup>	Pu <sup>240</sup>	Pu <sup>241</sup>	Pu <sup>242</sup>	Am <sup>241</sup>
% Wt	1.33	0.17	58.1	24.1	5.54	4.90	5.86
% Act	3.66	4.6E-5	0.58	0.88	91.83	3.1E-5	3.05
Curies for a 1 kilo-gram mixture of 15 years-old reactor grade Pu							
	227.4	0.01	36.1	54.7	5.71E3	0.19	201
exposure rates in rem/hr at 30 cm							
γ	0.036	3E-6	4.7E-3	0.063	---	9.5E-3	34.2
η	---	---	---	---	---	1.9E-2	---
Total γ + η 34.3							

135

**WG Pu 15 years after fabrication**

	Pu <sup>238</sup>	U <sup>234</sup>	Pu <sup>239</sup>	Pu <sup>240</sup>	Pu <sup>241</sup>	Pu <sup>242</sup>	Am <sup>241</sup>
% Wt	0.018	0.002	93.16	6.43	0.16	0.06	0.17
% Act	1.22	2.8E-4	23.43	5.86	67.24	6.0E-4	2.25
Curies for a 1 kilo-gram mixture of 15 years-old WG Pu							
	3.08	1.2E-4	57.85	14.6	164.8	2.4E-3	5.83
exposure rates in rem/hr at 30 cm							
γ	4.9E-4	3.6E-8	7.5E-3	0.017	---	1.2E-5	0.991
η	---	---	---	---	---	2.4E-5	---
Total γ + η 1.17							

**Heat Source (RTG) Pu<sup>238</sup> 15 years after fabrication**

	Pu <sup>238</sup>	U <sup>234</sup>	Pu <sup>239</sup>	Pu <sup>240</sup>	Pu <sup>241</sup>	Pu <sup>242</sup>	Am <sup>241</sup>
% Wt	79.94	10.06	9.10	0.60	0.14	<0.01	0.16
% Act	99.00	1.2E-3	3.7E-5	9.1E-5	0.99	3.7E-8	3.7E-4
Curies for a 1 kilo-gram mixture of 15 years-old RTG Pu <sup>238</sup>							
	1.37E4	0.626	5.65	1.36	144.2	6.5E-3	5.49
exposure rates in rem/hr at 30 cm							
γ	2.19	1.9E-4	7.3E-4	1.6E-3	---	3.3E-5	0.933
η	---	---	---	---	---	6.6E-5	---
Total γ + η 3.13							

**Reactor Grade Pu 15 years after fabrication**

	Pu <sup>238</sup>	U <sup>234</sup>	Pu <sup>239</sup>	Pu <sup>240</sup>	Pu <sup>241</sup>	Pu <sup>242</sup>	Am <sup>241</sup>
% Wt	1.33	0.17	58.1	24.1	5.54	4.90	5.86
% Act	3.66	4.6E-5	0.58	0.88	91.83	3.1E-5	3.05
Curies for a 1 kilo-gram mixture of 15 years-old reactor grade Pu							
	227.4	0.01	36.1	54.7	5.71E3	0.19	201
exposure rates in rem/hr at 30 cm							
γ	0.036	3E-6	4.7E-3	0.063	---	9.5E-3	34.2
η	---	---	---	---	---	1.9E-2	---
Total γ + η 34.3							

135

**WG Pu 15 years after fabrication**

	Pu <sup>238</sup>	U <sup>234</sup>	Pu <sup>239</sup>	Pu <sup>240</sup>	Pu <sup>241</sup>	Pu <sup>242</sup>	Am <sup>241</sup>
% Wt	0.018	0.002	93.16	6.43	0.16	0.06	0.17
% Act	1.22	2.8E-4	23.43	5.86	67.24	6.0E-4	2.25
Curies for a 1 kilo-gram mixture of 15 years-old WG Pu							
	3.08	1.2E-4	57.85	14.6	164.8	2.4E-3	5.83
exposure rates in rem/hr at 30 cm							
γ	4.9E-4	3.6E-8	7.5E-3	0.017	---	1.2E-5	0.991
η	---	---	---	---	---	2.4E-5	---
Total γ + η 1.17							

**Heat Source (RTG) Pu<sup>238</sup> 15 years after fabrication**

	Pu <sup>238</sup>	U <sup>234</sup>	Pu <sup>239</sup>	Pu <sup>240</sup>	Pu <sup>241</sup>	Pu <sup>242</sup>	Am <sup>241</sup>
% Wt	79.94	10.06	9.10	0.60	0.14	<0.01	0.16
% Act	99.00	1.2E-3	3.7E-5	9.1E-5	0.99	3.7E-8	3.7E-4
Curies for a 1 kilo-gram mixture of 15 years-old RTG Pu <sup>238</sup>							
	1.37E4	0.626	5.65	1.36	144.2	6.5E-3	5.49
exposure rates in rem/hr at 30 cm							
γ	2.19	1.9E-4	7.3E-4	1.6E-3	---	3.3E-5	0.933
η	---	---	---	---	---	6.6E-5	---
Total γ + η 3.13							

**Reactor Grade Pu 15 years after fabrication**

	Pu <sup>238</sup>	U <sup>234</sup>	Pu <sup>239</sup>	Pu <sup>240</sup>	Pu <sup>241</sup>	Pu <sup>242</sup>	Am <sup>241</sup>
% Wt	1.33	0.17	58.1	24.1	5.54	4.90	5.86
% Act	3.66	4.6E-5	0.58	0.88	91.83	3.1E-5	3.05
Curies for a 1 kilo-gram mixture of 15 years-old reactor grade Pu							
	227.4	0.01	36.1	54.7	5.71E3	0.19	201
exposure rates in rem/hr at 30 cm							
γ	0.036	3E-6	4.7E-3	0.063	---	9.5E-3	34.2
η	---	---	---	---	---	1.9E-2	---
Total γ + η 34.3							

135

**WG Pu 15 years after fabrication**

	Pu <sup>238</sup>	U <sup>234</sup>	Pu <sup>239</sup>	Pu <sup>240</sup>	Pu <sup>241</sup>	Pu <sup>242</sup>	Am <sup>241</sup>
% Wt	0.018	0.002	93.16	6.43	0.16	0.06	0.17
% Act	1.22	2.8E-4	23.43	5.86	67.24	6.0E-4	2.25
Curies for a 1 kilo-gram mixture of 15 years-old WG Pu							
	3.08	1.2E-4	57.85	14.6	164.8	2.4E-3	5.83
exposure rates in rem/hr at 30 cm							
γ	4.9E-4	3.6E-8	7.5E-3	0.017	---	1.2E-5	0.991
η	---	---	---	---	---	2.4E-5	---
Total γ + η 1.17							

**Heat Source (RTG) Pu<sup>238</sup> 15 years after fabrication**

	Pu <sup>238</sup>	U <sup>234</sup>	Pu <sup>239</sup>	Pu <sup>240</sup>	Pu <sup>241</sup>	Pu <sup>242</sup>	Am <sup>241</sup>
% Wt	79.94	10.06	9.10	0.60	0.14	<0.01	0.16
% Act	99.00	1.2E-3	3.7E-5	9.1E-5	0.99	3.7E-8	3.7E-4
Curies for a 1 kilo-gram mixture of 15 years-old RTG Pu <sup>238</sup>							
	1.37E4	0.626	5.65	1.36	144.2	6.5E-3	5.49
exposure rates in rem/hr at 30 cm							
γ	2.19	1.9E-4	7.3E-4	1.6E-3	---	3.3E-5	0.933
η	---	---	---	---	---	6.6E-5	---
Total γ + η 3.13							

**Reactor Grade Pu 15 years after fabrication**

	Pu <sup>238</sup>	U <sup>234</sup>	Pu <sup>239</sup>	Pu <sup>240</sup>	Pu <sup>241</sup>	Pu <sup>242</sup>	Am <sup>241</sup>
% Wt	1.33	0.17	58.1	24.1	5.54	4.90	5.86
% Act	3.66	4.6E-5	0.58	0.88	91.83	3.1E-5	3.05
Curies for a 1 kilo-gram mixture of 15 years-old reactor grade Pu							
	227.4	0.01	36.1	54.7	5.71E3	0.19	201
exposure rates in rem/hr at 30 cm							
γ	0.036	3E-6	4.7E-3	0.063	---	9.5E-3	34.2
η	---	---	---	---	---	1.9E-2	---
Total γ + η 34.3							

135

Neutron exposure rate from the oxide form of radionuclides						
mrem/hr per	Pu <sup>238</sup>	U <sup>234</sup>	Pu <sup>239</sup>	Pu <sup>240</sup>	Pu <sup>242</sup>	Am <sup>241</sup>
Ci at 30 cm	2.5	2E-2	2.6E-5	3.6E-4	8.7E-8	0.1

**Neutron and gamma exposure rates from Spontaneous Fission for Pu and U Power Source Radionuclides**

	Primary Half-life	Ci / g	Spontaneous Fission			
			γ mrem /hr per Ci @ 30 cm	S.F. Half-life	mrem /hr per Ci @ 30 cm	
					γ	η
Pu <sup>238</sup>	87.7 y	17.1	0.16	4.9E10 y	---	---
U <sup>234</sup>	2.45E5 y	6.22E-3	0.3	2E16 y	---	---
Pu <sup>239</sup>	2.41E4 y	6.21E-2	0.13	5.5E15 y	---	---
Pu <sup>240</sup>	6.56E3 y	0.227	0.16	1.39E11 y	1	---
Pu <sup>241</sup>	14.4 y	103	---	---	---	---
Am <sup>241</sup>	432.7 y	3.43	170	2E14 y	---	---
Pu <sup>242</sup>	3.75E5 y	3.94E-3	---	7E10 y	5	10
U <sup>238</sup>	4.47E9 y	3.36E-7	0.4	7E15 y	0.6	1.2
Th <sup>234</sup>	24.1 d	2.32E4	35.6	---	---	---
Pa <sup>234m</sup>	1.17 m	6.86E8	50	---	---	---
U <sup>235</sup>	7.04E8 y	2.16E-6	755	1.9E17 y	---	---
Th <sup>231</sup>	25.22 h	5.32E5	48	---	---	---
U <sup>234</sup>	2.46E5 y	6.22E-3	0.3	2E16 y	---	---

136

Neutron exposure rate from the oxide form of radionuclides						
mrem/hr per	Pu <sup>238</sup>	U <sup>234</sup>	Pu <sup>239</sup>	Pu <sup>240</sup>	Pu <sup>242</sup>	Am <sup>241</sup>
Ci at 30 cm	2.5	2E-2	2.6E-5	3.6E-4	8.7E-8	0.1

**Neutron and gamma exposure rates from Spontaneous Fission for Pu and U Power Source Radionuclides**

	Primary Half-life	Ci / g	Spontaneous Fission			
			γ mrem /hr per Ci @ 30 cm	S.F. Half-life	mrem /hr per Ci @ 30 cm	
					γ	η
Pu <sup>238</sup>	87.7 y	17.1	0.16	4.9E10 y	---	---
U <sup>234</sup>	2.45E5 y	6.22E-3	0.3	2E16 y	---	---
Pu <sup>239</sup>	2.41E4 y	6.21E-2	0.13	5.5E15 y	---	---
Pu <sup>240</sup>	6.56E3 y	0.227	0.16	1.39E11 y	1	---
Pu <sup>241</sup>	14.4 y	103	---	---	---	---
Am <sup>241</sup>	432.7 y	3.43	170	2E14 y	---	---
Pu <sup>242</sup>	3.75E5 y	3.94E-3	---	7E10 y	5	10
U <sup>238</sup>	4.47E9 y	3.36E-7	0.4	7E15 y	0.6	1.2
Th <sup>234</sup>	24.1 d	2.32E4	35.6	---	---	---
Pa <sup>234m</sup>	1.17 m	6.86E8	50	---	---	---
U <sup>235</sup>	7.04E8 y	2.16E-6	755	1.9E17 y	---	---
Th <sup>231</sup>	25.22 h	5.32E5	48	---	---	---
U <sup>234</sup>	2.46E5 y	6.22E-3	0.3	2E16 y	---	---

136

Neutron exposure rate from the oxide form of radionuclides						
mrem/hr per	Pu <sup>238</sup>	U <sup>234</sup>	Pu <sup>239</sup>	Pu <sup>240</sup>	Pu <sup>242</sup>	Am <sup>241</sup>
Ci at 30 cm	2.5	2E-2	2.6E-5	3.6E-4	8.7E-8	0.1

**Neutron and gamma exposure rates from Spontaneous Fission for Pu and U Power Source Radionuclides**

	Primary Half-life	Ci / g	Spontaneous Fission			
			γ mrem /hr per Ci @ 30 cm	S.F. Half-life	mrem /hr per Ci @ 30 cm	
					γ	η
Pu <sup>238</sup>	87.7 y	17.1	0.16	4.9E10 y	---	---
U <sup>234</sup>	2.45E5 y	6.22E-3	0.3	2E16 y	---	---
Pu <sup>239</sup>	2.41E4 y	6.21E-2	0.13	5.5E15 y	---	---
Pu <sup>240</sup>	6.56E3 y	0.227	0.16	1.39E11 y	1	---
Pu <sup>241</sup>	14.4 y	103	---	---	---	---
Am <sup>241</sup>	432.7 y	3.43	170	2E14 y	---	---
Pu <sup>242</sup>	3.75E5 y	3.94E-3	---	7E10 y	5	10
U <sup>238</sup>	4.47E9 y	3.36E-7	0.4	7E15 y	0.6	1.2
Th <sup>234</sup>	24.1 d	2.32E4	35.6	---	---	---
Pa <sup>234m</sup>	1.17 m	6.86E8	50	---	---	---
U <sup>235</sup>	7.04E8 y	2.16E-6	755	1.9E17 y	---	---
Th <sup>231</sup>	25.22 h	5.32E5	48	---	---	---
U <sup>234</sup>	2.46E5 y	6.22E-3	0.3	2E16 y	---	---

136

Neutron exposure rate from the oxide form of radionuclides						
mrem/hr per	Pu <sup>238</sup>	U <sup>234</sup>	Pu <sup>239</sup>	Pu <sup>240</sup>	Pu <sup>242</sup>	Am <sup>241</sup>
Ci at 30 cm	2.5	2E-2	2.6E-5	3.6E-4	8.7E-8	0.1

**Neutron and gamma exposure rates from Spontaneous Fission for Pu and U Power Source Radionuclides**

	Primary Half-life	Ci / g	Spontaneous Fission			
			γ mrem /hr per Ci @ 30 cm	S.F. Half-life	mrem /hr per Ci @ 30 cm	
					γ	η
Pu <sup>238</sup>	87.7 y	17.1	0.16	4.9E10 y	---	---
U <sup>234</sup>	2.45E5 y	6.22E-3	0.3	2E16 y	---	---
Pu <sup>239</sup>	2.41E4 y	6.21E-2	0.13	5.5E15 y	---	---
Pu <sup>240</sup>	6.56E3 y	0.227	0.16	1.39E11 y	1	---
Pu <sup>241</sup>	14.4 y	103	---	---	---	---
Am <sup>241</sup>	432.7 y	3.43	170	2E14 y	---	---
Pu <sup>242</sup>	3.75E5 y	3.94E-3	---	7E10 y	5	10
U <sup>238</sup>	4.47E9 y	3.36E-7	0.4	7E15 y	0.6	1.2
Th <sup>234</sup>	24.1 d	2.32E4	35.6	---	---	---
Pa <sup>234m</sup>	1.17 m	6.86E8	50	---	---	---
U <sup>235</sup>	7.04E8 y	2.16E-6	755	1.9E17 y	---	---
Th <sup>231</sup>	25.22 h	5.32E5	48	---	---	---
U <sup>234</sup>	2.46E5 y	6.22E-3	0.3	2E16 y	---	---

136



**Isotopic Mix of 20% Enriched U**

	U <sup>238</sup>	Th <sup>234</sup>	Pa <sup>234m</sup>	U <sup>235</sup>	Th <sup>231</sup>	U <sup>234</sup>
% Weight	79.68	---	---	20.0	---	0.32
% Activity	1.25	1.25	1.25	2.00	2.00	92.25
Curies for a 1 kilo-gram mixture of 20% enriched uranium						
	2.7E-4	2.7E-4	2.7E-4	4.3E-4	4.3E-4	2.0E-2
gamma exposure rates in rem/hr at 30 cm						
	1.1E-7	9.6E-6	1.4E-5	3.2E-4	2.1E-5	6.0E-6
Total gamma exposure rate 3.7E-4 Rem/hr at 30 cm						

**Isotopic Mix of Depleted U**

	U <sup>238</sup>	Th <sup>234</sup>	Pa <sup>234m</sup>	U <sup>235</sup>	Th <sup>231</sup>	U <sup>234</sup>
% Weight	99.75	---	---	0.25	---	0.0005
% Activity	32.01	32.01	32.01	0.53	0.53	2.90
Curies for a 1 kilo-gram mixture of depleted uranium						
	3.4E-4	3.4E-4	3.4E-4	5.4E-6	5.4E-6	3.1E-5
gamma exposure rates in rem/hr at 30 cm						
	1.4E-7	1.2E-5	1.7E-5	4.1E-6	2.6E-7	9.3E-9
Total gamma exposure rate 3.3E-5 Rem/hr at 30 cm						

**Isotopic Mix of HEU**

	U <sup>238</sup>	Th <sup>234</sup>	Pa <sup>234m</sup>	U <sup>235</sup>	Th <sup>231</sup>	U <sup>234</sup>
% Weight	6.7	---	---	93.2	---	0.01
% Activity	0.5	0.5	0.5	42.6	42.6	13.3
Curies for a 1 kilo-gram mixture of HEU						
	2.3E-5	2.3E-5	2.3E-5	2.0E-3	2.0E-3	6.2E-4
gamma exposure rates in rem/hr at 30 cm						
	9.2E-9	8.2E-7	1.2E-6	1.5E-3	9.6E-5	1.9E-7
Total gamma exposure rate 1.6E-3 Rem/hr at 30 cm						

138

**Isotopic Mix of 20% Enriched U**

	U <sup>238</sup>	Th <sup>234</sup>	Pa <sup>234m</sup>	U <sup>235</sup>	Th <sup>231</sup>	U <sup>234</sup>
% Weight	79.68	---	---	20.0	---	0.32
% Activity	1.25	1.25	1.25	2.00	2.00	92.25
Curies for a 1 kilo-gram mixture of 20% enriched uranium						
	2.7E-4	2.7E-4	2.7E-4	4.3E-4	4.3E-4	2.0E-2
gamma exposure rates in rem/hr at 30 cm						
	1.1E-7	9.6E-6	1.4E-5	3.2E-4	2.1E-5	6.0E-6
Total gamma exposure rate 3.7E-4 Rem/hr at 30 cm						

**Isotopic Mix of Depleted U**

	U <sup>238</sup>	Th <sup>234</sup>	Pa <sup>234m</sup>	U <sup>235</sup>	Th <sup>231</sup>	U <sup>234</sup>
% Weight	99.75	---	---	0.25	---	0.0005
% Activity	32.01	32.01	32.01	0.53	0.53	2.90
Curies for a 1 kilo-gram mixture of depleted uranium						
	3.4E-4	3.4E-4	3.4E-4	5.4E-6	5.4E-6	3.1E-5
gamma exposure rates in rem/hr at 30 cm						
	1.4E-7	1.2E-5	1.7E-5	4.1E-6	2.6E-7	9.3E-9
Total gamma exposure rate 3.3E-5 Rem/hr at 30 cm						

**Isotopic Mix of HEU**

	U <sup>238</sup>	Th <sup>234</sup>	Pa <sup>234m</sup>	U <sup>235</sup>	Th <sup>231</sup>	U <sup>234</sup>
% Weight	6.7	---	---	93.2	---	0.01
% Activity	0.5	0.5	0.5	42.6	42.6	13.3
Curies for a 1 kilo-gram mixture of HEU						
	2.3E-5	2.3E-5	2.3E-5	2.0E-3	2.0E-3	6.2E-4
gamma exposure rates in rem/hr at 30 cm						
	9.2E-9	8.2E-7	1.2E-6	1.5E-3	9.6E-5	1.9E-7
Total gamma exposure rate 1.6E-3 Rem/hr at 30 cm						

138

**Isotopic Mix of 20% Enriched U**

	U <sup>238</sup>	Th <sup>234</sup>	Pa <sup>234m</sup>	U <sup>235</sup>	Th <sup>231</sup>	U <sup>234</sup>
% Weight	79.68	---	---	20.0	---	0.32
% Activity	1.25	1.25	1.25	2.00	2.00	92.25
Curies for a 1 kilo-gram mixture of 20% enriched uranium						
	2.7E-4	2.7E-4	2.7E-4	4.3E-4	4.3E-4	2.0E-2
gamma exposure rates in rem/hr at 30 cm						
	1.1E-7	9.6E-6	1.4E-5	3.2E-4	2.1E-5	6.0E-6
Total gamma exposure rate 3.7E-4 Rem/hr at 30 cm						

**Isotopic Mix of Depleted U**

	U <sup>238</sup>	Th <sup>234</sup>	Pa <sup>234m</sup>	U <sup>235</sup>	Th <sup>231</sup>	U <sup>234</sup>
% Weight	99.75	---	---	0.25	---	0.0005
% Activity	32.01	32.01	32.01	0.53	0.53	2.90
Curies for a 1 kilo-gram mixture of depleted uranium						
	3.4E-4	3.4E-4	3.4E-4	5.4E-6	5.4E-6	3.1E-5
gamma exposure rates in rem/hr at 30 cm						
	1.4E-7	1.2E-5	1.7E-5	4.1E-6	2.6E-7	9.3E-9
Total gamma exposure rate 3.3E-5 Rem/hr at 30 cm						

**Isotopic Mix of HEU**

	U <sup>238</sup>	Th <sup>234</sup>	Pa <sup>234m</sup>	U <sup>235</sup>	Th <sup>231</sup>	U <sup>234</sup>
% Weight	6.7	---	---	93.2	---	0.01
% Activity	0.5	0.5	0.5	42.6	42.6	13.3
Curies for a 1 kilo-gram mixture of HEU						
	2.3E-5	2.3E-5	2.3E-5	2.0E-3	2.0E-3	6.2E-4
gamma exposure rates in rem/hr at 30 cm						
	9.2E-9	8.2E-7	1.2E-6	1.5E-3	9.6E-5	1.9E-7
Total gamma exposure rate 1.6E-3 Rem/hr at 30 cm						

138

**Isotopic Mix of 20% Enriched U**

	U <sup>238</sup>	Th <sup>234</sup>	Pa <sup>234m</sup>	U <sup>235</sup>	Th <sup>231</sup>	U <sup>234</sup>
% Weight	79.68	---	---	20.0	---	0.32
% Activity	1.25	1.25	1.25	2.00	2.00	92.25
Curies for a 1 kilo-gram mixture of 20% enriched uranium						
	2.7E-4	2.7E-4	2.7E-4	4.3E-4	4.3E-4	2.0E-2
gamma exposure rates in rem/hr at 30 cm						
	1.1E-7	9.6E-6	1.4E-5	3.2E-4	2.1E-5	6.0E-6
Total gamma exposure rate 3.7E-4 Rem/hr at 30 cm						

**Isotopic Mix of Depleted U**

	U <sup>238</sup>	Th <sup>234</sup>	Pa <sup>234m</sup>	U <sup>235</sup>	Th <sup>231</sup>	U <sup>234</sup>
% Weight	99.75	---	---	0.25	---	0.0005
% Activity	32.01	32.01	32.01	0.53	0.53	2.90
Curies for a 1 kilo-gram mixture of depleted uranium						
	3.4E-4	3.4E-4	3.4E-4	5.4E-6	5.4E-6	3.1E-5
gamma exposure rates in rem/hr at 30 cm						
	1.4E-7	1.2E-5	1.7E-5	4.1E-6	2.6E-7	9.3E-9
Total gamma exposure rate 3.3E-5 Rem/hr at 30 cm						

**Isotopic Mix of HEU**

	U <sup>238</sup>	Th <sup>234</sup>	Pa <sup>234m</sup>	U <sup>235</sup>	Th <sup>231</sup>	U <sup>234</sup>
% Weight	6.7	---	---	93.2	---	0.01
% Activity	0.5	0.5	0.5	42.6	42.6	13.3
Curies for a 1 kilo-gram mixture of HEU						
	2.3E-5	2.3E-5	2.3E-5	2.0E-3	2.0E-3	6.2E-4
gamma exposure rates in rem/hr at 30 cm						
	9.2E-9	8.2E-7	1.2E-6	1.5E-3	9.6E-5	1.9E-7
Total gamma exposure rate 1.6E-3 Rem/hr at 30 cm						

138

### MISCELLANEOUS RULES OF THUMB

1. One watt of power in a reactor requires  $3.1E10$  fissions per second. In a reactor operating for more than 4 days, the total fission products are about 3 Ci / watt at 1.5 min after shutdown. At 2 yr after shutdown, the fission products are approximately 75 Ci / MW-day.
2. The quantity of a short-lived fission product in a reactor which has been operated about four times as long as the half-life is given by;  $Ci = (FY)(PL)$ , where FY is the fission yield (%/100) and PL is the power level in watts.
3. Correction factor for unsealed ion chambers to STP ( $0^{\circ}C$  and 760 mm of Hg) is  $f = (t + 273)/(273) \times (760 / P)$  where t is the ambient temperature in degrees C and P is the ambient barometric pressure in mm of Hg.
4. The activity of an isotope (without radioactive daughter) is reduced to less than 1% after seven half-lives.

#### 5. NATURALLY OCCURRING RADIONUCLIDES

Primordial	Cosmogonic
$K^{40}$	Tritium
$Rb^{87}$	$Be^7$
Natural U and Th	$C^{14}$

6. Unified Time, Distance, and Shielding formula for reduction of external dose.

$$Rem = \text{Initial Rem/hr} \times T \text{ in hours} \times \frac{(D_2)^2}{(D_1)^2} \times 0.5^n$$

Where: Rem is the dose after applying reduction methods  
T is the exposure time in hours  
 $D_1$  is the initial distance to the source  
 $D_2$  is the new distance to the source  
0.5<sup>n</sup> is the Shielding for 'n' half-value layers

### MISCELLANEOUS RULES OF THUMB

1. One watt of power in a reactor requires  $3.1E10$  fissions per second. In a reactor operating for more than 4 days, the total fission products are about 3 Ci / watt at 1.5 min after shutdown. At 2 yr after shutdown, the fission products are approximately 75 Ci / MW-day.
2. The quantity of a short-lived fission product in a reactor which has been operated about four times as long as the half-life is given by;  $Ci = (FY)(PL)$ , where FY is the fission yield (%/100) and PL is the power level in watts.
3. Correction factor for unsealed ion chambers to STP ( $0^{\circ}C$  and 760 mm of Hg) is  $f = (t + 273)/(273) \times (760 / P)$  where t is the ambient temperature in degrees C and P is the ambient barometric pressure in mm of Hg.
4. The activity of an isotope (without radioactive daughter) is reduced to less than 1% after seven half-lives.

#### 5. NATURALLY OCCURRING RADIONUCLIDES

Primordial	Cosmogonic
$K^{40}$	Tritium
$Rb^{87}$	$Be^7$
Natural U and Th	$C^{14}$

6. Unified Time, Distance, and Shielding formula for reduction of external dose.

$$Rem = \text{Initial Rem/hr} \times T \text{ in hours} \times \frac{(D_2)^2}{(D_1)^2} \times 0.5^n$$

Where: Rem is the dose after applying reduction methods  
T is the exposure time in hours  
 $D_1$  is the initial distance to the source  
 $D_2$  is the new distance to the source  
0.5<sup>n</sup> is the Shielding for 'n' half-value layers

### MISCELLANEOUS RULES OF THUMB

1. One watt of power in a reactor requires  $3.1E10$  fissions per second. In a reactor operating for more than 4 days, the total fission products are about 3 Ci / watt at 1.5 min after shutdown. At 2 yr after shutdown, the fission products are approximately 75 Ci / MW-day.
2. The quantity of a short-lived fission product in a reactor which has been operated about four times as long as the half-life is given by;  $Ci = (FY)(PL)$ , where FY is the fission yield (%/100) and PL is the power level in watts.
3. Correction factor for unsealed ion chambers to STP ( $0^{\circ}C$  and 760 mm of Hg) is  $f = (t + 273)/(273) \times (760 / P)$  where t is the ambient temperature in degrees C and P is the ambient barometric pressure in mm of Hg.
4. The activity of an isotope (without radioactive daughter) is reduced to less than 1% after seven half-lives.

#### 5. NATURALLY OCCURRING RADIONUCLIDES

Primordial	Cosmogonic
$K^{40}$	Tritium
$Rb^{87}$	$Be^7$
Natural U and Th	$C^{14}$

6. Unified Time, Distance, and Shielding formula for reduction of external dose.

$$Rem = \text{Initial Rem/hr} \times T \text{ in hours} \times \frac{(D_2)^2}{(D_1)^2} \times 0.5^n$$

Where: Rem is the dose after applying reduction methods  
T is the exposure time in hours  
 $D_1$  is the initial distance to the source  
 $D_2$  is the new distance to the source  
0.5<sup>n</sup> is the Shielding for 'n' half-value layers

### MISCELLANEOUS RULES OF THUMB

1. One watt of power in a reactor requires  $3.1E10$  fissions per second. In a reactor operating for more than 4 days, the total fission products are about 3 Ci / watt at 1.5 min after shutdown. At 2 yr after shutdown, the fission products are approximately 75 Ci / MW-day.
2. The quantity of a short-lived fission product in a reactor which has been operated about four times as long as the half-life is given by;  $Ci = (FY)(PL)$ , where FY is the fission yield (%/100) and PL is the power level in watts.
3. Correction factor for unsealed ion chambers to STP ( $0^{\circ}C$  and 760 mm of Hg) is  $f = (t + 273)/(273) \times (760 / P)$  where t is the ambient temperature in degrees C and P is the ambient barometric pressure in mm of Hg.
4. The activity of an isotope (without radioactive daughter) is reduced to less than 1% after seven half-lives.

#### 5. NATURALLY OCCURRING RADIONUCLIDES

Primordial	Cosmogonic
$K^{40}$	Tritium
$Rb^{87}$	$Be^7$
Natural U and Th	$C^{14}$

6. Unified Time, Distance, and Shielding formula for reduction of external dose.

$$Rem = \text{Initial Rem/hr} \times T \text{ in hours} \times \frac{(D_2)^2}{(D_1)^2} \times 0.5^n$$

Where: Rem is the dose after applying reduction methods  
T is the exposure time in hours  
 $D_1$  is the initial distance to the source  
 $D_2$  is the new distance to the source  
0.5<sup>n</sup> is the Shielding for 'n' half-value layers

**UNITS AND TERMINOLOGY**

	<b>"Special Units"</b>	<b>SI Units</b>
Exposure	Roentgen	Coulombs / kg
Dose	rad (0.01 Gy)	Gray (100 rad)
Dose Equiv	rem (0.01 Sv)	Sievert (100 rem)
Activity	Curie (2.22 E12 dpm)	Becquerel (1dps)
1 Roentgen	= 2.58 E-4 coulomb / kg in air = 1 esu / cm <sup>3</sup> in air = 87.7 ergs / gm in air = 98 ergs / gm in soft tissue	
1 rad	= 100 ergs / gm in any absorber	
1 Gray	= 10,000 ergs / gm in any absorber	
1 rem	= 1 rad x QF = 0.01 Sv	
H	= DQN (from ICRP 26)	
H (Dose Equiv.)	= D (absorbed dose) x Q (quality factor) x N (any other modifying factors)	

**DEFINITIONS**

Acute	any dose in a short period of time
Chronic	any dose in a long period of time
Somatic	effects in the exposed individual
Genetic	effects in the offspring of the exposed individual
Teratogenic	effects in the exposed unborn embryo/fetus
Stochastic	effects for which a probability exists and increases with increasing dose
Non-Stochastic (deterministic)	effects for which a threshold exists - effects do not occur below the threshold (examples; cataracts, erythema, epilation, acute radiation syndrome)

140

**UNITS AND TERMINOLOGY**

	<b>"Special Units"</b>	<b>SI Units</b>
Exposure	Roentgen	Coulombs / kg
Dose	rad (0.01 Gy)	Gray (100 rad)
Dose Equiv	rem (0.01 Sv)	Sievert (100 rem)
Activity	Curie (2.22 E12 dpm)	Becquerel (1dps)
1 Roentgen	= 2.58 E-4 coulomb / kg in air = 1 esu / cm <sup>3</sup> in air = 87.7 ergs / gm in air = 98 ergs / gm in soft tissue	
1 rad	= 100 ergs / gm in any absorber	
1 Gray	= 10,000 ergs / gm in any absorber	
1 rem	= 1 rad x QF = 0.01 Sv	
H	= DQN (from ICRP 26)	
H (Dose Equiv.)	= D (absorbed dose) x Q (quality factor) x N (any other modifying factors)	

**DEFINITIONS**

Acute	any dose in a short period of time
Chronic	any dose in a long period of time
Somatic	effects in the exposed individual
Genetic	effects in the offspring of the exposed individual
Teratogenic	effects in the exposed unborn embryo/fetus
Stochastic	effects for which a probability exists and increases with increasing dose
Non-Stochastic (deterministic)	effects for which a threshold exists - effects do not occur below the threshold (examples; cataracts, erythema, epilation, acute radiation syndrome)

140

**UNITS AND TERMINOLOGY**

	<b>"Special Units"</b>	<b>SI Units</b>
Exposure	Roentgen	Coulombs / kg
Dose	rad (0.01 Gy)	Gray (100 rad)
Dose Equiv	rem (0.01 Sv)	Sievert (100 rem)
Activity	Curie (2.22 E12 dpm)	Becquerel (1dps)
1 Roentgen	= 2.58 E-4 coulomb / kg in air = 1 esu / cm <sup>3</sup> in air = 87.7 ergs / gm in air = 98 ergs / gm in soft tissue	
1 rad	= 100 ergs / gm in any absorber	
1 Gray	= 10,000 ergs / gm in any absorber	
1 rem	= 1 rad x QF = 0.01 Sv	
H	= DQN (from ICRP 26)	
H (Dose Equiv.)	= D (absorbed dose) x Q (quality factor) x N (any other modifying factors)	

**DEFINITIONS**

Acute	any dose in a short period of time
Chronic	any dose in a long period of time
Somatic	effects in the exposed individual
Genetic	effects in the offspring of the exposed individual
Teratogenic	effects in the exposed unborn embryo/fetus
Stochastic	effects for which a probability exists and increases with increasing dose
Non-Stochastic (deterministic)	effects for which a threshold exists - effects do not occur below the threshold (examples; cataracts, erythema, epilation, acute radiation syndrome)

140

**UNITS AND TERMINOLOGY**

	<b>"Special Units"</b>	<b>SI Units</b>
Exposure	Roentgen	Coulombs / kg
Dose	rad (0.01 Gy)	Gray (100 rad)
Dose Equiv	rem (0.01 Sv)	Sievert (100 rem)
Activity	Curie (2.22 E12 dpm)	Becquerel (1dps)
1 Roentgen	= 2.58 E-4 coulomb / kg in air = 1 esu / cm <sup>3</sup> in air = 87.7 ergs / gm in air = 98 ergs / gm in soft tissue	
1 rad	= 100 ergs / gm in any absorber	
1 Gray	= 10,000 ergs / gm in any absorber	
1 rem	= 1 rad x QF = 0.01 Sv	
H	= DQN (from ICRP 26)	
H (Dose Equiv.)	= D (absorbed dose) x Q (quality factor) x N (any other modifying factors)	

**DEFINITIONS**

Acute	any dose in a short period of time
Chronic	any dose in a long period of time
Somatic	effects in the exposed individual
Genetic	effects in the offspring of the exposed individual
Teratogenic	effects in the exposed unborn embryo/fetus
Stochastic	effects for which a probability exists and increases with increasing dose
Non-Stochastic (deterministic)	effects for which a threshold exists - effects do not occur below the threshold (examples; cataracts, erythema, epilation, acute radiation syndrome)

140

**PUBLIC RADIATION DOSES**

Average per capita US Dose 200 mrem (2 mSv) / yr  
 Living in Los Alamos (7000' elev) 327 mrem (3.27 mSv)/yr  
 Flying from NY to LA 2.5 mrem (25 μSv) / trip  
 Chest x-ray 10 mrem (0.1mSv)/exam  
 Full mouth dental x-ray 9 mrem (90 μSv) / exam  
 The external dose rate for cosmic rays doubles for each mile increase in elevation.

**BACKGROUND RADIATION**

Cosmic = 28 mrem (0.28 mSv) / yr  
 Rocks = 28 mrem (0.28 mSv) / yr  
 Internal = 36 mrem (0.36 mSv) / yr  
 Medical x-rays = 20 to 30 mrem (0.2 to 0.3 mSv)/yr  
 Nuclear medicine = 2 mrem / yr  
 TOTAL US Ave ≈ 120 mrem / yr  
 US Ave H<sub>E</sub> from radon = 200 mrem / yr  
 Ave H<sub>E</sub> from medical x-ray procedures:  
 Skull 20 mrem (0.2 mSv)  
 Upper GI 245 mrem (2.45 mSv)  
 Hip 65 mrem (0.65 mSv)  
 Chest 6 mrem (60 μSv),  
 Kidney 55 mrem (0.55 mSv)  
 Dental 55 mrem (0.55 mSv)

<b>Occupational Doses</b>	<b>mrem /yr</b>	<b>mSv/yr</b>
airline flight crew	1,000	10
nuclear power plant	700	7
Grand Central Station workers	120	1.2
medical personnel	70	0.7
DOE employees	44	0.44

**PUBLIC RADIATION DOSES**

Average per capita US Dose 200 mrem (2 mSv) / yr  
 Living in Los Alamos (7000' elev) 327 mrem (3.27 mSv)/yr  
 Flying from NY to LA 2.5 mrem (25 μSv) / trip  
 Chest x-ray 10 mrem (0.1mSv)/exam  
 Full mouth dental x-ray 9 mrem (90 μSv) / exam  
 The external dose rate for cosmic rays doubles for each mile increase in elevation.

**BACKGROUND RADIATION**

Cosmic = 28 mrem (0.28 mSv) / yr  
 Rocks = 28 mrem (0.28 mSv) / yr  
 Internal = 36 mrem (0.36 mSv) / yr  
 Medical x-rays = 20 to 30 mrem (0.2 to 0.3 mSv)/yr  
 Nuclear medicine = 2 mrem / yr  
 TOTAL US Ave ≈ 120 mrem / yr  
 US Ave H<sub>E</sub> from radon = 200 mrem / yr  
 Ave H<sub>E</sub> from medical x-ray procedures:  
 Skull 20 mrem (0.2 mSv)  
 Upper GI 245 mrem (2.45 mSv)  
 Hip 65 mrem (0.65 mSv)  
 Chest 6 mrem (60 μSv),  
 Kidney 55 mrem (0.55 mSv)  
 Dental 55 mrem (0.55 mSv)

<b>Occupational Doses</b>	<b>mrem /yr</b>	<b>mSv/yr</b>
airline flight crew	1,000	10
nuclear power plant	700	7
Grand Central Station workers	120	1.2
medical personnel	70	0.7
DOE employees	44	0.44

**PUBLIC RADIATION DOSES**

Average per capita US Dose 200 mrem (2 mSv) / yr  
 Living in Los Alamos (7000' elev) 327 mrem (3.27 mSv)/yr  
 Flying from NY to LA 2.5 mrem (25 μSv) / trip  
 Chest x-ray 10 mrem (0.1mSv)/exam  
 Full mouth dental x-ray 9 mrem (90 μSv) / exam  
 The external dose rate for cosmic rays doubles for each mile increase in elevation.

**BACKGROUND RADIATION**

Cosmic = 28 mrem (0.28 mSv) / yr  
 Rocks = 28 mrem (0.28 mSv) / yr  
 Internal = 36 mrem (0.36 mSv) / yr  
 Medical x-rays = 20 to 30 mrem (0.2 to 0.3 mSv)/yr  
 Nuclear medicine = 2 mrem / yr  
 TOTAL US Ave ≈ 120 mrem / yr  
 US Ave H<sub>E</sub> from radon = 200 mrem / yr  
 Ave H<sub>E</sub> from medical x-ray procedures:  
 Skull 20 mrem (0.2 mSv)  
 Upper GI 245 mrem (2.45 mSv)  
 Hip 65 mrem (0.65 mSv)  
 Chest 6 mrem (60 μSv),  
 Kidney 55 mrem (0.55 mSv)  
 Dental 55 mrem (0.55 mSv)

<b>Occupational Doses</b>	<b>mrem /yr</b>	<b>mSv/yr</b>
airline flight crew	1,000	10
nuclear power plant	700	7
Grand Central Station workers	120	1.2
medical personnel	70	0.7
DOE employees	44	0.44

**PUBLIC RADIATION DOSES**

Average per capita US Dose 200 mrem (2 mSv) / yr  
 Living in Los Alamos (7000' elev) 327 mrem (3.27 mSv)/yr  
 Flying from NY to LA 2.5 mrem (25 μSv) / trip  
 Chest x-ray 10 mrem (0.1mSv)/exam  
 Full mouth dental x-ray 9 mrem (90 μSv) / exam  
 The external dose rate for cosmic rays doubles for each mile increase in elevation.

**BACKGROUND RADIATION**

Cosmic = 28 mrem (0.28 mSv) / yr  
 Rocks = 28 mrem (0.28 mSv) / yr  
 Internal = 36 mrem (0.36 mSv) / yr  
 Medical x-rays = 20 to 30 mrem (0.2 to 0.3 mSv)/yr  
 Nuclear medicine = 2 mrem / yr  
 TOTAL US Ave ≈ 120 mrem / yr  
 US Ave H<sub>E</sub> from radon = 200 mrem / yr  
 Ave H<sub>E</sub> from medical x-ray procedures:  
 Skull 20 mrem (0.2 mSv)  
 Upper GI 245 mrem (2.45 mSv)  
 Hip 65 mrem (0.65 mSv)  
 Chest 6 mrem (60 μSv),  
 Kidney 55 mrem (0.55 mSv)  
 Dental 55 mrem (0.55 mSv)

<b>Occupational Doses</b>	<b>mrem /yr</b>	<b>mSv/yr</b>
airline flight crew	1,000	10
nuclear power plant	700	7
Grand Central Station workers	120	1.2
medical personnel	70	0.7
DOE employees	44	0.44

**RADON FACTS**

1 working level = 3 DAC Rn<sup>222</sup> (including progeny)  
 = 1.3E5 MeV / liter of air α energy  
 = 100 pCi / liter (1E-7 uCi / mL)  
 = 20.8 uJoules / M<sup>3</sup>  
 1 working level-month = 1 pCi / L in air thru evaporation

**RADON FACTS**

1 working level = 3 DAC Rn<sup>222</sup> (including progeny)  
 = 1.3E5 MeV / liter of air α energy  
 = 100 pCi / liter (1E-7 uCi / mL)  
 = 20.8 uJoules / M<sup>3</sup>  
 1 working level-month = 1 pCi / L in air thru evaporation

**EPA ACTION LEVELS FOR RADON GAS IN HOMES**

Concentration (pCi / L) Sampling Frequency  
 0 - 4 initial and no follow up

**EPA Recommends Mitigation at ≥ 4 pCi / L**

4 - 20 one year and follow up  
 20 - 2003 months and follow up

> 200 Implement radon reduction methods

4 pCi / L in living area = 1.03 working level-month = 1 rem

**EPA ACTION LEVELS FOR RADON GAS IN HOMES**

Concentration (pCi / L) Sampling Frequency  
 0 - 4 initial and no follow up

**EPA Recommends Mitigation at ≥ 4 pCi / L**

4 - 20 one year and follow up  
 20 - 2003 months and follow up

> 200 Implement radon reduction methods

4 pCi / L in living area = 1.03 working level-month = 1 rem

**PROPOSED EPA ACTION LEVELS FOR RADON IN DRINKING WATER**

Maximum Contaminant Level (MCL) is 300 pCi / L of radon in water of community water systems (CWS).

Alternative Maximum Contaminant Level (AMCL) is 4,000 pCi / L of radon in water of community water systems.

To comply with the AMCL limit the state or the CWS (Community Water System) must implement a Multi-Media Mitigation plan to address the radon in the air of residences. The proposed rule would not apply to CWSs that use solely surface water.

The proposed rule requires monitoring for radon in drinking water. The monitoring frequency varies from once per quarter to once in 9 years based on radon concentrations.

**PROPOSED EPA ACTION LEVELS FOR RADON IN DRINKING WATER**

Maximum Contaminant Level (MCL) is 300 pCi / L of radon in water of community water systems (CWS).

Alternative Maximum Contaminant Level (AMCL) is 4,000 pCi / L of radon in water of community water systems.

To comply with the AMCL limit the state or the CWS (Community Water System) must implement a Multi-Media Mitigation plan to address the radon in the air of residences. The proposed rule would not apply to CWSs that use solely surface water.

The proposed rule requires monitoring for radon in drinking water. The monitoring frequency varies from once per quarter to once in 9 years based on radon concentrations.

**RADON FACTS**

1 working level = 3 DAC Rn<sup>222</sup> (including progeny)  
 = 1.3E5 MeV / liter of air α energy  
 = 100 pCi / liter (1E-7 uCi / mL)  
 = 20.8 uJoules / M<sup>3</sup>  
 1 working level-month = 1 pCi / L in air thru evaporation

**RADON FACTS**

1 working level = 3 DAC Rn<sup>222</sup> (including progeny)  
 = 1.3E5 MeV / liter of air α energy  
 = 100 pCi / liter (1E-7 uCi / mL)  
 = 20.8 uJoules / M<sup>3</sup>  
 1 working level-month = 1 pCi / L in air thru evaporation

**EPA ACTION LEVELS FOR RADON GAS IN HOMES**

Concentration (pCi / L) Sampling Frequency  
 0 - 4 initial and no follow up

**EPA Recommends Mitigation at ≥ 4 pCi / L**

4 - 20 one year and follow up  
 20 - 2003 months and follow up

> 200 Implement radon reduction methods

4 pCi / L in living area = 1.03 working level-month = 1 rem

**EPA ACTION LEVELS FOR RADON GAS IN HOMES**

Concentration (pCi / L) Sampling Frequency  
 0 - 4 initial and no follow up

**EPA Recommends Mitigation at ≥ 4 pCi / L**

4 - 20 one year and follow up  
 20 - 2003 months and follow up

> 200 Implement radon reduction methods

4 pCi / L in living area = 1.03 working level-month = 1 rem

**PROPOSED EPA ACTION LEVELS FOR RADON IN DRINKING WATER**

Maximum Contaminant Level (MCL) is 300 pCi / L of radon in water of community water systems (CWS).

Alternative Maximum Contaminant Level (AMCL) is 4,000 pCi / L of radon in water of community water systems.

To comply with the AMCL limit the state or the CWS (Community Water System) must implement a Multi-Media Mitigation plan to address the radon in the air of residences. The proposed rule would not apply to CWSs that use solely surface water.

The proposed rule requires monitoring for radon in drinking water. The monitoring frequency varies from once per quarter to once in 9 years based on radon concentrations.

**PROPOSED EPA ACTION LEVELS FOR RADON IN DRINKING WATER**

Maximum Contaminant Level (MCL) is 300 pCi / L of radon in water of community water systems (CWS).

Alternative Maximum Contaminant Level (AMCL) is 4,000 pCi / L of radon in water of community water systems.

To comply with the AMCL limit the state or the CWS (Community Water System) must implement a Multi-Media Mitigation plan to address the radon in the air of residences. The proposed rule would not apply to CWSs that use solely surface water.

The proposed rule requires monitoring for radon in drinking water. The monitoring frequency varies from once per quarter to once in 9 years based on radon concentrations.

**COMPARATIVE RISKS OF RADIATION EXPOSURE**

	<b>Estimated Days of Life Lost</b>
Smoking 1 pack of cigarettes / day	2,370
20% overweight	985
Average US alcohol consumption	130
Home accidents	95
Occupational exposure	
• 5.0 rem (50 mSv) / year	32
• 0.5 rem (5 mSv) / year	3

<b>OCCUPATIONAL RISKS</b>	<b>Estimated Days of Life Lost</b>
<b>Occupation</b>	<b>of Life Lost</b>
demolition	1,500
mining	1,100
firefighting	800
railroad	500
farming	300
construction	200
transportation & public utilities	160
<b>average of all occupations</b>	<b>60</b>
government	55
radiation dose of 1 rem (10 mSv) per year	50
service	45
trade	30
single radiation dose of 1 rem (10 mSv)	1.5

**COMPARATIVE RISKS OF RADIATION EXPOSURE**

	<b>Estimated Days of Life Lost</b>
Smoking 1 pack of cigarettes / day	2,370
20% overweight	985
Average US alcohol consumption	130
Home accidents	95
Occupational exposure	
• 5.0 rem (50 mSv) / year	32
• 0.5 rem (5 mSv) / year	3

<b>OCCUPATIONAL RISKS</b>	<b>Estimated Days of Life Lost</b>
<b>Occupation</b>	<b>of Life Lost</b>
demolition	1,500
mining	1,100
firefighting	800
railroad	500
farming	300
construction	200
transportation & public utilities	160
<b>average of all occupations</b>	<b>60</b>
government	55
radiation dose of 1 rem (10 mSv) per year	50
service	45
trade	30
single radiation dose of 1 rem (10 mSv)	1.5

**COMPARATIVE RISKS OF RADIATION EXPOSURE**

	<b>Estimated Days of Life Lost</b>
Smoking 1 pack of cigarettes / day	2,370
20% overweight	985
Average US alcohol consumption	130
Home accidents	95
Occupational exposure	
• 5.0 rem (50 mSv) / year	32
• 0.5 rem (5 mSv) / year	3

<b>OCCUPATIONAL RISKS</b>	<b>Estimated Days of Life Lost</b>
<b>Occupation</b>	<b>of Life Lost</b>
demolition	1,500
mining	1,100
firefighting	800
railroad	500
farming	300
construction	200
transportation & public utilities	160
<b>average of all occupations</b>	<b>60</b>
government	55
radiation dose of 1 rem (10 mSv) per year	50
service	45
trade	30
single radiation dose of 1 rem (10 mSv)	1.5

**COMPARATIVE RISKS OF RADIATION EXPOSURE**

	<b>Estimated Days of Life Lost</b>
Smoking 1 pack of cigarettes / day	2,370
20% overweight	985
Average US alcohol consumption	130
Home accidents	95
Occupational exposure	
• 5.0 rem (50 mSv) / year	32
• 0.5 rem (5 mSv) / year	3

<b>OCCUPATIONAL RISKS</b>	<b>Estimated Days of Life Lost</b>
<b>Occupation</b>	<b>of Life Lost</b>
demolition	1,500
mining	1,100
firefighting	800
railroad	500
farming	300
construction	200
transportation & public utilities	160
<b>average of all occupations</b>	<b>60</b>
government	55
radiation dose of 1 rem (10 mSv) per year	50
service	45
trade	30
single radiation dose of 1 rem (10 mSv)	1.5

**Relative Risk**

Your overall risk of dying is 1 in 1

Heart disease	1 in 5
Cancer	1 in 7
Stroke	1 in 24
Motor vehicle accident	1 in 84
Suicide	1 in 119
Falling	1 in 218
Firearm assault	1 in 314
Pedestrian accident	1 in 626
Drowning	1 in 1,008
Motorcycle accident	1 in 1,020
Fire or smoke	1 in 1,113
Bicycle accident	1 in 4,919
Air / space accident	1 in 5,051
Accidental firearm discharge	1 in 5,134
Accidental electrocution	1 in 9,968
Alcohol poisoning	1 in 10,048
Hot weather	1 in 13,729
Hornet, wasp, or bee sting	1 in 56,789
Legal execution	1 in 62,468
Lightning	1 in 79,746
Earthquake	1 in 117,127
Flood	1 in 144,156
Fireworks discharge	1 in 340,733

144

**Relative Risk**

Your overall risk of dying is 1 in 1

Heart disease	1 in 5
Cancer	1 in 7
Stroke	1 in 24
Motor vehicle accident	1 in 84
Suicide	1 in 119
Falling	1 in 218
Firearm assault	1 in 314
Pedestrian accident	1 in 626
Drowning	1 in 1,008
Motorcycle accident	1 in 1,020
Fire or smoke	1 in 1,113
Bicycle accident	1 in 4,919
Air / space accident	1 in 5,051
Accidental firearm discharge	1 in 5,134
Accidental electrocution	1 in 9,968
Alcohol poisoning	1 in 10,048
Hot weather	1 in 13,729
Hornet, wasp, or bee sting	1 in 56,789
Legal execution	1 in 62,468
Lightning	1 in 79,746
Earthquake	1 in 117,127
Flood	1 in 144,156
Fireworks discharge	1 in 340,733

144

**Relative Risk**

Your overall risk of dying is 1 in 1

Heart disease	1 in 5
Cancer	1 in 7
Stroke	1 in 24
Motor vehicle accident	1 in 84
Suicide	1 in 119
Falling	1 in 218
Firearm assault	1 in 314
Pedestrian accident	1 in 626
Drowning	1 in 1,008
Motorcycle accident	1 in 1,020
Fire or smoke	1 in 1,113
Bicycle accident	1 in 4,919
Air / space accident	1 in 5,051
Accidental firearm discharge	1 in 5,134
Accidental electrocution	1 in 9,968
Alcohol poisoning	1 in 10,048
Hot weather	1 in 13,729
Hornet, wasp, or bee sting	1 in 56,789
Legal execution	1 in 62,468
Lightning	1 in 79,746
Earthquake	1 in 117,127
Flood	1 in 144,156
Fireworks discharge	1 in 340,733

144

**Relative Risk**

Your overall risk of dying is 1 in 1

Heart disease	1 in 5
Cancer	1 in 7
Stroke	1 in 24
Motor vehicle accident	1 in 84
Suicide	1 in 119
Falling	1 in 218
Firearm assault	1 in 314
Pedestrian accident	1 in 626
Drowning	1 in 1,008
Motorcycle accident	1 in 1,020
Fire or smoke	1 in 1,113
Bicycle accident	1 in 4,919
Air / space accident	1 in 5,051
Accidental firearm discharge	1 in 5,134
Accidental electrocution	1 in 9,968
Alcohol poisoning	1 in 10,048
Hot weather	1 in 13,729
Hornet, wasp, or bee sting	1 in 56,789
Legal execution	1 in 62,468
Lightning	1 in 79,746
Earthquake	1 in 117,127
Flood	1 in 144,156
Fireworks discharge	1 in 340,733

144

Voss Associates provides valuable training for emergency responders and radiation protection professionals.

Classes are available in several major cities including Las Vegas, Los Angeles, Cincinnati, and Albuquerque. Other training locations and dates are available depending on your individual needs.

We offer the following course selections:

NRRPT Exam Review Preparation Class - an intensive 5-day class designed to prepare the candidate to successfully pass the NRRPT Exam. The course concentrates on the basic tools the candidate needs to successfully pass the NRRPT exam. Rules of thumb and simplified mathematics for problem solving are covered in depth. We provide our NRRPT Exam Prep software, scientific calculator, and the Gilson and Voss Handbooks at no additional cost.

Basic Radiation Instrumentation - a 3- day hands-on class that gives the students a firm grounding in the understanding of basic radiation instrument theory and practice. The focus is on hand-held radiation instruments, how they work, how to best use them, interferences, and operating limitations. GM, ion chamber, gas-proportional, solid-state silicon, and scintillator detectors are covered in detail.

Voss Associates provides valuable training for emergency responders and radiation protection professionals.

Classes are available in several major cities including Las Vegas, Los Angeles, Cincinnati, and Albuquerque. Other training locations and dates are available depending on your individual needs.

We offer the following course selections:

NRRPT Exam Review Preparation Class - an intensive 5-day class designed to prepare the candidate to successfully pass the NRRPT Exam. The course concentrates on the basic tools the candidate needs to successfully pass the NRRPT exam. Rules of thumb and simplified mathematics for problem solving are covered in depth. We provide our NRRPT Exam Prep software, scientific calculator, and the Gilson and Voss Handbooks at no additional cost.

Basic Radiation Instrumentation - a 3- day hands-on class that gives the students a firm grounding in the understanding of basic radiation instrument theory and practice. The focus is on hand-held radiation instruments, how they work, how to best use them, interferences, and operating limitations. GM, ion chamber, gas-proportional, solid-state silicon, and scintillator detectors are covered in detail.

Voss Associates provides valuable training for emergency responders and radiation protection professionals.

Classes are available in several major cities including Las Vegas, Los Angeles, Cincinnati, and Albuquerque. Other training locations and dates are available depending on your individual needs.

We offer the following course selections:

NRRPT Exam Review Preparation Class - an intensive 5-day class designed to prepare the candidate to successfully pass the NRRPT Exam. The course concentrates on the basic tools the candidate needs to successfully pass the NRRPT exam. Rules of thumb and simplified mathematics for problem solving are covered in depth. We provide our NRRPT Exam Prep software, scientific calculator, and the Gilson and Voss Handbooks at no additional cost.

Basic Radiation Instrumentation - a 3- day hands-on class that gives the students a firm grounding in the understanding of basic radiation instrument theory and practice. The focus is on hand-held radiation instruments, how they work, how to best use them, interferences, and operating limitations. GM, ion chamber, gas-proportional, solid-state silicon, and scintillator detectors are covered in detail.

Voss Associates provides valuable training for emergency responders and radiation protection professionals.

Classes are available in several major cities including Las Vegas, Los Angeles, Cincinnati, and Albuquerque. Other training locations and dates are available depending on your individual needs.

We offer the following course selections:

NRRPT Exam Review Preparation Class - an intensive 5-day class designed to prepare the candidate to successfully pass the NRRPT Exam. The course concentrates on the basic tools the candidate needs to successfully pass the NRRPT exam. Rules of thumb and simplified mathematics for problem solving are covered in depth. We provide our NRRPT Exam Prep software, scientific calculator, and the Gilson and Voss Handbooks at no additional cost.

Basic Radiation Instrumentation - a 3- day hands-on class that gives the students a firm grounding in the understanding of basic radiation instrument theory and practice. The focus is on hand-held radiation instruments, how they work, how to best use them, interferences, and operating limitations. GM, ion chamber, gas-proportional, solid-state silicon, and scintillator detectors are covered in detail.

Advanced Radiation Instrumentation - this 3- day class presents the latest in Intelligent Instrumentation and the Networking of those instruments. Students will work with instruments from four leading radiation instrument manufacturers. Students will also setup instrument networks using both wired and wireless systems.

Mathematics Review for Radiation Protection Professionals - this 2- day class covers the formulas, equations, and rules of thumb the radiation professional needs in their occupation. This class is geared towards the field technicians who need to brush up on their math skills.

Radiation Protection Techniques for Emergency Responders - this 3- day class provides the necessary techniques the emergency responder can use to protect themselves and others from radiation exposure. Techniques presented include basic stay-time estimations, dose reduction, shielding, perimeter setup, respiratory protection, and ALARA implementation.

Our instructors have an average of more than 25 years in the radiation protection field with experience in NRC, DOE, EPA, medical, military, and manufacturing facilities. Each class is led by a team of instructors who are qualified in accordance with ANSI N3.1 and NQA-1.

Advanced Radiation Instrumentation - this 3- day class presents the latest in Intelligent Instrumentation and the Networking of those instruments. Students will work with instruments from four leading radiation instrument manufacturers. Students will also setup instrument networks using both wired and wireless systems.

Mathematics Review for Radiation Protection Professionals - this 2- day class covers the formulas, equations, and rules of thumb the radiation professional needs in their occupation. This class is geared towards the field technicians who need to brush up on their math skills.

Radiation Protection Techniques for Emergency Responders - this 3- day class provides the necessary techniques the emergency responder can use to protect themselves and others from radiation exposure. Techniques presented include basic stay-time estimations, dose reduction, shielding, perimeter setup, respiratory protection, and ALARA implementation.

Our instructors have an average of more than 25 years in the radiation protection field with experience in NRC, DOE, EPA, medical, military, and manufacturing facilities. Each class is led by a team of instructors who are qualified in accordance with ANSI N3.1 and NQA-1.

Advanced Radiation Instrumentation - this 3- day class presents the latest in Intelligent Instrumentation and the Networking of those instruments. Students will work with instruments from four leading radiation instrument manufacturers. Students will also setup instrument networks using both wired and wireless systems.

Mathematics Review for Radiation Protection Professionals - this 2- day class covers the formulas, equations, and rules of thumb the radiation professional needs in their occupation. This class is geared towards the field technicians who need to brush up on their math skills.

Radiation Protection Techniques for Emergency Responders - this 3- day class provides the necessary techniques the emergency responder can use to protect themselves and others from radiation exposure. Techniques presented include basic stay-time estimations, dose reduction, shielding, perimeter setup, respiratory protection, and ALARA implementation.

Our instructors have an average of more than 25 years in the radiation protection field with experience in NRC, DOE, EPA, medical, military, and manufacturing facilities. Each class is led by a team of instructors who are qualified in accordance with ANSI N3.1 and NQA-1.

Advanced Radiation Instrumentation - this 3- day class presents the latest in Intelligent Instrumentation and the Networking of those instruments. Students will work with instruments from four leading radiation instrument manufacturers. Students will also setup instrument networks using both wired and wireless systems.

Mathematics Review for Radiation Protection Professionals - this 2- day class covers the formulas, equations, and rules of thumb the radiation professional needs in their occupation. This class is geared towards the field technicians who need to brush up on their math skills.

Radiation Protection Techniques for Emergency Responders - this 3- day class provides the necessary techniques the emergency responder can use to protect themselves and others from radiation exposure. Techniques presented include basic stay-time estimations, dose reduction, shielding, perimeter setup, respiratory protection, and ALARA implementation.

Our instructors have an average of more than 25 years in the radiation protection field with experience in NRC, DOE, EPA, medical, military, and manufacturing facilities. Each class is led by a team of instructors who are qualified in accordance with ANSI N3.1 and NQA-1.

Publications

Radiation Data  
Radiation Safety  
Air Monitoring  
Environmental Monitoring  
Industrial Safety  
Industrial Hygiene  
Physical, Chemical, and Nuclear Data  
Emergency Response  
CFRs on DVD  
Radiological Health Handbook on DVD

Conferences

First Responders Congress  
Air Monitoring Expo  
Environmental Monitoring Expo  
Waste Treatment Expo  
Green Information Exchange (GIX)

For further information on all Voss Associates training classes, publications, or conferences please email us or visit our website.

[jtvoss@newmexico.com](mailto:jtvoss@newmexico.com)  
[techinfo@newmexico.com](mailto:techinfo@newmexico.com)  
[WWW.VOSS-ASSOCIATES.COM](http://WWW.VOSS-ASSOCIATES.COM)

Publications

Radiation Data  
Radiation Safety  
Air Monitoring  
Environmental Monitoring  
Industrial Safety  
Industrial Hygiene  
Physical, Chemical, and Nuclear Data  
Emergency Response  
CFRs on DVD  
Radiological Health Handbook on DVD

Conferences

First Responders Congress  
Air Monitoring Expo  
Environmental Monitoring Expo  
Waste Treatment Expo  
Green Information Exchange (GIX)

For further information on all Voss Associates training classes, publications, or conferences please email us or visit our website.

[jtvoss@newmexico.com](mailto:jtvoss@newmexico.com)  
[techinfo@newmexico.com](mailto:techinfo@newmexico.com)  
[WWW.VOSS-ASSOCIATES.COM](http://WWW.VOSS-ASSOCIATES.COM)

Publications

Radiation Data  
Radiation Safety  
Air Monitoring  
Environmental Monitoring  
Industrial Safety  
Industrial Hygiene  
Physical, Chemical, and Nuclear Data  
Emergency Response  
CFRs on DVD  
Radiological Health Handbook on DVD

Conferences

First Responders Congress  
Air Monitoring Expo  
Environmental Monitoring Expo  
Waste Treatment Expo  
Green Information Exchange (GIX)

For further information on all Voss Associates training classes, publications, or conferences please email us or visit our website.

[jtvoss@newmexico.com](mailto:jtvoss@newmexico.com)  
[techinfo@newmexico.com](mailto:techinfo@newmexico.com)  
[WWW.VOSS-ASSOCIATES.COM](http://WWW.VOSS-ASSOCIATES.COM)

Publications

Radiation Data  
Radiation Safety  
Air Monitoring  
Environmental Monitoring  
Industrial Safety  
Industrial Hygiene  
Physical, Chemical, and Nuclear Data  
Emergency Response  
CFRs on DVD  
Radiological Health Handbook on DVD

Conferences

First Responders Congress  
Air Monitoring Expo  
Environmental Monitoring Expo  
Waste Treatment Expo  
Green Information Exchange (GIX)

For further information on all Voss Associates training classes, publications, or conferences please email us or visit our website.

[jtvoss@newmexico.com](mailto:jtvoss@newmexico.com)  
[techinfo@newmexico.com](mailto:techinfo@newmexico.com)  
[WWW.VOSS-ASSOCIATES.COM](http://WWW.VOSS-ASSOCIATES.COM)